

Rosa Raimondo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5950554/publications.pdf>

Version: 2024-02-01

33
papers

1,168
citations

448610

19
h-index

445137

33
g-index

36
all docs

36
docs citations

36
times ranked

1607
citing authors

#	ARTICLE	IF	CITATIONS
1	Brisk walking can be a maximal effort in heart failure patients: a comparison of cardiopulmonary exercise and 6-minute walking test cardiorespiratory data. ESC Heart Failure, 2022, 9, 812-821.	1.4	13
2	Old and new equations for maximal heart rate prediction in patients with heart failure and reduced ejection fraction on beta-blockers treatment: results from the MECKI score data set. European Journal of Preventive Cardiology, 2022, 29, 1680-1688.	0.8	11
3	Gender and age normalization and ventilation efficiency during exercise in heart failure with reduced ejection fraction. ESC Heart Failure, 2020, 7, 368-377.	1.4	23
4	Increased serum uric acid level predicts poor prognosis in mildly severe chronic heart failure with reduced ejection fraction. An analysis from the MECKI score research group. European Journal of Internal Medicine, 2020, 72, 47-52.	1.0	15
5	Role of comorbidities in heart failure prognosis Part 2: Chronic kidney disease, elevated serum uric acid. European Journal of Preventive Cardiology, 2020, 27, 35-45.	0.8	34
6	Long-term prognostic role of diabetes mellitus and glycemic control in heart failure patients with reduced ejection fraction. International Journal of Cardiology, 2020, 317, 103-110.	0.8	13
7	Exercise oscillatory ventilation and prognosis in heart failure patients with reduced and mid-range ejection fraction. European Journal of Heart Failure, 2019, 21, 1586-1595.	2.9	24
8	Acutely decompensated heart failure with chronic obstructive pulmonary disease: Clinical characteristics and long-term survival. European Journal of Internal Medicine, 2019, 60, 31-38.	1.0	6
9	Heart failure prognosis over time: how the prognostic role of oxygen consumption and ventilatory efficiency during exercise has changed in the last 20 years. European Journal of Heart Failure, 2019, 21, 208-217.	2.9	60
10	Mineralocorticoid receptor antagonists for heart failure: a real-life observational study. ESC Heart Failure, 2018, 5, 267-274.	1.4	13
11	Female gender and mortality risk in decompensated heart failure. European Journal of Internal Medicine, 2018, 51, 34-40.	1.0	16
12	Multiparametric prognostic scores in chronic heart failure with reduced ejection fraction: a long-term comparison. European Journal of Heart Failure, 2018, 20, 700-710.	2.9	84
13	Dose-dependent efficacy of β^2 -blocker in patients with chronic heart failure and atrial fibrillation. International Journal of Cardiology, 2018, 273, 141-146.	0.8	13
14	Prognostic role of β^2 -blocker selectivity and dosage regimens in heart failure patients. Insights from the MECKI score database. European Journal of Heart Failure, 2017, 19, 904-914.	2.9	28
15	Prognostic Impact of Diabetes and Prediabetes on Survival Outcomes in Patients With Chronic Heart Failure: A Post-Hoc Analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza nella) Tj ETQq1 1106784314rgBT /O		
16	Heart failure and anemia: Effects on prognostic variables. European Journal of Internal Medicine, 2017, 37, 56-63.	1.0	33
17	Exercise tolerance can explain the obesity paradox in patients with systolic heart failure: data from the MECKI Score Research Group. European Journal of Heart Failure, 2016, 18, 545-553.	2.9	64
18	Sex Profile and Risk Assessment With Cardiopulmonary Exercise Testing in Heart Failure: Propensity Score Matching for Sex Selection Bias. Canadian Journal of Cardiology, 2016, 32, 754-759.	0.8	19

#	ARTICLE	IF	CITATIONS
19	The metabolic exercise test data combined with Cardiac And Kidney Indexes (MECKI) score and prognosis in heart failure. A validation study. <i>International Journal of Cardiology</i> , 2016, 203, 1067-1072.	0.8	36
20	Exercise Performance Is a Prognostic Indicator in Elderly Patients With Chronic Heart Failure – Application of Metabolic Exercise Cardiac Kidney Indexes Score. <i>Circulation Journal</i> , 2015, 79, 2608-2615.	0.7	21
21	Renal Function and Peak Exercise Oxygen Consumption in Chronic Heart Failure With Reduced Left Ventricular Ejection Fraction. <i>Circulation Journal</i> , 2015, 79, 583-591.	0.7	29
22	Prognostic role of atrial fibrillation in patients affected by chronic heart failure. Data from the MECKI score research group. <i>European Journal of Internal Medicine</i> , 2015, 26, 515-520.	1.0	16
23	Regular Wine Consumption in Chronic Heart Failure. <i>Circulation: Heart Failure</i> , 2015, 8, 428-437.	1.6	26
24	Metabolic exercise data combined with cardiac and kidney indexes: MECKI score. Predictive role in cardiopulmonary exercise testing with low respiratory exchange ratio in heart failure. <i>International Journal of Cardiology</i> , 2015, 184, 299-301.	0.8	10
25	Deceptive meaning of oxygen uptake measured at the anaerobic threshold in patients with systolic heart failure and atrial fibrillation. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1046-1055.	0.8	32
26	The ADHF/NT-proBNP risk score to predict 1-year mortality in hospitalized patients with advanced decompensated heart failure. <i>Journal of Heart and Lung Transplantation</i> , 2014, 33, 404-411.	0.3	21
27	Renal Dysfunction and Accuracy of N-Terminal Pro-B-Type Natriuretic Peptide in Predicting Mortality for Hospitalized Patients With Heart Failure. <i>Circulation Journal</i> , 2014, 78, 2439-2446.	0.7	9
28	Prognostic Value of Indeterminable Anaerobic Threshold in Heart Failure. <i>Circulation: Heart Failure</i> , 2013, 6, 977-987.	1.6	60
29	Metabolic exercise test data combined with cardiac and kidney indexes, the MECKI score: A multiparametric approach to heart failure prognosis. <i>International Journal of Cardiology</i> , 2013, 167, 2710-2718.	0.8	183
30	Severe heart failure prognosis evaluation for transplant selection in the era of beta-blockers: Role of peak oxygen consumption. <i>International Journal of Cardiology</i> , 2013, 168, 5078-5081.	0.8	25
31	Clinical utility of N-terminal pro-B-type natriuretic peptide for risk stratification of patients with acute decompensated heart failure. Derivation and validation of the ADHF/NT-proBNP risk score. <i>International Journal of Cardiology</i> , 2013, 168, 2120-2126.	0.8	58
32	Exercise Oscillatory Ventilation May Predict Sudden Cardiac Death in Heart Failure Patients. <i>Journal of the American College of Cardiology</i> , 2007, 50, 299-308.	1.2	110
33	P3472 Influence of diabetes mellitus on the in-hospital rehabilitation course after cardiac surgery. <i>European Heart Journal</i> , 2003, 24, 673.	1.0	12