Paul Emery

List of Publications by Citations

Source: https://exaly.com/author-pdf/5951088/paul-emery-publications-by-citations.pdf

Version: 2024-04-03

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67,971 648 117 251 h-index g-index papers citations 6.2 78,805 742 7.45 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
648	2010 Rheumatoid arthritis classification criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2569-81		4825
647	Infliximab and methotrexate in the treatment of rheumatoid arthritis. Anti-Tumor Necrosis Factor Trial in Rheumatoid Arthritis with Concomitant Therapy Study Group. <i>New England Journal of Medicine</i> , 2000 , 343, 1594-602	59.2	2590
646	2010 rheumatoid arthritis classification criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1580-8	2.4	2158
645	Efficacy of B-cell-targeted therapy with rituximab in patients with rheumatoid arthritis. <i>New England Journal of Medicine</i> , 2004 , 350, 2572-81	59.2	2009
644	Infliximab (chimeric anti-tumour necrosis factor alpha monoclonal antibody) versus placebo in rheumatoid arthritis patients receiving concomitant methotrexate: a randomised phase III trial. ATTRACT Study Group. <i>Lancet, The</i> , 1999 , 354, 1932-9	40	1960
643	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2016 update. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 960-9	7 7 4	1649
642	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2013 update. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 492-50	0 3 .4	1487
641	Treating rheumatoid arthritis to target: recommendations of an international task force. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 631-7	2.4	1300
640	Rituximab for rheumatoid arthritis refractory to anti-tumor necrosis factor therapy: Results of a multicenter, randomized, double-blind, placebo-controlled, phase III trial evaluating primary efficacy and safety at twenty-four weeks. <i>Arthritis and Rheumatism</i> , 2006 , 54, 2793-806		1241
639	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 964-75	2.4	1210
638	Genome-wide association study meta-analysis identifies seven new rheumatoid arthritis risk loci. Nature Genetics, 2010 , 42, 508-14	36.3	969
637	Combination of infliximab and methotrexate therapy for early rheumatoid arthritis: a randomized, controlled trial. <i>Arthritis and Rheumatism</i> , 2004 , 50, 3432-43		948
636	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2019 update. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 685-69	9 3 .4	851
635	Treatment of rheumatoid arthritis by selective inhibition of T-cell activation with fusion protein CTLA4Ig. <i>New England Journal of Medicine</i> , 2003 , 349, 1907-15	59.2	822
634	Treating rheumatoid arthritis to target: 2014 update of the recommendations of an international task force. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 3-15	2.4	814
633	Treatment of rheumatoid arthritis with recombinant human interleukin-1 receptor antagonist. <i>Arthritis and Rheumatism</i> , 1998 , 41, 2196-204		799
632	IL-6 receptor inhibition with tocilizumab improves treatment outcomes in patients with rheumatoid arthritis refractory to anti-tumour necrosis factor biologicals: results from a 24-week multicentre randomised placebo-controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 1516-23	2.4	798

(2013-2006)

631	The efficacy and safety of rituximab in patients with active rheumatoid arthritis despite methotrexate treatment: results of a phase IIB randomized, double-blind, placebo-controlled, dose-ranging trial. <i>Arthritis and Rheumatism</i> , 2006 , 54, 1390-400		795	
630	Rheumatoid arthritis. <i>Nature Reviews Disease Primers</i> , 2018 , 4, 18001	51.1	75 ⁰	
629	New therapies for treatment of rheumatoid arthritis. <i>Lancet, The</i> , 2007 , 370, 1861-74	40	706	
628	Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls. <i>Nature</i> , 2010 , 464, 713-20	50.4	639	
627	Comparison of methotrexate monotherapy with a combination of methotrexate and etanercept in active, early, moderate to severe rheumatoid arthritis (COMET): a randomised, double-blind, parallel treatment trial. <i>Lancet, The</i> , 2008 , 372, 375-82	40	625	
626	Secukinumab, an Interleukin-17A Inhibitor, in Ankylosing Spondylitis. <i>New England Journal of Medicine</i> , 2015 , 373, 2534-48	59.2	619	
625	Effects of abatacept in patients with methotrexate-resistant active rheumatoid arthritis: a randomized trial. <i>Annals of Internal Medicine</i> , 2006 , 144, 865-76	8	524	
624	American College of Rheumatology/European League Against Rheumatism provisional definition of remission in rheumatoid arthritis for clinical trials. <i>Arthritis and Rheumatism</i> , 2011 , 63, 573-86		52 0	
623	American College of Rheumatology/European League against Rheumatism provisional definition of remission in rheumatoid arthritis for clinical trials. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 404-13	2.4	518	
622	Isolation and characterization of bone marrow multipotential mesenchymal progenitor cells. <i>Arthritis and Rheumatism</i> , 2002 , 46, 3349-60		501	
621	Classification of inflammatory arthritis by enthesitis. <i>Lancet, The</i> , 1998 , 352, 1137-40	40	479	
620	The value of sonography in the detection of bone erosions in patients with rheumatoid arthritis: a comparison with conventional radiography. <i>Arthritis and Rheumatism</i> , 2000 , 43, 2762-70		47º	
619	Prevalence of comorbidities in rheumatoid arthritis and evaluation of their monitoring: results of an international, cross-sectional study (COMORA). <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 62-8	2.4	467	
618	Immune mechanisms of pulmonary intravascular coagulopathy in COVID-19 pneumonia. <i>Lancet Rheumatology, The</i> , 2020 , 2, e437-e445	14.2	460	
617	Tocilizumab monotherapy versus adalimumab monotherapy for treatment of rheumatoid arthritis (ADACTA): a randomised, double-blind, controlled phase 4 trial. <i>Lancet, The</i> , 2013 , 381, 1541-50	40	460	
616	Certolizumab pegol plus methotrexate is significantly more effective than placebo plus methotrexate in active rheumatoid arthritis: findings of a fifty-two-week, phase III, multicenter, randomized, double-blind, placebo-controlled, parallel-group study. <i>Arthritis and Rheumatism</i> , 2008 ,		458	
615	Very early treatment with infliximab in addition to methotrexate in early, poor-prognosis rheumatoid arthritis reduces magnetic resonance imaging evidence of synovitis and damage, with sustained benefit after infliximab withdrawal: results from a twelve-month randomized,		451	
614	double-blind, placebo-controlled trial. Arthritis and Rheumatism, 2005, 52, 27-35 Anti-interleukin-17A monoclonal antibody secukinumab in treatment of ankylosing spondylitis: a randomised, double-blind, placebo-controlled trial. Lancet, The, 2013, 382, 1705-13	40	449	

613	Psoriasis and systemic inflammatory diseases: potential mechanistic links between skin disease and co-morbid conditions. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 1785-96	4.3	447
612	Celecoxib versus diclofenac in long-term management of rheumatoid arthritis: randomised double-blind comparison. <i>Lancet, The</i> , 1999 , 354, 2106-11	40	427
611	OMERACT Rheumatoid Arthritis Magnetic Resonance Imaging Studies. Core set of MRI acquisitions, joint pathology definitions, and the OMERACT RA-MRI scoring system. <i>Journal of Rheumatology</i> , 2003 , 30, 1385-6	4.1	424
610	Autologous hematopoietic stem cell transplantation vs intravenous pulse cyclophosphamide in diffuse cutaneous systemic sclerosis: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 2490-8	27.4	405
609	Elucidation of the relationship between synovitis and bone damage: a randomized magnetic resonance imaging study of individual joints in patients with early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2003 , 48, 64-71		398
608	Treatment of rheumatoid arthritis with the selective costimulation modulator abatacept: twelve-month results of a phase iib, double-blind, randomized, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , 2005 , 52, 2263-71		370
607	Recombinant human anti-transforming growth factor beta1 antibody therapy in systemic sclerosis: a multicenter, randomized, placebo-controlled phase I/II trial of CAT-192. <i>Arthritis and Rheumatism</i> , 2007 , 56, 323-33		360
606	Efficacy of etanercept in the treatment of the entheseal pathology in resistant spondylarthropathy: a clinical and magnetic resonance imaging study. <i>Arthritis and Rheumatism</i> , 2001 , 44, 2112-7		345
605	Enumeration and phenotypic characterization of synovial fluid multipotential mesenchymal progenitor cells in inflammatory and degenerative arthritis. <i>Arthritis and Rheumatism</i> , 2004 , 50, 817-27		341
604	Predictors of joint damage in patients with early rheumatoid arthritis treated with high-dose methotrexate with or without concomitant infliximab: results from the ASPIRE trial. <i>Arthritis and Rheumatism</i> , 2006 , 54, 702-10		336
603	Golimumab, a human anti-tumor necrosis factor alpha monoclonal antibody, injected subcutaneously every four weeks in methotrexate-naive patients with active rheumatoid arthritis: twenty-four-week results of a phase III, multicenter, randomized, double-blind, placebo-controlled study of golimumab before methotrexate as first-line therapy for early-onset rheumatoid arthritis.		334
602	Arthritis and Rheumatism, 2009, 60, 2272-83. Rheumatoid arthritis association at 6q23. Nature Genetics, 2007, 39, 1431-3	36.3	328
601	Treating axial spondyloarthritis and peripheral spondyloarthritis, especially psoriatic arthritis, to target: 2017 update of recommendations by an international task force. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 3-17	2.4	320
600	Costimulatory blockade in patients with rheumatoid arthritis: a pilot, dose-finding, double-blind, placebo-controlled clinical trial evaluating CTLA-4Ig and LEA29Y eighty-five days after the first infusion. <i>Arthritis and Rheumatism</i> , 2002 , 46, 1470-9		310
599	The relationship between synovitis and bone changes in early untreated rheumatoid arthritis: a controlled magnetic resonance imaging study. <i>Arthritis and Rheumatism</i> , 1999 , 42, 1706-11		310
598	Treating spondyloarthritis, including ankylosing spondylitis and psoriatic arthritis, to target: recommendations of an international task force. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 6-16	2.4	308
597	Updated consensus statement on the use of rituximab in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 909-20	2.4	308
596	Malignancies associated with tumour necrosis factor inhibitors in registries and prospective observational studies: a systematic review and meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1895-904	2.4	274

(2010-2009)

Genetic variants at CD28, PRDM1 and CD2/CD58 are associated with rheumatoid arthritis risk. <i>Nature Genetics</i> , 2009 , 41, 1313-8	36.3	272
Effect of tight control of inflammation in early psoriatic arthritis (TICOPA): a UK multicentre, open-label, randomised controlled trial. <i>Lancet, The</i> , 2015 , 386, 2489-98	40	271
Safety and efficacy of additional courses of rituximab in patients with active rheumatoid arthritis: an open-label extension analysis. <i>Arthritis and Rheumatism</i> , 2007 , 56, 3896-908		270
Efficacy and safety of secukinumab, a fully human anti-interleukin-17A monoclonal antibody, in patients with moderate-to-severe psoriatic arthritis: a 24-week, randomised, double-blind, placebo-controlled, phase II proof-of-concept trial. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 349-56	2.4	267
EULAR recommendations for terminology and research in individuals at risk of rheumatoid arthritis: report from the Study Group for Risk Factors for Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 638-41	2.4	263
Early referral recommendation for newly diagnosed rheumatoid arthritis: evidence based development of a clinical guide. <i>Annals of the Rheumatic Diseases</i> , 2002 , 61, 290-7	2.4	255
2016 update of the EULAR recommendations for the management of early arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 948-959	2.4	243
Long-term safety of rituximab in rheumatoid arthritis: 9.5-year follow-up of the global clinical trial programme with a focus on adverse events of interest in RA patients. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1496-502	2.4	242
Comparison of synovial tissues from the knee joints and the small joints of rheumatoid arthritis patients: Implications for pathogenesis and evaluation of treatment. <i>Arthritis and Rheumatism</i> , 2002 , 46, 2034-8		236
TRPC channel activation by extracellular thioredoxin. <i>Nature</i> , 2008 , 451, 69-72	50.4	228
Efficacy and safety of tofacitinib monotherapy, tofacitinib with methotrexate, and adalimumab with methotrexate in patients with rheumatoid arthritis (ORAL Strategy): a phase 3b/4, double-blind, head-to-head, randomised controlled trial. <i>Lancet, The</i> , 2017 , 390, 457-468	40	227
double blind, field to field, fundoffised controlled that. Luffeet, fife, 2011, 570, 451 400	40	
Efficacy of biological disease-modifying antirheumatic drugs: a systematic literature review informing the 2013 update of the EULAR recommendations for the management of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 516-28	2.4	224
Efficacy of biological disease-modifying antirheumatic drugs: a systematic literature review informing the 2013 update of the EULAR recommendations for the management of rheumatoid		
Efficacy of biological disease-modifying antirheumatic drugs: a systematic literature review informing the 2013 update of the EULAR recommendations for the management of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 516-28 Baricitinib in patients with inadequate response or intolerance to conventional synthetic DMARDs:	2.4	224
Efficacy of biological disease-modifying antirheumatic drugs: a systematic literature review informing the 2013 update of the EULAR recommendations for the management of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 516-28 Baricitinib in patients with inadequate response or intolerance to conventional synthetic DMARDs: results from the RA-BUILD study. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 88-95 Efficacy and safety of different doses and retreatment of rituximab: a randomised, placebo-controlled trial in patients who are biological naive with active rheumatoid arthritis and an	2.4	224
Efficacy of biological disease-modifying antirheumatic drugs: a systematic literature review informing the 2013 update of the EULAR recommendations for the management of rheumatoid arthritis. Annals of the Rheumatic Diseases, 2014, 73, 516-28 Baricitinib in patients with inadequate response or intolerance to conventional synthetic DMARDs: results from the RA-BUILD study. Annals of the Rheumatic Diseases, 2017, 76, 88-95 Efficacy and safety of different doses and retreatment of rituximab: a randomised, placebo-controlled trial in patients who are biological naive with active rheumatoid arthritis and an inadequate response to methotrexate (Study Evaluating Rituximabß Efficacy in MTX iNadequate	2.4	224
Efficacy of biological disease-modifying antirheumatic drugs: a systematic literature review informing the 2013 update of the EULAR recommendations for the management of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 516-28 Baricitinib in patients with inadequate response or intolerance to conventional synthetic DMARDs: results from the RA-BUILD study. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 88-95 Efficacy and safety of different doses and retreatment of rituximab: a randomised, placebo-controlled trial in patients who are biological naive with active rheumatoid arthritis and an inadequate response to methotrexate (Study Evaluating Rituximabß Efficacy in MTX iNadequate (Study Evaluation Rituximabß Efficacy in MTX iNadequate (Study Evaluation Diseases 2010, 60, 1620-35) Psoriatic arthritis: a unified concept twenty years on. <i>Arthritis and Rheumatism</i> , 1999 , 42, 1080-6 Clinical and imaging efficacy of infliximab in HLA-B27-Positive patients with magnetic resonance	2.4	224 222 222 222
	Safety and efficacy of additional courses of rituximab in patients with active rheumatoid arthritis: an open-label extension analysis. <i>Arthritis and Rheumatism</i> , 2007 , 56, 3896-908 Efficacy and safety of secukinumab, a fully human anti-interleukin-17A monoclonal antibody, in patients with moderate-to-severe psoriatic arthritis: a 24-week, randomised, double-blind, placebo-controlled, phase II proof-of-concept trial. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 349-56 EULAR recommendations for terminology and research in individuals at risk of rheumatoid arthritis: report from the Study Group for Risk Factors for Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 638-41 Early referral recommendation for newly diagnosed rheumatoid arthritis: evidence based development of a clinical guide. <i>Annals of the Rheumatic Diseases</i> , 2002 , 61, 290-7 2016 update of the EULAR recommendations for the management of early arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 948-959 Long-term safety of rituximab in rheumatoid arthritis: 9.5-year follow-up of the global clinical trial programme with a focus on adverse events of interest in RA patients. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1496-502 Comparison of synovial tissues from the knee joints and the small joints of rheumatoid arthritis patients: Implications for pathogenesis and evaluation of treatment. <i>Arthritis and Rheumatism</i> , 2002 , 46, 2034-8 TRPC channel activation by extracellular thioredoxin. <i>Nature</i> , 2008 , 451, 69-72	Safety and efficacy of additional courses of rituximab in patients with active rheumatoid arthritis: an open-label extension analysis. Arthritis and Rheumatism, 2007, 56, 3896-908 Efficacy and safety of secukinumab, a fully human anti-interleukin-17A monoclonal antibody, in patients with moderate-to-severe psoriatic arthritis: a 24-week, randomised, double-blind, placebo-controlled, phase II proof-of-concept trial. Annals of the Rheumatic Diseases, 2014, 73, 349-56 EULAR recommendations for terminology and research in individuals at risk of rheumatoid arthritis: report from the Study Group for Risk Factors for Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2012, 71, 638-41 Early referral recommendation for newly diagnosed rheumatoid arthritis: evidence based development of a clinical guide. Annals of the Rheumatic Diseases, 2002, 61, 290-7 2.4 2016 update of the EULAR recommendations for the management of early arthritis. Annals of the Rheumatic Diseases, 2017, 76, 948-959 Long-term safety of rituriab in rheumatoid arthritis: 9.5-year follow-up of the global clinical trial programme with a focus on adverse events of interest in RA patients. Annals of the Rheumatic Diseases, 2013, 72, 1496-502 Comparison of synovial tissues from the knee joints and the small joints of rheumatoid arthritis patients: Implications for pathogenesis and evaluation of treatment. Arthritis and Rheumatism, 2002, 46, 2034-8 TRPC channel activation by extracellular thioredoxin. Nature, 2008, 451, 69-72 Efficacy and safety of tofacitinib monotherapy, tofacitinib with methotrexate, and adalimumab

577	A systematic literature review of drug therapies for the treatment of psoriatic arthritis: current evidence and meta-analysis informing the EULAR recommendations for the management of psoriatic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 319-26	2.4	201
576	Development of psoriasis after B cell depletion with rituximab. <i>Arthritis and Rheumatism</i> , 2007 , 56, 271	5-8	201
575	Role of metacarpophalangeal joint anatomic factors in the distribution of synovitis and bone erosion in early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2003 , 48, 1214-22		201
574	Comparative assessment of leflunomide and methotrexate for the treatment of rheumatoid arthritis, by dynamic enhanced magnetic resonance imaging. <i>Arthritis and Rheumatism</i> , 2002 , 46, 366-72	!	198
573	A genetic association between systemic lupus erythematosus and tumor necrosis factor alpha. <i>European Journal of Immunology</i> , 1994 , 24, 191-5	6.1	198
572	Adjustment of therapy in rheumatoid arthritis on the basis of achievement of stable low disease activity with adalimumab plus methotrexate or methotrexate alone: the randomised controlled OPTIMA trial. <i>Lancet, The,</i> 2014 , 383, 321-32	40	196
571	The 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: Phase 2 methodological report. <i>Arthritis and Rheumatism</i> , 2010 , 62, 25	82-91	182
570	Efficacy of rituximab in 164 patients with biopsy-proven lupus nephritis: pooled data from European cohorts. <i>Autoimmunity Reviews</i> , 2012 , 11, 357-64	13.6	176
569	Evidence for treating rheumatoid arthritis to target: results of a systematic literature search. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 638-643	2.4	168
568	Genetic typing of patients with inflammatory arthritis at presentation can be used to predict outcome. <i>Arthritis and Rheumatism</i> , 1994 , 37, 1166-70		166
567	Tapering biologic and conventional DMARD therapy in rheumatoid arthritis: current evidence and future directions. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1428-37	2.4	166
566	Effect of secukinumab on clinical and radiographic outcomes in ankylosing spondylitis: 2-year results from the randomised phase III MEASURE 1 study. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 10	7 0:4 07	7 ¹⁶¹
565	Clinical, functional and radiographic consequences of achieving stable low disease activity and remission with adalimumab plus methotrexate or methotrexate alone in early rheumatoid arthritis: 26-week results from the randomised, controlled OPTIMA study. <i>Annals of the Rheumatic Diseases</i> ,	2.4	161
564	A phase III randomised, double-blind, parallel-group study comparing SB4 with etanercept reference product in patients with active rheumatoid arthritis despite methotrexate therapy. Annals of the Rheumatic Diseases, 2017, 76, 51-57	2.4	157
563	Evidence for treating rheumatoid arthritis to target: results of a systematic literature search update. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 16-22	2.4	156
562	B cell biomarkers of rituximab responses in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2011 , 63, 3038-47		156
561	Evaluating drug-free remission with abatacept in early rheumatoid arthritis: results from the phase 3b, multicentre, randomised, active-controlled AVERT study of 24 months, with a 12-month, double-blind treatment period. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 19-26	2.4	155
560	Highly sensitive B cell analysis predicts response to rituximab therapy in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008 , 58, 2993-9		152

(2002-2000)

559	and methotrexate in patients with active rheumatoid arthritis. Findings in a prospective, randomized, double-blind, parallel-design clinical trial in thirty-nine patients at two centers. Arthritis and Rheumatism, 2000, 43, 1820-30		148	
558	An anatomical explanation for good-prognosis rheumatoid arthritis. <i>Lancet, The</i> , 1999 , 353, 123-4	40	148	
557	The role of biomechanical factors and HLA-B27 in magnetic resonance imaging-determined bone changes in plantar fascia enthesopathy. <i>Arthritis and Rheumatism</i> , 2002 , 46, 489-93		145	
556	Should imaging be a component of rheumatoid arthritis remission criteria? A comparison between traditional and modified composite remission scores and imaging assessments. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 792-8	2.4	144	
555	Upadacitinib as monotherapy in patients with active rheumatoid arthritis and inadequate response to methotrexate (SELECT-MONOTHERAPY): a randomised, placebo-controlled, double-blind phase 3 study. <i>Lancet, The</i> , 2019 , 393, 2303-2311	40	143	
554	A high-resolution magnetic resonance imaging study of distal interphalangeal joint arthropathy in psoriatic arthritis and osteoarthritis: are they the same?. <i>Arthritis and Rheumatism</i> , 2006 , 54, 1328-33		142	
553	Sustained remission with etanercept tapering in early rheumatoid arthritis. <i>New England Journal of Medicine</i> , 2014 , 371, 1781-92	59.2	141	
552	Effect of the early use of the anti-tumor necrosis factor adalimumab on the prevention of job loss in patients with early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1467-74		139	
551	Preliminary evidence for a structural benefit of the new bisphosphonate zoledronic acid in early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 1410-4		139	
550	The OMERACT psoriatic arthritis magnetic resonance imaging scoring system (PsAMRIS): definitions of key pathologies, suggested MRI sequences, and preliminary scoring system for PsA Hands. <i>Journal of Rheumatology</i> , 2009 , 36, 1816-24	4.1	138	
549	Results of a two-year followup study of patients with rheumatoid arthritis who received a combination of abatacept and methotrexate. <i>Arthritis and Rheumatism</i> , 2008 , 58, 953-63		137	
548	Rheumatoid arthritis pathophysiology: update on emerging cytokine and cytokine-associated cell targets. <i>Rheumatology</i> , 2014 , 53, 1560-9	3.9	136	
547	Can flare be predicted in DMARD treated RA patients in remission, and is it important? A cohort study. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1316-21	2.4	136	
546	Angiopoietins, growth factors, and vascular morphology in early arthritis. <i>Journal of Rheumatology</i> , 2003 , 30, 260-8	4.1	136	
545	Patients with RA in remission on TNF blockers: when and in whom can TNF blocker therapy be stopped?. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1636-42	2.4	134	
544	Evidence of NLRP3-inflammasome activation in rheumatoid arthritis (RA); genetic variants within the NLRP3-inflammasome complex in relation to susceptibility to RA and response to anti-TNF treatment. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1202-10	2.4	128	
543	Persistence of mild, early inflammatory arthritis: the importance of disease duration, rheumatoid factor, and the shared epitope. <i>Arthritis and Rheumatism</i> , 1999 , 42, 2184-8		128	
542	The geometric architecture of the subtalar and midtarsal joints in rheumatoid arthritis based on magnetic resonance imaging. <i>Arthritis and Rheumatism</i> , 2002 , 46, 3168-77		127	

541	Dysregulated lymphocyte proliferation and differentiation in patients with rheumatoid arthritis. <i>Blood</i> , 2002 , 100, 4550-6	2.2	127
540	Rheumatoid arthritis susceptibility loci at chromosomes 10p15, 12q13 and 22q13. <i>Nature Genetics</i> , 2008 , 40, 1156-9	36.3	125
539	Anti-tumor necrosis factor-alpha therapy-induced vasculitis: case series. <i>Journal of Rheumatology</i> , 2003 , 30, 2287-91	4.1	123
538	Randomized Controlled Trial of Rituximab and Cost-Effectiveness Analysis in Treating Fatigue and Oral Dryness in Primary Sjgrenß Syndrome. <i>Arthritis and Rheumatology</i> , 2017 , 69, 1440-1450	9.5	122
537	Effect of baseline rheumatoid factor and anticitrullinated peptide antibody serotype on rituximab clinical response: a meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 329-36	2.4	122
536	A Phase IIb Study of ABT-494, a Selective JAK-1 Inhibitor, in Patients With Rheumatoid Arthritis and an Inadequate Response to Anti-Tumor Necrosis Factor Therapy. <i>Arthritis and Rheumatology</i> , 2016 , 68, 2867-2877	9.5	122
535	Re-evaluation of putative rheumatoid arthritis susceptibility genes in the post-genome wide association study era and hypothesis of a key pathway underlying susceptibility. <i>Human Molecular Genetics</i> , 2008 , 17, 2274-9	5.6	121
534	Consensus-based recommendations for the use of biosimilars to treat rheumatological diseases. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 165-174	2.4	120
533	Histone deacetylases are dysregulated in rheumatoid arthritis and a novel histone deacetylase 3-selective inhibitor reduces interleukin-6 production by peripheral blood mononuclear cells from rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> , 2012 , 64, 418-22		118
532	The Stop Arthritis Very Early (SAVE) trial, an international multicentre, randomised, double-blind, placebo-controlled trial on glucocorticoids in very early arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 495-502	2.4	117
531	The 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: methodological report phase I. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1589-95	2.4	117
530	A head-to-head comparison of the efficacy and safety of ixekizumab and adalimumab in biological-nalle patients with active psoriatic arthritis: 24-week results of a randomised, open-label, blinded-assessor trial. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 123-131	2.4	116
529	Minimal disease activity for rheumatoid arthritis: a preliminary definition. <i>Journal of Rheumatology</i> , 2005 , 32, 2016-24	4.1	116
528	Long-term safety, efficacy and inhibition of radiographic progression with abatacept treatment in patients with rheumatoid arthritis and an inadequate response to methotrexate: 3-year results from the AIM trial. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1826-30	2.4	114
527	Psoriasis patients with nail disease have a greater magnitude of underlying systemic subclinical enthesopathy than those with normal nails. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 553-6	2.4	113
526	Disease remission state in patients treated with the combination of tumor necrosis factor blockade and methotrexate or with disease-modifying antirheumatic drugs: A clinical and imaging comparative study. <i>Arthritis and Rheumatism</i> , 2009 , 60, 1915-22		112
525	An ultrasonographic study of osteoarthritis of the hand: synovitis and its relationship to structural pathology and symptoms. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1756-63		111
524	8-Hydroxydeoxyguanosine. A marker of oxidative DNA damage in systemic lupus erythematosus. <i>FEBS Letters</i> , 1994 , 348, 131-8	3.8	111

523	Enthesitis in spondyloarthropathy. Current Opinion in Rheumatology, 1999, 11, 244-50	5.3	108
522	Autologous hemopoietic stem cell transplantation in severe rheumatoid arthritis: a report from the EBMT and ABMTR. <i>Journal of Rheumatology</i> , 2004 , 31, 482-8	4.1	108
521	Synovial tissue research: a state-of-the-art review. <i>Nature Reviews Rheumatology</i> , 2017 , 13, 463-475	8.1	107
520	Ultrasonographic assessment of nail in psoriatic disease shows a link between onychopathy and distal interphalangeal joint extensor tendon enthesopathy. <i>Dermatology</i> , 2012 , 225, 231-5	4.4	107
519	Efficacy and safety of certolizumab pegol in a broad population of patients with active rheumatoid arthritis: results from the REALISTIC phase IIIb study. <i>Rheumatology</i> , 2012 , 51, 2204-14	3.9	102
518	Safety and efficacy of the selective costimulation modulator abatacept in patients with rheumatoid arthritis receiving background methotrexate: a 5-year extended phase IIB study. <i>Journal of Rheumatology</i> , 2009 , 36, 736-42	4.1	100
517	Continued inhibition of structural damage over 2 years in patients with rheumatoid arthritis treated with rituximab in combination with methotrexate. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1158-61	2.4	99
516	Effect of rituximab on the progression of rheumatoid arthritis-related interstitial lung disease: 10 yearsPexperience at a single centre. <i>Rheumatology</i> , 2017 , 56, 1348-1357	3.9	97
515	Biologic and oral disease-modifying antirheumatic drug monotherapy in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1897-904	2.4	96
514	Updated consensus statement on biological agents for the treatment of rheumatic diseases, 2012. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72 Suppl 2, ii2-34	2.4	96
513	Turnover of type II collagen and aggrecan in cartilage matrix at the onset of inflammatory arthritis in humans: relationship to mediators of systemic and local inflammation. <i>Arthritis and Rheumatism</i> , 2003 , 48, 3085-95		95
512	Transcriptional profile of native CD271+ multipotential stromal cells: evidence for multiple fates, with prominent osteogenic and Wnt pathway signaling activity. <i>Arthritis and Rheumatism</i> , 2012 , 64, 20	632-43	94
511	Matrix metalloproteinase 9, apoptosis, and vascular morphology in early arthritis. <i>Arthritis and Rheumatism</i> , 2001 , 44, 2024-8		93
510	Two-year clinical and radiographic results with combination etanercept-methotrexate therapy versus monotherapy in early rheumatoid arthritis: a two-year, double-blind, randomized study. <i>Arthritis and Rheumatism</i> , 2010 , 62, 674-82		92
509	Evaluating antirheumatic treatments using synovial biopsy: a recommendation for standardisation to be used in clinical trials. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 423-7	2.4	91
508	The effects of golimumab on radiographic progression in rheumatoid arthritis: results of randomized controlled studies of golimumab before methotrexate therapy and golimumab after methotrexate therapy. <i>Arthritis and Rheumatism</i> , 2011 , 63, 1200-10		90
507	Distinct topography of erosion and new bone formation in achilles tendon enthesitis: implications for understanding the link between inflammation and bone formation in spondylarthritis. <i>Arthritis and Rheumatism</i> , 2008 , 58, 2694-9		90
506	Treatment of rheumatoid arthritis. <i>BMJ, The</i> , 2006 , 332, 152-5	5.9	90

505	Double-blind placebo-controlled trial of etanercept in the prevention of work disability in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1926-8	2.4	89
504	C-reactive protein as a predictor of infliximab treatment outcome in patients with rheumatoid arthritis: defining subtypes of nonresponse and subsequent response to etanercept. <i>Arthritis and Rheumatism</i> , 2005 , 52, 42-8		88
503	Consensus statement on blocking the effects of interleukin-6 and in particular by interleukin-6 receptor inhibition in rheumatoid arthritis and other inflammatory conditions. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 482-92	2.4	87
502	Pharmacological treatment of psoriatic arthritis: a systematic literature review for the 2015 update of the EULAR recommendations for the management of psoriatic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 490-8	2.4	86
501	Infliximab treatment maintains employability in patients with early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 716-22		86
500	EULAR definition of erosive disease in light of the 2010 ACR/EULAR rheumatoid arthritis classification criteria. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 479-81	2.4	85
499	Synovitis and osteitis are very frequent in rheumatoid arthritis clinical remission: results from an MRI study of 294 patients in clinical remission or low disease activity state. <i>Journal of Rheumatology</i> , 2011 , 38, 2039-44	4.1	85
498	OMERACT Rheumatoid Arthritis Magnetic Resonance Imaging Studies. Exercise 3: an international multicenter reliability study using the RA-MRI Score. <i>Journal of Rheumatology</i> , 2003 , 30, 1366-75	4.1	85
497	Robotic multiwell planar patch-clamp for native and primary mammalian cells. <i>Nature Protocols</i> , 2009 , 4, 244-55	18.8	84
496	The TICOPA protocol (Tight COntrol of Psoriatic Arthritis): a randomised controlled trial to compare intensive management versus standard care in early psoriatic arthritis. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 101	2.8	83
495	Reducing invasiveness, duration, and cost of magnetic resonance imaging in rheumatoid arthritis by omitting intravenous contrast injection Does it change the assessment of inflammatory and destructive joint changes by the OMERACT RAMRIS?. <i>Journal of Rheumatology</i> , 2009 , 36, 1806-10	4.1	82
494	Less radiographic progression with adalimumab plus methotrexate versus methotrexate monotherapy across the spectrum of clinical response in early rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2009 , 36, 1429-41	4.1	81
493	Prognostic factors in a large cohort of patients with early undifferentiated inflammatory arthritis after application of a structured management protocol. <i>Arthritis and Rheumatism</i> , 2003 , 48, 3039-45		80
492	Reevaluation of the interaction between HLA-DRB1 shared epitope alleles, PTPN22, and smoking in determining susceptibility to autoantibody-positive and autoantibody-negative rheumatoid arthritis in a large UK Caucasian population. <i>Arthritis and Rheumatism</i> , 2009 , 60, 2565-76		79
491	Combined effects of three independent SNPs greatly increase the risk estimate for RA at 6q23. <i>Human Molecular Genetics</i> , 2009 , 18, 2693-9	5.6	77
490	High-resolution MRI assessment of dactylitis in psoriatic arthritis shows flexor tendon pulley and sheath-related enthesitis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 185-9	2.4	76
489	After treat-to-target: can a targeted ultrasound initiative improve RA outcomes?. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 799-803	2.4	76
488	Evidence-based review of biologic markers as indicators of disease progression and remission in rheumatoid arthritis. <i>Rheumatology International</i> , 2007 , 27, 793-806	3.6	73

487	Recommendations for musculoskeletal ultrasonography by rheumatologists: setting global standards for best practice by expert consensus. <i>Arthritis and Rheumatism</i> , 2005 , 53, 83-92		73
486	Secukinumab shows sustained efficacy and low structural progression in ankylosing spondylitis: 4-year results from the MEASURE 1 study. <i>Rheumatology</i> , 2019 , 58, 859-868	3.9	7 ²
485	Significant improvement in synovitis, osteitis, and bone erosion following golimumab and methotrexate combination therapy as compared with methotrexate alone: a magnetic resonance imaging study of 318 methotrexate-naive rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> ,		71
484	2011 , 63, 3712-22 Effect of certolizumab pegol with methotrexate on home and work place productivity and social activities in patients with active rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1592-600		71
483	Ultrasound findings predict progression to inflammatory arthritis in anti-CCP antibody-positive patients without clinical synovitis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 2060-2067	2.4	7º
482	Identification of AF4/FMR2 family, member 3 (AFF3) as a novel rheumatoid arthritis susceptibility locus and confirmation of two further pan-autoimmune susceptibility genes. <i>Human Molecular Genetics</i> , 2009 , 18, 2518-22	5.6	70
481	Blocking the effects of interleukin-6 in rheumatoid arthritis and other inflammatory rheumatic diseases: systematic literature review and meta-analysis informing a consensus statement. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 583-9	2.4	68
480	Long-term efficacy and safety in patients with rheumatoid arthritis continuing on SB4 or switching from reference etanercept to SB4. <i>Annals of the Rheumatic Diseases</i> , 2017 ,	2.4	67
479	Reduced-dose rituximab in rheumatoid arthritis: efficacy depends on degree of B cell depletion. <i>Arthritis and Rheumatism</i> , 2011 , 63, 603-8		67
47 ⁸	The OMERACT Rheumatoid Arthritis Magnetic Resonance Imaging (MRI) Scoring System: Updated Recommendations by the OMERACT MRI in Arthritis Working Group. <i>Journal of Rheumatology</i> , 2017 , 44, 1706-1712	4.1	66
477	Sensitivity and specificity of the classification of psoriatic arthritis criteria in early psoriatic arthritis. <i>Arthritis and Rheumatism</i> , 2012 , 64, 3150-5		66
476	Systemic sclerosis and interstitial lung disease: a pilot study using pulse intravenous methylprednisolone and cyclophosphamide to assess the effect on high resolution computed tomography scan and lung function. <i>Journal of Rheumatology</i> , 2002 , 29, 2371-8	4.1	66
475	The outcome and cost-effectiveness of nurse-led care in people with rheumatoid arthritis: a multicentre randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1975-82	2.4	65
474	Risk factors for clinical coronary heart disease in systemic lupus erythematosus: the lupus and atherosclerosis evaluation of risk (LASER) study. <i>Journal of Rheumatology</i> , 2010 , 37, 322-9	4.1	65
473	Is there subclinical synovitis in early psoriatic arthritis? A clinical comparison with gray-scale and power Doppler ultrasound. <i>Arthritis Care and Research</i> , 2014 , 66, 432-9	4.7	64
472	Safety with ocrelizumab in rheumatoid arthritis: results from the ocrelizumab phase III program. <i>PLoS ONE</i> , 2014 , 9, e87379	3.7	64
471	Novel algorithms for the pragmatic use of ultrasound in the management of patients with rheumatoid arthritis: from diagnosis to remission. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1902-1908	3 ^{2.} 4	64
470	Health-related utility values of patients with primary Sjgrenß syndrome and its predictors. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1362-8	2.4	63

469	The efficacy and safety of subcutaneous clazakizumab in patients with moderate-to-severe rheumatoid arthritis and an inadequate response to methotrexate: results from a multinational, phase IIb, randomized, double-blind, placebo/active-controlled, dose-ranging study. Arthritis and	9.5	63
468	Rheumatology, 2015 , 67, 2591-600 Greater body mass independently predicts less radiographic progression on X-ray and MRI over 1-2 years. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1923-8	2.4	63
467	Combination etanercept and methotrexate provides better disease control in very early (4 months and . <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 989-92	2.4	63
466	Therapy of patients with rheumatoid arthritis: outcome of infliximab failures switched to etanercept. <i>Arthritis and Rheumatism</i> , 2007 , 57, 448-53		63
465	Lack of response to anakinra in rheumatoid arthritis following failure of tumor necrosis factor alpha blockade. <i>Arthritis and Rheumatism</i> , 2004 , 50, 725-8		63
464	OMERACT Rheumatoid Arthritis Magnetic Resonance Imaging Studies. Summary of OMERACT 6 MR Imaging Module. <i>Journal of Rheumatology</i> , 2003 , 30, 1387-92	4.1	63
463	IL-6 receptor inhibition positively modulates bone balance in rheumatoid arthritis patients with an inadequate response to anti-tumor necrosis factor therapy: biochemical marker analysis of bone metabolism in the tocilizumab RADIATE study (NCT00106522). Seminars in Arthritis and Rheumatism	5.3	62
462	Early MRI measures independently predict 1-year and 2-year radiographic progression in rheumatoid arthritis: secondary analysis from a large clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1968-74	2.4	61
461	Determining a magnetic resonance imaging inflammatory activity acceptable state without subsequent radiographic progression in rheumatoid arthritis: results from a followup MRI study of 254 patients in clinical remission or low disease activity. <i>Journal of Rheumatology</i> , 2014 , 41, 398-406	4.1	61
460	Periodontal disease and periodontal bacteria as triggers for rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2017 , 31, 19-30	5.3	61
459	Optimizing outcomes in patients with rheumatoid arthritis and an inadequate response to anti-TNF treatment. <i>Rheumatology</i> , 2012 , 51 Suppl 5, v22-30	3.9	61
458	OMERACT Rheumatoid Arthritis Magnetic Resonance Imaging Studies. Exercise 4: an international multicenter longitudinal study using the RA-MRI Score. <i>Journal of Rheumatology</i> , 2003 , 30, 1376-9	4.1	61
457	Brief report: responses to rituximab suggest B cell-independent inflammation in cutaneous systemic lupus erythematosus. <i>Arthritis and Rheumatology</i> , 2015 , 67, 1586-91	9.5	60
456	The specificity of ultrasound-detected bone erosions for rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 897-903	2.4	60
455	The link between enthesitis and arthritis in psoriatic arthritis: a switch to a vascular phenotype at insertions may play a role in arthritis development. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 992-5	2.4	60
454	Treating Rheumatoid Arthritis to Target: multinational recommendations assessment questionnaire. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1999-2002	2.4	59
453	Physical function and health related quality of life: analysis of 2-year data from randomized, controlled studies of leflunomide, sulfasalazine, or methotrexate in patients with active rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005 , 32, 590-601	4.1	59
452	Virtual skin biopsy by optical coherence tomography: the first quantitative imaging biomarker for scleroderma. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1845-51	2.4	58

451	Changing Crohn® disease management: need for new goals and indices to prevent disability and improve quality of life. <i>Journal of Crohn</i> and Colitis, 2012 , 6 Suppl 2, S224-34	1.5	58	
450	Multiple courses of rituximab produce sustained clinical and radiographic efficacy and safety in patients with rheumatoid arthritis and an inadequate response to 1 or more tumor necrosis factor inhibitors: 5-year data from the REFLEX study. <i>Journal of Rheumatology</i> , 2012 , 39, 2238-46	4.1	58	
449	Interleukin-7 deficiency in rheumatoid arthritis: consequences for therapy-induced lymphopenia. <i>Arthritis Research</i> , 2005 , 7, R80-92		58	
448	Targeting interleukin-6 in rheumatoid arthritis. <i>Drugs</i> , 2013 , 73, 341-56	12.1	57	
447	Predicting and managing primary and secondary non-response to rituximab using B-cell biomarkers in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1829-1836	2.4	57	
446	PADI4 genotype is not associated with rheumatoid arthritis in a large UK Caucasian population. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 666-70	2.4	57	
445	Preclinical Rheumatoid Arthritis: Progress Toward Prevention. Arthritis and Rheumatology, 2016 , 68, 779	988	57	
444	Involvement of X-box binding protein 1 and reactive oxygen species pathways in the pathogenesis of tumour necrosis factor receptor-associated periodic syndrome. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 2035-43	2.4	56	
443	Delay in imaging versus clinical response: a rationale for prolonged treatment with anti-tumor necrosis factor medication in early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1564-7		56	
442	Autoantibodies to posttranslational modifications in rheumatoid arthritis. <i>Mediators of Inflammation</i> , 2014 , 2014, 492873	4.3	55	
441	New therapies in the management of rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2011 , 23, 245-51	5.3	54	
440	NSAIDS inhibit in vitro MSC chondrogenesis but not osteogenesis: implications for mechanism of bone formation inhibition in man. <i>Journal of Cellular and Molecular Medicine</i> , 2011 , 15, 525-34	5.6	54	
439	Long-term effects of secukinumab on MRI findings in relation to clinical efficacy in subjects with active ankylosing spondylitis: an observational study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 408-12	2.4	53	
438	Effect of rituximab on a salivary gland ultrasound score in primary Sjgrenß syndrome: results of the TRACTISS randomised double-blind multicentre substudy. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 412-416	2.4	53	
437	Repair of erosions in rheumatoid arthritis does occur. Results from 2 studies by the OMERACT Subcommittee on Healing of Erosions. <i>Journal of Rheumatology</i> , 2003 , 30, 1102-7	4.1	53	
436	Dissection of the FCGR3A association with RA: increased association in men and with autoantibody positive disease. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1054-7	2.4	52	
435	Reporting of long-term extension studies: lack of consistency calls for consensus. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 886-90	2.4	52	
434	Advances in the understanding of entheseal inflammation. Current Rheumatology Reports, 2002, 4, 500-0	6 4.9	52	

433	Infliximab: 12 years of experience. Arthritis Research and Therapy, 2011 , 13 Suppl 1, S2	5.7	51
43 ²	The effect of etanercept on work productivity in patients with early active rheumatoid arthritis: results from the COMET study. <i>Rheumatology</i> , 2009 , 48, 1283-9	3.9	51
431	Type I interferon-mediated autoimmune diseases: pathogenesis, diagnosis and targeted therapy. <i>Rheumatology</i> , 2017 , 56, 1662-1675	3.9	50
430	Points to consider for the treatment of immune-mediated inflammatory diseases with Janus kinase inhibitors: a consensus statement. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 71-87	2.4	50
429	Safety and tolerability of subcutaneous sarilumab and intravenous tocilizumab in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2019 , 58, 849-858	3.9	49
428	Association of CD40 with rheumatoid arthritis confirmed in a large UK case-control study. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 813-6	2.4	49
427	Prediction of autoimmune connective tissue disease in an at-risk cohort: prognostic value of a novel two-score system for interferon status. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1432-1439	2.4	48
426	Autoantibodies to posttranslationally modified type II collagen as potential biomarkers for rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2013 , 65, 1702-12		48
425	Genetic variants within the MAP kinase signalling network and anti-TNF treatment response in rheumatoid arthritis patients. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 98-103	2.4	48
424	Prevalence of Periodontal Disease and Periodontopathic Bacteria in Anti-Cyclic Citrullinated Protein Antibody-Positive At-Risk Adults Without Arthritis. <i>JAMA Network Open</i> , 2019 , 2, e195394	10.4	47
423	Whole-body MRI of patients with polymyalgia rheumatica identifies a distinct subset with complete patient-reported response to glucocorticoids. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 2188-92	2.4	47
422	The effect of ageing on shear wave elastography muscle stiffness in adults. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 1755-1763	4.8	47
421	A Multicenter, Randomized, Placebo-Controlled Trial of Atorvastatin for the Primary Prevention of Cardiovascular Events in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1437	7 ⁹ 1449	46
420	Response of symptoms and synovitis to intra-muscular methylprednisolone in osteoarthritis of the hand: an ultrasonographic study. <i>Rheumatology</i> , 2010 , 49, 1093-100	3.9	46
419	Assessment by MRI of inflammation and damage in rheumatoid arthritis patients with methotrexate inadequate response receiving golimumab: results of the GO-FORWARD trial. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1968-74	2.4	46
418	Autonomic symptoms are common and are associated with overall symptom burden and disease activity in primary Sjogrenß syndrome. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1973-9	2.4	46
417	Fatigue in primary Sjgrenß syndrome is associated with lower levels of proinflammatory cytokines. <i>RMD Open</i> , 2016 , 2, e000282	5.9	46
416	TLR dependent XBP-1 activation induces an autocrine loop in rheumatoid arthritis synoviocytes. <i>Journal of Autoimmunity</i> , 2014 , 50, 59-66	15.5	45

415	Nonsteroidal anti-inflammatory drugs, gastroprotection, and benefit-risk. <i>Pain Practice</i> , 2014 , 14, 378-9	53	45
414	Treatment of rheumatoid arthritis patients with abatacept and methotrexate significantly improved health-related quality of life. <i>Journal of Rheumatology</i> , 2006 , 33, 681-9	4.1	45
413	The effect of unit, depth, and probe load on the reliability of muscle shear wave elastography: Variables affecting reliability of SWE. <i>Journal of Clinical Ultrasound</i> , 2018 , 46, 108-115	1	44
412	Enriching case selection for imminent RA: the use of anti-CCP antibodies in individuals with new non-specific musculoskeletal symptoms - a cohort study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1452-6	2.4	44
411	Treatment of rheumatoid arthritis with etanercept with reference to disease-modifying anti-rheumatic drugs: long-term safety and survival using prospective, observational data. <i>Rheumatology</i> , 2014 , 53, 186-94	3.9	44
410	Development and validation of modified disease activity scores in rheumatoid arthritis: superior correlation with magnetic resonance imaging-detected synovitis and radiographic progression. <i>Arthritis and Rheumatology</i> , 2014 , 66, 794-802	9.5	43
409	Etanercept in the longterm treatment of patients with ankylosing spondylitis. <i>Journal of Rheumatology</i> , 2009 , 36, 1256-64	4.1	43
408	Efficacy of infliximab on MRI-determined bone oedema in psoriatic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 778-81	2.4	43
407	Benefits 8 years after a remission induction regime with an infliximab and methotrexate combination in early rheumatoid arthritis. <i>Rheumatology</i> , 2010 , 49, 1971-4	3.9	42
406	Retreatment with rituximab based on a treatment-to-target approach provides better disease control than treatment as needed in patients with rheumatoid arthritis: a retrospective pooled analysis. <i>Rheumatology</i> , 2011 , 50, 2223-32	3.9	42
405	FcRIIIa expression on monocytes in rheumatoid arthritis: role in immune-complex stimulated TNF production and non-response to methotrexate therapy. <i>PLoS ONE</i> , 2012 , 7, e28918	3.7	42
404	Pes planovalgus in RA: a descriptive and analytical study of foot function determined by gait analysis. <i>Musculoskeletal Care</i> , 2003 , 1, 21-33	1.6	41
403	The therapeutic potential of costimulatory blockade with CTLA4Ig in rheumatoid arthritis. <i>Expert Opinion on Investigational Drugs</i> , 2003 , 12, 673-81	5.9	41
402	Consensus statement on the initiation and continuation of tumour necrosis factor blocking therapies in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2000 , 59, 504-5	2.4	41
401	Evidence supporting the benefit of early intervention in rheumatoid arthritis. <i>Journal of rheumatology Supplement, The</i> , 2002 , 66, 3-8		41
400	Predicting Severe Infection and Effects of Hypogammaglobulinemia During Therapy With Rituximab in Rheumatic and Musculoskeletal Diseases. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1812-1823	9.5	40
399	Efficacy of Monotherapy with Biologics and JAK Inhibitors for the Treatment of Rheumatoid Arthritis: A Systematic Review. <i>Advances in Therapy</i> , 2018 , 35, 1535-1563	4.1	40
398	An immunological biomarker to predict MTX response in early RA. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 2047-53	2.4	40

397	52-week results of the phase 3 randomized study comparing SB4 with reference etanercept in patients with active rheumatoid arthritis. <i>Rheumatology</i> , 2017 , 56, 2093-2101	3.9	40
396	Infliximab treatment increases left ventricular ejection fraction in patients with rheumatoid arthritis: assessment of heart function by echocardiography, endothelin 1, interleukin 6, and NT-pro brain natriuretic peptide. <i>Journal of Rheumatology</i> , 2012 , 39, 701-6	4.1	40
395	Delay in receiving rheumatology care leads to long-term harm. Arthritis and Rheumatism, 2010, 62, 3519	9-21	40
394	Predictors of outcome in patients with oligoarthritis: results of a protocol of intraarticular corticosteroids to all clinically active joints. <i>Arthritis and Rheumatism</i> , 2001 , 44, 1177-83		40
393	Arthritis prevention in the pre-clinical phase of RA with abatacept (the APIPPRA study): a multi-centre, randomised, double-blind, parallel-group, placebo-controlled clinical trial protocol. <i>Trials</i> , 2019 , 20, 429	2.8	39
392	Evidence for a different anatomic basis for joint disease localization in polymyalgia rheumatica in comparison with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2007 , 56, 3496-501		39
391	Established rheumatoid arthritis. Best Practice and Research in Clinical Rheumatology, 1999, 13, 561-75	5.3	39
390	COVID-19 vaccination and antirheumatic therapy. <i>Rheumatology</i> , 2021 , 60, 3496-3502	3.9	39
389	A phase I pharmacokinetics trial comparing PF-05280586 (a potential biosimilar) and rituximab in patients with active rheumatoid arthritis. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 129-38	3.8	39
388	Symptom-based stratification of patients with primary Sj\u00dfren\u00aB syndrome: multi-dimensional characterisation of international observational cohorts and reanalyses of randomised clinical trials. Lancet Rheumatology, The, 2019, 1, e85-e94	14.2	38
387	Regional variation and differential response to therapy for knee synovitis adjacent to the cartilage-pannus junction and suprapatellar pouch in inflammatory arthritis: implications for pathogenesis and treatment. <i>Arthritis and Rheumatism</i> , 2004 , 50, 2428-32		38
386	Outcome measurements in scleroderma: results from a delphi exercise. <i>Journal of Rheumatology</i> , 2007 , 34, 501-9	4.1	38
385	Optical coherence tomography: a new tool to assess nail disease in psoriasis?. <i>Dermatology</i> , 2011 , 222, 311-3	4.4	37
384	High-dose cyclophosphamide with stem cell rescue for severe rheumatoid arthritis: short-term efficacy correlates with reduction of macroscopic and histologic synovitis. <i>Arthritis and Rheumatism</i> , 2002 , 46, 837-9		37
383	MRI assessment of suppression of structural damage in patients with rheumatoid arthritis receiving rituximab: results from the randomised, placebo-controlled, double-blind RA-SCORE study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 170-7	2.4	36
382	Magnetic resonance imaging assessment of axial psoriatic arthritis: extent of disease relates to HLA-B27. <i>Arthritis and Rheumatism</i> , 2013 , 65, 2274-8		36
381	Follow-up standards and treatment targets in rheumatoid arthritis: results of a questionnaire at the EULAR 2008. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 575-8	2.4	36
380	Regression of Peripheral Subclinical Enthesopathy in Therapy-Naive Patients Treated With Ustekinumab for Moderate-to-Severe Chronic Plaque Psoriasis: A Fifty-Two-Week, Prospective, Open-Label Feasibility Study. <i>Arthritis and Rheumatology</i> , 2019 , 71, 626-631	9.5	36

(2014-2008)

379	Analgesic effectiveness of celecoxib and dictorenac in patients with osteoarthritis of the hip requiring joint replacement surgery: a 12-week, multicenter, randomized, double-blind, parallel-group, double-dummy, noninferiority study. <i>Clinical Therapeutics</i> , 2008 , 30, 70-83	3.5	35
378	The shared epitope hypothesis in rheumatoid arthritis: evaluation of alternative classification criteria in a large UK Caucasian cohort. <i>Arthritis and Rheumatism</i> , 2008 , 58, 1275-83		35
377	Practice, training, and assessment among experts performing musculoskeletal ultrasonography: toward the development of an international consensus of educational standards for ultrasonography for rheumatologists. <i>Arthritis and Rheumatism</i> , 2004 , 51, 1018-22		35
376	Relationship of patient-reported outcomes with MRI measures in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 486-490	2.4	34
375	An extra dose of rituximab improves clinical response in rheumatoid arthritis patients with initial incomplete B cell depletion: a randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1195-201	2.4	34
374	Recent advances in ankylosing spondylitis: understanding the disease and management. <i>F1000Research</i> , 2018 , 7,	3.6	34
373	Developing a magnetic resonance imaging scoring system for peripheral psoriatic arthritis. <i>Journal of Rheumatology</i> , 2007 , 34, 859-61	4.1	34
372	Leflunomide: a manageable safety profile. <i>Journal of rheumatology Supplement, The</i> , 2004 , 71, 21-4		33
371	Glucocorticoids and Rheumatoid Arthritis. <i>Rheumatic Disease Clinics of North America</i> , 2016 , 42, 33-46, vii	2.4	32
370	Confirmation of association of FCGR3B but not FCGR3A copy number with susceptibility to autoantibody positive rheumatoid arthritis. <i>Human Mutation</i> , 2012 , 33, 741-9	4.7	32
369	Abatacept in the treatment of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2008 , 10 Suppl 1, S5	5.7	32
368	Ankylosing spondylitis, HLA-B27 positivity and the need for biologic therapies. <i>Joint Bone Spine</i> , 2007 , 74, 140-3	2.9	32
367	Rheumatoid arthritis synovial T cells regulate transcription of several genes associated with antigen-induced anergy. <i>Journal of Clinical Investigation</i> , 2001 , 107, 519-28	15.9	32
366	Phenotypes Determined by Cluster Analysis and Their Survival in the Prospective European Scleroderma Trials and Research Cohort of Patients With Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1553-1570	9.5	31
365	Lipid profile and effect of statin treatment in pooled phase II and phase III baricitinib studies. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 988-995	2.4	31
364	Abatacept in the treatment of rheumatoid arthritis. <i>Therapeutics and Clinical Risk Management</i> , 2006 , 2, 365-75	2.9	31
363	Diagnostic test accuracy of ultrasound for synovitis in rheumatoid arthritis: systematic review and meta-analysis. <i>Rheumatology</i> , 2018 , 57, 49-58	3.9	30
362	Abatacept or tocilizumab after rituximab in rheumatoid arthritis? An exploratory study suggests non-response to rituximab is associated with persistently high IL-6 and better clinical response to IL-6 blocking therapy. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 909-12	2.4	30

361	Rituximab biosimilars. Expert Opinion on Biological Therapy, 2013, 13, 1049-62	5.4	30
360	The development of targeted therapies in rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2008 , 31, 219	-217 5.5	30
359	Rituximab: novel B-cell depletion therapy for the treatment of rheumatoid arthritis. <i>Expert Opinion on Pharmacotherapy</i> , 2006 , 7, 2559-70	4	30
358	An investigation into the variability between different shear wave elastography systems in muscle. <i>Medical Ultrasonography</i> , 2017 , 19, 392-400	1.4	30
357	Efficacy and safety of leflunomide and predisposing factors for treatment response in patients with active rheumatoid arthritis: RELIEF 6-month data. <i>Journal of Rheumatology</i> , 2003 , 30, 2572-9	4.1	30
356	Certolizumab pegol for the treatment of rheumatoid arthritis. <i>Expert Opinion on Biological Therapy</i> , 2012 , 12, 235-49	5.4	29
355	Golimumab, a human antiBumor necrosis factor monoclonal antibody, injected subcutaneously every 4 weeks in patients with active rheumatoid arthritis who had never taken methotrexate: 1-year and 2-year clinical, radiologic, and physical function findings of a phase III, multicenter, randomized, double-blind, placebo-controlled study. Arthritis Care and Research, 2013, 65, 1732-42	4.7	29
354	Quantitative magnetization transfer ultrashort echo time imaging of the Achilles tendon. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 1372-6	4.4	29
353	Hand bone densitometry: a more sensitive standard for the assessment of early bone damage in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 1513-7	2.4	29
352	Synovial biopsy in arthritis research: five years of concerted European collaboration. <i>Annals of the Rheumatic Diseases</i> , 2000 , 59, 506-11	2.4	29
351	The enhanced liver fibrosis test: a clinical grade, validated serum test, biomarker of overall fibrosis in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 420-7	2.4	28
350	Longterm safety, efficacy, and inhibition of structural damage progression over 5 years of treatment with abatacept in patients with rheumatoid arthritis in the abatacept in inadequate responders to methotrexate trial. <i>Journal of Rheumatology</i> , 2014 , 41, 1077-87	4.1	28
349	Exploratory analyses of the association of MRI with clinical, laboratory and radiographic findings in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 2126-30	2.4	28
348	Dose-effect relationships of nonsteroidal anti-inflammatory drugs: a literature review. <i>Clinical Therapeutics</i> , 2002 , 24, 1225-91	3.5	28
347	Efficacy and Safety of Subcutaneous Golimumab in Methotrexate-Naive Patients With Rheumatoid Arthritis: Five-Year Results of a Randomized Clinical Trial. <i>Arthritis Care and Research</i> , 2016 , 68, 744-52	4.7	28
346	Muscle shear wave elastography in idiopathic inflammatory myopathies: a case-control study with MRI correlation. <i>Skeletal Radiology</i> , 2019 , 48, 1209-1219	2.7	28
345	Comprehensive disease control (CDC): what does achieving CDC mean for patients with rheumatoid arthritis?. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 2165-74	2.4	27
344	Development of EULAR recommendations for the reporting of clinical trial extension studies in rheumatology. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 963-9	2.4	27

(2005-2016)

343	Discordance between the predictors of clinical and imaging remission in patients with early rheumatoid arthritis in clinical practice: implications for the use of ultrasound within a treatment-to-target strategy. <i>Rheumatology</i> , 2016 , 55, 1177-87	3.9	27
342	Do non-steroidal anti-inflammatory drugs have a significant effect on detection and grading of ultrasound-detected synovitis in patients with rheumatoid arthritis? Results from a randomised study. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1746-51	2.4	27
341	The clinical implications of inhibition of the inducible form of cyclo-oxygenase. <i>Drug Safety</i> , 1996 , 15, 249-60	5.1	27
340	Techetium 99m methylene diphosphonate bone scanning in osteoarthritic hands. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1991 , 18, 12-6		27
339	Early Emergence of CD19-Negative Human Antibody-Secreting Cells at the Plasmablast to Plasma Cell Transition. <i>Journal of Immunology</i> , 2017 , 198, 4618-4628	5.3	26
338	Achieving Pain Control in Rheumatoid Arthritis with Baricitinib or Adalimumab Plus Methotrexate: Results from the RA-BEAM Trial. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	25
337	What is early rheumatoid arthritis?: definition and diagnosis. <i>Baillierefs Clinical Rheumatology</i> , 1997 , 11, 13-26		25
336	A randomized controlled trial of early intervention with intraarticular corticosteroids followed by sulfasalazine versus conservative treatment in early oligoarthritis. <i>Arthritis and Rheumatism</i> , 2007 , 57, 154-60		25
335	Aspects of early arthritis. Biological therapy in early arthritisovertreatment or the way to go?. <i>Arthritis Research and Therapy</i> , 2007 , 9, 211	5.7	25
334	Genome-wide association study of response to methotrexate in early rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , 2018 , 18, 528-538	3.5	25
333	Obesity and rates of clinical remission and low MRI inflammation in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1743-1746	2.4	24
332	The role of tocilizumab in the management of rheumatoid arthritis. <i>Expert Opinion on Biological Therapy</i> , 2012 , 12, 1277-89	5.4	24
331	Autologous stem cell transplantation for rapidly progressive Jo-1-positive polymyositis with long-term follow-up. <i>British Journal of Haematology</i> , 2001 , 113, 840-1	4.5	24
330	A Transcriptional Signature of Fatigue Derived from Patients with Primary Sjgrenß Syndrome. <i>PLoS ONE</i> , 2015 , 10, e0143970	3.7	24
329	Patient-reported outcomes from a phase III study of baricitinib in patients with conventional synthetic DMARD-refractory rheumatoid arthritis. <i>RMD Open</i> , 2017 , 3, e000410	5.9	23
328	Conversion to seronegative status after abatacept treatment in patients with early and poor prognostic rheumatoid arthritis is associated with better radiographic outcomes and sustained remission: post hoc analysis of the AGREE study. <i>RMD Open</i> , 2018 , 4, e000564	5.9	23
327	Confirmation of association of the REL locus with rheumatoid arthritis susceptibility in the UK population. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1572-3	2.4	23
326	Are early arthritis clinics necessary?. Best Practice and Research in Clinical Rheumatology, 2005, 19, 1-17	5.3	23

325	Leflunomide: a novel DMARD for the treatment of rheumatoid arthritis. <i>Expert Opinion on Pharmacotherapy</i> , 2001 , 2, 125-37	4	23
324	Functionally impaired plasmacytoid dendritic cells and non-haematopoietic sources of type I interferon characterize human autoimmunity. <i>Nature Communications</i> , 2020 , 11, 6149	17.4	23
323	Therapy switching, augmentation, and discontinuation in patients with osteoarthritis and chronic low back pain. <i>Pain Practice</i> , 2012 , 12, 457-68	3	22
322	Progression to rheumatoid arthritis in early inflammatory arthritis is associated with low IL-7 serum levels. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1032-6	2.4	22
321	Updated meta-analysis of non-melanoma skin cancer rates reported from prospective observational studies in patients treated with tumour necrosis factor inhibitors. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, e2	2.4	22
320	Serum IL-33, a new marker predicting response to rituximab in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2016 , 18, 294	5.7	22
319	Validity of a two-component imaging-derived disease activity score for improved assessment of synovitis in early rheumatoid arthritis. <i>Rheumatology</i> , 2019 ,	3.9	21
318	Validity of early MRI structural damage end points and potential impact on clinical trial design in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1114-9	2.4	21
317	Palindromic rheumatism as part of the rheumatoid arthritis continuum. <i>Nature Reviews Rheumatology</i> , 2019 , 15, 687-695	8.1	21
316	A Phase III Study Evaluating Continuation, Tapering, and Withdrawal of Certolizumab Pegol After One Year of Therapy in Patients With Early Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2017 , 69, 1937-1948	9.5	21
315	Persistently moderate DAS-28 is not benign: loss of function occurs in early RA despite step-up DMARD therapy. <i>Rheumatology</i> , 2010 , 49, 1894-9	3.9	21
314	Costimulation blockade in rheumatic diseases: where we are?. <i>Current Opinion in Rheumatology</i> , 2009 , 21, 244-50	5.3	21
313	Imaging the joints in early rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2001 , 15, 91-104	5.3	21
312	Clinical use of cyclosporin in rheumatoid arthritis. <i>Drugs</i> , 1995 , 50 Suppl 1, 26-36	12.1	21
311	Dysbiosis in the oral microbiomes of anti-CCP positive individuals at risk of developing rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 162-168	2.4	21
310	A multireader reliability study comparing conventional high-field magnetic resonance imaging with extremity low-field MRI in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2007 , 34, 854-6	4.1	21
309	Development and Validation of the OMERACT Rheumatoid Arthritis Magnetic Resonance Tenosynovitis Scoring System in a Multireader Exercise. <i>Journal of Rheumatology</i> , 2017 , 44, 1688-1693	4.1	20
308	Repeat cycles of rituximab on clinical relapse in ANCA-associated vasculitis: identifying B cell biomarkers for relapse to guide retreatment decisions. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1734	4 ⁻² 8 ⁴	20

307	Characterization and Changes of Lymphocyte Subsets in Baricitinib-Treated Patients With Rheumatoid Arthritis: An Integrated Analysis. <i>Arthritis and Rheumatology</i> , 2018 , 70, 1923-1932	9.5	20
306	Biomarkers in the management of scleroderma: an update. <i>Current Rheumatology Reports</i> , 2011 , 13, 4-12	4.9	20
305	Effect of intra-articular corticosteroid injections and inflammation on periarticular and generalised bone loss in early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 184-7	2.4	20
304	A phase 1 study to address the safety and efficacy of granulocyte colony-stimulating factor for the mobilization of hematopoietic progenitor cells in active rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1997 , 40, 1838-42		20
303	Can very high-dose anti-tumor necrosis factor blockade at onset of rheumatoid arthritis produce long-term remission?. <i>Arthritis and Rheumatism</i> , 2002 , 46, 1971-2; author reply 1973		20
302	Imaging of the musculoskeletal system: magnetic resonance imaging, ultrasonography and computed tomography. <i>Best Practice and Research in Clinical Rheumatology</i> , 2003 , 17, 513-28	5.3	20
301	Use of combination of leflunomide with biological agents in treatment of rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005 , 32, 1620-31	4.1	20
300	The TTTT B lymphocyte stimulator promoter haplotype is associated with good response to rituximab therapy in seropositive rheumatoid arthritis resistant to tumor necrosis factor blockers. <i>Arthritis and Rheumatism</i> , 2013 , 65, 88-97		19
299	The PSwitchPstudy protocol: a randomised-controlled trial of switching to an alternative tumour-necrosis factor (TNF)-inhibitor drug or abatacept or rituximab in patients with rheumatoid arthritis who have failed an initial TNF-inhibitor drug. BMC Musculoskeletal Disorders, 2014, 15, 452	2.8	19
298	The evidence for whole-spine MRI in the assessment of axial spondyloarthropathy. <i>Rheumatology</i> , 2010 , 49, 426-32	3.9	19
297	Imaging in early arthritis. Best Practice and Research in Clinical Rheumatology, 2004, 18, 927-43	5.3	19
296	How should we manage early rheumatoid arthritis? From imaging to intervention. <i>Current Opinion in Rheumatology</i> , 2005 , 17, 280-5	5.3	19
295	Is localized autoimmunity the trigger for rheumatoid arthritis? Unravelling new targets for prevention. <i>Discovery Medicine</i> , 2015 , 20, 129-35	2.5	19
294	Extension Study of PF-05280586, a Potential Rituximab Biosimilar, Versus Rituximab in Subjects With Active Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2018 , 70, 1598-1606	4.7	18
293	Improvement in insulin resistance is greater when infliximab is added to methotrexate during intensive treatment of early rheumatoid arthritis-results from the IDEA study. <i>Rheumatology</i> , 2016 , 55, 2181-2190	3.9	18
292	Defining populations at risk of rheumatoid arthritis: the first steps to prevention. <i>Nature Reviews Rheumatology</i> , 2014 , 10, 521-30	8.1	18
291	Autoimmune-autoinflammatory rheumatoid arthritis overlaps: a rare but potentially important subgroup of diseases. <i>RMD Open</i> , 2017 , 3, e000550	5.9	18
290	The evolution of ultrasound in rheumatology. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2012 , 4, 399-411	3.8	18

289	Anti-TNF Therapy in Ankylosing Spondylitis: Insights for the Clinician. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2010 , 2, 37-43	3.8	18
288	Aspects of TNF inhibitor therapy in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010 , 20, 325-330	3.3	18
287	Review of health economics modelling in rheumatoid arthritis. <i>Pharmacoeconomics</i> , 2004 , 22, 55-69	4.4	18
286	Testing treat-to-target outcomes with initial methotrexate monotherapy compared with initial tumour necrosis factor inhibitor (adalimumab) plus methotrexate in early rheumatoid arthritis. Annals of the Rheumatic Diseases, 2018, 77, 289-292	2.4	18
285	The concept of disease modification in spondyloarthropathy. <i>Journal of Rheumatology</i> , 2002 , 29, 1583-5	54.1	18
284	Predictors, demographics and frequency of sustained remission and low disease activity in anti-tumour necrosis factor-treated rheumatoid arthritis patients. <i>Rheumatology</i> , 2019 , 58, 2162-2169	3.9	17
283	Assessment of umbilical cord tissue as a source of mesenchymal stem cell/endothelial cell mixtures for bone regeneration. <i>Regenerative Medicine</i> , 2013 , 8, 569-81	2.5	17
282	What can palindromic rheumatism tell us?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2017 , 31, 90-98	5.3	17
281	Modulation of peripheral T-cell function by interleukin-7 in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2014 , 16, 511	5.7	17
280	Allele-dose association of the C5orf30 rs26232 variant with joint damage in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2013 , 65, 2555-61		17
279	Detection of Mycobacterium tuberculosis group organisms in human and mouse joint tissue by reverse transcriptase PCR: prevalence in diseased synovial tissue suggests lack of specific association with rheumatoid arthritis. <i>Infection and Immunity</i> , 2001 , 69, 1821-31	3.7	17
278	Sustained improvements in MRI outcomes with abatacept following the withdrawal of all treatments in patients with early, progressive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1501-5	2.4	17
277	Identification of a distinct imaging phenotype may improve the management of palindromic rheumatism. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 43-50	2.4	17
276	Ultrasound-detectable grey scale synovitis predicts future fulfilment of the 2010 ACR/EULAR RA classification criteria in patients with new-onset undifferentiated arthritis. <i>RMD Open</i> , 2017 , 3, e000394	5.9	16
275	A European chart review study on early rheumatoid arthritis treatment patterns, clinical outcomes, and healthcare utilization. <i>Rheumatology International</i> , 2015 , 35, 1837-49	3.6	16
274	After treat-to-target: can a targeted ultrasound initiative improve RA outcomes?. <i>Postgraduate Medical Journal</i> , 2012 , 88, 482-6	2	16
273	An ultrasonographic study of metatarsophalangeal joint pain: synovitis, structural pathology and their relationship to symptoms and function. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 2140-3	2.4	16
272	Induction of antinuclear antibodies in patients with rheumatoid arthritis treated with infliximab and leflunomide. <i>Arthritis and Rheumatism</i> , 2004 , 50, 4072-3		16

(2011-2019)

271	What Should Be the Primary Target of "Treat to Target" in Psoriatic Arthritis?. <i>Journal of Rheumatology</i> , 2019 , 46, 38-42	4.1	16	
270	The efficacy of leflunomide monotherapy in rheumatoid arthritis: towards the goals of disease modifying antirheumatic drug therapy. <i>Journal of rheumatology Supplement, The</i> , 2004 , 71, 13-20		16	
269	The evidence for magnetic resonance imaging as an outcome measure in proof-of-concept rheumatoid arthritis studies. <i>Journal of Rheumatology</i> , 2005 , 32, 2465-9	4.1	16	
268	Association between disease activity and risk of serious infections in subjects with rheumatoid arthritis treated with etanercept or disease-modifying anti-rheumatic drugs. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, 653-60	2.2	16	
267	The dynamics of response as measured by multiple composite outcome tools in the Tight COntrol of inflammation in early Psoriatic Arthritis (TICOPA) trial. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1688-1692	2.4	15	
266	The role of ultrasound in assessing musculoskeletal symptoms of systemic lupus erythematosus: a systematic literature review. <i>Rheumatology</i> , 2016 , 55, 485-94	3.9	15	
265	Relationship between early bone mineral density changes and long-term function and radiographic progression in rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2012 , 64, 66-70	4.7	15	
264	Down-titration of biologics for the treatment of rheumatoid arthritis: a systematic literature review. <i>Rheumatology International</i> , 2017 , 37, 1789-1798	3.6	15	
263	MTHFR functional genetic variation and methotrexate treatment response in rheumatoid arthritis: a meta-analysis. <i>Pharmacogenomics</i> , 2014 , 15, 467-75	2.6	15	
262	Relationship between area-level socio-economic deprivation and autoantibody status in patients with rheumatoid arthritis: multicentre cross-sectional study. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1640-5	2.4	15	
261	Quantifying peri-meniscal synovitis and its relationship to meniscal pathology in osteoarthritis of the knee. <i>European Radiology</i> , 2007 , 17, 119-24	8	15	
260	Magnetic resonance imaging in rheumatoid arthritis advances and research priorities. <i>Journal of Rheumatology</i> , 2005 , 32, 2462-4	4.1	15	
259	Transforming Growth Factor Dactivation Primes Canonical Wnt Signaling Through Down-Regulation of Axin-2. <i>Arthritis and Rheumatology</i> , 2018 , 70, 932-942	9.5	14	
258	Scleroderma fibroblasts suppress angiogenesis via TGF-I/Caveolin-1 dependent secretion of pigment epithelium-derived factor. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 431-440	2.4	14	
257	Effect of tight control of inflammation in early psoriatic arthritis (TICOPA): a multicentre, open-label, randomised controlled trial. <i>Lancet, The</i> , 2014 , 383, S36	40	14	
256	A systematic literature review of strategies promoting early referral and reducing delays in the diagnosis and management of inflammatory arthritis. <i>Postgraduate Medical Journal</i> , 2013 , 89, 231-40	2	14	
255	Statins do not influence clinical response and B cell depletion after rituximab treatment in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 463-4	2.4	14	
254	Update on research and future directions of the OMERACT MRI inflammatory arthritis group. Journal of Rheumatology, 2011 , 38, 2031-3	4.1	14	

253	Rheumatoid arthritis: not yet curable with early intensive therapy. <i>Lancet, The</i> , 1997 , 350, 304-5	40	14
252	Cardiovascular effects of biological versus conventional synthetic disease-modifying antirheumatic drug therapy in treatment-nalle, early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1414-1422	2.4	14
251	A Method to Exploit the Structure of Genetic Ancestry Space to Enhance Case-Control Studies. American Journal of Human Genetics, 2016 , 98, 857-868	11	14
250	Defining inflammatory musculoskeletal manifestations in systemic lupus erythematosus. <i>Rheumatology</i> , 2019 , 58, 304-312	3.9	14
249	Effects of baricitinib on radiographic progression of structural joint damage at 1 year in patients with rheumatoid arthritis and an inadequate response to conventional synthetic disease-modifying antirheumatic drugs. <i>RMD Open</i> , 2018 , 4, e000662	5.9	14
248	Ultrasound erosions in the feet best predict progression to inflammatory arthritis in anti-CCP positive at-risk individuals without clinical synovitis. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 901-907	. 2.4	13
247	The prevalence of tenosynovitis of the interosseous tendons of the hand in patients with rheumatoid arthritis. <i>European Radiology</i> , 2016 , 26, 444-50	8	13
246	Foot health needs in people with systemic sclerosis: an audit of foot health care provision. <i>Clinical Rheumatology</i> , 2011 , 30, 1611-5	3.9	13
245	Choice of NSAID and management strategy in rheumatoid arthritis and osteoarthritis. The impact on costs and outcomes in the UK. <i>Pharmacoeconomics</i> , 1998 , 14, 191-9	4.4	13
244	How do you diagnose rheumatoid arthritis early?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2001 , 15, 49-66	5.3	13
243	Skin imaging in systemic sclerosis. European Journal of Rheumatology, 2014, 1, 111-116	1.7	13
242	A new window of opportunity in rheumatoid arthritis: targeting at-risk individuals. <i>Current Opinion in Rheumatology</i> , 2016 , 28, 260-6	5.3	13
241	A multicenter reliability study of extremity-magnetic resonance imaging in the longitudinal evaluation of rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2007 , 34, 857-8	4.1	13
240	Subjective and Objective Measures of Dryness Symptoms in Primary Sj\u00dfren\u00aB Syndrome: Capturing the Discrepancy. <i>Arthritis Care and Research</i> , 2017 , 69, 1714-1723	4.7	12
239	The effect of deep or sustained remission on maintenance of remission after dose reduction or withdrawal of etanercept in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2019 , 21, 164	5.7	12
238	Creative trial design in RA: optimizing patient outcomes. <i>Nature Reviews Rheumatology</i> , 2013 , 9, 183-94	8.1	12
237	Relationship between patient-reported disease severity and other clinical outcomes in osteoarthritis: a European perspective. <i>Journal of Medical Economics</i> , 2011 , 14, 381-9	2.4	12
236	Recommendations for an update of 2003 European regulatory requirements for registration of drugs to be used in the treatment of RA. <i>Current Medical Research and Opinion</i> , 2011 , 27, 315-25	2.5	12

235	Role of oestrogen in the development of joint symptoms?. Lancet Oncology, The, 2008, 9, 817-8	21.7	12
234	Potential for altering rheumatoid arthritis outcome. <i>Rheumatic Disease Clinics of North America</i> , 2005 , 31, 763-72	2.4	12
233	Pulmonary intravascular coagulopathy in COVID-19 pneumonia - AuthorsPreply. <i>Lancet Rheumatology, The</i> , 2020 , 2, e460-e461	14.2	12
232	Etanercept or Methotrexate Withdrawal in Rheumatoid Arthritis Patients in Sustained Remission. <i>Arthritis and Rheumatology</i> , 2021 , 73, 759-768	9.5	12
231	The RA-MAP Consortium: a working model for academia-industry collaboration. <i>Nature Reviews Rheumatology</i> , 2018 , 14, 53-60	8.1	12
230	OMERACT Rheumatoid Arthritis MRI Studies Module. <i>Journal of Rheumatology</i> , 2003 , 30, 1364-5	4.1	12
229	The initiation of autoimmunity at epithelial surfaces: a focus on rheumatoid arthritis and systemic lupus erythematosus. <i>Discovery Medicine</i> , 2017 , 24, 191-200	2.5	12
228	Cost-Effectiveness of Tight Control of Inflammation in Early Psoriatic Arthritis: Economic Analysis of a Multicenter Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2018 , 70, 462-468	4.7	11
227	Absence of Scleroderma pattern at nail fold capillaroscopy valuable in the exclusion of Scleroderma in unselected patients with Raynaudß Phenomenon. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 342	2.8	11
226	Effect of adalimumab on the work-related outcomes scores in patients with early rheumatoid arthritis receiving methotrexate. <i>Rheumatology</i> , 2016 , 55, 1458-65	3.9	11
225	Metaanalysis of the association of smoking and PTPN22 R620W genotype on autoantibody status and radiological erosions in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2013 , 40, 1048-53	4.1	11
224	Golimumab - a new tool in the armoury against inflammatory arthritis. <i>Annals of Medicine</i> , 2011 , 43, 133	3- 4 .5	11
223	Extremity magnetic resonance imaging in rheumatoid arthritis: Updated literature review. <i>Arthritis Care and Research</i> , 2011 , 63, 660-5	4.7	11
222	Co-stimulatory blockade as therapy for rheumatoid arthritis. <i>Current Rheumatology Reports</i> , 2005 , 7, 400-6	4.9	11
221	Autologous blood stem cell transplantation as therapy for autoimmune diseases. <i>Annals of Medicine</i> , 2000 , 32, 615-21	1.5	11
220	Innovative treatment approaches for rheumatoid arthritis. New cyclo-oxygenase and cytokine inhibitors. <i>Baillierefs Clinical Rheumatology</i> , 1995 , 9, 731-58		11
219	Serum IL-7 as diagnostic biomarker for rheumatoid arthritis, validation with EULAR 2010 classification criteria. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 115-120	2.2	11
218	Physical activity but not sedentary activity is reduced in primary Sjgrenß syndrome. <i>Rheumatology International</i> , 2017 , 37, 623-631	3.6	10

217	Pragmatic randomised controlled trial of very early etanercept and MTX versus MTX with delayed etanercept in RA: the VEDERA trial. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 464-471	2.4	10
216	Cost Effectiveness of Secukinumab for the Treatment of Active Ankylosing Spondylitis in the UK. <i>Pharmacoeconomics</i> , 2018 , 36, 1015-1027	4.4	10
215	Defining remission in rheumatoid arthritis: does it matter to the patient? A comparison of multi-dimensional remission criteria and patient reported outcomes. <i>Rheumatology</i> , 2020 , 59, 613-621	3.9	10
214	Certolizumab pegol in rheumatoid arthritis: current update. <i>Expert Opinion on Biological Therapy</i> , 2014 , 14, 841-50	5.4	10
213	B-cell-targeted therapies in systemic lupus erythematosus and ANCA-associated vasculitis: current progress. <i>Expert Review of Clinical Immunology</i> , 2013 , 9, 761-72	5.1	10
212	Twenty-eight-week results from the REALISTIC phase IIIb randomized trial: efficacy, safety and predictability of response to certolizumab pegol in a diverse rheumatoid arthritis population. <i>Arthritis Research and Therapy</i> , 2015 , 17, 325	5.7	10
211	The OMERACT MRI in Arthritis Working Group - Update on Status and Future Research Priorities. Journal of Rheumatology, 2015 , 42, 2470-2	4.1	10
21 0	The microanatomic basis of finger clubbing - a high-resolution magnetic resonance imaging study. Journal of Rheumatology, 2014 , 41, 523-7	4.1	10
209	Can we improve the performance and reporting of investigator-initiated clinical trials? Rheumatoid arthritis as an example. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1755-60	2.4	10
208	Value of ultrasound in rheumatologic diseases. <i>Journal of Korean Medical Science</i> , 2013 , 28, 497-507	4.7	10
207	Noninvasive techniques for assessing skeletal changes in inflammatory arthritis: imaging technique. <i>Current Opinion in Rheumatology</i> , 2004 , 16, 435-42	5.3	10
206	LDL cholesterolemia as a novel risk factor for radiographic progression of rheumatoid arthritis: a single-center prospective study. <i>PLoS ONE</i> , 2013 , 8, e68975	3.7	10
205	Prevention and cure: The major unmet needs in the management of rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2020 , 110, 102399	15.5	10
204	Differential Binding of Sarilumab and Tocilizumab to IL-6R\(\text{\text{\text{B}}}\) nd Effects of Receptor Occupancy on Clinical Parameters. <i>Journal of Clinical Pharmacology</i> , 2021 , 61, 714-724	2.9	10
203	TNF-Regulates Human Plasmacytoid Dendritic Cells by Suppressing IFN-Production and Enhancing T Cell Activation. <i>Journal of Immunology</i> , 2021 , 206, 785-796	5.3	10
202	Pain and depression are associated with both physical and mental fatigue independently of comorbidities and medications in primary Sjören syndrome. <i>RMD Open</i> , 2019 , 5, e000885	5.9	9
2 01	MRI inflammation of the hand interosseous tendons occurs in anti-CCP-positive at-risk individuals and may precede the development of clinical synovitis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 781-	786	9
200	Remission in rheumatoid arthritis: is it all the same?. <i>Expert Review of Clinical Pharmacology</i> , 2015 , 8, 575-86	3.8	9

(2013-2018)

199	Effect of Fatigue, Older Age, Higher Body Mass Index, and Female Sex on Disability in Early Rheumatoid Arthritis in the Treatment-to-Target Era. <i>Arthritis Care and Research</i> , 2018 , 70, 361-368	4.7	9
198	Emerging drugs for axial spondyloarthritis including ankylosing spondylitis. <i>Expert Opinion on Emerging Drugs</i> , 2013 , 18, 71-86	3.7	9
197	The role of biomarkers in the management of patients with rheumatoid arthritis. <i>Current Rheumatology Reports</i> , 2009 , 11, 371-7	4.9	9
196	Rheumatoid arthritis: what has changed?. Skeletal Radiology, 2009, 38, 109-12	2.7	9
195	Ankylosing spondylitis: new treatment modalities. <i>Best Practice and Research in Clinical Rheumatology</i> , 2006 , 20, 559-70	5.3	9
194	Response to intramuscular methyl prednisolone in inflammatory hand pain: evidence for a targeted clinical, ultrasonographic and therapeutic approach. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 690-2	2.4	9
193	Longterm Drug Survival of Tumor Necrosis Factor Inhibitors in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2020 , 47, 493-501	4.1	9
192	Comparison of ultrasonography and magnetic resonance imaging for the assessment of clinically defined knee enthesitis in spondyloarthritis. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 933-6	2.2	9
191	Low rates of radiographic progression of structural joint damage over 2 years of baricitinib treatment in patients with rheumatoid arthritis. <i>RMD Open</i> , 2019 , 5, e000898	5.9	8
190	The GOLMePsA study protocol: an investigator-initiated, double-blind, parallel-group, randomised, controlled trial of GOLimumab and methotrexate versus methotrexate in early diagnosed psoriatic arthritis using clinical and whole body MRI outcomes. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 303	2.8	8
189	Remission in psoriatic arthritis-where are we now?. Rheumatology, 2018, 57, 1321-1331	3.9	8
188	Confirmation on the immunogenicity assay used in the SB4 phase III study: response to the comments by Meacci et al. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, e40	2.4	8
187	Normal values and test-retest variability of stimulated-echo diffusion tensor imaging and fat fraction measurements in the muscle. <i>British Journal of Radiology</i> , 2019 , 92, 20190143	3.4	8
186	IL-6 Mediated Transcriptional Programming of NaNe CD4+ T Cells in Early Rheumatoid Arthritis Drives Dysregulated Effector Function. <i>Frontiers in Immunology</i> , 2019 , 10, 1535	8.4	8
185	Genetic associations with radiological damage in rheumatoid arthritis: Meta-analysis of seven genome-wide association studies of 2,775 cases. <i>PLoS ONE</i> , 2019 , 14, e0223246	3.7	8
184	Why is there persistent disease despite biologic therapy? Importance of early intervention. <i>Arthritis Research and Therapy</i> , 2014 , 16, 115	5.7	8
183	Efficacy of golimumab plus methotrexate in methotrexate-nalle patients with severe active rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2014 , 33, 1239-46	3.9	8
182	Is there a place for initial treatment with biological DMARDs in the early phase of RA?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2013 , 27, 537-54	5.3	8

181	Does achieving clinical response prevent work stoppage or work absence among employed patients with early rheumatoid arthritis?. <i>Rheumatology</i> , 2012 , 51, 270-4	3.9	8
180	Biological therapy for rheumatoid arthritis: where are we now?. <i>British Journal of Hospital Medicine</i> (London, England: 2005), 2012 , 73, 12-8	0.8	8
179	Nonresponse to tumor necrosis factor antagonistsis there any point in re-treatment?. <i>Nature Clinical Practice Rheumatology</i> , 2006 , 2, 288-9		8
178	Magnetic resonance imaging as a predictor of progressive joint destruction in neuropathic joint disease. <i>Arthritis and Rheumatism</i> , 2002 , 46, 2814-5		8
177	Aspects of TNF inhibitor therapy in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010 , 20, 325-30	3.3	8
176	Risk of Malignancies in Patients with Rheumatoid Arthritis Treated with Rituximab: Analyses of Global Postmarketing Safety Data and Long-Term Clinical Trial Data. <i>Rheumatology and Therapy</i> , 2020 , 7, 121-131	4.4	8
175	B Cell Tetherin: A Flow Cytometric Cell-Specific Assay for Response to Type I Interferon Predicts Clinical Features and Flares in Systemic Lupus Erythematosus. <i>Arthritis and Rheumatology</i> , 2020 , 72, 769	<i>9</i> 7₹9	8
174	Lessons for rituximab therapy in patients with rheumatoid arthritis. <i>Lancet Rheumatology, The</i> , 2020 , 2, e497-e509	14.2	8
173	Difference between SB4 and reference etanercept in the hepatobiliary disorders not considered to be caused by SB4: response to letter by Scheinberg and Azevedo. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, e65	2.4	8
172	A prospective, single-centre, randomised study evaluating the clinical, imaging and immunological depth of remission achieved by very early versus delayed Etanercept in patients with Rheumatoid Arthritis (VEDERA). <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 61	2.8	8
171	Gout related upper limb cellulitis: an ultrasound study. Journal of Rheumatology, 2003, 30, 417-9	4.1	8
170	The OMERACT Magnetic Resonance Imaging Inflammatory Arthritis Group - advances and priorities. Journal of Rheumatology, 2007 , 34, 852-3	4.1	8
169	Using extremity magnetic resonance imaging to assess and monitor early rheumatoid arthritis: the optimal joint combination to be scanned in clinical practice. <i>Journal of Rheumatology</i> , 2008 , 35, 580-3	4.1	8
168	Eligibility for clinical trials in primary Sjgrenß syndrome: lessons from the UK Primary Sjgrenß Syndrome Registry. <i>Rheumatology</i> , 2016 , 55, 544-52	3.9	7
167	How Are Rheumatologists Managing Anticyclic Citrullinated Peptide Antibodies-positive Patients Who Do Not Have Arthritis?. <i>Journal of Rheumatology</i> , 2020 , 47, 305-306	4.1	7
166	Third-Generation Anti-Cyclic Citrullinated Peptide Antibodies Improve Prediction of Clinical Arthritis in Individuals at Risk of Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2020 , 72, 1820-1828	9.5	7
165	The new ACR/EULAR criteria for rheumatoid arthritis can identify patients with same disease activity but less damage by ultrasound. <i>European Journal of Rheumatology</i> , 2017 , 4, 118-121	1.7	7
164	Biologics in systemic lupus erythematosus: current options and future perspectives. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2014 , 75, 440, 442-7	0.8	7

163	Improvements in participation in usual daily activities in patients with rheumatoid arthritis treated with abatacept. <i>Value in Health</i> , 2011 , 14, 361-70	3.3	7	
162	Carbocisteine polymorphism and disease. <i>Lancet, The</i> , 1992 , 339, 616-7	40	7	
161	Adalimumab therapy: clinical findings and implications for integration into clinical guidelines for rheumatoid arthritis. <i>Drugs of Today</i> , 2005 , 41, 155-63		7	
160	Alternative tumour necrosis factor inhibitors (TNFi) or abatacept or rituximab following failure of initial TNFi in rheumatoid arthritis: the SWITCH RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-280	4-4	7	
159	Imaging in rheumatoid arthritis, psoriatic arthritis, axial spondyloarthritis, and osteoarthritis: An international viewpoint on the current knowledge and future research priorities. <i>European Journal of Rheumatology</i> , 2019 , 6, 38-47	1.7	7	
158	Biologic Sequencing in Systemic Lupus Erythematosus: After Secondary Non-response to Rituximab, Switching to Humanised Anti-CD20 Agent Is More Effective Than Belimumab. <i>Frontiers in Medicine</i> , 2020 , 7, 498	4.9	7	
157	Real-world single centre use of JAK inhibitors across the rheumatoid arthritis pathway. Rheumatology, 2021 , 60, 4048-4054	3.9	7	
156	Halo naevi, vitiligo and diffuse alopecia areata associated with tocilizumab therapy. <i>Oxford Medical Case Reports</i> , 2016 , 2016, omw027	э.6	7	
155	Responsiveness of clinical and ultrasound outcome measures in musculoskeletal systemic lupus erythematosus. <i>Rheumatology</i> , 2019 ,	3.9	7	
154	European multicentre study validates enhanced liver fibrosis test as biomarker of fibrosis in systemic sclerosis. <i>Rheumatology</i> , 2019 , 58, 254-259	3.9	7	
153	Development and validation of rheumatoid arthritis magnetic resonance imaging inflammation thresholds associated with lack of damage progression. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 607-613	2.2	7	
152	46, 887-895	4.1	6	
151	Outcome of Dose Taperng of Adalimumab in linical Remission Rheumatoid Arhritis () patients	3	6	
150	(PREDICTRA). BMJ Open, 2018 , 8, e019007 Certolizumab Pegol Efficacy Across Methotrexate Regimens: A Pre-Specified Analysis of Two Phase III Trials. Arthritis Care and Research, 2016 , 68, 299-307	4.7	6	
149	Evaluation of serum biomarkers associated with radiographic progression in methotrexate-naive rheumatoid arthritis patients treated with methotrexate or golimumab. <i>Journal of Rheumatology</i> , 2013 , 40, 590-8	4.1	6	
148	Concomitant cyclophosphamide and oral immunosuppressants with rituximab for systemic lupus erythematosus. <i>Rheumatology</i> , 2012 , 51, 1131-2	3.9	6	
147	The OMERACT MRI inflammatory arthritis group: advances and future research priorities. <i>Journal of Rheumatology</i> , 2009 , 36, 1803-5	4.1	6	
146	Infliximab: a new treatment for rheumatoid arthritis. <i>British Journal of Hospital Medicine</i> , 2001 , 62, 150-2		6	

145	Adalimumab dose tapering in patients with rheumatoid arthritis who are in long-standing clinical remission: results of the phase IV PREDICTRA study. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1023-10	30	6
144	Ultrasound to identify systemic lupus erythematosus patients with musculoskeletal symptoms who respond best to therapy: the US Evaluation For mUsculoskeletal Lupus longitudinal multicentre study. <i>Rheumatology</i> , 2021 , 60, 5194-5204	3.9	6
143	Response to: RComparing the immunogenicity of the etanercept biosimilar SB4 with the innovator etanercept: another considerationPby Marshall et al. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, e38	2.4	6
142	How should we treat palindromic rheumatism? A systematic literature review. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 266-277	5.3	6
141	Innovative approaches to biologic development on the trail of CT-P13: biosimilars, value-added medicines, and biobetters. <i>MAbs</i> , 2021 , 13, 1868078	6.6	6
140	EULAR points to consider for conducting clinical trials and observational studies in individuals at risk of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1286-1298	2.4	6
139	Abatacept reduces disease activity and ultrasound power Doppler in ACPA-negative undifferentiated arthritis: a proof-of-concept clinical and imaging study. <i>Rheumatology</i> , 2017 , 56, 58-67	3.9	5
138	Relative Impact of Pain and Fatigue on Work Productivity in Patients with Rheumatoid Arthritis from the RA-BEAM Baricitinib Trial. <i>Rheumatology and Therapy</i> , 2019 , 6, 409-419	4.4	5
137	First cardiovascular MRI study in individuals at risk of rheumatoid arthritis detects abnormal aortic stiffness suggesting an anti-citrullinated peptide antibody-mediated role for accelerated atherosclerosis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1138-1140	2.4	5
136	Temporary interruption of baricitinib: characterization of interruptions and effect on clinical outcomes in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2020 , 22, 115	5.7	5
135	T-cell subset abnormalities predict progression along the Inflammatory Arthritis disease continuum: împlications for management. <i>Scientific Reports</i> , 2020 , 10, 3669	4.9	5
134	Effect of rituximab or tumour necrosis factor inhibitors on lung infection and survival in rheumatoid arthritis-associated bronchiectasis. <i>Rheumatology</i> , 2020 , 59, 2838-2846	3.9	5
133	Response to: Reporting of potential immunogenicity with biologic drugs: clarity and accuracy requiredPby Moots et al. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, e25	2.4	5
132	Diurnal variation of gait in patients with rheumatoid arthritis: The DIVIGN study. <i>Clinical Biomechanics</i> , 2014 , 29, 811-4	2.2	5
131	Etanercept in the treatment of rheumatoid arthritis. Expert Opinion on Biological Therapy, 2013, 13, 144	1 <u>5</u> 540	5
130	MRI for the assessment and monitoring of RAwhat can it tell us?. <i>Nature Reviews Rheumatology</i> , 2011 , 7, 185-9	8.1	5
129	Ten-year follow-up of SpA-related oligoarthritis involving the knee: the presence of psoriasis but not HLA-B27 or baseline MRI bone oedema predicts outcome. <i>Rheumatology</i> , 2012 , 51, 1099-106	3.9	5
128	Infliximab for rheumatoid arthritis. Expert Review of Clinical Immunology, 2006, 2, 193-207	5.1	5

127	A modification of the Omeract RA MRI score for erosions for use with an extremity MRI system with reduced field of view. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 1669-71	2.4	5
126	Inhibiting toll-like receptors in inflammatory disease. <i>Lancet, The</i> , 2006 , 368, 821-2	40	5
125	High dose immunosuppressive therapy and stem cell transplantation in autoimmune and inflammatory diseases. <i>International Immunopharmacology</i> , 2002 , 2, 399-414	5.8	5
124	Leflunomide: a new DMARD for rheumatoid arthritis. British Journal of Hospital Medicine, 2000, 61, 344	-7	5
123	Comparing Psoriatic Arthritis Low-field Magnetic Resonance Imaging, Ultrasound, and Clinical Outcomes: Data from the TICOPA Trial. <i>Journal of Rheumatology</i> , 2020 , 47, 1338-1343	4.1	5
122	Subcutaneous Sarilumab in Patients With Rheumatoid Arthritis who Previously Received Subcutaneous Sarilumab or Intravenous Tocilizumab: An Open-Label Extension of a Randomized Clinical Trial. <i>ACR Open Rheumatology</i> , 2020 , 2, 672-680	3.5	5
121	Baricitinib inhibits structural joint damage progression in patients with rheumatoid arthritis-a comprehensive review. <i>Arthritis Research and Therapy</i> , 2021 , 23, 3	5.7	5
120	Achieving comprehensive disease control in patients with early and established rheumatoid arthritis treated with adalimumab plus methotrexate versus methotrexate alone. <i>RMD Open</i> , 2017 , 3, e000445	5.9	4
119	Re-treatment with abatacept plus methotrexate for disease flare after complete treatment withdrawal in patients with early rheumatoid arthritis: 2-year results from the AVERT study. <i>RMD Open</i> , 2019 , 5, e000840	5.9	4
118	Rheumatoid arthritis in 2014: Exciting times for RA research. <i>Nature Reviews Rheumatology</i> , 2015 , 11, 69-70	8.1	4
117	Towards an optimum strategy in rheumatoid arthritis. <i>Lancet, The</i> , 2012 , 379, 1682-4	40	4
116	A randomised, controlled study of outcome and cost effectiveness for RA patients attending nurse-led rheumatology clinics: study protocol of an ongoing nationwide multi-centre study. <i>International Journal of Nursing Studies</i> , 2011 , 48, 995-1001	5.8	4
115	Efficacy, tolerability and safety of biologic therapy in rheumatoid disease: patient considerations. Drug, Healthcare and Patient Safety, 2010 , 2, 101-19	1.6	4
114	The American College of Rheumatology/European League Against Rheumatism Criteria for the classification of rheumatoid arthritis: a game changer. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1575	- 6 -4	4
113	No evidence for association of the KLF12 gene with rheumatoid arthritis in a large UK cohort. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1407-8	2.4	4
112	The validity of the inclusion of "lupus headache" in the Systemic Lupus Erythematosus Disease Activity Index. <i>Arthritis and Rheumatism</i> , 2007 , 56, 2812-3		4
111	Combination therapy in rheumatoid arthritis. Seminars in Immunopathology, 2001, 23, 165-83		4
110	DXA scanning. <i>Baillierefs Clinical Rheumatology</i> , 1996 , 10, 679-98		4

109	Current issues in rheumatoid arthritis-associated interstitial lung disease. <i>Lancet Rheumatology, The</i> , 2021 , 3, e798-e807	14.2	4
108	Imaging inflamed synovial joints. <i>Methods in Molecular Medicine</i> , 2007 , 135, 3-26		4
107	The Role of the Microbiome in Driving RA-Related Autoimmunity. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 538130	5.7	4
106	Determining in which pre-arthritis stage HLA-shared epitope alleles and smoking exert their effect on the development of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	4
105	Long-term follow-up of patients in the Tight COntrol of inflammation in early Psoriatic Arthritis (TICOPA) trial. <i>Rheumatology</i> , 2020 , 59, 807-810	3.9	4
104	A core set of risk factors in individuals at risk of rheumatoid arthritis: a systematic literature review informing the EULAR points to consider for conducting clinical trials and observational studies in individuals at risk of rheumatoid arthritis. <i>RMD Open</i> , 2021 , 7,	5.9	4
103	Quantifying circulating Th17 cells by qPCR: potential as diagnostic biomarker for rheumatoid arthritis. <i>Rheumatology</i> , 2019 , 58, 2015-2024	3.9	3
102	Improvement in cardiovascular biomarkers sustained at 4 years following an initial treat-to-target strategy in early rheumatoid arthritis. <i>Rheumatology</i> , 2019 , 58, 1684-1686	3.9	3
101	Determining MRI Inflammation Targets When Considering a Rheumatoid Arthritis Treat-to-Target Strategy: Results of a Randomized, Placebo-Controlled Trial. <i>Advances in Therapy</i> , 2019 , 36, 2384-2393	4.1	3
100	Response to: RWhich B-cell subset should we target in lupus?Pby Ferraccioli and Houssiau. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, e20	2.4	3
99	Biologics in rheumatoid arthritis: where are we going?. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2014 , 75, 448-9, 451-6	0.8	3
98	Patient-reported Outcomes as Predictors of Change in Disease Activity and Disability in Early Rheumatoid Arthritis: Results from the Yorkshire Early Arthritis Register. <i>Journal of Rheumatology</i> , 2017 , 44, 1331-1340	4.1	3
97	Update on the OMERACT magnetic resonance imaging task force: research and future directions. Journal of Rheumatology, 2014 , 41, 383-5	4.1	3
96	The validity and predictive value of magnetic resonance imaging erosions in rheumatoid arthritis: comment on the article by Goldbach-Mansky et al. <i>Arthritis and Rheumatism</i> , 2004 , 50, 1009-11		3
95	Magnetic resonance imaging: opportunities for rheumatoid arthritis disease assessment and monitoring long-term treatment outcomes. <i>Arthritis Research</i> , 2002 , 4 Suppl 2, S6-10		3
94	Spondyloarthropath y. <i>Lancet, The</i> , 1999 , 353, 1526-1527	40	3
93	Further evidence for the lack of association between acetylator phenotype and systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1987 , 30, 357-8		3
92	Autologous Hematopoietic Stem Cell Transplantation Versus Intravenous Pulse Therapy Cyclophosphamide for Severe or Rapidly Progressive Systemic Sclerosis, the Astis Trial. <i>Blood</i> , 2012 , 120, 964-964	2.2	3

(2015-2020)

91	The Role of Ultrasound Across the Inflammatory Arthritis Continuum: Focus on "At-Risk" Individuals. <i>Frontiers in Medicine</i> , 2020 , 7, 587827	4.9	3
90	Clinical trial and Preal-worldPdata support switching from a bio-originator to its biosimilar. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, e44	2.4	3
89	Baseline Objective Inflammation by Magnetic Resonance Imaging as a Predictor of Therapeutic Benefit in Early Rheumatoid Arthritis With Poor Prognosis. <i>Arthritis Care and Research</i> , 2020 , 72, 959-96	4 ·7	3
88	Muscle deterioration due to rheumatoid arthritis: assessment by quantitative MRI and strength testing. <i>Rheumatology</i> , 2021 , 60, 1216-1225	3.9	3
87	e48 Effects of baricitinib on haematological laboratory parameters in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2018 , 57,	3.9	3
86	On-drug and drug-free remission by baseline symptom duration: abatacept with methotrexate in patients with early rheumatoid arthritis. <i>Rheumatology International</i> , 2018 , 38, 2225-2231	3.6	3
85	Real-world experience of effectiveness of non-medical switch from originator to biosimilar rituximab in rheumatoid arthritis. <i>Rheumatology</i> , 2021 , 60, 3679-3688	3.9	3
84	Identifying arthralgia suspicious for progression to rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, e14	2.4	2
83	Perturbations of the gut microbiome in anti-CCP positive individuals at risk of developing rheumatoid arthritis. <i>Rheumatology</i> , 2021 , 60, 3380-3387	3.9	2
82	Identification of a Human Polymorphism That Predicts Rheumatoid Arthritis Severity. <i>Frontiers in Immunology</i> , 2020 , 11, 1336	8.4	2
81	Reduction in stiffness of proximal leg muscles during the first 6 months of glucocorticoid therapy for giant cell arteritis: A pilot study using shear wave elastography. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 1891-1899	2.3	2
80	Emergence of proinflammatory autoreactive T-cell responses in preclinical rheumatoid arthritis. <i>Lancet, The</i> , 2014 , 383, S22	40	2
79	Anti-Porphyromonas gingivalis Antibodies in Rheumatoid Arthritis: Comment on the Article by Seror et al. <i>Arthritis and Rheumatology</i> , 2015 , 67, 3329-30	9.5	2
78	Re-treatment of rheumatoid arthritis patients who were initial nonresponders to rituximab: comment on the article by Thurlings et al. <i>Arthritis and Rheumatism</i> , 2009 , 60, 1867; author reply 1867-8	3	2
77	Pocket Reference to Early Rheumatoid Arthritis 2011 ,		2
76	Perceptions and experiences of individuals at-risk of rheumatoid arthritis (RA) knowing about their risk of developing RA and being offered preventive treatment: systematic review and thematic synthesis of qualitative studies. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	2
75	Imaging in Ankylosing Spondylitis 2006 , 71-81		2
74	B-cell depletion 2015 , 472-478		2

73	In anti-CCP+ at-risk individuals, radiographic bone erosions are uncommon and are not associated with the development of clinical arthritis. <i>Rheumatology</i> , 2021 , 60, 3156-3164	3.9	2
72	Radiographic progression based on baseline characteristics from TNF inhibitor biosimilar studies in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2020 , 22, 188	5.7	2
71	Musculoskeletal ultrasound in rheumatology in Korea: targeted ultrasound initiative survey. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 335-42	2.3	2
70	THU0072 ULTRASOUND PREDICTS IMMINENT PROGRESSION TO ARTHRITIS IN ANTI-CCP POSITIVE AT-RISK INDIVIDUALS 2019 ,		2
69	Response to: Can ultrasound of the major salivary glands assess histopathological changes induced by treatment with rituximab in primary Sjgrenß syndrome?. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, e28	2.4	2
68	Response to: Pultrasound findings in palindromic rheumatismPby Sanmarti. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, e31	2.4	2
67	Interferon-related gene expression in response to TNF inhibitor treatment in ankylosing spondylitis patients: a pilot study. <i>Rheumatology</i> , 2021 , 60, 3607-3616	3.9	2
66	Defining and characterizing sustained remission in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2018 , 37, 885-893	3.9	2
65	Nonserious Infections in Patients With Rheumatoid Arthritis: Results From the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2021 , 73, 1800-	1869	2
64	Lefunomide in combination therapy. <i>Journal of rheumatology Supplement, The</i> , 2004 , 71, 25-30		2
63	Six-joint ultrasound in rheumatoid arthritis: a feasible approach for implementing ultrasound in remission. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 853-856	2.2	2
62	Prediction of flare following remission and treatment withdrawal in early rheumatoid arthritis: post hoc analysis of a phase IIIb trial with abatacept <i>Arthritis Research and Therapy</i> , 2022 , 24, 47	5.7	2
61	Anti-carbamylated protein antibodies: are they useful for the diagnosis of rheumatoid arthritis?. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 146-150	2.2	2
60	Imminent rheumatoid arthritis can be identified in primary care. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, e42	2.4	1
59	Modifying the trajectory of asthma-are there lessons from the use of biologics in rheumatology?. <i>Lancet, The</i> , 2017 , 389, 1082-1084	40	1
58	089 Single centre cohort of refractory rheumatoid arthritis also identifies a rare subgroup of multiple targeted therapy class non-response. <i>Rheumatology</i> , 2019 , 58,	3.9	1
57	Pooled analysis of TNF inhibitor biosimilar studies comparing radiographic progression by disease activity states in rheumatoid arthritis. <i>RMD Open</i> , 2020 , 6,	5.9	1
56	Does high-dose extended course cyclophosphamide and methylprednisolone pulse therapy have a role in the management of systemic sclerosis-related interstitial lung disease?. <i>Rheumatology</i> , 2016 , 55, 2273-2275	3.9	1

55	Comorbidities in Anti-Cyclic Citrullinated Peptide Positive At-Risk Individuals Do Not Differ from Those Patients with Early Inflammatory Arthritis. <i>Frontiers in Medicine</i> , 2018 , 5, 35	4.9	1	
54	Role of golimumab for the treatment of rheumatoid arthritis. <i>International Journal of Clinical Rheumatology</i> , 2014 , 9, 245-258	1.5	1	
53	Is the glass half full or half empty? Comment on the article by Gitner et Al. <i>Arthritis and Rheumatology</i> , 2014 , 66, 1055-6	9.5	1	
52	Choosing the right rituximab dose for the right patient: comment on the article by Bredemeier et al. <i>Arthritis Care and Research</i> , 2014 , 66, 1591-3	4.7	1	
51	Certolizumab pegol in rheumatoid arthritis: a review of Phase III clinical trials and its role in real-life clinical practice. <i>International Journal of Clinical Rheumatology</i> , 2011 , 6, 517-527	1.5	1	
50	Comparison of autoinflammation and autoimmunity using TRAPS and rheumatoid arthritis as prototypes of these conditions. <i>International Journal of Clinical Rheumatology</i> , 2009 , 4, 681-695	1.5	1	
49	Spondylarthrite ankylosante, positivitide HLA-B27 et utilisation des biothtapies. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2007 , 74, 232-236	0.1	1	
48	MR imaging findings in the hands. <i>Radiology</i> , 2006 , 241, 320-1; author reply 321	20.5	1	
47	A Personalized Rituximab Retreatment Approach Based on Clinical and B-Cell Biomarkers in ANCA-Associated Vasculitis <i>Frontiers in Immunology</i> , 2021 , 12, 803175	8.4	1	
46	COVID-19 vaccine-induced T-cell responses in patients with rheumatoid arthritis: preferential induction by ChAdOx1 <i>Lancet Rheumatology, The</i> , 2022 ,	14.2	1	
45	Disease modification in ankylosing spondylitis with TNF inhibitors: spotlight on early phase clinical trials. <i>Expert Opinion on Investigational Drugs</i> , 2021 ,	5.9	1	
44	The PREdictor of MAlnutrition in Systemic Sclerosis (PREMASS) Score: A Combined Index to Predict 12 Months Onset of Malnutrition in Systemic Sclerosis. <i>Frontiers in Medicine</i> , 2021 , 8, 651748	4.9	1	
43	Response to: PLower anti-drug antibodies with etanercept biosimilar: Can Ctrough explain the differences Pby Shah. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, e61	2.4	1	
42	Muscle stiffness in rheumatoid arthritis is not altered or associated with muscle weakness: A shear wave elastography study. <i>Modern Rheumatology</i> , 2020 , 30, 617-625	3.3	1	
41	Role of adalimumab, a novel TNF antagonist in advancing rheumatoid arthritis control. <i>Drugs of Today</i> , 2003 , 39 Suppl B, 17-23	2.5	1	
40	Receptor activator of nuclear factor kappa-ligand (RANKL) serum levels are associated with progression to seropositive/negative rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 456-462	2.2	1	
39	Etanercept tapering in rheumatoid arthritis. New England Journal of Medicine, 2015, 372, 489-90	59.2	О	
38	Prioritising referrals of individuals at-risk of RA: guidance based on results of a 10-year national primary care observational study <i>Arthritis Research and Therapy</i> , 2022 , 24, 26	5.7	Ο	

37	Ultrasound shows swollen joints are the better proxy for synovitis than tender joints in DMARD-naMe early psoriatic arthritis <i>Rheumatology Advances in Practice</i> , 2021 , 5, rkab086	1.1	О
36	ItB never too soon to treat rheumatoid arthritis: finally, some supportive evidence. <i>Lancet Rheumatology, The</i> , 2020 , 2, e311-e313	14.2	O
35	Safety evaluation of adalimumab in immune-mediated inflammatory disorders: a rheumatological point of view. <i>Expert Opinion on Drug Safety</i> , 2019 , 18, 11-19	4.1	О
34	RA-MAP, molecular immunological landscapes in early rheumatoid arthritis and healthy vaccine recipients <i>Scientific Data</i> , 2022 , 9, 196	8.2	O
33	Reply. Arthritis and Rheumatology, 2020 , 72, 1231-1233	9.5	
32	Reply: To PMID 24757132. Arthritis and Rheumatology, 2014 , 66, 3245-6	9.5	
31	Response to Dr Bredemeierß letter. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, e34	2.4	
30	A1.52 TLR-Dependent XBP1 activation induces an autocrine loop in rheumatoid arthritis synovial fibroblasts. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A22.1-A22	2.4	
29	1.63 IL-7 drives the tissue architecture of the RA synovium providing a niche for B-cells to mature. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A27.2-A28	2.4	
28	I72. Early Arthritis. <i>Rheumatology</i> , 2014 , 53, i16-i16	3.9	
28	I72. Early Arthritis. <i>Rheumatology</i> , 2014 , 53, i16-i16 A1.9 Pilot work towards discovery of novel diagnostic biomarker for rheumatoid arthritis using combinations of chemokine receptor expression on peripheral blood cell-subsets. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A4.1-A4	3.9	
	A1.9 Pilot work towards discovery of novel diagnostic biomarker for rheumatoid arthritis using combinations of chemokine receptor expression on peripheral blood cell-subsets. <i>Annals of the</i>		
27	A1.9 Pilot work towards discovery of novel diagnostic biomarker for rheumatoid arthritis using combinations of chemokine receptor expression on peripheral blood cell-subsets. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A4.1-A4	2.4	
27 26	A1.9 Pilot work towards discovery of novel diagnostic biomarker for rheumatoid arthritis using combinations of chemokine receptor expression on peripheral blood cell-subsets. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A4.1-A4 Dr. Keystone, et al, reply. <i>Journal of Rheumatology</i> , 2013 , 40, 732-3 Differential pattern of expression of caveolin-1 and AIF-1 in chronic graft-versus-host disease suggests a specific role in the pathogenesis of systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> ,	2.4	
27 26 25	A1.9 Pilot work towards discovery of novel diagnostic biomarker for rheumatoid arthritis using combinations of chemokine receptor expression on peripheral blood cell-subsets. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A4.1-A4 Dr. Keystone, et al, reply. <i>Journal of Rheumatology</i> , 2013 , 40, 732-3 Differential pattern of expression of caveolin-1 and AIF-1 in chronic graft-versus-host disease suggests a specific role in the pathogenesis of systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, A24-A25 New biologic for treating rheumatoid arthritis: clinical trial experience with tocilizumab.	2.4 4.1 2.4	
27 26 25 24	A1.9 Pilot work towards discovery of novel diagnostic biomarker for rheumatoid arthritis using combinations of chemokine receptor expression on peripheral blood cell-subsets. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A4.1-A4 Dr. Keystone, et al, reply. <i>Journal of Rheumatology</i> , 2013 , 40, 732-3 Differential pattern of expression of caveolin-1 and AIF-1 in chronic graft-versus-host disease suggests a specific role in the pathogenesis of systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, A24-A25 New biologic for treating rheumatoid arthritis: clinical trial experience with tocilizumab. <i>International Journal of Clinical Rheumatology</i> , 2010 , 5, 17-24 Myofibroblast specific gene expression signature in systemic sclerosis, more than TGF-linduced	2.4 4.1 2.4	
27 26 25 24 23	A1.9 Pilot work towards discovery of novel diagnostic biomarker for rheumatoid arthritis using combinations of chemokine receptor expression on peripheral blood cell-subsets. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A4.1-A4 Dr. Keystone, et al, reply. <i>Journal of Rheumatology</i> , 2013 , 40, 732-3 Differential pattern of expression of caveolin-1 and AIF-1 in chronic graft-versus-host disease suggests a specific role in the pathogenesis of systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, A24-A25 New biologic for treating rheumatoid arthritis: clinical trial experience with tocilizumab. <i>International Journal of Clinical Rheumatology</i> , 2010 , 5, 17-24 Myofibroblast specific gene expression signature in systemic sclerosis, more than TGF-Ūnduced activation. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, A31-A31 Reduced IL-7 serum titres are associated with progression towards rheumatoid arthritis in less than	2.4 4.1 2.4 1.5	

19	The changing management of inflammatory arthritis. Journal of Clinical Rheumatology, 2010, 16, 403-7	1.1
18	Care needs to be taken when reviewing malignancy data reported from observational studies: comment on the article by Onel and Onel. <i>Arthritis Care and Research</i> , 2011 , 63, 461-3; author reply 463	-4 ·7
17	The future of imaging in monitoring biologic therapy. <i>Nature Clinical Practice Rheumatology</i> , 2007 , 3, 2-3	
16	Use of prognostic markers in early rheumatoid arthritis to identify patients at risk of destructive disease. <i>Expert Review of Clinical Immunology</i> , 2006 , 2, 853-7	5.1
15	Biomarkers: Strategies to predict outcome of rheumatoid arthritis. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2006 , 3, 11-16	
14	Rituximab: B-cell depletion therapy for the treatment of rheumatoid arthritis. <i>Future Rheumatology</i> , 2006 , 1, 293-302	
13	Introduction. Journal of Clinical Rheumatology, 2005, 11, S37-8	1.1
12	Study of individual joint pathology in rheumatoid arthritis suggests a single pathology: comment on the editorial by Kirwan. <i>Arthritis and Rheumatism</i> , 2005 , 52, 672-3; author reply 673	
11	Pirazolac. <i>BioDrugs</i> , 1996 , 6, 511-511	
10	Phenotypical, Morphological and Molecular Analysis of Fresh Human Bone Marrow Mesenchymal/Stromal Stem Sells (MSCs) Enriched by Four Different Methods <i>Blood</i> , 2004 , 104, 2337-7	2337
9	Predictors of Remission Maintenance after Etanercept Tapering or Withdrawal in Early Rheumatoid Arthritis: Results from the PRIZE Study. <i>Open Rheumatology Journal</i> , 2018 , 12, 179-188	0.2
8	Predicting the development of rheumatoid arthritis in patients with recent-onset undifferentiated arthritis. <i>Future Rheumatology</i> , 2008 , 3, 441-444	
7	B cell targets in rheumatoid arthritis 2009 , 1-26	
6	Clinical, Radiologic, and Functional Outcomes Following Methotrexate Withdrawal in Etanercept-Treated Patients with Active Early Rheumatoid Arthritis: A Subanalysis of COMET Year 2 by Week 52 DAS28 Status. <i>Open Rheumatology Journal</i> , 2021 , 15, 31-38	0.2
5	Recent Trends of Ultrasound in Rheumatology. Journal of Rheumatic Diseases, 2016, 23, 11	1.2
4	Response to: Pinterosseous tendon inflammation of rheumatoid arthritis: what B the real meaning?P by Deng. Annals of the Rheumatic Diseases, 2020, 79, e84	2.4
3	Evolving treatment paradigms for rheumatoid arthritis: Translating comprehensive patient evaluations into personalized therapy. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 1549	5-3
2	Anti-carbamylated protein antibodies: are they useful for the diagnosis of rheumatoid arthritis?. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 146-150	2.2

Interleukin-7: a potential factor supporting B-cell maturation in the rheumatoid arthritis synovium. Clinical and Experimental Rheumatology, **2021**, 39, 253-262

2.2