

Marek Baltaziak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5951154/publications.pdf>

Version: 2024-02-01

16
papers

223
citations

933447

10
h-index

996975

15
g-index

16
all docs

16
docs citations

16
times ranked

359
citing authors

#	ARTICLE	IF	CITATIONS
1	E-cadherin and β -catenin adhesion proteins correlate positively with connexins in colorectal cancer. <i>Oncology Letters</i> , 2014, 7, 1863-1870.	1.8	20
2	The relationships between hypoxia-dependent markers: HIF-1 α , EPO and EPOR in colorectal cancer. <i>Folia Histochemica Et Cytobiologica</i> , 2014, 51, 320-325.	1.5	11
3	STAT3 and apoptosis regulators: Bak and Bcl-xL in endometrioid adenocarcinomas of different estrogen receptor- α immunoprofile. <i>Gynecological Endocrinology</i> , 2011, 27, 536-540.	1.7	8
4	Aberrant Distributions and Relationships Among E-cadherin, β -catenin, and Connexin 26 and 43 in Endometrioid Adenocarcinomas. <i>International Journal of Gynecological Pathology</i> , 2010, 29, 358-365.	1.4	12
5	ER α and ER β expression in correlation with Ki-67, Bcl-2 and Bak in primary tumors and lymph node metastases of breast cancer: The effect of pre-operative chemotherapy. <i>Oncology Letters</i> , 2010, 1, 1067-1071.	1.8	2
6	Hypoxia related growth factors and p53 in preoperative sera from patients with colorectal cancer – evaluation of the prognostic significance of these agents. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1439-45.	2.3	3
7	Comparative Evaluation of Estrogen and Progesterone Receptor Expression With Connexins 26 and 43 in Endometrial Cancer. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 1253-1257.	2.5	13
8	Relationships of P53 and Bak with EPO and EPOR in human colorectal cancer. <i>Anticancer Research</i> , 2009, 29, 4151-6.	1.1	3
9	Expression of connexin 26 in endometrial adenocarcinoma – analysis of correlations with some anatomoclinical features. <i>Folia Histochemica Et Cytobiologica</i> , 2008, 46, 171-6.	1.5	6
10	Levels of Ve-Cadherin Increase Independently of Vegf in Preoperative Sera of Patients with Colorectal Cancer. <i>Tumori</i> , 2006, 92, 67-71.	1.1	19
11	Expression of Bcl-xL, Bax, and p53 in Primary Tumors and Lymph Node Metastases in Oral Squamous Cell Carcinoma. <i>Annals of the New York Academy of Sciences</i> , 2006, 1090, 18-25.	3.8	14
12	Leptin – From regulation of fat metabolism to stimulation of breast cancer growth. <i>Pathology and Oncology Research</i> , 2006, 12, 69-72.	1.9	35
13	Connexins 26 and 43 correlate with Bak, but not with Bcl-2 protein in breast cancer. <i>Oncology Reports</i> , 2005, 14, 325-9.	2.6	41
14	Expression of the apoptotic markers in normal breast epithelium, benign mammary dysplasia and in breast cancer. <i>Folia Morphologica</i> , 2004, 63, 337-41.	0.8	2
15	Correlation between Bcl-2 protein expression and some clinicopathological features of oral squamous cell carcinoma. <i>Polish Journal of Pathology</i> , 2003, 54, 49-52.	0.3	13
16	Widespread myocardial and pulmonary bone marrow embolism following cardiac massage. <i>Forensic Science International</i> , 1992, 56, 195-199.	2.2	21