

Kwang-No Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5951358/publications.pdf>

Version: 2024-02-01

27
papers

376
citations

840585

11
h-index

794469

19
g-index

28
all docs

28
docs citations

28
times ranked

623
citing authors

#	ARTICLE	IF	CITATIONS
1	Electrical isolation of the left atrial appendage increases the risk of ischemic stroke and transient ischemic attack regardless of postisolation flow velocity. <i>Heart Rhythm</i> , 2018, 15, 1746-1753.	0.3	56
2	Frequent drinking is a more important risk factor for new-onset atrial fibrillation than binge drinking: a nationwide population-based study. <i>Europace</i> , 2020, 22, 216-224.	0.7	49
3	Long-Term Clinical Comparison of Procedural End Points After Pulmonary Vein Isolation in Paroxysmal Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e005019.	2.1	38
4	Effectiveness and Safety of Off-label Dosing of Non-vitamin K Antagonist Anticoagulant for Atrial Fibrillation in Asian Patients. <i>Scientific Reports</i> , 2020, 10, 1801.	1.6	33
5	Clinical and Echocardiographic Risk Factors Predict Late Recurrence after Radiofrequency Catheter Ablation of Atrial Fibrillation. <i>Scientific Reports</i> , 2019, 9, 6890.	1.6	32
6	Different Responses of Left Atrium and Left Atrial Appendage to Radiofrequency Catheter Ablation of Atrial Fibrillation: a Follow Up MRI study. <i>Scientific Reports</i> , 2018, 8, 7871.	1.6	18
7	Association of Depression With Atrial Fibrillation in South Korean Adults. <i>JAMA Network Open</i> , 2022, 5, e2141772.	2.8	16
8	Incidence and etiology of sudden cardiac arrest in Koreans: A cohort from the national health insurance service database. <i>PLoS ONE</i> , 2020, 15, e0242799.	1.1	14
9	Trends in the use of implantable cardioverter-defibrillators for prevention of sudden cardiac arrest: A South Korean nationwide population-based study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1086-1094.	0.5	13
10	Impact of age on thromboembolic events in patients with non-valvular atrial fibrillation. <i>Clinical Cardiology</i> , 2020, 43, 78-85.	0.7	13
11	Management of Atrio-esophageal Fistula Induced by Radiofrequency Catheter Ablation in Atrial Fibrillation Patients: a Case Series. <i>Scientific Reports</i> , 2020, 10, 8202.	1.6	12
12	Comparison of Renal Function Estimation Formulae for Dosing Direct Oral Anticoagulants in Patients with Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2019, 8, 2034.	1.0	11
13	Gender-related Difference in Clinical Outcome of the Patient with Atrial Fibrillation after Radiofrequency Catheter Ablation. <i>Korean Circulation Journal</i> , 2018, 48, 605.	0.7	10
14	Risk Factors for Ischemic Stroke in Atrial Fibrillation Patients Undergoing Radiofrequency Catheter Ablation. <i>Scientific Reports</i> , 2019, 9, 7051.	1.6	10
15	Comparison between linear and focal ablation of complex fractionated atrial electrograms in patients with non-paroxysmal atrial fibrillation: a prospective randomized trial. <i>Europace</i> , 2019, 21, 598-606.	0.7	8
16	Atrial Substrate Underlies the Recurrence after Catheter Ablation in Patients with Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2020, 9, 3164.	1.0	8
17	Association of left atrial pressure with late gadolinium enhancement extent in patient who underwent catheter ablation for atrial fibrillation. <i>Scientific Reports</i> , 2020, 10, 16486.	1.6	6
18	Ischemic stroke risk during long-term follow up in patients with successful catheter ablation for atrial fibrillation in Korea. <i>PLoS ONE</i> , 2018, 13, e0201061.	1.1	5

#	ARTICLE	IF	CITATIONS
19	A novel predictive model for late recurrence after catheter ablation for atrial fibrillation using left appendage volume measured by cardiac computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 2063-2070.	0.7	5
20	The Impact of Personal Thoracic Impedance on Electrical Cardioversion in Patients with Atrial Arrhythmias. <i>Medicina (Lithuania)</i> , 2021, 57, 618.	0.8	5
21	Different influence of cardiac hemodynamics on thromboembolic events in patients with paroxysmal and non-paroxysmal atrial fibrillation. <i>PLoS ONE</i> , 2019, 14, e0214743.	1.1	4
22	Value of adenosine test to reveal dormant conduction or adenosine-induced atrial fibrillation after pulmonary vein isolation. <i>Journal of Arrhythmia</i> , 2017, 33, 602-607.	0.5	2
23	Slit-based irrigation catheters can reduce procedure-related ischemic stroke in atrial fibrillation patients undergoing radiofrequency catheter ablation. <i>PLoS ONE</i> , 2020, 15, e0239339.	1.1	2
24	Molecular Signatures of Sinus Node Dysfunction Induce Structural Remodeling in the Right Atrial Tissue. <i>Molecules and Cells</i> , 2020, 43, 408-418.	1.0	2
25	Sex-Related Differences in Left Atrial Low-Voltage Areas According to CHA2DS2-VA Scores among Patients with Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2022, 11, 3111.	1.0	2
26	Unipolar and bipolar electrogram characteristics of recurrent cases of idiopathic ventricular arrhythmias undergoing repeat catheter ablation. <i>Indian Pacing and Electrophysiology Journal</i> , 2022, 22, 12-16.	0.3	1
27	Combined epicardial and endocardial approach for redo radiofrequency catheter ablation in patients with persistent atrial fibrillation: a randomized clinical trial. <i>Europace</i> , 2022, 24, 1412-1419.	0.7	1