## Ignazio Brusca

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/595192/publications.pdf

Version: 2024-02-01

34 papers

1,296 citations

394421 19 h-index 36 g-index

40 all docs 40 docs citations

40 times ranked

1804 citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Non-Celiac Wheat Sensitivity Diagnosed by Double-Blind Placebo-Controlled Challenge: Exploring a New Clinical Entity. American Journal of Gastroenterology, 2012, 107, 1898-1906.   | 0.4 | 343       |
| 2  | Correlation Between IgA Tissue Transglutaminase Antibody Ratio and Histological Finding in Celiac Disease. Journal of Pediatric Gastroenterology and Nutrition, 2012, 55, 44-49.  | 1.8 | 102       |
| 3  | Testing for IgG class antibodies in celiac disease patients with selective IgA deficiency Clinica Chimica Acta, 2007, 382, 95-99.   | 1.1 | 71        |
| 4  | Overcoming a "Probable―Diagnosis in Antimitochondrial Antibody Negative Primary Biliary Cirrhosis:<br>Study of 100 Sera and Review of the Literature. Clinical Reviews in Allergy and Immunology, 2012, 42,<br>288-297.                         | 6.5 | 70        |
| 5  | A Cytologic Assay for Diagnosis of Food Hypersensitivity in Patients With Irritable Bowel Syndrome.<br>Clinical Gastroenterology and Hepatology, 2010, 8, 254-260.  | 4.4 | 67        |
| 6  | Cardiopulmonary Exercise Testing in Patients with Chronic Heart Failure: Prognostic Comparison from Peak VO2 and VE/VCO2 Slope. Open Cardiovascular Medicine Journal, 2010, 4, 127-134.   | 0.3 | 66        |
| 7  | Fecal Assays Detect Hypersensitivity to Cow's Milk Protein and Gluten in Adults With Irritable Bowel Syndrome. Clinical Gastroenterology and Hepatology, 2011, 9, 965-971.e3.   | 4.4 | 63        |
| 8  | Effect of physical training on exercise capacity, gas exchange and N-terminal pro-brain natriuretic peptide levels in patients with chronic heart failure. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 812-817. | 2.8 | 57        |
| 9  | The association of solid-phase assays to immunofluorescence increases the diagnostic accuracy for ANA screening in patients with autoimmune rheumatic diseases. Autoimmunity Reviews, 2018, 17, 541-547.  | 5.8 | 55        |
| 10 | Overview of Biomarkers for Diagnosis and Monitoring of Celiac Disease. Advances in Clinical Chemistry, 2015, 68, 1-55.  | 3.7 | 43        |
| 11 | Diagnostic efficacy of the ELISA test for the detection of deamidated antiâ€gliadin peptide antibodies in the diagnosis and monitoring of celiac disease. Journal of Clinical Laboratory Analysis, 2009, 23, 165-171.                           | 2.1 | 34        |
| 12 | Evaluation of a new multiplex assay for allergy diagnosis. Clinica Chimica Acta, 2019, 493, 73-78.  | 1.1 | 32        |
| 13 | Autoantibody profiling of patients with primary biliary cirrhosis using a multiplexed line-blot assay.<br>Clinica Chimica Acta, 2015, 438, 135-138.   | 1.1 | 31        |
| 14 | The old and new tests for celiac disease: which is the best test combination to diagnose celiac disease in pediatric patients?. Clinical Chemistry and Laboratory Medicine, 2012, 50, 111-7.  | 2.3 | 25        |
| 15 | A comparison between two different in vitro basophil activation tests for gluten- and cow's milk<br>protein sensitivity in irritable bowel syndrome (IBS)-like patients. Clinical Chemistry and Laboratory<br>Medicine, 2013, 51, 1257-63.      | 2.3 | 25        |
| 16 | The ANA-reflex test as a model for improving clinical appropriateness in autoimmune diagnostics. Autoimmunity Highlights, 2016, 7, 9.   | 3.9 | 24        |
| 17 | Autoantibody Profiling in a Cohort of Pediatric and Adult Patients With Autoimmune Hepatitis.<br>Journal of Clinical Laboratory Analysis, 2016, 30, 41-46.  | 2.1 | 24        |
| 18 | Anti-Actin Antibodies in Celiac Disease: Correlation with Intestinal Mucosa Damage and Comparison of ELISA with the Immunofluorescence Assay. Clinical Chemistry, 2005, 51, 917-920.  | 3.2 | 23        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Different co-sensitizations could determine different risk assessment in peach allergy? Evaluation of an anaphylactic biomarker in Pru p 3 positive patients. Clinical and Molecular Allergy, 2015, 13, 30.   | 1.8 | 21        |
| 20 | Antibodies to fibrillarin, PM-Scl and RNA polymerase III detected by ELISA assays in patients with systemic sclerosis. Clinica Chimica Acta, 2010, 411, 710-713.  | 1.1 | 16        |
| 21 | Omalizumab for the treatment of chronic spontaneous urticaria in clinical practice. Annals of Allergy, Asthma and Immunology, 2016, 117, 703-707.   | 1.0 | 14        |
| 22 | Allergen Component Specific IgE Measurement With the Immuliteâ, \$\psi 2000 System: Diagnostic Accuracy and Intermethod Comparison. Journal of Clinical Laboratory Analysis, 2015, 29, 135-141.   | 2.1 | 12        |
| 23 | Emerging Allergens in Goji Berry Superfruit: The Identification of New IgE Binding Proteins towards<br>Allergic Patients' Sera. Biomolecules, 2020, 10, 689.  | 4.0 | 10        |
| 24 | A new diagnostic algorithm for pattern-oriented autoantibody testing according to the ICAP nomenclature: A pilot study. Autoimmunity Reviews, 2020, 19, 102588.   | 5.8 | 10        |
| 25 | The extract, the molecular allergen or both for the in vitro diagnosis of peach and peanut sensitization?. Clinica Chimica Acta, 2019, 493, 25-30.  | 1.1 | 8         |
| 26 | IL-33/s-ST2 ratio, systemic symptoms, and basophil activation in Pru p 3-sensitized allergic patients. Inflammation Research, 2018, 67, 671-679.  | 4.0 | 7         |
| 27 | A prevalent exposure to male dog is a risk factor for exclusive allergic sensitization to Can f 5: An Italian multicenter study. Journal of Allergy and Clinical Immunology: in Practice, 2020, 8, 2399-2401.   | 3.8 | 5         |
| 28 | Diagnosing and Monitoring Celiac Patients with Selective IgA Deficiency: Still an Open Issue. Digestive Diseases and Sciences, 2021, 66, 3234-3241.   | 2.3 | 5         |
| 29 | Aggiornamento delle linee guida SIPMeL sull'utilizzo dei test autoanticorpali nella diagnosi e nel<br>monitoraggio delle malattie autoimmuni reumatiche sistemiche: metodi per lo screening degli<br>anticorpi anti-antigeni cellulari (ANA). Rivista Italiana Della Medicina Di Laboratorio, 2020, 15, . | 0.4 | 5         |
| 30 | Comparative Study of Human and Automated Screening for Antinuclear Antibodies by Immunofluorescence on HEp-2 Cells. International Journal of Statistics in Medical Research, 2015, 4, 270-276.  | 1.0 | 4         |
| 31 | Effects of dextran sulphate on lymphoblast extravasation into inflammatory skin sites.<br>Immunopharmacology, 1987, 13, 173-180.  | 2.0 | 3         |
| 32 | High Levels of Soluble Ctla-4 Are Present in Anti-Mitochondrial Antibody Positive, but Not in Antibody Negative Patients with Primary Biliary Cirrhosis. PLoS ONE, 2014, 9, e112509.  | 2.5 | 3         |
| 33 | Recognizing the Emergent and Submerged Iceberg of the Celiac Disease: ITAMA Projectâ€"Global Strategy<br>Protocol. Pediatric Reports, 2022, 14, 293-311.  | 1.3 | 3         |
| 34 | Safety and efficacy of exercise testing with atropine in patients with recent uncomplicated ST elevation acute myocardial infarction. Open Medicine (Poland), 2012, 7, 262-268.   | 1.3 | 0         |