

Ignazio Brusca

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/595192/publications.pdf>

Version: 2024-02-01

34
papers

1,296
citations

394421

19
h-index

345221

36
g-index

40
all docs

40
docs citations

40
times ranked

1804
citing authors

#	ARTICLE	IF	CITATIONS
1	Recognizing the Emergent and Submerged Iceberg of the Celiac Disease: ITAMA Projectâ€™ Global Strategy Protocol. <i>Pediatric Reports</i> , 2022, 14, 293-311.	1.3	3
2	Diagnosing and Monitoring Celiac Patients with Selective IgA Deficiency: Still an Open Issue. <i>Digestive Diseases and Sciences</i> , 2021, 66, 3234-3241.	2.3	5
3	Emerging Allergens in Goji Berry Superfruit: The Identification of New IgE Binding Proteins towards Allergic Patientsâ€™ Sera. <i>Biomolecules</i> , 2020, 10, 689.	4.0	10
4	A new diagnostic algorithm for pattern-oriented autoantibody testing according to the ICAP nomenclature: A pilot study. <i>Autoimmunity Reviews</i> , 2020, 19, 102588.	5.8	10
5	A prevalent exposure to male dog is a risk factor for exclusive allergic sensitization to Can f 5: An Italian multicenter study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 2399-2401.	3.8	5
6	Aggiornamento delle linee guida SIPMeL sull'utilizzo dei test autoanticorpali nella diagnosi e nel monitoraggio delle malattie autoimmuni reumatiche sistemiche: metodi per lo screening degli anticorpi anti-antigeni cellulari (ANA). <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2020, 15, .	0.4	5
7	The extract, the molecular allergen or both for the in vitro diagnosis of peach and peanut sensitization?. <i>Clinica Chimica Acta</i> , 2019, 493, 25-30.	1.1	8
8	Evaluation of a new multiplex assay for allergy diagnosis. <i>Clinica Chimica Acta</i> , 2019, 493, 73-78.	1.1	32
9	The association of solid-phase assays to immunofluorescence increases the diagnostic accuracy for ANA screening in patients with autoimmune rheumatic diseases. <i>Autoimmunity Reviews</i> , 2018, 17, 541-547.	5.8	55
10	IL-33/s-ST2 ratio, systemic symptoms, and basophil activation in Pru p 3-sensitized allergic patients. <i>Inflammation Research</i> , 2018, 67, 671-679.	4.0	7
11	Omalizumab for the treatment of chronic spontaneous urticaria in clinical practice. <i>Annals of Allergy, Asthma and Immunology</i> , 2016, 117, 703-707.	1.0	14
12	The ANA-reflex test as a model for improving clinical appropriateness in autoimmune diagnostics. <i>Autoimmunity Highlights</i> , 2016, 7, 9.	3.9	24
13	Autoantibody Profiling in a Cohort of Pediatric and Adult Patients With Autoimmune Hepatitis. <i>Journal of Clinical Laboratory Analysis</i> , 2016, 30, 41-46.	2.1	24
14	Different co-sensitizations could determine different risk assessment in peach allergy? Evaluation of an anaphylactic biomarker in Pru p 3 positive patients. <i>Clinical and Molecular Allergy</i> , 2015, 13, 30.	1.8	21
15	Overview of Biomarkers for Diagnosis and Monitoring of Celiac Disease. <i>Advances in Clinical Chemistry</i> , 2015, 68, 1-55.	3.7	43
16	Allergen Component Specific IgE Measurement With the Immuliteâ€™ 2000 System: Diagnostic Accuracy and Intermethod Comparison. <i>Journal of Clinical Laboratory Analysis</i> , 2015, 29, 135-141.	2.1	12
17	Autoantibody profiling of patients with primary biliary cirrhosis using a multiplexed line-blot assay. <i>Clinica Chimica Acta</i> , 2015, 438, 135-138.	1.1	31
18	Comparative Study of Human and Automated Screening for Antinuclear Antibodies by Immunofluorescence on HEp-2 Cells. <i>International Journal of Statistics in Medical Research</i> , 2015, 4, 270-276.	1.0	4

#	ARTICLE	IF	CITATIONS
19	High Levels of Soluble Ctl α -4 Are Present in Anti-Mitochondrial Antibody Positive, but Not in Antibody Negative Patients with Primary Biliary Cirrhosis. PLoS ONE, 2014, 9, e112509.	2.5	3
20	A comparison between two different in vitro basophil activation tests for gluten- and cow's milk protein sensitivity in irritable bowel syndrome (IBS)-like patients. Clinical Chemistry and Laboratory Medicine, 2013, 51, 1257-63.	2.3	25
21	The old and new tests for celiac disease: which is the best test combination to diagnose celiac disease in pediatric patients?. Clinical Chemistry and Laboratory Medicine, 2012, 50, 111-7.	2.3	25
22	Correlation Between IgA Tissue Transglutaminase Antibody Ratio and Histological Finding in Celiac Disease. Journal of Pediatric Gastroenterology and Nutrition, 2012, 55, 44-49.	1.8	102
23	Non-Celiac Wheat Sensitivity Diagnosed by Double-Blind Placebo-Controlled Challenge: Exploring a New Clinical Entity. American Journal of Gastroenterology, 2012, 107, 1898-1906.	0.4	343
24	Safety and efficacy of exercise testing with atropine in patients with recent uncomplicated ST elevation acute myocardial infarction. Open Medicine (Poland), 2012, 7, 262-268.	1.3	0
25	Overcoming a "Probable" Diagnosis in Antimitochondrial Antibody Negative Primary Biliary Cirrhosis: Study of 100 Sera and Review of the Literature. Clinical Reviews in Allergy and Immunology, 2012, 42, 288-297.	6.5	70
26	Fecal Assays Detect Hypersensitivity to Cow's Milk Protein and Gluten in Adults With Irritable Bowel Syndrome. Clinical Gastroenterology and Hepatology, 2011, 9, 965-971.e3.	4.4	63
27	Cardiopulmonary Exercise Testing in Patients with Chronic Heart Failure: Prognostic Comparison from Peak VO $_2$ and VE/VCO $_2$ Slope. Open Cardiovascular Medicine Journal, 2010, 4, 127-134.	0.3	66
28	A Cytologic Assay for Diagnosis of Food Hypersensitivity in Patients With Irritable Bowel Syndrome. Clinical Gastroenterology and Hepatology, 2010, 8, 254-260.	4.4	67
29	Antibodies to fibrillarin, PM-Scl and RNA polymerase III detected by ELISA assays in patients with systemic sclerosis. Clinica Chimica Acta, 2010, 411, 710-713.	1.1	16
30	Diagnostic efficacy of the ELISA test for the detection of deamidated anti-gliadin peptide antibodies in the diagnosis and monitoring of celiac disease. Journal of Clinical Laboratory Analysis, 2009, 23, 165-171.	2.1	34
31	Testing for IgG class antibodies in celiac disease patients with selective IgA deficiency.. Clinica Chimica Acta, 2007, 382, 95-99.	1.1	71
32	Effect of physical training on exercise capacity, gas exchange and N-terminal pro-brain natriuretic peptide levels in patients with chronic heart failure. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 812-817.	2.8	57
33	Anti-Actin Antibodies in Celiac Disease: Correlation with Intestinal Mucosa Damage and Comparison of ELISA with the Immunofluorescence Assay. Clinical Chemistry, 2005, 51, 917-920.	3.2	23
34	Effects of dextran sulphate on lymphoblast extravasation into inflammatory skin sites. Immunopharmacology, 1987, 13, 173-180.	2.0	3