
Damien Tran

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5952508/publications.pdf Version: 2024-02-01



ΠΛΜΙΕΝ ΤΡΛΝ

#	Article	IF	CITATIONS
1	Growth and behaviour of blue mussels, a re-emerging polar resident, follow a strong annual rhythm shaped by the extreme high Arctic light regime. Royal Society Open Science, 2020, 7, 200889.	2.4	6
2	Rhythms during the polar night: evidence of clock-gene oscillations in the Arctic scallop Chlamys islandica. Proceedings of the Royal Society B: Biological Sciences, 2020, 287, 20201001.	2.6	7
3	Bivalve mollusc circadian clock genes can run at tidal frequency. Proceedings of the Royal Society B: Biological Sciences, 2020, 287, 20192440.	2.6	29
4	Biological Clocks and Rhythms in Polar Organisms. Advances in Polar Ecology, 2020, , 217-240.	1.3	4
5	Moonlight cycles synchronize oyster behaviour. Biology Letters, 2019, 15, 20180299.	2.3	14
6	Remodeling of the cycling transcriptome of the oyster Crassostrea gigas by the harmful algae Alexandrium minutum. Scientific Reports, 2017, 7, 3480.	3.3	32
7	Trojan Horse Strategy for Non-invasive Interference of Clock Gene in the Oyster Crassostrea gigas. Marine Biotechnology, 2017, 19, 361-371.	2.4	13
8	Molecular Characterization of Voltage-Gated Sodium Channels and Their Relations with Paralytic Shellfish Toxin Bioaccumulation in the Pacific Oyster Crassostrea gigas. Marine Drugs, 2017, 15, 21.	4.6	13
9	How annual course of photoperiod shapes seasonal behavior of diploid and triploid oysters, Crassostrea gigas. PLoS ONE, 2017, 12, e0185918.	2.5	21
10	Identification of the Molecular Clockwork of the Oyster Crassostrea gigas. PLoS ONE, 2017, 12, e0169790.	2.5	39
11	High Frequency Non-invasive (HFNI) Bio-Sensors As a Potential Tool for Marine Monitoring and Assessments. Frontiers in Marine Science, 2016, 3, .	2.5	45
12	In the darkness of the polar night, scallops keep on a steady rhythm. Scientific Reports, 2016, 6, 32435.	3.3	29
13	Role and expression of <i>cry1</i> in the adductor muscle of the oyster <i>Crassostrea gigas</i> during daily and tidal valve activity rhythms. Chronobiology International, 2016, 33, 949-963.	2.0	21
14	A Fault Detection Method for Automatic Detection of Spawning in Oysters. IEEE Transactions on Control Systems Technology, 2016, 24, 1140-1147.	5.2	14
15	Velocity estimation of valve movement in oysters for water quality surveillance. IFAC-PapersOnLine, 2015, 48, 333-338.	0.9	13
16	Unexpected Levels of Biological Activity during the Polar Night Offer New Perspectives on a Warming Arctic. Current Biology, 2015, 25, 2555-2561.	3.9	163
17	The toxic dinoflagellate Alexandrium minutum disrupts daily rhythmic activities at gene transcription, physiological and behavioral levels in the oyster Crassostrea gigas. Aquatic Toxicology, 2015, 158, 41-49.	4.0	29
18	Looking for the clock mechanism responsible for circatidal behavior in the oyster Crassostrea gigas. Marine Biology, 2014, 161, 89-99.	1.5	22

DAMIEN TRAN

#	Article	IF	CITATIONS
19	DNA Alterations Triggered by Environmentally Relevant Polymetallic Concentrations in Marine Clams Ruditapes philippinarum and Polychaete Worms Hediste diversicolor. Archives of Environmental Contamination and Toxicology, 2014, 67, 651-658.	4.1	5
20	Genetic and genotoxic impacts in the oyster Crassostrea gigas exposed to the harmful alga Alexandrium minutum. Aquatic Toxicology, 2013, 140-141, 458-465.	4.0	41
21	Evidence for a Plastic Dual Circadian Rhythm in the Oyster <i>Crassostrea gigas</i> . Chronobiology International, 2012, 29, 857-867.	2.0	45
22	Field Chronobiology of a Molluscan Bivalve: How the Moon and Sun Cycles Interact to Drive Oyster Activity Rhythms. Chronobiology International, 2011, 28, 307-317.	2.0	79
23	Relationship between valve activity, microalgae concentration in the water and toxin accumulation in the digestive gland of the Pacific oyster Crassostrea gigas exposed to Alexandrium minutum. Marine Pollution Bulletin, 2011, 62, 1191-1197.	5.0	44
24	Behavioral responses of Crassostrea gigas exposed to the harmful algae Alexandrium minutum. Aquaculture, 2010, 298, 338-345.	3.5	91
25	Influence of sex and spawning status on oxygen consumption and blood oxygenation status in oysters Crassostrea gigas cultured in a Mediterranean lagoon (Thau, France). Aquaculture, 2008, 277, 58-65.	3.5	13
26	Impact of hypoxia on hemolymph contamination by uranium in an aquatic animal, the freshwater clam Corbicula fluminea. Environmental Pollution, 2008, 156, 821-826.	7.5	5
27	INORGANIC MERCURY DETECTION BY VALVE CLOSURE RESPONSE IN THE FRESHWATER CLAM CORBICULA FLUMINEA: INTEGRATION OF TIME AND WATER METAL CONCENTRATION CHANGES. Environmental Toxicology and Chemistry, 2007, 26, 1545.	4.3	36
28	Estimation of potential and limits of bivalve closure response to detect contaminants: Application to cadmium. Environmental Toxicology and Chemistry, 2003, 22, 914-920.	4.3	114
29	Estimation of potential and limits of bivalve closure response to detect contaminants: application to cadmium. Environmental Toxicology and Chemistry, 2003, 22, 914-20.	4.3	15