

Ivan Cibulka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5953604/publications.pdf>

Version: 2024-02-01

93
papers

2,436
citations

279487

23
h-index

214527

47
g-index

95
all docs

95
docs citations

95
times ranked

993
citing authors

#	ARTICLE	IF	CITATIONS
1	Estimation of excess volume and density of ternary liquid mixtures of non-electrolytes from binary data. Collection of Czechoslovak Chemical Communications, 1982, 47, 1414-1419.	1.0	346
2	High-Pressure Volumetric Properties of Imidazolium-Based Ionic Liquids: Effect of the Anion. Journal of Chemical & Engineering Data, 2007, 52, 2204-2211.	1.0	221
3	Saturated liquid densities of 1-alkanols from C1 to C10 and n-alkanes from C5 to C16: A critical evaluation of experimental data. Fluid Phase Equilibria, 1993, 89, 1-18.	1.4	174
4	Liquid Densities at Elevated Pressures of n-Alkanes from C5 to C16: A Critical Evaluation of Experimental Data. Journal of Chemical & Engineering Data, 1996, 41, 657-668.	1.0	155
5	Liquid Densities at Elevated Pressures of 1-Alkanols from C1 to C10: A Critical Evaluation of Experimental Data. Journal of Chemical & Engineering Data, 1994, 39, 876-886.	1.0	107
6	A new design of a vibrating-tube densimeter and partial molar volumes of phenol(aq) at temperatures from 298 K to 573 K. Journal of Chemical Thermodynamics, 1997, 29, 1237-1252.	1.0	81
7	$P-T$ Data of Liquids: Summarization and Evaluation. 5. Aromatic Hydrocarbons. Journal of Chemical & Engineering Data, 1999, 44, 411-429.	1.0	78
8	Speed of Sound and Ultrasound Absorption in Ionic Liquids. Chemical Reviews, 2017, 117, 3883-3929.	23.0	63
9	Partial molar volumes of organic solutes in water. XII. Methanol(aq), ethanol(aq), 1-propanol(aq), and 2-propanol(aq) at $T=(298 \text{ to } 573) \text{ K}$ and at pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2004, 36, 1095-1103.	1.0	52
10	PVT properties of liquids and liquid mixtures: a review of the experimental methods and the literature data. Fluid Phase Equilibria, 1985, 19, 33-149.	1.4	48
11	$P-T$ Data of Liquids: Summarization and Evaluation. 4. Higher 1-Alkanols (C11, C12, C14, C16), Secondary, Tertiary, and Branched Alkanols, Cycloalkanols, Alkanediols, Alkanetriols, Ether Alkanols, and Aromatic Hydroxy Derivatives. Journal of Chemical & Engineering Data, 1997, 42, 415-433.	1.0	47
12	$P-T$ Data of Liquids: Summarization and Evaluation. 8. Miscellaneous Compounds. Journal of Chemical & Engineering Data, 2002, 47, 1037-1070.	1.0	47
13	Partial molar volumes of organic solutes in water. XIV. Polyhydric alcohols derived from ethane and propane at temperatures $T=298 \text{ K}$ to $T=573 \text{ K}$ and at pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2006, 38, 801-809.	1.0	42
14	$P-T$ Data of Liquids: Summarization and Evaluation. 7. Selected Halogenated Hydrocarbons. Journal of Chemical & Engineering Data, 2001, 46, 2-28.	1.0	34
15	An Automated Vibrating-Tube Densimeter for Measurements of Small Density Differences in Dilute Aqueous Solutions. International Journal of Thermophysics, 2004, 25, 1135-1142.	1.0	33
16	Partial molar volumes of organic solutes in water. XIII. Butanols (aq) at temperatures $T=298 \text{ K}$ to 573 K and at pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2006, 38, 418-426.	1.0	31
17	Partial molar volumes of organic solutes in water. XX. Glycine(aq) and L-alanine(aq) at temperatures (298 to 443) K and at pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2010, 42, 198-207.	1.0	31
18	$P-T$ Data of Liquids: Summarization and Evaluation. 6. Nonaromatic Hydrocarbons ($C_n, n \geq 5$) except n-Alkanes C5 to C16. Journal of Chemical & Engineering Data, 1999, 44, 1105-1128.	1.0	30

#	ARTICLE	IF	CITATIONS
19	Partial molar volumes of organic solutes in water. I. O-, m-, and p-cresol at temperatures 298 K to 573 K. Journal of Chemical Thermodynamics, 1998, 30, 557-569.	1.0	28
20	Partial molar volumes of organic solutes in water. II. Dihydroxybenzenes at temperatures T = (298 to 573) K and pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2001, 33, 1049-1057.	1.0	26
21	Part 3 of the Data of Liquids: A Summarization and Evaluation. 3. Ethers, Ketones, Aldehydes, Carboxylic Acids, and Esters. Journal of Chemical & Engineering Data, 1997, 42, 2-26.	1.0	24
22	Partial Molar Volumes of L-Serine and L-Threonine in Aqueous Ammonium Sulfate Solutions at (278.15, 298.15, 318.15, 338.15, 358.15, 378.15) K and Pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2010, 42, 274-285.	0.6	24
23	Partial molar volumes of air-component gases in binary liquid mixtures with n-alkanes and 1-alkanols at 298.15 K. Fluid Phase Equilibria, 1995, 107, 235-255.	1.4	23
24	Partial molar volumes of organic solutes in water. VI. o-Chlorophenol and p-chlorophenol at temperatures from 298 K to 573 K and pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2001, 33, 1049-1057.	1.0	23
25	Partial molar volumes of organic solutes in water. XXI: Cyclic ethers at temperatures T = (278 to 373) K and at low pressure. Journal of Chemical Thermodynamics, 2010, 42, 274-285.	1.0	23
26	Partial Molar Isentropic Compressions and Partial Molar Volumes of Selected Branched Aliphatic Alcohols at Infinite Dilution in Water at Temperatures from T = (278 to 318) K and Atmospheric Pressure. Journal of Chemical & Engineering Data, 2012, 57, 1570-1580.	1.0	23
27	Partial molar volumes of organic solutes in water. IV. Benzoic and hydroxybenzoic acids at temperatures from T = 298 K to T = 498 K and pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2000, 32, 1299-1310.	1.0	22
28	Partial molar volumes of organic solutes in water. X. Benzene and toluene at temperatures from (298) K to (573) K and pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2000, 32, 1221-1227.	1.0	22
29	Partial Molar Volumes and Partial Molar Isentropic Compressions of Three Polyhydric Alcohols Derived from Propane at Infinite Dilution in Water at Temperatures T = (278 to 318) K and Atmospheric Pressure. Journal of Chemical & Engineering Data, 2012, 57, 1152-1159.	1.0	22
30	Partial molar volumes of organic solutes in water. III. Aniline at temperatures T = 298 K to T = 573 K and pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2000, 32, 1221-1227.	1.0	21
31	Partial molar volumes of organic solutes in water. XXII. Cyclic ethers at temperatures (298 to 573) K and pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2010, 42, 502-512.	1.0	21
32	Measurements of the excess volume of benzene-methanol, benzene-acetonitrile and methanol-acetonitrile mixtures by a vibrating-tube densimeter. Collection of Czechoslovak Chemical Communications, 1979, 44, 295-306.	1.0	21
33	Standard partial molar volumes in water of mono- and polyhydric aliphatic alcohols in wide ranges of temperature and pressure. Journal of Molecular Liquids, 2007, 131-132, 206-215.	2.3	20
34	Thermodynamics of associating component + saturated hydrocarbon mixtures at low pressures. IV. Correlation of vapour pressures and volumetric properties of some aliphatic amines and their mixtures with n-alkanes in terms of association. Fluid Phase Equilibria, 1988, 39, 39-51.	1.4	19
35	Partial molar volumes of organic solutes in water. XV. Butanediols (aq) at temperatures from (298 K to 573) K and pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2000, 32, 1221-1227.	1.0	18
36	Partial Molar Volumes and Partial Molar Isentropic Compressions of Selected Alkane-1,2-diols at Infinite Dilution in Water at Temperatures T = (278 to 318) K and Atmospheric Pressure. Journal of Chemical & Engineering Data, 2013, 58, 1724-1734.	1.0	18

#	ARTICLE	IF	CITATIONS
37	Group contribution method for standard molar volumes of aqueous aliphatic alcohols, ethers and ketones over extended ranges of temperature and pressure. <i>Journal of Chemical Thermodynamics</i> , 2011, 43, 1215-1223.	1.0	17
38	Partial molar volumes of organic solutes in water. V.o-,m-, andp-toluidine at temperatures from 298 K to 573 K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , 2000, 32, 1657-1668.	1.0	16
39	(Vapour + liquid) equilibria, limiting activity coefficients, and excess molar volumes of {1-bromo-1-chloro-2,2,2-trifluoroethane (halothane) + tetrachloromethane or trichloromethane or 1,1,1-trichloroethane}. <i>Journal of Chemical Thermodynamics</i> , 1987, 19, 1145-1154.	1.0	14
40	Partial molar volumes of organic solutes in water. VII. o- and p-Aminobenzoic acids at T= 298 K to 498 K and o-diaminobenzene at T= 298 K to 573 K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , 2002, 34, 861-873.	1.0	14
41	Partial molar volumes of organic solutes in water. XVI. Selected aliphatic hydroxyderivatives(aq) at T=(298 to 573)K and at pressures up to 30MPa. <i>Journal of Chemical Thermodynamics</i> , 2007, 39, 833-840.	1.0	14
42	Partial molar volumes of organic solutes in water. XVIII: Selected polyethers(aq) and 3,6-dioxa-1-heptanol(aq) at T=(298 to 573)K and at pressures up to 30MPa. <i>Journal of Chemical Thermodynamics</i> , 2007, 39, 1292-1299.	1.0	14
43	Partial Molar Volumes of Selected Aliphatic Alcohols at Infinite Dilution in Water at Temperatures $T = (278 \text{ to } 573) \text{ K}$ and Pressures up to 30 MPa. <i>Journal of Chemical & Engineering Data</i> , 2011, 56, 4564-4576.	1.0	14
44	Partial Molar Volumes of Glycine and dl-Alanine in Aqueous Ammonium Sulfate Solutions at 278.15, 288.15, 298.15 and 308.15 ÅK. <i>Journal of Solution Chemistry</i> , 2014, 43, 972-988.	0.6	14
45	Partial Molar Volumes and Partial Molar Isentropic Compressions of Four Poly(ethylene glycols) at Infinite Dilution in Water at Temperatures $T = (278 \text{ to } 343) \text{ K}$ and Atmospheric Pressure. <i>Journal of Chemical & Engineering Data</i> , 2016, 61, 748-759.	1.0	14
46	Thermodynamics of associating component + saturated hydrocarbon mixtures at low pressures. I. Description of saturated vapour pressures and liquid molar volumes of pure n-alcohols in terms of association. <i>Fluid Phase Equilibria</i> , 1987, 35, 19-42.	1.4	12
47	Partial molar volumes of organic solutes in water. VIII. Nitrobenzene and nitrophenols at T=298 K to T=573 K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , 2003, 35, 1185-1197.	1.0	12
48	Partial molar volumes of organic solutes in water. XI. Phenylmethanol and 2-phenylethanol at T=(298) Tj ETQq0 0 0,rgBT /Overlock 10 Tf	1.0	12
49	Excess volume of the benzene-methanol-acetonitrile ternary mixture at temperatures of 25 and 40 Å°C and correlation of its concentration dependence. <i>Collection of Czechoslovak Chemical Communications</i> , 1980, 45, 3241-3248.	1.0	12
50	Excess molar volumes of binary mixtures of acetic acid and propionic acid with some members of homologous series of alkanes. <i>Collection of Czechoslovak Chemical Communications</i> , 1991, 56, 736-744.	1.0	12
51	Thermodynamics of associating component + saturated hydrocarbon mixtures at low pressures. II. Extension of the model to correlate isothermal vapourliquid equilibria and volumetric properties of n-alcohol + n-alkane mixtures. <i>Fluid Phase Equilibria</i> , 1987, 35, 43-63.	1.4	11
52	Partial molar volumes of organic solutes in water. IX. m-Aminophenol and benzonitrile at temperatures from 298 K to 573 K and o-cyanophenol at temperatures from 298 K to 498 K and at pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , 2003, 35, 1199-1212.	1.0	11
53	Speed of sound in liquid tetrachloromethane and benzene at temperatures from 283.15 K to 333.15 K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , 2004, 36, 659-664.	1.0	11
54	Group Contributions for an Estimation of Partial Molar Volumes at Infinite Dilution for Aqueous Organic Solutes at Extended Ranges of Temperature and Pressure. <i>International Journal of Thermophysics</i> , 2004, 25, 387-395.	1.0	10

#	ARTICLE	IF	CITATIONS
55	Partial molar volumes of organic solutes in water. XIX. Cyclic alcohols(aq) at T= (298 to 573) K and at pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2009, 41, 489-498.	1.0	10
56	Partial Molar Volumes and Partial Molar Isentropic Compressions of Four Aliphatic Linear Polyethers at Infinite Dilution in Water at Temperatures $T = (278 \text{ to } 343) \text{ K}$ and Atmospheric Pressure. Journal of Chemical & Engineering Data, 2014, 59, 4205-4216.	1.0	10
57	Partial Molar Volumes and Partial Molar Isentropic Compressions of 15-Crown-5 and 18-Crown-6 Ethers at Infinite Dilution in Water at Temperatures $T = (278 \text{ to } 343) \text{ K}$ and Atmospheric Pressure. Journal of Chemical & Engineering Data, 2014, 59, 2075-2086.	1.0	10
58	Partial Molar Volumes and Partial Molar Isentropic Compressions of Four 2-Alkoxyethanols at Infinite Dilution in Water at Temperatures $T = 278 \text{ to } 343 \text{ K}$ and Atmospheric Pressure. Journal of Chemical & Engineering Data, 2017, 62, 2649-2658.	1.0	10
59	Densities of NaOH(aq) at Temperatures from (323 to 573) K and 10 MPa Pressure. Journal of Chemical & Engineering Data, 2007, 52, 2237-2244.	1.0	9
60	A dilution dilatometer for measuring excess volumes. Collection of Czechoslovak Chemical Communications, 1981, 46, 2774-2781.	1.0	9
61	Speeds of Sound in Dense Liquid and Vapor Pressures for 1,1-Difluoroethane. Journal of Chemical & Engineering Data, 2004, 49, 1652-1656.	1.0	8
62	Densities of Concentrated Alkaline Aluminate Solutions at Temperatures from (323 to 573) K and 10 MPa Pressure. Journal of Chemical & Engineering Data, 2010, 55, 1173-1178.	1.0	8
63	Partial Molar Isentropic Compressions and Partial Molar Volumes of Isomeric Butanediols at Infinite Dilution in Water at Temperatures $T = (278 \text{ to } 318) \text{ K}$ and Atmospheric Pressure. Journal of Chemical & Engineering Data, 2013, 58, 388-397.	1.0	8
64	On a temperature dependence of the van der Waals volume parameter in cubic equations of state. Fluid Phase Equilibria, 1990, 60, 327-332.	1.4	7
65	Partial molar volumes of air-component gases in several liquid n-alkanes and 1-alkanols at 313.15 K. Fluid Phase Equilibria, 1995, 109, 227-234.	1.4	7
66	Partial molar volumes of organic solutes in water. XVII: 3-Pentanone(aq) and 2,4-pentanedione(aq) at T=(298 to 573)K and at pressures up to 30MPa. Journal of Chemical Thermodynamics, 2007, 39, 1286-1291.	1.0	7
67	Partial Molar Volumes of Cyclic Alcohols at Infinite Dilution in Water at Temperatures $T = (298 \text{ to } 373) \text{ K}$ and Pressure of 0.5 MPa. Journal of Chemical & Engineering Data, 2009, 54, 459-463.	1.0	7
68	Partial molar volumes of organic solutes in water. XXIII. Cyclic ketones at T= (298 to 573) K and pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2011, 43, 1028-1035.	1.0	7
69	Speed of Sound in Binary Mixtures of Pentafluoroethane and 1,1-Difluoroethane from 243.15 K to 333.15 K and Pressures up to 30 MPa. Journal of Chemical & Engineering Data, 2004, 49, 1657-1660.	1.0	5
70	Partial Molar Volumes of Cyclic Ketones at Infinite Dilution in Water at Temperatures $T = (278 \text{ to } 343) \text{ K}$ and Atmospheric Pressure. Journal of Chemical & Engineering Data, 2014, 59, 2075-2086.	1.0	5
71	Partial molar volumes of organic solutes in water. XXIV. Selected alkane-1,2-diols at temperatures T=298K to 573K and pressures up to 30MPa. Journal of Chemical Thermodynamics, 2013, 64, 231-238.	1.0	5
72	Partial Molar Isentropic Compressions of Selected Cyclic Ethers at Infinite Dilution in Water at Temperatures $T = (278 \text{ to } 318) \text{ K}$ and Atmospheric Pressure. Journal of Chemical & Engineering Data, 2013, 58, 1249-1254.	1.0	5

#	ARTICLE	IF	CITATIONS
73	Partial molar volumes of organic solutes in water. XXVII. Two aliphatic polyethers (triglyme, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj ETQq1 1 0.784314 rgBT /Overlock 10 Thermodynamics, 2016, 101, 78-83.	1.0	5
74	Partial molar volumes of organic solutes in water. XXVIII. Three aliphatic poly(ethylene glycols) at temperatures $T = 298$ K to 573 K and pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2017, 109, 2-10.	1.0	5
75	Computation and volumetric insight into (p,T) effect on aqueous guanidinium chloride. Journal of Chemical Thermodynamics, 2021, 158, 106450.	1.0	5
76	Evaluation of the dependence of excess volume of the benzene-cyclohexane mixture on composition at 298.15 K from literature data. Collection of Czechoslovak Chemical Communications, 1983, 48, 199-202.	1.0	4
77	A relation between excess volume and the form of the dependence of density on composition for binary liquid mixtures. Collection of Czechoslovak Chemical Communications, 1990, 55, 1653-1659.	1.0	4
78	Excess Volumes of 1,4-Dioxane + Ethane-1,2-diol at 298.15 K. Journal of Chemical & Engineering Data, 1995, 40, 974-975.	1.0	3
79	A simple method for evaluation of parameters of the Bender equation of state from experimental data. Fluid Phase Equilibria, 2001, 180, 27-40.	1.4	3
80	Partial Molar Volumes and Partial Molar Isentropic Compressions of $\hat{\nu}$ -Butyrolactone and $\hat{\nu}$ -Caprolactone at Infinite Dilution in Water at Temperatures (278.15 to 318.15) K and at Atmospheric Pressure. Journal of Solution Chemistry, 2011, 40, 751-763.	0.6	3
81	Thermodynamics of associating component + saturated hydrocarbon mixtures at low pressures. III. Vapourliquid equilibria and volumetric properties of n-alcohol + cyclohexane mixtures. Fluid Phase Equilibria, 1987, 35, 65-75.	1.4	2
82	Partial molar volumes of organic solutes in water. XXVI. 15-Crown-5 and 18-crown-6 ethers at temperatures (298 to 573)K and pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2015, 80, 41-48.	1.0	2
83	Partial molar volumes of organic solutes in water. XXIX. Four 2-alkoxyethanols at temperatures $T = (298$ K to 573) K and pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2018, 125, 240-249.	1.0	2
84	Calculation of Orthobaric Densities from Equations of State. Collection of Czechoslovak Chemical Communications, 1999, 64, 1087-1092.	1.0	2
85	Parameters of the Bender Equation of State for Chloro Derivatives of Methane and Chlorobenzene. Collection of Czechoslovak Chemical Communications, 2001, 66, 833-854.	1.0	1
86	State Behavior Database for Pure Liquids and Data Correlation. International Journal of Thermophysics, 2004, 25, 361-369.	1.0	1
87	Partial Molar Volumes and Partial Molar Isentropic Compressions of Selected Branched Diols at Infinite Dilution in Water at Temperatures $T = (278$ to $318)$ K and Atmospheric Pressure. Journal of Chemical & Engineering Data, 2013, 58, 2487-2495.	1.0	1
88	Partial molar volumes of organic solutes in water. XXV. Branched aliphatic diols at temperatures (298) Tj ETQq0 0 0 rgBT /Overlock 10 Tj ETQq0 0 0 rgBT /Overlock 10	1.0	1
89	Partial molar volumes of organic solutes in water. XXX. Two poly(ethylene glycol) monoalkyl ethers, C4E2 and C1E3, at temperatures $T = (298$ K to 573) K and pressures up to 30 MPa. Journal of Chemical Thermodynamics, 2019, 139, 105874.	1.0	1
90	Excess volumes and excess enthalpies of the mixtures tetrachloromethane + cycloalkane and trichloromethane + cycloalkane: Calculation in terms of equations of state of the van der Waals type. Collection of Czechoslovak Chemical Communications, 1984, 49, 2446-2457.	1.0	0

#	ARTICLE	IF	CITATIONS
91	Partial Molar Volumes of Phenylacetic Acid and Several Polysubstituted Benzenes at Infinite Dilution in Water at Temperatures $T = 298$ to 373 K and at Pressures up to 30 MPa. <i>Journal of Solution Chemistry</i> , 2006, 35, 1029-1036.	0.6	0
92	Partial Molar Volumes and Partial Molar Isentropic Compressions of Two Poly(ethylene glycol) Monoalkyl Ethers, C4E2 and C1E3, at Infinite Dilution in Water at Temperatures $T = 278$ – 343 K and Atmospheric Pressure. <i>Journal of Chemical & Engineering Data</i> , 2020, 65, 3037-3043.	1.0	0
93	Evaluation of Liquid PVT Data. <i>Review of High Pressure Science and Technology/Koatsuryoku No Kagaku To Gijutsu</i> , 2003, 13, 173-175.	0.1	0