

# Ivan Cibulka

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5953604/ivan-cibulka-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92  
papers

2,259  
citations

23  
h-index

44  
g-index

95  
ext. papers

2,336  
ext. citations

3.5  
avg, IF

5.06  
L-index

#	Paper	IF	Citations
92	Estimation of excess volume and density of ternary liquid mixtures of non-electrolytes from binary data. <i>Collection of Czechoslovak Chemical Communications</i> , <b>1982</b> , 47, 1414-1419		319
91	High-Pressure Volumetric Properties of Imidazolium-Based Ionic Liquids: Effect of the Anion. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2007</b> , 52, 2204-2211	2.8	211
90	Saturated liquid densities of 1-alkanols from C1 to c10 and n-alkanes from C5 to C16: A critical evaluation of experimental data. <i>Fluid Phase Equilibria</i> , <b>1993</b> , 89, 1-18	2.5	165
89	Liquid Densities at Elevated Pressures of n-Alkanes from C5 to C16: A Critical Evaluation of Experimental Data. <i>Journal of Chemical &amp; Engineering Data</i> , <b>1996</b> , 41, 657-668	2.8	140
88	Liquid Densities at Elevated Pressures of 1-Alkanols from C1 to C10: A Critical Evaluation of Experimental Data. <i>Journal of Chemical &amp; Engineering Data</i> , <b>1994</b> , 39, 876-886	2.8	104
87	A new design of a vibrating-tube densimeter and partial molar volumes of phenol(aq) at temperatures from 298 K to 573 K. <i>Journal of Chemical Thermodynamics</i> , <b>1997</b> , 29, 1237-1252	2.9	77
86	P <sup>11</sup> Data of Liquids: Summarization and Evaluation. 5. Aromatic Hydrocarbons. <i>Journal of Chemical &amp; Engineering Data</i> , <b>1999</b> , 44, 411-429	2.8	68
85	Partial molar volumes of organic solutes in water. XII. Methanol(aq), ethanol(aq), 1-propanol(aq), and 2-propanol(aq) at T=(298 to 573) K and at pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2004</b> , 36, 1095-1103	2.9	50
84	Speed of Sound and Ultrasound Absorption in Ionic Liquids. <i>Chemical Reviews</i> , <b>2017</b> , 117, 3883-3929	68.1	49
83	. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2002</b> , 47, 1037-1070	2.8	42
82	PVT properties of liquids and liquid mixtures: a review of the experimental methods and the literature data. <i>Fluid Phase Equilibria</i> , <b>1985</b> , 19, 33-149	2.5	42
81	Partial molar volumes of organic solutes in water. XIV. Polyhydric alcohols derived from ethane and propane at temperatures T = 298 K to T = 573 K and at pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2006</b> , 38, 801-809	2.9	41
80	P <sup>11</sup> Data of Liquids: Summarization and Evaluation. 4. Higher 1-Alkanols (C11, C12, C14, C16), Secondary, Tertiary, and Branched Alkanols, Cycloalkanols, Alkanediols, Alkanetriols, Ether Alkanols, and Aromatic Hydroxy Derivatives. <i>Journal of Chemical &amp; Engineering Data</i> , <b>1997</b> , 42, 415-433	2.8	40
79	An Automated Vibrating-Tube Densimeter for Measurements of Small Density Differences in Dilute Aqueous Solutions. <i>International Journal of Thermophysics</i> , <b>2004</b> , 25, 1135-1142	2.1	32
78	Partial molar volumes of organic solutes in water. XX. Glycine(aq) and l-alanine(aq) at temperatures (298to 443)K and at pressures up to 30MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2010</b> , 42, 198-207	2.9	30
77	Partial molar volumes of organic solutes in water. XIII. Butanols (aq) at temperatures T=298K to 573K and at pressures up to 30MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2006</b> , 38, 418-426	2.9	30
76	P <sup>11</sup> Data of Liquids: Summarization and Evaluation. 7. Selected Halogenated Hydrocarbons. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2001</b> , 46, 2-28	2.8	28

75	P-ET Data of Liquids: Summarization and Evaluation. 6. Nonaromatic Hydrocarbons (Cn, n ≤ 5) except n-Alkanes C5 to C16. <i>Journal of Chemical &amp; Engineering Data</i> , <b>1999</b> , 44, 1105-1128	2.8	27
74	Partial molar volumes of organic solutes in water. I. O-, m-, and p-cresol at temperatures 298 K to 573 K. <i>Journal of Chemical Thermodynamics</i> , <b>1998</b> , 30, 557-569	2.9	26
73	Partial molar volumes of organic solutes in water. II. Dihydroxybenzenes at temperatures T = (298 to 473) K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>1999</b> , 31, 27-42	2.9	24
72	Partial Molar Isentropic Compressions and Partial Molar Volumes of Selected Branched Aliphatic Alcohols at Infinite Dilution in Water at Temperatures From T = (278 to 318) K and Atmospheric Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2012</b> , 57, 1570-1580	2.8	23
71	P-ET Data of Liquids: Summarization and Evaluation. 3. Ethers, Ketones, Aldehydes, Carboxylic Acids, and Esters. <i>Journal of Chemical &amp; Engineering Data</i> , <b>1997</b> , 42, 2-26	2.8	23
70	Partial molar volumes of air-component gases in binary liquid mixtures with n-alkanes and 1-alkanols at 298.15 K. <i>Fluid Phase Equilibria</i> , <b>1995</b> , 107, 235-255	2.5	23
69	Partial molar volumes of organic solutes in water. XXI: Cyclic ethers at temperatures T = (278 to 373) K and at low pressure. <i>Journal of Chemical Thermodynamics</i> , <b>2010</b> , 42, 274-285	2.9	22
68	Partial molar volumes of organic solutes in water. VI. o-Chlorophenol and p-chlorophenol at temperatures from 298 K to 573 K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2001</b> , 33, 1049-1057	2.9	22
67	Partial Molar Volumes and Partial Molar Isentropic Compressions of Three Polyhydric Alcohols Derived from Propane at Infinite Dilution in Water at Temperatures T = (278 to 318) K and Atmospheric Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2012</b> , 57, 1152-1159	2.8	21
66	Partial molar volumes of organic solutes in water. IV. Benzoic and hydroxybenzoic acids at temperatures from T = 298 K to T = 498 K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2000</b> , 32, 1299-1310	2.9	21
65	Partial Molar Volumes of L-Serine and L-Threonine in Aqueous Ammonium Sulfate Solutions at (278.15, 288.15, 298.15, and 308.15) K. <i>Journal of Solution Chemistry</i> , <b>2014</b> , 43, 283-297	1.8	20
64	Partial molar volumes of organic solutes in water. XXII. Cyclic ethers at temperatures (298 to 573) K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2010</b> , 42, 502-512	2.9	20
63	Partial molar volumes of organic solutes in water. X. Benzene and toluene at temperatures from (298 to 573) K and at pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2003</b> , 35, 1905-1915	2.9	20
62	Partial molar volumes of organic solutes in water. III. Aniline at temperatures T = 298 K to T = 573 K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2000</b> , 32, 1221-1227	2.9	20
61	Measurements of the excess volume of benzene-methanol, benzene-acetonitrile and methanol-acetonitrile mixtures by a vibrating-tube densimeter. <i>Collection of Czechoslovak Chemical Communications</i> , <b>1979</b> , 44, 295-306		20
60	Partial Molar Volumes and Partial Molar Isentropic Compressions of Selected Alkane-1,2-diols at Infinite Dilution in Water at Temperatures T = (278 to 318) K and Atmospheric Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2013</b> , 58, 1724-1734	2.8	18
59	Partial molar volumes of organic solutes in water. XV. Butanediols (aq) at temperatures from (298 K to 573 K) and at pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2006</b> , 38, 1085-1091	2.9	18
58	Standard partial molar volumes in water of mono- and polyhydric aliphatic alcohols in wide ranges of temperature and pressure. <i>Journal of Molecular Liquids</i> , <b>2007</b> , 131-132, 206-215	6	17

57	Thermodynamics of associating component + saturated hydrocarbon mixtures at low pressuresIV. Correlation of vapour pressures and volumetric properties of some aliphatic amines and their mixtures with n-alkanes in terms of association. <i>Fluid Phase Equilibria</i> , <b>1988</b> , 39, 39-51	2.5	17
56	Group contribution method for standard molar volumes of aqueous aliphatic alcohols, ethers and ketones over extended ranges of temperature and pressure. <i>Journal of Chemical Thermodynamics</i> , <b>2011</b> , 43, 1215-1223	2.9	15
55	Partial molar volumes of organic solutes in water. V.o-,m-, andp-toluidine at temperatures from 298 K to 573 K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2000</b> , 32, 1657-1668	2.9	15
54	Partial Molar Volumes and Partial Molar Isentropic Compressions of Four Poly(ethylene glycols) at Infinite Dilution in Water at Temperatures T = (278 to 343) K and Atmospheric Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2016</b> , 61, 748-759	2.8	14
53	Partial Molar Volumes of Glycine and dl-Alanine in Aqueous Ammonium Sulfate Solutions at 278.15, 288.15, 298.15 and 308.15 K. <i>Journal of Solution Chemistry</i> , <b>2014</b> , 43, 972-988	1.8	14
52	Partial molar volumes of organic solutes in water. XVI. Selected aliphatic hydroxyderivatives(aq) at T=(298 to 573) K and at pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2007</b> , 39, 833-840 <sup>2.9</sup>	2.9	14
51	Partial molar volumes of organic solutes in water. XVIII: Selected polyethers(aq) and 3,6-dioxa-1-heptanol(aq) at T=(298 to 573)K and at pressures up to 30MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2007</b> , 39, 1292-1299	2.9	14
50	Partial Molar Volumes of Selected Aliphatic Alcohols at Infinite Dilution in Water at Temperatures T = (278 to 573) K and Pressures up to 30 MPa. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2011</b> , 56, 4564-4576 <sup>2.8</sup> <sup>13</sup>	2.8	13
49	Partial molar volumes of organic solutes in water. VII. o- and p-Aminobenzoic acids at T= 298 K to 498 K and o-diaminobenzene atT= 298 K to 573 K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2002</b> , 34, 861-873	2.9	13
48	(Vapour + liquid) equilibria, limiting activity coefficients, and excess molar volumes of {1-bromo-1-chloro-2,2,2-trifluoroethane (halothane) + tetrachloromethane or trichloromethane or 1,1,1-trichloroethane}. <i>Journal of Chemical Thermodynamics</i> , <b>1987</b> , 19, 1145-1154	2.9	13
47	Thermodynamics of associating component + saturated hydrocarbon mixtures at low pressures. I. Description of saturated vapour pressures and liquid molar volumes of pure n-alcohols in terms of association. <i>Fluid Phase Equilibria</i> , <b>1987</b> , 35, 19-42	2.5	12
46	Partial molar volumes of organic solutes in water. VIII. Nitrobenzene and nitrophenols at T=298 K to T=573 K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2003</b> , 35, 1185-1197	2.9	11
45	Excess volume of the benzene-methanol-acetonitrile ternary mixture at temperatures of 25 and 40 °C and correlation of its concentration dependence. <i>Collection of Czechoslovak Chemical Communications</i> , <b>1980</b> , 45, 3241-3248		11
44	Excess molar volumes of binary mixtures of acetic acid and propionic acid with some members of homologous series of alkanes. <i>Collection of Czechoslovak Chemical Communications</i> , <b>1991</b> , 56, 736-744		11
43	Partial Molar Volumes and Partial Molar Isentropic Compressions of 15-Crown-5 and 18-Crown-6 Ethers at Infinite Dilution in Water at Temperatures T = (278 to 343) K and Atmospheric Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2014</b> , 59, 2075-2086	2.8	10
42	Partial molar volumes of organic solutes in water. XIX. Cyclic alcohols(aq) at T = (298 to 573) K and at pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2009</b> , 41, 489-498	2.9	10
41	Group Contributions for an Estimation of Partial Molar Volumes at Infinite Dilution for Aqueous Organic Solutes at Extended Ranges of Temperature and Pressure. <i>International Journal of Thermophysics</i> , <b>2004</b> , 25, 387-395	2.1	10
40	Partial molar volumes of organic solutes in water. XI. Phenylmethanol and 2-phenylethanol at T=(298 to 573) K and at pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2004</b> , 36, 401-407 <sup>2.9</sup>	2.9	10

39	Partial molar volumes of organic solutes in water. IX. m-Aminophenol and benzonitrile at temperatures from 298 K to 573 K and o-cyanophenol at temperatures from 298 K to 498 K and at pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2003</b> , 35, 1199-1212	2.9	10
38	Thermodynamics of associating component + saturated hydrocarbon mixtures at low pressures. II. Extension of the model to correlate isothermal vapourliquid equilibria and volumetric properties of n-alcohol + n-alkane mixtures. <i>Fluid Phase Equilibria</i> , <b>1987</b> , 35, 43-63	2.5	10
37	Partial Molar Volumes and Partial Molar Isentropic Compressions of Four Aliphatic Linear Polyethers at Infinite Dilution in Water at Temperatures T = (278 to 343) K and Atmospheric Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2014</b> , 59, 4205-4216	2.8	9
36	Densities of NaOH(aq) at Temperatures from (323 to 573) K and 10 MPa Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2007</b> , 52, 2237-2244	2.8	9
35	Speed of sound in liquid tetrachloromethane and benzene at temperatures from 283.15 K to 333.15 K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2004</b> , 36, 659-664	2.9	9
34	Partial Molar Isentropic Compressions and Partial Molar Volumes of Isomeric Butanediols at Infinite Dilution in Water at Temperatures T = (278 to 318) K and Atmospheric Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2013</b> , 58, 388-397	2.8	8
33	Densities of Concentrated Alkaline Aluminate Solutions at Temperatures from (323 to 573) K and 10 MPa Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2010</b> , 55, 1173-1178	2.8	8
32	A dilution dilatometer for measuring excess volumes. <i>Collection of Czechoslovak Chemical Communications</i> , <b>1981</b> , 46, 2774-2781		8
31	Partial Molar Volumes of Cyclic Alcohols at Infinite Dilution in Water at Temperatures T = (298 to 373) K and Pressure of 0.5 MPa. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2009</b> , 54, 459-463	2.8	7
30	Partial molar volumes of organic solutes in water. XXIII. Cyclic ketones at T = (298 to 573) K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2011</b> , 43, 1028-1035	2.9	7
29	Partial molar volumes of organic solutes in water. XVII: 3-Pentanone(aq) and 2,4-pentanedione(aq) at T=(298 to 573)K and at pressures up to 30MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2007</b> , 39, 1286-1291	2.9	7
28	Partial molar volumes of air-component gases in several liquid n-alkanes and 1-alkanols at 313.15 K. <i>Fluid Phase Equilibria</i> , <b>1995</b> , 109, 227-234	2.5	7
27	On a temperature dependence of the van der Waals volume parameter in cubic equations of state. <i>Fluid Phase Equilibria</i> , <b>1990</b> , 60, 327-332	2.5	7
26	Partial Molar Volumes and Partial Molar Isentropic Compressions of Four 2-Alkoxyethanols at Infinite Dilution in Water at Temperatures T = 278-343 K and Atmospheric Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2017</b> , 62, 2649-2658	2.8	6
25	Speeds of Sound in Dense Liquid and Vapor Pressures for 1,1-Difluoroethane. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2004</b> , 49, 1652-1656	2.8	6
24	Partial molar volumes of organic solutes in water. XXVII. Two aliphatic polyethers (triglyme, tetraglyme) at temperatures T = 298-573 K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2016</b> , 101, 78-83	2.9	5
23	Partial molar volumes of organic solutes in water. XXIV. Selected alkane-1,2-diols at temperatures T=298K to 573K and pressures up to 30MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2013</b> , 64, 231-238	2.9	5
22	Partial molar volumes of organic solutes in water. XXVIII. Three aliphatic poly(ethylene glycols) at temperatures T= 298 K-573 K and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2017</b> , 109, 2-10	2.9	5



21	Partial Molar Isentropic Compressions of Selected Cyclic Ethers at Infinite Dilution in Water at Temperatures $T = (278 \text{ to } 318) \text{ K}$ and Atmospheric Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2013</b> , 58, 1249-1254	2.8	5
20	Partial Molar Volumes of Cyclic Ketones at Infinite Dilution in Water at Temperatures $T = (278 \text{ to } 373) \text{ K}$ and Low Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2010</b> , 55, 5429-5434	2.8	5
19	Speed of Sound in Binary Mixtures of Pentafluoroethane and 1,1-Difluoroethane from 243.15 K to 333.15 K and Pressures up to 30 MPa. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2004</b> , 49, 1657-1660	2.8	4
18	Evaluation of the dependence of excess volume of the benzene-cyclohexane mixture on composition at 298.15 K from literature data. <i>Collection of Czechoslovak Chemical Communications</i> , <b>1983</b> , 48, 199-202		4
17	A relation between excess volume and the form of the dependence of density on composition for binary liquid mixtures. <i>Collection of Czechoslovak Chemical Communications</i> , <b>1990</b> , 55, 1653-1659		4
16	Partial Molar Volumes and Partial Molar Isentropic Compressions of $\epsilon$ -Butyrolactone and $\epsilon$ -Caprolactone at Infinite Dilution in Water at Temperatures (278.15 to 318.15) K and at Atmospheric Pressure. <i>Journal of Solution Chemistry</i> , <b>2011</b> , 40, 751-763	1.8	3
15	A simple method for evaluation of parameters of the Bender equation of state from experimental data. <i>Fluid Phase Equilibria</i> , <b>2001</b> , 180, 27-40	2.5	3
14	Excess Volumes of 1,4-Dioxane + Ethane-1,2-diol at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , <b>1995</b> , 40, 974-975	2.8	3
13	Partial molar volumes of organic solutes in water. XXVI. 15-Crown-5 and 18-crown-6 ethers at temperatures (298 to 573)K and pressures up to 30MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2015</b> , 80, 41-48	2.9	2
12	Partial molar volumes of organic solutes in water. XXIX. Four 2-alkoxyethanols at temperatures $T = (298 \text{ K to } 573) \text{ K}$ and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2018</b> , 125, 240-249 <sup>9</sup>		2
11	Thermodynamics of associating component + saturated hydrocarbon mixtures at low pressures. III. Vapourliquid equilibria and volumetric properties of n-alcohol + cyclohexane mixtures. <i>Fluid Phase Equilibria</i> , <b>1987</b> , 35, 65-75	2.5	2
10	Calculation of Orthobaric Densities from Equations of State. <i>Collection of Czechoslovak Chemical Communications</i> , <b>1999</b> , 64, 1087-1092		2
9	Partial molar volumes of organic solutes in water. XXX. Two poly(ethylene glycol) monoalkyl ethers, C4E2 and C1E3, at temperatures $T = 298 \text{ K to } 573 \text{ K}$ and pressures up to 30 MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2019</b> , 139, 105874	2.9	1
8	Partial molar volumes of organic solutes in water. XXV. Branched aliphatic diols at temperatures (298 to 573)K and pressures up to 30MPa. <i>Journal of Chemical Thermodynamics</i> , <b>2014</b> , 71, 19-26	2.9	1
7	Partial Molar Volumes and Partial Molar Isentropic Compressions of Selected Branched Diols at Infinite Dilution in Water at Temperatures $T = (278 \text{ to } 318) \text{ K}$ and Atmospheric Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2013</b> , 58, 2487-2495	2.8	1
6	State Behavior Database for Pure Liquids and Data Correlation. <i>International Journal of Thermophysics</i> , <b>2004</b> , 25, 361-369	2.1	1
5	Parameters of the Bender Equation of State for Chloro Derivatives of Methane and Chlorobenzene. <i>Collection of Czechoslovak Chemical Communications</i> , <b>2001</b> , 66, 833-854		1
4	Computation and volumetric insight into (p,T) effect on aqueous guanidinium chloride. <i>Journal of Chemical Thermodynamics</i> , <b>2021</b> , 158, 106450	2.9	0

- |   |                                                                                                                                                                                                                                                                                                               |     |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 3 | Partial Molar Volumes and Partial Molar Isentropic Compressions of Two Poly(ethylene glycol) Monoalkyl Ethers, C4E2 and C1E3, at Infinite Dilution in Water at Temperatures $T = 278\text{--}343$ K and Atmospheric Pressure. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2020</b> , 65, 3037-3043 | 2.8 |
| 2 | Partial Molar Volumes of Phenylacetic Acid and Several Polysubstituted Benzenes at Infinite Dilution in Water at Temperatures $T = 298$ to $373$ K and at Pressures up to $30$ MPa. <i>Journal of Solution Chemistry</i> , <b>2006</b> , 35, 1029-1036                                                        | 1.8 |
| 1 | Evaluation of Liquid PVT Data. <i>Review of High Pressure Science and Technology/Koatsuryoku No Kagaku To Gijutsu</i> , <b>2003</b> , 13, 173-175                                                                                                                                                             | 0   |