## Dalibor Herman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5954104/publications.pdf

Version: 2024-02-01

566801 476904 34 898 15 29 citations h-index g-index papers 34 34 34 1090 docs citations times ranked citing authors all docs

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Left Atrial Appendage Closure Versus Direct Oral Anticoagulants in High-Risk Patients With Atrial Fibrillation. Journal of the American College of Cardiology, 2020, 75, 3122-3135.   | 1.2 | 349       |
| 2  | 4-Year Outcomes After Left Atrial Appendage Closure Versus Nonwarfarin Oral Anticoagulation for Atrial Fibrillation. Journal of the American College of Cardiology, 2022, 79, 1-14.   | 1.2 | 114       |
| 3  | Interventional left atrial appendage closure vs novel anticoagulation agents in patients with atrial fibrillation indicated for long-term anticoagulation (PRAGUE-17 study). American Heart Journal, 2017, 183, 108-114.  | 1.2 | 49        |
| 4  | The Insufficiency of Left Anterior Oblique and the Usefulness of Right Anterior Oblique Projection for Correct Localization of a Computed Tomography–Verified Right Ventricular Lead Into the Midseptum. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 719-725. | 2.1 | 38        |
| 5  | Both selective and nonselective His bundle, but not myocardial, pacing preserve ventricular electrical synchrony assessed by ultra-high-frequency ECG. Heart Rhythm, 2020, 17, 607-614.   | 0.3 | 36        |
| 6  | Electrophysiological findings after surgical thoracoscopic atrial fibrillation ablation. Heart Rhythm, 2016, 13, 1246-1252.   | 0.3 | 33        |
| 7  | Novel ultraâ€highâ€frequency electrocardiogram tool for the description of the ventricular depolarization pattern before and during cardiac resynchronization. Journal of Cardiovascular Electrophysiology, 2020, 31, 300-307.  | 0.8 | 27        |
| 8  | Changes and Prognostic Impact of Apoptotic and Inflammatory Cytokines in Patients Treated with Cardiac Resynchronization Therapy. Cardiology, 2013, 124, 190-198.   | 0.6 | 26        |
| 9  | Deactivation of implantable cardioverter-defibrillators: results of patient surveys. Europace, 2013, 15, 963-969.   | 0.7 | 26        |
| 10 | Five-year outcomes in cardiac surgery patients with atrial fibrillation undergoing concomitant surgical ablation versus no ablation. The long-term follow-up of the PRAGUE-12 Study. Heart Rhythm, 2019, 16, 1334-1340.   | 0.3 | 23        |
| 11 | Cardiac resynchronization therapy for the causal treatment of heart failure with preserved ejection fraction: insight from a pressure–volume loop analysis. European Journal of Heart Failure, 2010, 12, 634-636.   | 2.9 | 22        |
| 12 | Decreased Apoptosis following Successful Ablation of Atrial Fibrillation. Cardiology, 2010, 116, 302-307.   | 0.6 | 22        |
| 13 | Inâ€hospital arrhythmias in patients with acute myocardial infarctionâ€"the relation to the reperfusion strategy and their prognostic impact. Acute Cardiac Care, 2008, 10, 15-25.  | 0.2 | 16        |
| 14 | Residual echocardiographic and computed tomography findings after thoracoscopic occlusion of the left atrial appendage using the AtriClip PRO device. Interactive Cardiovascular and Thoracic Surgery, 2018, 26, 919-925.   | 0.5 | 16        |
| 15 | Changes in cytokine concentrations following successful ablation of atrial fibrillation. European Cytokine Network, 2010, 21, 278-84.   | 1.1 | 16        |
| 16 | Cardiac resynchronization therapy implantation following transcatheter aortic valve implantation. Europace, 2011, 13, 290-291.  | 0.7 | 15        |
| 17 | Influence of Torso Model Complexity on the Noninvasive Localization of Ectopic Ventricular Activity.<br>Measurement Science Review, 2016, 16, 96-102.   | 0.6 | 14        |
| 18 | Improvement in the quality of life of patients with persistent or long-standing persistent atrial fibrillation after hybrid ablation. Journal of Interventional Cardiac Electrophysiology, 2020, 57, 435-442.   | 0.6 | 8         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Routine use of intracardiac echocardiography for atrial flutter ablation is associated with reduced fluoroscopy time, but not with a reduction of radiofrequency energy delivery time. Journal of Atrial Fibrillation, 2017, 10, 1553.                                  | 0.5 | 7         |
| 20 | Midterm outcomes of two-staged hybrid ablation of persistent and long-standing persistent atrial fibrillation using the versapolar epicardial surgical device and subsequent catheter ablation. Journal of Interventional Cardiac Electrophysiology, 2017, 50, 187-194. | 0.6 | 6         |
| 21 | Silent strokes after thoracoscopic epicardial ablation and catheter ablation for atrial fibrillation: not all lesions are permanent on follow-up magnetic resonance imaging. Quantitative Imaging in Medicine and Surgery, $2021, 11, 3219-3233$ .                      | 1.1 | 5         |
| 22 | The effect of left atrial appendage closure on heart failure biomarkers: A PRAGUEâ€17 trial subanalysis. Journal of Cardiovascular Electrophysiology, 2021, 32, 2645-2654.  | 0.8 | 5         |
| 23 | Risk of Intraatrial Thrombi After Thoracoscopic Ablation in Absence of Heparin and Appendage<br>Closure. Annals of Thoracic Surgery, 2017, 104, 790-796.  | 0.7 | 4         |
| 24 | The absence of effect of ganglionated plexi ablation on heart rate variability parameters in patients after thoracoscopic ablation for atrial fibrillation. Journal of Thoracic Disease, 2017, 9, 4997-5007.  | 0.6 | 4         |
| 25 | Can QRS morphology be used to differentiate between true septal vs. apparently septal lead placement? An analysis of ECG of real mid-septal, apparent mid-septal, and apical pacing. European Heart Journal Supplements, 2020, 22, F14-F22.                             | 0.0 | 4         |
| 26 | Determination of myocardial energetic output for cardiac rhythm pacing. Cardiovascular Engineering (Dordrecht, Netherlands), 2007, 7, 156-161.  | 1.0 | 3         |
| 27 | The Efficacy and Safety of Hybrid Ablations for Atrial Fibrillation. JACC: Clinical Electrophysiology, 2021, 7, 1519-1529.  | 1.3 | 3         |
| 28 | Eight years experience with thoracoscopic surgical ablation of stand-alone atrial fibrillation in Cardiocenter Kralovske Vinohrady - The evolution of methods and indications and summary of the results. Cor Et Vasa, 2015, 57, e133-e138.                             | 0.1 | 2         |
| 29 | A Comparison of Cardiac Computed Tomography, Transesophageal and Intracardiac Echocardiography, and Fluoroscopy for Planning Left Atrial Appendage Closure. Journal of Atrial Fibrillation, 2020, 13, 20200449.   | 0.5 | 2         |
| 30 | A Program to Reduce Cardiovascular and Cerebrovascular Disease in the Czech Republic: Design and Methods of the Healthy Dubec Project. International Quarterly of Community Health Education, 1997, 16, 315-331.  | 0.4 | 1         |
| 31 | Results of a multifactor cardiovascular risk reduction program in the czech republic: The healthy dubec project. International Journal of Behavioral Medicine, 2000, 7, 44-61.  | 0.8 | 1         |
| 32 | The incidence and types of atrial tachyarrhythmias occurring after hybrid ablation procedures. Cor Et Vasa, 2017, 59, e353-e358.  | 0.1 | 1         |
| 33 | Anatomical context of left anterior descending artery and right ventricular lead implanted apparently in the midseptal position - Case report. Cor Et Vasa, 2018, 60, e631-e634.  | 0.1 | 0         |
| 34 | Electrocardiogram changes due to myocardial infarction in a patient with selective His bundle pacing.<br>Kardiologia Polska, 2019, 77, 237-237.   | 0.3 | 0         |