

Dalibor Herman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5954104/publications.pdf>

Version: 2024-02-01

34
papers

898
citations

566801

15
h-index

476904

29
g-index

34
all docs

34
docs citations

34
times ranked

1090
citing authors

#	ARTICLE	IF	CITATIONS
1	4-Year Outcomes After Left Atrial Appendage Closure Versus Nonwarfarin Oral Anticoagulation for Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2022, 79, 1-14.	1.2	114
2	The Efficacy and Safety of Hybrid Ablations for Atrial Fibrillation. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 1519-1529.	1.3	3
3	Silent strokes after thoracoscopic epicardial ablation and catheter ablation for atrial fibrillation: not all lesions are permanent on follow-up magnetic resonance imaging. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 11, 3219-3233.	1.1	5
4	The effect of left atrial appendage closure on heart failure biomarkers: A PRAGUE-17 trial subanalysis. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 2645-2654.	0.8	5
5	Improvement in the quality of life of patients with persistent or long-standing persistent atrial fibrillation after hybrid ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 57, 435-442.	0.6	8
6	Novel ultra-high-frequency electrocardiogram tool for the description of the ventricular depolarization pattern before and during cardiac resynchronization. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 300-307.	0.8	27
7	Both selective and nonselective His bundle, but not myocardial, pacing preserve ventricular electrical synchrony assessed by ultra-high-frequency ECG. <i>Heart Rhythm</i> , 2020, 17, 607-614.	0.3	36
8	Can QRS morphology be used to differentiate between true septal vs. apparently septal lead placement? An analysis of ECG of real mid-septal, apparent mid-septal, and apical pacing. <i>European Heart Journal Supplements</i> , 2020, 22, F14-F22.	0.0	4
9	Left Atrial Appendage Closure Versus Direct Oral Anticoagulants in High-Risk Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2020, 75, 3122-3135.	1.2	349
10	A Comparison of Cardiac Computed Tomography, Transesophageal and Intracardiac Echocardiography, and Fluoroscopy for Planning Left Atrial Appendage Closure. <i>Journal of Atrial Fibrillation</i> , 2020, 13, 20200449.	0.5	2
11	Five-year outcomes in cardiac surgery patients with atrial fibrillation undergoing concomitant surgical ablation versus no ablation. The long-term follow-up of the PRAGUE-12 Study. <i>Heart Rhythm</i> , 2019, 16, 1334-1340.	0.3	23
12	Electrocardiogram changes due to myocardial infarction in a patient with selective His bundle pacing. <i>Kardiologia Polska</i> , 2019, 77, 237-237.	0.3	0
13	Anatomical context of left anterior descending artery and right ventricular lead implanted apparently in the midseptal position - Case report. <i>Cor Et Vasa</i> , 2018, 60, e631-e634.	0.1	0
14	Residual echocardiographic and computed tomography findings after thoracoscopic occlusion of the left atrial appendage using the AtriClip PRO device. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2018, 26, 919-925.	0.5	16
15	Risk of Intraatrial Thrombi After Thoracoscopic Ablation in Absence of Heparin and Appendage Closure. <i>Annals of Thoracic Surgery</i> , 2017, 104, 790-796.	0.7	4
16	Midterm outcomes of two-staged hybrid ablation of persistent and long-standing persistent atrial fibrillation using the versapolar epicardial surgical device and subsequent catheter ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 50, 187-194.	0.6	6
17	The incidence and types of atrial tachyarrhythmias occurring after hybrid ablation procedures. <i>Cor Et Vasa</i> , 2017, 59, e353-e358.	0.1	1
18	Interventional left atrial appendage closure vs novel anticoagulation agents in patients with atrial fibrillation indicated for long-term anticoagulation (PRAGUE-17 study). <i>American Heart Journal</i> , 2017, 183, 108-114.	1.2	49

#	ARTICLE	IF	CITATIONS
19	Routine use of intracardiac echocardiography for atrial flutter ablation is associated with reduced fluoroscopy time, but not with a reduction of radiofrequency energy delivery time. <i>Journal of Atrial Fibrillation</i> , 2017, 10, 1553.	0.5	7
20	The absence of effect of ganglionated plexi ablation on heart rate variability parameters in patients after thoracoscopic ablation for atrial fibrillation. <i>Journal of Thoracic Disease</i> , 2017, 9, 4997-5007.	0.6	4
21	Electrophysiological findings after surgical thoracoscopic atrial fibrillation ablation. <i>Heart Rhythm</i> , 2016, 13, 1246-1252.	0.3	33
22	Influence of Torso Model Complexity on the Noninvasive Localization of Ectopic Ventricular Activity. <i>Measurement Science Review</i> , 2016, 16, 96-102.	0.6	14
23	Eight years experience with thoracoscopic surgical ablation of stand-alone atrial fibrillation in Cardiocenter Kralovské Vinohrady - The evolution of methods and indications and summary of the results. <i>Cor Et Vasa</i> , 2015, 57, e133-e138.	0.1	2
24	Changes and Prognostic Impact of Apoptotic and Inflammatory Cytokines in Patients Treated with Cardiac Resynchronization Therapy. <i>Cardiology</i> , 2013, 124, 190-198.	0.6	26
25	Deactivation of implantable cardioverter-defibrillators: results of patient surveys. <i>Europace</i> , 2013, 15, 963-969.	0.7	26
26	The Insufficiency of Left Anterior Oblique and the Usefulness of Right Anterior Oblique Projection for Correct Localization of a Computed Tomographyâ€“Verified Right Ventricular Lead Into the Midseptum. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 719-725.	2.1	38
27	Cardiac resynchronization therapy implantation following transcatheter aortic valve implantation. <i>Europace</i> , 2011, 13, 290-291.	0.7	15
28	Cardiac resynchronization therapy for the causal treatment of heart failure with preserved ejection fraction: insight from a pressureâ€“volume loop analysis. <i>European Journal of Heart Failure</i> , 2010, 12, 634-636.	2.9	22
29	Decreased Apoptosis following Successful Ablation of Atrial Fibrillation. <i>Cardiology</i> , 2010, 116, 302-307.	0.6	22
30	Changes in cytokine concentrations following successful ablation of atrial fibrillation. <i>European Cytokine Network</i> , 2010, 21, 278-84.	1.1	16
31	In-hospital arrhythmias in patients with acute myocardial infarctionâ€“the relation to the reperfusion strategy and their prognostic impact. <i>Acute Cardiac Care</i> , 2008, 10, 15-25.	0.2	16
32	Determination of myocardial energetic output for cardiac rhythm pacing. <i>Cardiovascular Engineering (Dordrecht, Netherlands)</i> , 2007, 7, 156-161.	1.0	3
33	Results of a multifactor cardiovascular risk reduction program in the czech republic: The healthy dubec project. <i>International Journal of Behavioral Medicine</i> , 2000, 7, 44-61.	0.8	1
34	A Program to Reduce Cardiovascular and Cerebrovascular Disease in the Czech Republic: Design and Methods of the Healthy Dubec Project. <i>International Quarterly of Community Health Education</i> , 1997, 16, 315-331.	0.4	1