# Kathrin Maedler

### List of Publications by Citations

Source: https://exaly.com/author-pdf/5954106/kathrin-maedler-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86 7,428 40 101 h-index g-index citations papers 118 8,190 5.63 7.5 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
101	Glucose-induced Itell production of IL-1Itontributes to glucotoxicity in human pancreatic islets. <i>Journal of Clinical Investigation</i> , <b>2002</b> , 110, 851-860	15.9	846
100	Monounsaturated fatty acids prevent the deleterious effects of palmitate and high glucose on human pancreatic beta-cell turnover and function. <i>Diabetes</i> , <b>2003</b> , 52, 726-33	0.9	445
99	Distinct effects of saturated and monounsaturated fatty acids on beta-cell turnover and function. <i>Diabetes</i> , <b>2001</b> , 50, 69-76	0.9	443
98	Glucose-induced beta cell production of IL-1beta contributes to glucotoxicity in human pancreatic islets. <i>Journal of Clinical Investigation</i> , <b>2002</b> , 110, 851-60	15.9	439
97	Mechanisms of beta-cell death in type 2 diabetes. <i>Diabetes</i> , <b>2005</b> , 54 Suppl 2, S108-13	0.9	339
96	Inflammatory mediators and islet beta-cell failure: a link between type 1 and type 2 diabetes. Journal of Molecular Medicine, <b>2003</b> , 81, 455-70	5.5	330
95	Glucose induces beta-cell apoptosis via upregulation of the Fas receptor in human islets. <i>Diabetes</i> , <b>2001</b> , 50, 1683-90	0.9	301
94	Sulfonylurea induced beta-cell apoptosis in cultured human islets. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 501-6	5.6	267
93	Transcription factor 7-like 2 regulates beta-cell survival and function in human pancreatic islets. <i>Diabetes</i> , <b>2008</b> , 57, 645-53	0.9	221
92	Leptin modulates beta cell expression of IL-1 receptor antagonist and release of IL-1beta in human islets. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2004</b> , 101, 8138-	-4 <sup>1</sup> 1.5	211
91	Decreased TCF7L2 protein levels in type 2 diabetes mellitus correlate with downregulation of GIP-and GLP-1 receptors and impaired beta-cell function. <i>Human Molecular Genetics</i> , <b>2009</b> , 18, 2388-99	5.6	200
90	Glucose and palmitic acid induce degeneration of myofibrils and modulate apoptosis in rat adult cardiomyocytes. <i>Diabetes</i> , <b>2001</b> , 50, 2105-13	0.9	169
89	CXCL10 impairs beta cell function and viability in diabetes through TLR4 signaling. <i>Cell Metabolism</i> , <b>2009</b> , 9, 125-39	24.6	154
88	The antiinflammatory cytokine interleukin-1 receptor antagonist protects from high-fat diet-induced hyperglycemia. <i>Endocrinology</i> , <b>2008</b> , 149, 2208-18	4.8	153
87	Extracellular matrix protects pancreatic beta-cells against apoptosis: role of short- and long-term signaling pathways. <i>Diabetes</i> , <b>2004</b> , 53, 2034-41	0.9	149
86	MST1 is a key regulator of beta cell apoptosis and dysfunction in diabetes. <i>Nature Medicine</i> , <b>2014</b> , 20, 385-397	50.5	140
85	Low concentration of interleukin-1beta induces FLICE-inhibitory protein-mediated beta-cell proliferation in human pancreatic islets. <i>Diabetes</i> , <b>2006</b> , 55, 2713-22	0.9	139

## (2015-2004)

84	Glucose- and interleukin-1beta-induced beta-cell apoptosis requires Ca2+ influx and extracellular signal-regulated kinase (ERK) 1/2 activation and is prevented by a sulfonylurea receptor 1/inwardly rectifying K+ channel 6.2 (SUR/Kir6.2) selective potassium channel opener in human islets. <i>Diabetes</i> ,	0.9	135
83	<b>2004</b> , 53, 1706-13  Aging correlates with decreased beta-cell proliferative capacity and enhanced sensitivity to apoptosis: a potential role for Fas and pancreatic duodenal homeobox-1. <i>Diabetes</i> , <b>2006</b> , 55, 2455-62	0.9	133
82	FLIP switches Fas-mediated glucose signaling in human pancreatic beta cells from apoptosis to cell replication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 8236-41	11.5	122
81	Pioglitazone and sodium salicylate protect human beta-cells against apoptosis and impaired function induced by glucose and interleukin-1beta. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 5059-66	5.6	90
80	Glucose and leptin induce apoptosis in human beta-cells and impair glucose-stimulated insulin secretion through activation of c-Jun N-terminal kinases. <i>FASEB Journal</i> , <b>2008</b> , 22, 1905-13	0.9	84
79	mTORC1 Signaling: A Double-Edged Sword in Diabetic Cells. Cell Metabolism, 2018, 27, 314-331	24.6	82
78	Interleukin-1 beta targeted therapy for type 2 diabetes. <i>Expert Opinion on Biological Therapy</i> , <b>2009</b> , 9, 1177-88	5.4	79
77	The DPP-4 inhibitor linagliptin restores Evell function and survival in human isolated islets through GLP-1 stabilization. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, E1163-72	5.6	77
76	XOMA 052, an anti-IL-1{beta} monoclonal antibody, improves glucose control and {beta}-cell function in the diet-induced obesity mouse model. <i>Endocrinology</i> , <b>2010</b> , 151, 2515-27	4.8	77
75	Impact of integrin-matrix matching and inhibition of apoptosis on the survival of purified human beta-cells in vitro. <i>Diabetologia</i> , <b>2002</b> , 45, 841-50	10.3	75
74	TLR2/6 and TLR4-activated macrophages contribute to islet inflammation and impair beta cell insulin gene expression via IL-1 and IL-6. <i>Diabetologia</i> , <b>2014</b> , 57, 1645-54	10.3	72
73	Purinergic P2X7 receptors regulate secretion of interleukin-1 receptor antagonist and beta cell function and survival. <i>Diabetologia</i> , <b>2009</b> , 52, 1579-88	10.3	69
72	Upregulation of alpha cell glucagon-like peptide 1 (GLP-1) in Psammomys obesusan adaptive response to hyperglycaemia?. <i>Diabetologia</i> , <b>2011</b> , 54, 1379-87	10.3	68
71	The Fas pathway is involved in pancreatic beta cell secretory function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 2861-6	11.5	64
70	TCF7L2 splice variants have distinct effects on beta-cell turnover and function. <i>Human Molecular Genetics</i> , <b>2011</b> , 20, 1906-15	5.6	63
69	Hippo Signaling: Key Emerging Pathway in Cellular and Whole-Body Metabolism. <i>Trends in Endocrinology and Metabolism</i> , <b>2018</b> , 29, 492-509	8.8	60
68	Reciprocal regulation of mTOR complexes in pancreatic islets from humans with type 2 diabetes. <i>Diabetologia</i> , <b>2017</b> , 60, 668-678	10.3	54
67	Benchmark datasets for 3D MALDI- and DESI-imaging mass spectrometry. <i>GigaScience</i> , <b>2015</b> , 4, 20	7.6	45

66	Overexpression of IRS2 in isolated pancreatic islets causes proliferation and protects human beta-cells from hyperglycemia-induced apoptosis. <i>Experimental Cell Research</i> , <b>2005</b> , 303, 68-78	4.2	45
65	Lung Surfactant for Pulmonary Barrier Restoration in Patients With COVID-19 Pneumonia. <i>Frontiers in Medicine</i> , <b>2020</b> , 7, 254	4.9	44
64	Increased vulnerability of newly forming beta cells to cytokine-induced cell death. <i>Diabetologia</i> , <b>2006</b> , 49, 83-9	10.3	44
63	Proapoptotic effects of the chemokine, CXCL 10 are mediated by the noncognate receptor TLR4 in hepatocytes. <i>Hepatology</i> , <b>2013</b> , 57, 797-805	11.2	42
62	Possible role of interleukin-1[In type 2 diabetes onset and implications for anti-inflammatory therapy strategies. <i>PLoS Computational Biology</i> , <b>2014</b> , 10, e1003798	5	41
61	The diabetes-linked transcription factor Pax4 is expressed in human pancreatic islets and is activated by mitogens and GLP-1. <i>Human Molecular Genetics</i> , <b>2008</b> , 17, 478-89	5.6	40
60	Identification of ALOX5 as a gene regulating adiposity and pancreatic function. <i>Diabetologia</i> , <b>2008</b> , 51, 978-88	10.3	39
59	The adipocytokine Nampt and its product NMN have no effect on beta-cell survival but potentiate glucose stimulated insulin secretion. <i>PLoS ONE</i> , <b>2013</b> , 8, e54106	3.7	37
58	TCF7L2 promotes beta cell regeneration in human and mouse pancreas. <i>Diabetologia</i> , <b>2012</b> , 55, 3296-3	<b>07</b> 0.3	36
57	Beta cells in type 2 diabetes - a crucial contribution to pathogenesis. <i>Diabetes, Obesity and Metabolism</i> , <b>2008</b> , 10, 408-20	6.7	33
56	MST1: a promising therapeutic target to restore functional beta cell mass in diabetes. <i>Diabetologia</i> , <b>2016</b> , 59, 1843-9	10.3	31
55	Identification of an intracellular metabolic signature impairing beta cell function in the rat beta cell line INS-1E and human islets. <i>Diabetologia</i> , <b>2011</b> , 54, 2584-94	10.3	28
54	Pancreatic beta cells and islets take up thiamin by a regulated carrier-mediated process: studies using mice and human pancreatic preparations. <i>American Journal of Physiology - Renal Physiology</i> , <b>2009</b> , 297, G197-206	5.1	27
53	Neutralizing interleukin-1beta (IL-1beta) induces beta-cell survival by maintaining PDX1 protein nuclear localization. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 17144-55	5.4	24
52	UCP-2 and UCP-3 proteins are differentially regulated in pancreatic beta-cells. <i>PLoS ONE</i> , <b>2008</b> , 3, e139	73.7	24
51	The Hippo Signaling Pathway in Pancreatic ECells: Functions and Regulations. <i>Endocrine Reviews</i> , <b>2018</b> , 39, 21-35	27.2	23
50	Siglec-7 restores Etell function and survival and reduces inflammation in pancreatic islets from patients with diabetes. <i>Scientific Reports</i> , <b>2017</b> , 7, 45319	4.9	22
49	Neratinib protects pancreatic beta cells in diabetes. <i>Nature Communications</i> , <b>2019</b> , 10, 5015	17.4	21

## (2016-2018)

48	mTORC2 Signaling: A Path for Pancreatic ICellS Growth and Function. <i>Journal of Molecular Biology</i> , <b>2018</b> , 430, 904-918	6.5	20
47	Ageing potentiates diet-induced glucose intolerance, Etell failure and tissue inflammation through TLR4. <i>Scientific Reports</i> , <b>2018</b> , 8, 2767	4.9	20
46	COUP-TFII controls mouse pancreatic Eell mass through GLP-1-Eatenin signaling pathways. <i>PLoS ONE</i> , <b>2012</b> , 7, e30847	3.7	20
45	Proproliferative and antiapoptotic action of exogenously introduced YAP in pancreatic cells. <i>JCI Insight</i> , <b>2016</b> , 1, e86326	9.9	20
44	Interleukin-targeted therapy for metabolic syndrome and type 2 diabetes. <i>Handbook of Experimental Pharmacology</i> , <b>2011</b> , 257-78	3.2	20
43	Detection and localization of viral infection in the pancreas of patients with type 1 diabetes using short fluorescently-labelled oligonucleotide probes. <i>Oncotarget</i> , <b>2017</b> , 8, 12620-12636	3.3	19
42	Genetic and biochemical evidence for a functional role of BACE1 in the regulation of insulin mRNA expression. <i>Obesity</i> , <b>2013</b> , 21, E626-33	8	17
41	Matrix Metalloproteinase-3 is Key Effector of TNF-Induced Collagen Degradation in Skin. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	16
40	Imaging of the Etells of the islets of Langerhans. <i>Diabetes Research and Clinical Practice</i> , <b>2012</b> , 98, 11-8	7.4	15
39	Deletion of the mitochondrial flavoprotein apoptosis inducing factor (AIF) induces beta-cell apoptosis and impairs beta-cell mass. <i>PLoS ONE</i> , <b>2009</b> , 4, e4394	3.7	15
38	Macrophage-associated pro-inflammatory state in human islets from obese individuals. <i>Nutrition and Diabetes</i> , <b>2019</b> , 9, 36	4.7	15
37	TLR4 triggered complex inflammation in human pancreatic islets. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2019</b> , 1865, 86-97	6.9	15
36	Manganese-mediated MRI signals correlate with functional Etell mass during diabetes progression. <i>Diabetes</i> , <b>2015</b> , 64, 2138-47	0.9	13
35	Efficient gene delivery and silencing of mouse and human pancreatic islets. <i>BMC Biotechnology</i> , <b>2010</b> , 10, 28	3.5	12
34	Enhanced cell adhesion on bioinert ceramics mediated by the osteogenic cell membrane enzyme alkaline phosphatase. <i>Materials Science and Engineering C</i> , <b>2016</b> , 69, 184-94	8.3	11
33	Distinct functions of the dual leucine zipper kinase depending on its subcellular localization. <i>Cellular Signalling</i> , <b>2016</b> , 28, 272-83	4.9	11
32	SARS-CoV-2 and pancreas: a potential pathological interaction?. <i>Trends in Endocrinology and Metabolism</i> , <b>2021</b> , 32, 842-845	8.8	11
31	Loss of Merlin/NF2 protects pancreatic Etells from apoptosis by inhibiting LATS2. <i>Cell Death and Disease</i> , <b>2016</b> , 7, e2107	9.8	9

30	Evaluation of Existing Methods for Human Blood mRNA Isolation and Analysis for Large Studies. <i>PLoS ONE</i> , <b>2016</b> , 11, e0161778	3.7	9
29	Enteroviruses and T1D: Is It the Virus, the Genes or Both which Cause T1D. <i>Microorganisms</i> , <b>2020</b> , 8,	4.9	9
28	mTORC in Itells: more Than Only Recognizing Comestibles. <i>Journal of Cell Biology</i> , <b>2017</b> , 216, 1883-188.	57.3	8
27	Angiopoetin-2 Signals Do Not Mediate the Hypervascularization of Islets in Type 2 Diabetes. <i>PLoS ONE</i> , <b>2016</b> , 11, e0161834	3.7	8
26	CXCL10- a path to Etell death. <i>Islets</i> , <b>2009</b> , 1, 256-9	2	7
25	Lung Surfactant Accelerates Skin Wound Healing: A Translational Study with a Randomized Clinical Phase I Study. <i>Scientific Reports</i> , <b>2020</b> , 10, 2581	4.9	6
24	mTORC1 and IRS1: Another Deadly Kiss. <i>Trends in Endocrinology and Metabolism</i> , <b>2018</b> , 29, 737-739	8.8	6
23	Expression of Fas but not Fas ligand on fetal pig beta cells. Xenotransplantation, 2004, 11, 426-35	2.8	6
22	Neratinib is an MST1 inhibitor and restores pancreatic Etells in diabetes. <i>Cell Death Discovery</i> , <b>2019</b> , 5, 149	6.9	6
21	EMSCs: successful fusion of MSCs with Evells results in a Evell like phenotype. <i>Oncotarget</i> , <b>2016</b> , 7, 48963-48977	3.3	5
20	Loss of TAZ Boosts PPARIto Cope with Insulin Resistance. Cell Metabolism, 2020, 31, 6-8	24.6	5
19	Loss of Deubiquitinase USP1 Blocks Pancreatic ECell Apoptosis by Inhibiting DNA Damage Response. <i>IScience</i> , <b>2018</b> , 1, 72-86	6.1	5
18	Inhibition of PHLPP1/2 phosphatases rescues pancreatic Etells in diabetes. <i>Cell Reports</i> , <b>2021</b> , 36, 10949	<b>90</b> 10.6	5
17	The Hippo kinase LATS2 impairs pancreatic Etell survival in diabetes through the mTORC1-autophagy axis. <i>Nature Communications</i> , <b>2021</b> , 12, 4928	17.4	5
16	TOSO promotes Etell proliferation and protects from apoptosis. <i>Molecular Metabolism</i> , <b>2012</b> , 1, 70-8	8.8	4
15	GLP-2 Is Locally Produced From Human Islets and Balances Inflammation Through an Inter-Islet-Immune Cell Crosstalk. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 697120	5.7	4
14	Localization of enteroviral RNA within the pancreas in donors with T1D and T1D-associated autoantibodies. <i>Cell Reports Medicine</i> , <b>2021</b> , 2, 100371	18	4
13	STRIPAK Is a Regulatory Hub Initiating Hippo Signaling. <i>Trends in Biochemical Sciences</i> , <b>2020</b> , 45, 280-28	<b>3</b> 10.3	2

#### LIST OF PUBLICATIONS

12	An SCF E3 Ligase Protects Pancreatic ECells from Apoptosis. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	2
11	Commentary: A Human Pluripotent Stem Cell-Based Platform to Study SARS-CoV-2 Tropism and Model Virus Infection in Human Cells and Organoids. <i>Frontiers in Endocrinology</i> , <b>2020</b> , 11, 585922	5.7	2
10	Statement of Retraction. Transcription Factor 7-Like 2 Regulates ECell Survival and Function in Human Pancreatic Islets. <i>Diabetes</i> , <b>2017</b> , 66, 1729-1730	0.9	1
9	How Itells can smell insulin fragments Cell Metabolism, 2022, 34, 189-191	24.6	1
8	Deathly triangle for pancreatic Etells: Hippo pathway-MTORC1-autophagy. Autophagy, 2021, 1-3	10.2	1
7	LDHA is enriched in human isletlalpha cells and upregulated in type 2 diabetes. <i>Biochemical and Biophysical Research Communications</i> , <b>2021</b> , 568, 158-166	3.4	1
6	Case Report: Neratinib Therapy Improves Glycemic Control in a Patient With Type 2 Diabetes and Breast Cancer <i>Frontiers in Endocrinology</i> , <b>2022</b> , 13, 830097	5.7	1
5	MST1 deletion protects Etells in a mouse model of diabetes <i>Nutrition and Diabetes</i> , <b>2022</b> , 12, 7	4.7	0
4	PHLPP1 deletion restores pancreatic Etell survival and normoglycemia in the db/db mouse model of obesity-associated diabetes <i>Cell Death Discovery</i> , <b>2022</b> , 8, 57	6.9	0
3	Targeting the Metabolic Syndrome and Type 2 Diabetes by Preventing Inflammation <b>2012</b> , 233-252		
2	Rettet die Beta-Zelle: Neue Therapieanstze fil Diabetes. <i>Diabetologie Und Stoffwechsel</i> , <b>2011</b> , 6, 283-28	60.7	
1	Hippo STK kinases drive metabolic derangement. <i>Nature Metabolism</i> , <b>2021</b> , 3, 295-296	14.6	