Minji Kang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/595520/publications.pdf

Version: 2024-02-01

50 2,020 24
papers citations h-in

24 44
h-index g-index

52 52 all docs citations

52 times ranked 2907 citing authors

| # | Article | IF | CITATIONS |
|----|--|------------------------------|-----------|
| 1 | Preparation of highly adhesive urethane–acrylate-based gel-polymer electrolytes and their optimization in flexible electrochromic devices. Journal of Electroanalytical Chemistry, 2022, 917, 116423. | 3.8 | 3 |
| 2 | Integration of multiple electronic components on a microfibre towards an emerging electronic textile platform. Nature Communications, $2022,13,.$ | 12.8 | 27 |
| 3 | Recent Advances in Fiber-Shaped Electronic Devices for Wearable Applications. Applied Sciences (Switzerland), 2021, 11, 6131. | 2.5 | 21 |
| 4 | Light-sensitive charge storage medium with spironaphthooxazine molecule-polymer blends for dual-functional organic phototransistor memory. Organic Electronics, 2020, 78, 105554. | 2.6 | 8 |
| 5 | One-dimensional organic artificial multi-synapses enabling electronic textile neural network for wearable neuromorphic applications. Science Advances, 2020, 6, . | 10.3 | 102 |
| 6 | Molecular engineering of a porphyrin-based hierarchical superstructure: planarity control of a discotic metallomesogen for high thermal conductivity. Materials Horizons, 2020, 7, 2635-2642. | 12.2 | 13 |
| 7 | Highâ€Performance Flexible Organic Nonvolatile Memories with Outstanding Stability Using Nickel Oxide Nanofloating Gate and Polymer Electret. Advanced Electronic Materials, 2020, 6, 2000189. | 5.1 | 12 |
| 8 | Unsymmetrical Small Molecules for Broad-Band Photoresponse and Efficient Charge Transport in Organic Phototransistors. ACS Applied Materials & Samp; Interfaces, 2020, 12, 25066-25074. | 8.0 | 16 |
| 9 | Two-in-One Device with Versatile Compatible Electrical Switching or Data Storage Functions Controlled by the Ferroelectricity of P(VDF-TrFE) via Photocrosslinking. ACS Applied Materials & Samp; Interfaces, 2019, 11, 25358-25368. | 8.0 | 7 |
| 10 | Low-Voltage Organic Transistor Memory Fiber with a Nanograined Organic Ferroelectric Film. ACS Applied Materials & Drawn; Interfaces, 2019, 11, 22575-22582. | 8.0 | 33 |
| 11 | Hierarchical Hybrid Nanostructures Constructed by Fullerene and Molecular Tweezer. ACS Nano, 2019, 13, 6101-6112. | 14.6 | 14 |
| 12 | Diseleno[3,2â€ <i>b</i> :2′,3′â€ <i>d</i>]selenophene ontaining Highâ€Mobility Conjugated Polymer for Fieldâ€Effect Transistors. Advanced Science, 2019, 6, 1900245. | Organic 1 1. 2 | 32 |
| 13 | Ultrathin Conformable Organic Artificial Synapse for Wearable Intelligent Device Applications. ACS Applied Materials & Device Applications. ACS Applied Materials & Device Applications. ACS | 8.0 | 106 |
| 14 | Tuning non-volatile memory characteristics via molecular doping of polymer semiconductors based on ambipolar organic field-effect transistors. Organic Electronics, 2018, 58, 12-17. | 2.6 | 25 |
| 15 | Optimized Activation of Solutionâ€Processed Amorphous Oxide Semiconductors for Flexible Transparent Conductive Electrodes. Advanced Electronic Materials, 2018, 4, 1700386. | 5.1 | 12 |
| 16 | 2D/2D vanadyl phosphate (VP) on reduced graphene oxide as a hole transporting layer for efficient organic solar cells. Organic Electronics, 2018, 59, 92-98. | 2.6 | 13 |
| 17 | Simultaneous enhancement of charge density and molecular stacking order of polymer semiconductors by viologen dopants for high performance organic field-effect transistors. Journal of Materials Chemistry C, 2018, 6, 5497-5505. | 5.5 | 23 |
| 18 | Hybrid dielectrics composed of Al2O3 and phosphonic acid self-assembled monolayers for performance improvement in low voltage organic field effect transistors. Nano Convergence, 2018, 5, 20. | 12.1 | 22 |

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 19 | Effect of Semiâ€Fluorinated Alkyl Side Chains on Conjugated Polymers with Planar Backbone in Organic Fieldâ€Effect Transistors. Macromolecular Rapid Communications, 2018, 39, e1800431. | 3.9 | 13 |
| 20 | Precise Side-Chain Engineering of Thienylenevinylene–Benzotriazole-Based Conjugated Polymers with Coplanar Backbone for Organic Field Effect Transistors and CMOS-like Inverters. ACS Applied Materials & Diterfaces, 2017, 9, 2758-2766. | 8.0 | 39 |
| 21 | Effect of side chains on phenanthrene based D-A type copolymers for polymer solar cells. Organic Electronics, 2017, 44, 238-246. | 2.6 | 13 |
| 22 | Structure-property relationship of D-A type copolymers based on thienylenevinylene for organic electronics. Organic Electronics, 2017, 46, 77-87. | 2.6 | 13 |
| 23 | Ambipolar Small-Molecule:Polymer Blend Semiconductors for Solution-Processable Organic Field-Effect Transistors. ACS Applied Materials & Samp; Interfaces, 2017, 9, 2686-2692. | 8.0 | 40 |
| 24 | Structure–property relationship of D–A type copolymers based on phenanthrene and naphthalene units for organic electronics. Journal of Materials Chemistry C, 2017, 5, 10332-10342. | 5 . 5 | 4 |
| 25 | Polymeric P–N Heterointerface for Solutionâ€Processed Integrated Organic Optoelectronic Systems. Advanced Optical Materials, 2017, 5, 1700655. | 7.3 | 16 |
| 26 | A systematic study on molecular planarity and Dâ \in A conformation in thiazolothiazole- and thienylenevinylene-based copolymers for organic field-effect transistors. Journal of Materials Chemistry C, 2017, 5, 10126-10132. | 5 . 5 | 25 |
| 27 | A conjugated polymer with high planarity and extended π-electron delocalization via a quinoid structure prepared by short synthetic steps. Polymer Chemistry, 2017, 8, 361-365. | 3.9 | 34 |
| 28 | Enhanced performance of perovskite solar cells with solution-processed n-doping of the PCBM interlayer. RSC Advances, 2016, 6, 64962-64966. | 3.6 | 6 |
| 29 | Blending of n-type Semiconducting Polymer and PC ₆₁ BM for an Efficient Electron-Selective Material to Boost the Performance of the Planar Perovskite Solar Cell. ACS Applied Materials & Diterfaces, 2016, 8, 12822-12829. | 8.0 | 30 |
| 30 | Systematic Study of Widely Applicable Nâ€Doping Strategy for Highâ€Performance Solutionâ€Processed Fieldâ€Effect Transistors. Advanced Functional Materials, 2016, 26, 7886-7894. | 14.9 | 53 |
| 31 | Favorable Molecular Orientation Enhancement in Semiconducting Polymer Assisted by Conjugated Organic Small Molecules. Advanced Functional Materials, 2016, 26, 8527-8536. | 14.9 | 18 |
| 32 | Large Enhancement of Carrier Transport in Solutionâ€Processed Fieldâ€Effect Transistors by Fluorinated Dielectric Engineering. Advanced Materials, 2016, 28, 518-526. | 21.0 | 87 |
| 33 | Exploration of fabrication methods for planar CH3NH3Pbl3 perovskite solar cells. Nano Energy, 2016, 27, 175-184. | 16.0 | 35 |
| 34 | In-depth considerations for better polyelectrolytes as interfacial materials in polymer solar cells. Nano Energy, 2016, 21, 26-38. | 16.0 | 56 |
| 35 | Synergistic High Charge-Storage Capacity for Multi-level Flexible Organic Flash Memory. Scientific Reports, 2015, 5, 12299. | 3 . 3 | 50 |
| 36 | Stable charge storing in two-dimensional MoS ₂ nanoflake floating gates for multilevel organic flash memory. Nanoscale, 2014, 6, 12315-12323. | 5 . 6 | 64 |

| # | Article | IF | Citations |
|----|--|--------------------|--------------|
| 37 | An Approach for an Advanced Anode Interfacial Layer with Electron-Blocking Ability to Achieve High-Efficiency Organic Photovoltaics. ACS Applied Materials & Enterfaces, 2014, 6, 19613-19620. | 8.0 | 24 |
| 38 | Solution-Processed Barium Salts as Charge Injection Layers for High Performance N-Channel Organic Field-Effect Transistors. ACS Applied Materials & Samp; Interfaces, 2014, 6, 9614-9621. | 8.0 | 37 |
| 39 | Simultaneous Enhancement of Electron Injection and Air Stability in N-Type Organic Field-Effect Transistors by Water-Soluble Polyfluorene Interlayers. ACS Applied Materials & Interfaces, 2014, 6, 8108-8114. | 8.0 | 18 |
| 40 | Spray-printed organic field-effect transistors and complementary inverters. Journal of Materials Chemistry C, 2013, 1, 1500. | 5. 5 | 40 |
| 41 | Printed, Flexible, Organic Nanoâ€Floatingâ€Gate Memory: Effects of Metal Nanoparticles and Blocking Dielectrics on Memory Characteristics. Advanced Functional Materials, 2013, 23, 3503-3512. | 14.9 | 200 |
| 42 | Inkjet-Printing-Based Soft-Etching Technique for High-Speed Polymer Ambipolar Integrated Circuits. ACS Applied Materials & Diterfaces, 2013, 5, 12579-12586. | 8.0 | 12 |
| 43 | High Performance and Stable N-Channel Organic Field-Effect Transistors by Patterned Solvent-Vapor Annealing. ACS Applied Materials & Samp; Interfaces, 2013, 5, 10745-10752. | 8.0 | 60 |
| 44 | Organic Electronics: Printed, Flexible, Organic Nanoâ€Floatingâ€Gate Memory: Effects of Metal Nanoparticles and Blocking Dielectrics on Memory Characteristics (Adv. Funct. Mater. 28/2013). Advanced Functional Materials, 2013, 23, 3482-3482. | 14.9 | 4 |
| 45 | Organic Complementary Circuits: Remarkable Enhancement of Hole Transport in Top-Gated N-Type Polymer Field-Effect Transistors by a High-k Dielectric for Ambipolar Electronic Circuits (Adv. Mater.) Tj ETQq1 1 (|).7 811 814 | rgBT /Overlo |
| 46 | Electron injection enhancement by a Cs-salt interlayer in ambipolar organic field-effect transistors and complementary circuits. Journal of Materials Chemistry, 2012, 22, 16979. | 6.7 | 32 |
| 47 | Controlled Charge Transport by Polymer Blend Dielectrics in Top-Gate Organic Field-Effect Transistors for Low-Voltage-Operating Complementary Circuits. ACS Applied Materials & Samp; Interfaces, 2012, 4, 6176-6184. | 8.0 | 77 |
| 48 | Highâ€Performance Topâ€Gated Organic Fieldâ€Effect Transistor Memory using Electrets for Monolithic Printed Flexible NAND Flash Memory. Advanced Functional Materials, 2012, 22, 2915-2926. | 14.9 | 184 |
| 49 | Remarkable Enhancement of Hole Transport in Topâ€Gated Nâ€Type Polymer Fieldâ€Effect Transistors by a Highâ€k Dielectric for Ambipolar Electronic Circuits. Advanced Materials, 2012, 24, 5433-5439. | 21.0 | 176 |
| 50 | Improved performance uniformity of inkjet printed n-channel organic field-effect transistors and complementary inverters. Organic Electronics, 2011, 12, 634-640. | 2.6 | 65 |