

Eleanor Kane

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5955493/publications.pdf>

Version: 2024-02-01

90
papers

5,450
citations

94381

37
h-index

82499

72
g-index

95
all docs

95
docs citations

95
times ranked

6526
citing authors

#	ARTICLE	IF	CITATIONS
1	Cohort Profile Update: The Haematological Malignancy Research Network (HMRN) UK population-based cohorts. <i>International Journal of Epidemiology</i> , 2022, 51, e87-e94.	0.9	7
2	Excess morbidity and mortality among survivors of childhood acute lymphoblastic leukaemia: 25 years of follow-up from the United Kingdom Childhood Cancer Study (UKCCS) population-based matched cohort. <i>BMJ Open</i> , 2022, 12, e056216.	0.8	4
3	B-Cell NHL Subtype Risk Associated with Autoimmune Conditions and PRS. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1103-1110.	1.1	4
4	Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. , 2021, 5, 200-217.		0
5	Health impact of monoclonal gammopathy of undetermined significance (MGUS) and monoclonal B-cell lymphocytosis (MBL): findings from a UK population-based cohort. <i>BMJ Open</i> , 2021, 11, e041296.	0.8	5
6	Risk of mature Bâ€cell neoplasms and precursor conditions after joint replacement: A report from the Haematological Malignancy Research Network. <i>International Journal of Cancer</i> , 2020, 147, 702-708.	2.3	5
7	Age-, sex- and disease subtypeâ€related foetal growth differentials in childhood acute myeloid leukaemia risk: A Childhood Leukemia International Consortium analysis. <i>European Journal of Cancer</i> , 2020, 130, 1-11.	1.3	7
8	Infectious mononucleosis, immune genotypes, and non-Hodgkin lymphoma (NHL): an InterLymph Consortium study. <i>Cancer Causes and Control</i> , 2020, 31, 451-462.	0.8	4
9	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1074-1078.	1.1	13
10	Palliative care for non-cancer conditions in primary care: a time trend analysis in the UK (2009â€“2014). <i>BMJ Supportive and Palliative Care</i> , 2020, , bmjspcare-2019-001833.	0.8	21
11	Genetic overlap between autoimmune diseases and nonâ€Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , 2019, 43, 844-863.	0.6	28
12	Blood transfusion history and risk of non-Hodgkin lymphoma: an InterLymph pooled analysis. <i>Cancer Causes and Control</i> , 2019, 30, 889-900.	0.8	4
13	The impact of rheumatological disorders on lymphomas and myeloma: a report on risk and survival from the UKâ€™s population-based Haematological Malignancy Research Network. <i>Cancer Epidemiology</i> , 2019, 59, 236-243.	0.8	14
14	Parental age and the risk of childhood acute myeloid leukemia: results from the Childhood Leukemia International Consortium. <i>Cancer Epidemiology</i> , 2019, 59, 158-165.	0.8	23
15	Genetically Determined Height and Risk of Non-hodgkin Lymphoma. <i>Frontiers in Oncology</i> , 2019, 9, 1539.	1.3	6
16	Hodgkin lymphoma detection and survival: findings from the Haematological Malignancy Research Network. <i>BJGP Open</i> , 2019, 3, bjgpopen19X101668.	0.9	8
17	Advanced parental age as risk factor for childhood acute lymphoblastic leukemia: results from studies of the Childhood Leukemia International Consortium. <i>European Journal of Epidemiology</i> , 2018, 33, 965-976.	2.5	44
18	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. <i>Cancer Research</i> , 2018, 78, 4086-4096.	0.4	34

#	ARTICLE	IF	CITATIONS
19	Emergency admission and survival from aggressive non-Hodgkin lymphoma: A report from the UK's population-based Haematological Malignancy Research Network. <i>European Journal of Cancer</i> , 2017, 78, 53-60.	1.3	22
20	Genome-wide association study of classical Hodgkin lymphoma identifies key regulators of disease susceptibility. <i>Nature Communications</i> , 2017, 8, 1892.	5.8	40
21	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. <i>Lupus Science and Medicine</i> , 2017, 4, e000187.	1.1	15
22	Occupation and Risk of Non-Hodgkin Lymphoma and Its Subtypes: A Pooled Analysis from the InterLymph Consortium. <i>Environmental Health Perspectives</i> , 2016, 124, 396-405.	2.8	41
23	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016, 25, 1663-1676.	1.4	52
24	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv279.	3.0	152
25	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. <i>Nature Communications</i> , 2015, 6, 5751.	5.8	58
26	Non-Hodgkin Lymphoma, Body Mass Index, and Cytokine Polymorphisms: A Pooled Analysis from the InterLymph Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1061-1070.	1.1	8
27	Associations of Non-Hodgkin Lymphoma (NHL) Risk With Autoimmune Conditions According to Putative NHL Loci. <i>American Journal of Epidemiology</i> , 2015, 181, 406-421.	1.6	54
28	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Diffuse Large B-Cell Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 15-25.	0.9	98
29	Rationale and Design of the International Lymphoma Epidemiology Consortium (InterLymph) Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 1-14.	0.9	52
30	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Mycosis Fungoides and Sezary Syndrome: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 98-105.	0.9	42
31	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Marginal Zone Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 52-65.	0.9	70
32	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 130-144.	0.9	265
33	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 1233-1238.	9.4	147
34	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	2.6	96
35	A palliative care approach for people with advanced heart failure: recognition of need, transitions in care, and effect on patients, family carers, and clinicians. <i>Lancet</i> , The, 2014, 383, S50.	6.3	1
36	Germ-Line Transmitted, Chromosomally Integrated HHV-6 and Classical Hodgkin Lymphoma. <i>PLoS ONE</i> , 2014, 9, e112642.	1.1	22

#	ARTICLE	IF	CITATIONS
37	Palliative Care among Heart Failure Patients in Primary Care: A Comparison to Cancer Patients Using English Family Practice Data. <i>PLoS ONE</i> , 2014, 9, e113188.	1.1	83
38	Transfusion History and Risk of Non-Hodgkin Lymphoma (NHL): an Interlymph Pooled Analysis. <i>Blood</i> , 2014, 124, 3039-3039.	0.6	1
39	Cigarette smoking and risk of Hodgkin lymphoma and its subtypes: a pooled analysis from the International Lymphoma Epidemiology Consortium (InterLymph). <i>Annals of Oncology</i> , 2013, 24, 2245-2255.	0.6	43
40	Postmenopausal hormone therapy and non-Hodgkin lymphoma: a pooled analysis of InterLymph case-control studies. <i>Annals of Oncology</i> , 2013, 24, 433-441.	0.6	32
41	Exposure to UV radiation and risk of Hodgkin lymphoma: a pooled analysis. <i>Blood</i> , 2013, 122, 3492-3499.	0.6	30
42	Menstrual and reproductive factors, and hormonal contraception use: associations with non-Hodgkin lymphoma in a pooled analysis of InterLymph case-control studies. <i>Annals of Oncology</i> , 2012, 23, 2362-2374.	0.6	35
43	Reproductive factors and lymphoid neoplasms in Europe: findings from the EpiLymph case-control study. <i>Cancer Causes and Control</i> , 2012, 23, 195-206.	0.8	19
44	Non-Hodgkin lymphoma and gluten-sensitive enteropathy: estimate of risk using meta-analyses. <i>Cancer Causes and Control</i> , 2011, 22, 1435-1444.	0.8	17
45	Illness patterns prior to diagnosis of lymphoma: Analysis of UK medical records. <i>Cancer Epidemiology</i> , 2011, 35, 145-150.	0.8	3
46	Non-Hodgkin lymphoma and autoimmunity: Does gender matter?. <i>International Journal of Cancer</i> , 2011, 129, 460-466.	2.3	36
47	Melanocortin 1 receptor (MC1R), pigmentary characteristics and sun exposure: Findings from a case-control study of diffuse large B-cell and follicular lymphoma. <i>Cancer Epidemiology</i> , 2010, 34, 136-141.	0.8	6
48	Occupational exposure to gasoline and the risk of non-Hodgkin lymphoma: A review and meta-analysis of the literature. <i>Cancer Epidemiology</i> , 2010, 34, 516-522.	0.8	18
49	Reproductive factors, menopausal hormone therapy, and risk of non-Hodgkin, diffuse large B-cell and follicular lymphomas: a UK case-control study. <i>Cancer Causes and Control</i> , 2010, 21, 2079-2083.	0.8	21
50	Benzene and the risk of non-Hodgkin lymphoma: A review and meta-analysis of the literature. <i>Cancer Epidemiology</i> , 2010, 34, 7-12.	0.8	31
51	Birth Order and Risk of Non-Hodgkin Lymphoma—True Association or Bias?. <i>American Journal of Epidemiology</i> , 2010, 172, 621-630.	1.6	22
52	Tumor Necrosis Factor (TNF) and Lymphotoxin- α (LTA) Polymorphisms and Risk of Non-Hodgkin Lymphoma in the InterLymph Consortium. <i>American Journal of Epidemiology</i> , 2010, 171, 267-276.	1.6	128
53	HLA-A alleles and infectious mononucleosis suggest a critical role for cytotoxic T-cell response in EBV-related Hodgkin lymphoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 6400-6405.	3.3	102
54	Chemokine polymorphisms and lymphoma: a pooled analysis. <i>Leukemia and Lymphoma</i> , 2010, 51, 497-506.	0.6	22

#	ARTICLE	IF	CITATIONS
55	Atopic Disease and Risk of Non-Hodgkin Lymphoma: An InterLymph Pooled Analysis. <i>Cancer Research</i> , 2009, 69, 6482-6489.	0.4	86
56	Polymorphisms in the nucleotide excision repair gene ERCC2/XPD and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiology</i> , 2009, 33, 257-260.	0.8	21
57	Risk of EBV-Positive Hodgkin Lymphoma Varies Over 30-Fold by HLA Class I Genotype and History of Infectious Mononucleosis. <i>Blood</i> , 2009, 114, 269-269.	0.6	0
58	Non-Hodgkin lymphoma and obesity: A pooled analysis from the InterLymph Consortium. <i>International Journal of Cancer</i> , 2008, 122, 2062-2070.	2.3	104
59	Personal sun exposure and risk of non Hodgkin lymphoma: A pooled analysis from the Interlymph Consortium. <i>International Journal of Cancer</i> , 2008, 122, 144-154.	2.3	152
60	Non-Hodgkin lymphoma and obesity. <i>International Journal of Cancer</i> , 2008, 123, 491-492.	2.3	1
61	Autoimmune disorders and risk of non-Hodgkin lymphoma subtypes: a pooled analysis within the InterLymph Consortium. <i>Blood</i> , 2008, 111, 4029-4038.	0.6	508
62	Genetic variation in genes expressed in the germinal center and risk of B cell lymphoma among Caucasians. <i>Haematologica</i> , 2008, 93, 1597-1600.	1.7	7
63	Does Smoking or Alcohol Modify the Risk of Epstein-Barr Virus-Positive or -Negative Hodgkin Lymphoma?. <i>Epidemiology</i> , 2007, 18, 130-136.	1.2	26
64	Birth Order and Sibship Size: Evaluation of the Role of Selection Bias in a Case-Control Study of Non-Hodgkin's Lymphoma. <i>American Journal of Epidemiology</i> , 2007, 166, 717-723.	1.6	7
65	RAG1 and BRCA2 polymorphisms in non-Hodgkin lymphoma. <i>Blood</i> , 2007, 109, 5522-5523.	0.6	4
66	Polymorphic MLH1 and risk of cancer after methylating chemotherapy for Hodgkin lymphoma. <i>Journal of Medical Genetics</i> , 2007, 45, 142-146.	1.5	37
67	Hodgkin's lymphoma and infection: findings from a UK case-control study. <i>British Journal of Cancer</i> , 2007, 97, 1310-1314.	2.9	11
68	Genetic variation in TNF and IL10 and risk of non-Hodgkin lymphoma: a report from the InterLymph Consortium. <i>Lancet Oncology</i> , The, 2006, 7, 27-38.	5.1	345
69	Polymorphisms in innate immunity genes and risk of non-Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2006, 134, 180-183.	1.2	67
70	Population-based demographic study of karyotypes in 1709 patients with adult Acute Myeloid Leukemia. <i>Leukemia</i> , 2006, 20, 444-450.	3.3	44
71	Obesity and the risk of Hodgkin lymphoma (United Kingdom). <i>Cancer Causes and Control</i> , 2006, 17, 1103-1106.	0.8	24
72	Non-Hodgkin's Lymphoma and Family History of Hematologic Malignancy. <i>American Journal of Epidemiology</i> , 2006, 165, 126-133.	1.6	15

#	ARTICLE	IF	CITATIONS
73	Non-Hodgkin's lymphoma, obesity and energy homeostasis polymorphisms. <i>British Journal of Cancer</i> , 2005, 93, 811-816.	2.9	79
74	Risk of Non-Hodgkin Lymphoma Associated with Polymorphisms in Folate-Metabolizing Genes. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2999-3003.	1.1	72
75	Cigarette Smoking and Risk of Non-Hodgkin Lymphoma: A Pooled Analysis from the International Lymphoma Epidemiology Consortium (InterLymph). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 925-933.	1.1	164
76	Alcohol consumption and risk of non-Hodgkin lymphoma: a pooled analysis. <i>Lancet Oncology</i> , The, 2005, 6, 469-476.	5.1	137
77	Tobacco and Alcohol Consumption and the Risk of Non-Hodgkin Lymphoma. <i>Cancer Causes and Control</i> , 2004, 15, 771-780.	0.8	55
78	Poor metabolizer status at the cytochrome p450 2c19 and 2d6 loci does not modulate susceptibility to therapy-related acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2003, 121, 192-194.	1.2	8
79	Occupational exposure to electromagnetic fields and acute leukaemia: analysis of a case-control study. <i>Occupational and Environmental Medicine</i> , 2003, 60, 577-583.	1.3	18
80	Genetic polymorphisms in microsomal epoxide hydrolase and susceptibility to adult acute myeloid leukaemia with defined cytogenetic abnormalities. <i>British Journal of Haematology</i> , 2002, 116, 587-594.	1.2	21
81	Low NAD(P)H:quinone oxidoreductase 1 activity is associated with increased risk of acute leukemia in adults. <i>Blood</i> , 2001, 97, 1422-1426.	0.6	125
82	Karyotype and age in acute myeloid leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2001, 126, 155-161.	1.0	59
83	Polymorphism in glutathione S-transferase P1 is associated with susceptibility to chemotherapy-induced leukemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 11592-11597.	3.3	233
84	Risk factors for Hodgkin's disease by Epstein-Barr virus (EBV) status: prior infection by EBV and other agents. <i>British Journal of Cancer</i> , 2000, 82, 1117-1121.	2.9	116
85	Residential radon exposure and adult acute leukaemia. <i>Lancet</i> , The, 2000, 355, 1888.	6.3	16
86	Polymorphic variation within the glutathione S-transferase genes and risk of adult acute leukaemia. <i>Carcinogenesis</i> , 2000, 21, 43-47.	1.3	84
87	Polymorphisms in the methylenetetrahydrofolate reductase gene are associated with susceptibility to acute leukemia in adults. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 12810-12815.	3.3	462
88	Tobacco and the risk of acute leukaemia in adults. <i>British Journal of Cancer</i> , 1999, 81, 1228-1233.	2.9	80
89	Epstein-Barr virus and Hodgkin's disease: further evidence for the three disease hypothesis. <i>Leukemia</i> , 1998, 12, 1272-1276.	3.3	133
90	Determination of HLA-A*02 antigen status in Hodgkin's disease and analysis of an HLA-A*02-restricted epitope of the Epstein-Barr virus LMP-2 protein. <i>J Clin Invest</i> , 1997, 72, 614-618.		11