

# Yichun Ding

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5956787/yichun-ding-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67

papers

2,496

citations

27

h-index

49

g-index

68

ext. papers

3,345

ext. citations

9.3

avg, IF

5.85

L-index

#	Paper	IF	Citations
67	Electrospun polyimide nanofibers and their applications. <i>Progress in Polymer Science</i> , <b>2016</b> , 61, 67-103	29.6	239
66	Recent Advances in Flexible and Wearable Pressure Sensors Based on Piezoresistive 3D Monolithic Conductive Sponges. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 6685-6704	9.5	159
65	Nature-inspired chemistry toward hierarchical superhydrophobic, antibacterial and biocompatible nanofibrous membranes for effective UV-shielding, self-cleaning and oil-water separation. <i>Journal of Hazardous Materials</i> , <b>2020</b> , 384, 121476	12.8	159
64	Electrocatalysis for CO conversion: from fundamentals to value-added products. <i>Chemical Society Reviews</i> , <b>2021</b> , 50, 4993-5061	58.5	157
63	Recent advances in precious metal-free bifunctional catalysts for electrochemical conversion systems. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 8006-8029	13	139
62	Flexible and Compressible PEDOT:PSS@Melamine Conductive Sponge Prepared via One-Step Dip Coating as Piezoresistive Pressure Sensor for Human Motion Detection. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 16077-16086	9.5	135
61	Mechanical flexible PI/MWCNTs nanocomposites with high dielectric permittivity by electrospinning. <i>European Polymer Journal</i> , <b>2014</b> , 59, 129-135	5.2	92
60	Highly foldable PANi@CNTs/PU dielectric composites toward thin-film capacitor application. <i>Materials Letters</i> , <b>2017</b> , 192, 25-28	3.3	84
59	Polyimide/BaTiO <sub>3</sub> /MWCNTs three-phase nanocomposites fabricated by electrospinning with enhanced dielectric properties. <i>Materials Letters</i> , <b>2014</b> , 135, 158-161	3.3	84
58	Scalable and Facile Preparation of Highly Stretchable Electrospun PEDOT:PSS@PU Fibrous Nonwovens toward Wearable Conductive Textile Applications. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 30014-30023	9.5	75
57	Nanohybrid photocatalysts with ZnIn <sub>2</sub> S <sub>4</sub> nanosheets encapsulated UiO-66 octahedral nanoparticles for visible-light-driven hydrogen generation. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 260, 118152	21.8	69
56	Three-dimensional and ultralight sponges with tunable conductivity assembled from electrospun nanofibers for a highly sensitive tactile pressure sensor. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 10288-10294	7.1	57
55	One-Step Preparation of Highly Hydrophobic and Oleophilic Melamine Sponges via Metal-Ion-Induced Wettability Transition. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 6652-6660	9.5	56
54	A highly stretchable strain sensor based on electrospun carbon nanofibers for human motion monitoring. <i>RSC Advances</i> , <b>2016</b> , 6, 79114-79120	3.7	56
53	High permittivity nanocomposites fabricated from electrospun polyimide/BaTiO <sub>3</sub> hybrid nanofibers. <i>Polymer Composites</i> , <b>2016</b> , 37, 794-801	3	54
52	A review of smart electrospun fibers toward textiles. <i>Composites Communications</i> , <b>2020</b> , 22, 100506	6.7	50
51	Short electrospun carbon nanofiber reinforced polyimide composite with high dielectric permittivity. <i>Materials Letters</i> , <b>2015</b> , 161, 431-434	3.3	48

50	Flexible PI/BaTiO <sub>3</sub> dielectric nanocomposite fabricated by combining electrospinning and electrospaying. <i>European Polymer Journal</i> , <b>2013</b> , 49, 2567-2571	5.2	48
49	Three-dimensional monolithic porous structures assembled from fragmented electrospun nanofiber mats/membranes: Methods, properties, and applications. <i>Progress in Materials Science</i> , <b>2020</b> , 112, 100656	42.2	45
48	Electrospun nanofiber reinforced all-organic PVDF/PI tough composites and their dielectric permittivity. <i>Materials Letters</i> , <b>2015</b> , 160, 515-517	3.3	40
47	Molten-salt-mediated synthesis of porous Fe-containing N-doped carbon as efficient cathode catalysts for microbial fuel cells. <i>Applied Surface Science</i> , <b>2019</b> , 481, 1206-1212	6.7	39
46	Highly strong and highly tough electrospun polyimide/polyimide composite nanofibers from binary blend of polyamic acids. <i>RSC Advances</i> , <b>2014</b> , 4, 59936-59942	3.7	39
45	Ultralight electrospun cellulose sponge with super-high capacity on absorption of organic compounds. <i>Carbohydrate Polymers</i> , <b>2018</b> , 179, 164-172	10.3	35
44	Durable, self-healing superhydrophobic nanofibrous membrane with self-cleaning ability for highly-efficient oily wastewater purification. <i>Journal of Membrane Science</i> , <b>2021</b> , 634, 119402	9.6	35
43	Polyacrylonitrile-derived polyconjugated ladder structures for high performance all-organic dielectric materials. <i>Chemical Communications</i> , <b>2015</b> , 51, 10127-30	5.8	32
42	Polyimide complexes with high dielectric performance: toward polymer film capacitor applications. <i>Journal of Materials Chemistry C</i> , <b>2016</b> , 4, 6452-6456	7.1	32
41	Electrochemical neutralization energy: from concept to devices. <i>Chemical Society Reviews</i> , <b>2021</b> , 50, 14958-15130	58.5	30
40	Mechanically flexible electrospun carbon nanofiber mats derived from biochar and polyacrylonitrile. <i>Materials Letters</i> , <b>2017</b> , 205, 206-210	3.3	26
39	Boosting electrochemical performance of electrospun silicon-based anode materials for lithium-ion battery by surface coating a second layer of carbon. <i>Applied Surface Science</i> , <b>2019</b> , 494, 94-100	6.7	26
38	Development of high dielectric polyimides containing bipyridine units for polymer film capacitor. <i>Reactive and Functional Polymers</i> , <b>2016</b> , 106, 93-98	4.6	26
37	Three-birds-with-one-stone electrolysis for energy-efficiency production of gluconate and hydrogen. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 277, 119178	21.8	25
36	Thermal, mechanical and thermomechanical properties of tough electrospun poly(imide-co-benzoxazole) nanofiber belts. <i>New Journal of Chemistry</i> , <b>2015</b> , 39, 7797-7804	3.6	22
35	Halloysite nanotubes sponges with skeletons made of electrospun nanofibers as innovative dye adsorbent and catalyst support. <i>Chemical Engineering Journal</i> , <b>2019</b> , 360, 280-288	14.7	19
34	Nitrogen-doped carbon coating mesoporous ZnS nanospheres as high-performance anode material of sodium-ion batteries. <i>Materials Today Communications</i> , <b>2019</b> , 19, 396-401	2.5	18
33	Needleless emulsion electrospinning for scalable fabrication of core-shell nanofibers. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	18

32	High-Voltage Rechargeable Alkali-Acid Zn-PbO Hybrid Battery. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 23593-23597	16.4	18
31	High-performance polyimide nanofibers reinforced polyimide nanocomposite films fabricated by co-electrospinning followed by hot-pressing. <i>Journal of Applied Polymer Science</i> , <b>2018</b> , 135, 46849	2.9	18
30	Low-temperature seeding and hydrothermal growth of ZnO nanorod on poly(3,4-ethylene dioxythiophene):poly(styrene sulfonic acid). <i>Materials Letters</i> , <b>2016</b> , 183, 197-201	3.3	13
29	Material and configuration design strategies towards flexible and wearable power supply devices: a review. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 8950-8965	13	13
28	Nanofibre preparation of non-processable polymers by solid-state polymerization of molecularly self-assembled monomers. <i>Nanoscale</i> , <b>2017</b> , 9, 18169-18174	7.7	12
27	Almond shell derived porous carbon for a high-performance anode of microbial fuel cells. <i>Sustainable Energy and Fuels</i> , <b>2019</b> , 3, 3415-3421	5.8	12
26	Aqueous solution blending route for preparing low dielectric constant films of polyimide hybridized with polytetrafluoroethylene. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 12683-12689	2.1	12
25	Hybrid alkali-acid urea-nitrate fuel cell for degrading nitrogen-rich wastewater. <i>Applied Catalysis B: Environmental</i> , <b>2021</b> , 286, 119892	21.8	12
24	Synthesis and properties of a high dielectric constant copolymer of a copper phthalocyanine oligomer grafted to amino-capped polyimide. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 8371-8375	7.1	11
23	Enzymatic decomposition and electrochemical study of alkali lignin by laccase ( <i>Trametes versicolor</i> ) in the presence of a natural mediator (methyl syringate). <i>New Journal of Chemistry</i> , <b>2017</b> , 41, 958-964	3.6	10
22	High-strength electrospun carbon nanofibrous mats prepared via rapid stabilization as frameworks for Li-ion battery electrodes. <i>Journal of Materials Science</i> , <b>2019</b> , 54, 11574-11584	4.3	10
21	TiO <sub>2</sub> /Nanotubes/Ag/MoS <sub>2</sub> Meshy Photoelectrode with Excellent Photoelectrocatalytic Degradation Activity for Tetracycline Hydrochloride. <i>Nanomaterials</i> , <b>2018</b> , 8,	5.4	10
20	High dielectric polyimide composite film filled with a heat-resistant organic salt. <i>Composites Communications</i> , <b>2019</b> , 14, 29-33	6.7	9
19	Highly flexible electrospun carbon/graphite nanofibers from a non-processable heterocyclic rigid-rod polymer of polybisbenzimidazobenzophenanthroline-dione (BBB). <i>Journal of Materials Science</i> , <b>2018</b> , 53, 9002-9012	4.3	8
18	β-Cyclodextrin toughened polyimide composites toward all-organic dielectric materials. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2018</b> , 29, 1182-1188	2.1	8
17	Facile synthesis, characterization and application of highly active palladium nano-network structures supported on electrospun carbon nanofibers. <i>RSC Advances</i> , <b>2014</b> , 4, 42732-42736	3.7	8
16	High-Voltage Rechargeable Alkali-Acid Zn-PbO <sub>2</sub> Hybrid Battery. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 23799-23803	3.0	8
15	An Overview of Flexible Electrode Materials/Substrates for Flexible Electrochemical Energy Storage/Conversion Devices. <i>European Journal of Inorganic Chemistry</i> , <b>2021</b> , 2021, 606-619	2.3	8

14	From Jackfruit Rags to Hierarchical Porous N-Doped Carbon: A High-Performance Anode Material for Sodium-Ion Batteries. <i>Transactions of Tianjin University</i> , <b>2019</b> , 25, 429-436	2.9	5
13	An Innovative Approach for the Preparation of High-Performance Electrospun Poly(p-phenylene)-Based Polymer Nanofiber Belts. <i>Macromolecules</i> , <b>2017</b> , 50, 9760-9772	5.5	4
12	Tri-profit electrolysis for energy-efficient production of benzoic acid and H <sub>2</sub> . <i>Journal of Energy Chemistry</i> , <b>2021</b> , 54, 30-35	12	4
11	Defect-Rich MoO <sub>3</sub> Nanobelt Cathode for a High-Performance Hybrid Alkali/Acid Zn-MoO <sub>3</sub> Rechargeable Battery. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2021</b> , 9, 11524-11533	8.3	4
10	Making polymer fibers strong and tough simultaneously. <i>Science China Materials</i> , <b>2020</b> , 63, 481-482	7.1	3
9	High dielectric CsPbBr <sub>3</sub> /rGO/polyimide composite prepared via in-situ conversion of fillers. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2021</b> , 32, 12414-12423	2.1	3
8	Hierarchical Carbon/Metal Nanostructure with a Combination of 0D Nanoparticles, 1D Nanofibers, and 2D Nanosheets: An Efficient Bifunctional Catalyst for Zinc-Air Batteries. <i>ChemElectroChem</i> , <b>2021</b> , 8, 1107-1116	4.3	2
7	Co <sub>3</sub> O <sub>4</sub> @FeMoP on nickel foam as bifunctional electrocatalytic electrode for high-performance alkaline water splitting. <i>International Journal of Hydrogen Energy</i> , <b>2021</b> , 46, 32846-32857	6.7	2
6	Freestanding electrospun nanofibrous materials embedded in elastomers for stretchable strain sensors <b>2019</b> ,		1
5	Electrospun nanofibers for tactile sensors <b>2021</b> , 159-196		0
4	Sub-1 nm MoC Quantum Dots Decorating N-Doped Graphene as Advanced Electrocatalysts of Flexible Hybrid Alkali-Acid Zn-Quinone Battery.. <i>Small</i> , <b>2022</b> , e2201144	11	0
3	An interfacial engineering strategy of electrocatalyst boosts ammonia electrosynthesis. <i>Science China Chemistry</i> , <b>2019</b> , 62, 921-922	7.9	
2	Reply to the Comment on Synthesis and properties of a high dielectric constant copolymer of a copper phthalocyanine oligomer grafted to amino-capped polyimide by G. Mezei, <i>Journal of Materials Chemistry C</i> , 2019, 7, DOI: 10.1039/C8TC04076A. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 4892-4894	7.1	
1	Design of Wireless Body Area Network with Motion Sensors Using New Materials. <i>Lecture Notes in Electrical Engineering</i> , <b>2020</b> , 707-717	0.2	