

# Alfredo Rossi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5957058/publications.pdf>

Version: 2024-02-01

105  
papers

2,193  
citations

318942

23  
h-index

299063

42  
g-index

106  
all docs

106  
docs citations

106  
times ranked

2361  
citing authors

#	ARTICLE	IF	CITATIONS
1	A new combination of molecules for the treatment of androgenetic alopecia and telogen effluvium: a double-blind randomized, monocentric, placebo-controlled study. Italian Journal of Dermatology and Venereology, 2022, 157, .	0.1	2
2	Efficacy of a new combination of a microemulsion and oral supplementation for androgenetic alopecia: an interventional multicentric study. Italian Journal of Dermatology and Venereology, 2022, , .	0.1	0
3	COVID-19 infection and BNT162b2 vaccine triggering sarcoid-like lesions in the same patient. Response to: Sarcoid-like reaction in a patient recovering from COVID-19 pneumonia. JAAD Case Reports, 2022, 23, 162-163.	0.4	8
4	A new treatment of alopecia induced by palbociclib: Topical cetirizine. Journal of Oncology Pharmacy Practice, 2021, 27, 460-463.	0.5	8
5	Dermatologic management of oncotherapy side effects: A proposed algorithm. Journal of Cosmetic Dermatology, 2021, 20, 429-436.	0.8	3
6	Frontal fibrosing alopecia and genital Lichen sclerosis: Single-center experience. Journal of Cosmetic Dermatology, 2021, 20, 615-620.	0.8	7
7	Telogen Effluvium after SARS-CoV-2 Infection: A Series of Cases and Possible Pathogenetic Mechanisms. Skin Appendage Disorders, 2021, 7, 377-381.	0.5	28
8	Reply to: "Supportive care in cancer-a MASCC perspective". Supportive Care in Cancer, 2021, 29, 1711-1712.	1.0	0
9	Isochemotopic response: the first case on a scar. Giornale Italiano Di Dermatologia E Venereologia, 2021, 155, 789-791.	0.8	0
10	Alopecia areata treated with topical and systemic brevilin A: A case series. Dermatologic Therapy, 2021, 34, e14778.	0.8	1
11	New onset of alopecia areata in a patient with SARS-CoV-2 infection: Possible pathogenetic correlations?. Journal of Cosmetic Dermatology, 2021, 20, 2004-2005.	0.8	31
12	Capillaroscopy: a new application for the evaluation of vascular side-effects induced by chemotherapy. Italian Journal of Dermatology and Venereology, 2021, 156, .	0.1	2
13	Single-nucleotide polymorphisms in 3'-untranslated region inducible costimulator gene and the important roles of miRNA in alopecia areata. Skin Health and Disease, 2021, 1, e34.	0.7	7
14	Are dissecting cellulitis and hidradenitis suppurativa different diseases?. Clinics in Dermatology, 2021, 39, 496-499.	0.8	11
15	Fluorescence advanced videodermoscopy: a new method of hairs and scalp evaluation. Comparison with trichoscopy.. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 2317-2323.	1.3	2
16	Resident human dermal T-cells operate as stress-sentinels: Lessons from the hair follicle. Journal of Autoimmunity, 2021, 124, 102711.	3.0	22
17	Recurrence of alopecia areata after covid-19 vaccination: A report of three cases in Italy. Journal of Cosmetic Dermatology, 2021, 20, 3753-3757.	0.8	42
18	Capillaroscopy: a new application for the evaluation of vascular side-effects induced by chemotherapy. Italian Journal of Dermatology and Venereology, 2021, 156, 84-88.	0.1	0

#	ARTICLE	IF	CITATIONS
19	Dermoscopy and confocal microscopy for different chemotherapy-induced alopecia (CIA) phases characterization: Preliminary study. <i>Skin Research and Technology</i> , 2020, 26, 269-276.	0.8	3
20	Isoradiotoxic response of discoid lupus after radiotherapy: A case report and review of the literature. <i>Dermatologic Therapy</i> , 2020, 33, e13183.	0.8	1
21	Associations between alopecia areata and multiple sclerosis: a report of two cases and review of the literature. <i>International Journal of Dermatology</i> , 2020, 59, 490-493.	0.5	5
22	Pro-inflammatory VÎ1+T-cells infiltrates are present in and around the hair bulbs of non-lesional and lesional alopecia areata hair follicles. <i>Journal of Dermatological Science</i> , 2020, 100, 129-138.	1.0	23
23	Alopecia areata treated with dimethyl fumarate: A case series. <i>Dermatologic Therapy</i> , 2020, 33, e14158.	0.8	0
24	Recommendations on trichological treatments during COVID-19 pandemic. <i>Journal of Dermatological Treatment</i> , 2020, , 1-6.	1.1	0
25	Androgenetic alopecia: effects of oral finasteride on hormone profile, reproduction and sexual function. <i>Endocrine</i> , 2020, 68, 688-694.	1.1	13
26	Is there a place for crizotinib in c-MET alterations? A case of efficacy in ALK positive NSCLC patient with secondary c-MET amplification. <i>Annals of Oncology</i> , 2020, 31, 440-441.	0.6	4
27	Eosinophilic folliculitis of the scalp associated with PDâ€1/PDL1 inhibitors. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 3367-3370.	0.8	7
28	Efficacy of Topical Finasteride 0.5% vs 17Î±-Estradiol 0.05% in the Treatment of Postmenopausal Female Pattern Hair Loss: A Retrospective, Single-Blind Study of 119 Patients. <i>Dermatology Practical and Conceptual</i> , 2020, 10, e2020039.	0.5	8
29	Prevention and Treatment of Chemotherapy-Induced Alopecia. <i>Dermatology Practical and Conceptual</i> , 2020, 10, e2020074.	0.5	25
30	Androgenetic alopecia in women and men: Italian guidelines adapted from European Dermatology Forum/European Academy of Dermatology and Venereology guidelines. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020, 155, 622-631.	0.8	5
31	Peculiar hypertrichosis in a patient affected by frontal fibrosing alopecia with pseudo "fringe sign". <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020, 155, 362-364.	0.8	1
32	Clinical and trichoscopic correlation of primary neutrophilic scarring alopecia: folliculitis decalvans and dissecting cellulitis. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020, 155, 506-508.	0.8	1
33	Monitoring chemotherapy-induced alopecia with trichoscopy. <i>Journal of Cosmetic Dermatology</i> , 2019, 18, 575-580.	0.8	23
34	Chemotherapy-induced alopecia: A novel observation. <i>Australasian Journal of Dermatology</i> , 2019, 60, e61-e62.	0.4	2
35	Alopecia areata patients show deficiency of FOXP3+CD39+ T regulatory cells and clonotypic restriction of Treg TCRÎ2-chain, which highlights the immunopathological aspect of the disease. <i>PLoS ONE</i> , 2019, 14, e0210308.	1.1	28
36	Treatment of telogen effluvium using a dietary supplement containing <i>Boswellia serrata</i> , <i>Curcuma longa</i> , and <i>Vitis vinifera</i> : Results of an observational study. <i>Dermatologic Therapy</i> , 2019, 32, e12842.	0.8	38

#	ARTICLE	IF	CITATIONS
37	The diagnosis of androgenetic alopecia in children: Considerations of pathophysiological plausibility. <i>Australasian Journal of Dermatology</i> , 2019, 60, e279-e283.	0.4	10
38	Alopecia neoplastica as a sign of visceral malignancies: a systematic review. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 1020-1028.	1.3	13
39	Italian Guidelines in diagnosis and treatment of alopecia areata. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2019, 154, 609-623.	0.8	39
40	Serum tryptase levels in melanoma patients: case-control study and review of the literature. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2019, 154, 18-25.	0.8	3
41	A preliminary study on topical cetirizine in the therapeutic management of androgenetic alopecia. <i>Journal of Dermatological Treatment</i> , 2018, 29, 149-151.	1.1	32
42	Genome-Wide MicroRNA Analysis Implicates miR-30b/d in the Etiology of Alopecia Areata. <i>Journal of Investigative Dermatology</i> , 2018, 138, 549-556.	0.3	21
43	Scalp infection by <i>Candida Albicans</i> in an immunocompetent patient: a description of a rare case. <i>Journal of Chemotherapy</i> , 2018, 30, 316-317.	0.7	5
44	Use of topical ephedrine and naphazoline in the treatment of a keratoacanthoma. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2018, 153, 881-882.	0.8	2
45	Treatment of facial actinic keratoses with a cream containing octatrienoic acid: a multicenter clinical experience. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2018, 153, 860-865.	0.8	3
46	Melanosis of the lower lip subverted by filler injection: a simulator of early mucosal melanoma. <i>Australasian Journal of Dermatology</i> , 2017, 58, 71-72.	0.4	2
47	Chemotherapy-induced alopecia management: Clinical experience and practical advice. <i>Journal of Cosmetic Dermatology</i> , 2017, 16, 537-541.	0.8	53
48	Cover Image: Are melanocyte-associated peptides the elusive autoantigens in alopecia areata?. <i>British Journal of Dermatology</i> , 2017, 176, 1106-1106.	1.4	9
49	Facial skin rejuvenation by autologous dermal microfat transfer in photoaged patients: Clinical evaluation and skin surface digital profilometry analysis. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2017, 70, 1118-1128.	0.5	27
50	Unusual patterns of presentation of frontal fibrosing alopecia: A clinical and trichoscopic analysis of 98 patients. <i>Journal of the American Academy of Dermatology</i> , 2017, 77, 172-174.	0.6	20
51	Androgenetic alopecia: a review. <i>Endocrine</i> , 2017, 57, 9-17.	1.1	242
52	Vascular Psoriasis Area Severity Index: A dermoscopic standard technique for assessing severity psoriasis and therapeutic management. <i>Journal of Dermatological Science</i> , 2017, 86, 249-251.	1.0	4
53	Topical cetirizine and oral vitamin D: a valid treatment for hypotrichosis caused by ectodermal dysplasia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 367-370.	1.3	4
54	Dissecting cellulitis: responding to topical steroid and oral clindamycin. <i>Italian Journal of Dermatology and Venereology</i> , 2017, 152, 324-325.	0.1	2

#	ARTICLE	IF	CITATIONS
55	Klinische, histologische und trichoskopische Korrelate bei Erkrankungen der Kopfhaut. Karger Kompass Dermatologie, 2016, 4, 20-28.	0.0	2
56	Vasoactive intestinal peptide, whose receptor-mediated signalling may be defective in alopecia areata, provides protection from hair follicle immune privilege collapse. British Journal of Dermatology, 2016, 175, 531-541.	1.4	33
57	A case of Scalp Rosacea treated with low dose doxycycline and probiotic therapy and literature review on therapeutic options. Dermatologic Therapy, 2016, 29, 249-251.	0.8	21
58	Dermoscopy and methyl aminolevulinate: A study for detection and evaluation of field cancerization. Journal of Photochemistry and Photobiology B: Biology, 2016, 162, 72-76.	1.7	3
59	Multi-therapies in androgenetic alopecia: review and clinical experiences. Dermatologic Therapy, 2016, 29, 424-432.	0.8	68
60	Setting reference values in trichology. International Journal of Dermatology, 2016, 55, e7-e10.	0.5	3
61	Conditions simulating androgenetic alopecia. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 1258-1264.	1.3	6
62	Clinical, Histological and Trichoscopic Correlations in Scalp Disorders. Dermatology, 2015, 231, 201-208.	0.9	7
63	Cutaneous manifestations of systemic non-Hodgkin lymphomas (<sc>NHL</sc>): study and review of literature. Journal of the European Academy of Dermatology and Venereology, 2014, 28, 133-141.	1.3	11
64	Use of Topical Minoxidil, 17 $\beta$ -Estradiol and Hydrocortisone Butyrate in Frontal Fibrosing Alopecia. European Journal of Inflammation, 2014, 12, 399-404.	0.2	1
65	Single nucleotide polymorphisms in the promoter regions of Foxp3 and ICOSLG genes are associated with Alopecia Areata. Clinical and Experimental Medicine, 2014, 14, 91-97.	1.9	33
66	Challenging Diagnosis of Peripillous Sheaths. Pediatric Dermatology, 2014, 31, e112-3.	0.5	1
67	Peripheral Blood Lymphocyte Typing as a Useful Tool to Objectify the Oral Mucosa Patch Test in the Diagnosis of Allergic Contact Mucositis to Nickel. Biological Trace Element Research, 2014, 159, 81-86.	1.9	6
68	Immunological characterization of the allergic contact mucositis related to the ingestion of nickel-rich foods. Immunobiology, 2014, 219, 522-530.	0.8	16
69	Abnormal Interactions between Perifollicular Mast Cells and CD8+ T-Cells May Contribute to the Pathogenesis of Alopecia Areata. PLoS ONE, 2014, 9, e94260.	1.1	114
70	Alopecia in genetic diseases. Giornale Italiano Di Dermatologia E Venereologia, 2014, 149, 1-13.	0.8	22
71	Treatment for alopecia. Giornale Italiano Di Dermatologia E Venereologia, 2014, 149, 103-6.	0.8	2
72	Cytotoxic T-lymphocyte antigen 4 (CTLA4) +49AG and CT60 gene polymorphisms in Alopecia Areata: a case-control association study in the Italian population. Archives of Dermatological Research, 2013, 305, 665-670.	1.1	22

#	ARTICLE	IF	CITATIONS
73	Frontal Fibrosing Alopecia and Lichen Planopilaris: Clinical, Dermoscopic and Histological Comparison. <i>European Journal of Inflammation</i> , 2013, 11, 311-314.	0.2	8
74	Aromatase inhibitors induce "male pattern hair loss"™ in women?. <i>Annals of Oncology</i> , 2013, 24, 1710-1711.	0.6	23
75	Minoxidil Use in Dermatology, Side Effects and Recent Patents. <i>Recent Patents on Inflammation and Allergy Drug Discovery</i> , 2012, 6, 130-136.	3.9	180
76	Comparative Effectiveness and Finasteride vs Serenoa Repens in Male Androgenetic Alopecia: A Two-Year Study. <i>International Journal of Immunopathology and Pharmacology</i> , 2012, 25, 1167-1173.	1.0	65
77	Serum Concentrations and IL-2, IL-6, IL-12 and TNF- $\alpha$ in Patients with Alopecia Areata. <i>International Journal of Immunopathology and Pharmacology</i> , 2012, 25, 781-788.	1.0	10
78	A Case of Cutaneous Large B-Cell Lymphoma of the Legs Appearing as Chronic Venous Ulceration. <i>Hematology Reports</i> , 2012, 4, e6.	0.3	2
79	Algorithms in Trichoscopy. , 2012, , 453-456.		1
80	Efficacy of Iralfalis shampoo in the treatment of scalp psoriasis: a videodermoscopy evaluation prospective study in 70 patients. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2012, 147, 625-30.	0.8	3
81	Videodermoscopy Scalp Psoriasis Severity Index (VSCAPSI): A useful tool for evaluation of scalp psoriasis. <i>European Journal of Dermatology</i> , 2011, 21, 546-551.	0.3	12
82	An 18-Year Follow-up of a Case of D-Penicillamine-Induced Elastosis Perforans Serpiginosa. <i>International Journal of Immunopathology and Pharmacology</i> , 2011, 24, 257-259.	1.0	8
83	Genetic association of HLA-DQB1 and HLA-DRB1 polymorphisms with alopecia areata in the Italian population. <i>British Journal of Dermatology</i> , 2011, 165, 823-827.	1.4	30
84	Finasteride, 1mg daily administration on male androgenetic alopecia in different age groups: 10-year follow-up. <i>Dermatologic Therapy</i> , 2011, 24, 455-461.	0.8	57
85	Oral Mucosa Patch Test: A New Tool to Recognize and Study the Adverse Effects of Dietary Nickel Exposure. <i>Biological Trace Element Research</i> , 2011, 139, 151-159.	1.9	29
86	Monilethrix Treated with Minoxidil. <i>International Journal of Immunopathology and Pharmacology</i> , 2011, 24, 239-242.	1.0	29
87	Mutations in PVRL4, Encoding Cell Adhesion Molecule Nectin-4, Cause Ectodermal Dysplasia-Syndactyly Syndrome. <i>American Journal of Human Genetics</i> , 2010, 87, 265-273.	2.6	98
88	THERAPEUTIC HOTLINE: Effectiveness of the association of cetirizine and topical steroids in lichen planus pilaris - an open-label clinical trial. <i>Dermatologic Therapy</i> , 2010, 23, 547-552.	0.8	9
89	Follicular Bisection in Hair Restoration: In Vivo Experiment. <i>Dermatologic Surgery</i> , 2010, 36, 1484-1487.	0.4	1
90	Carcinoma en cuirasse of the Breast. <i>European Journal of Dermatology</i> , 2009, 19, 289-290.	0.3	11

#	ARTICLE	IF	CITATIONS
91	Griscelli Syndrome Type 2: Long-Term Follow-Up after Unrelated Donor Bone Marrow Transplantation. <i>Dermatology</i> , 2009, 218, 376-379.	0.9	5
92	Disseminated Superficial Porokeratosis with Dermal Amyloid Deposits. <i>Case Reports in Dermatology</i> , 2009, 1, 35-38.	0.3	4
93	Diffuse plane xanthoma andÂmonoclonal gammopathies. <i>European Journal of Dermatology</i> , 2009, 19, 640-641.	0.3	6
94	Missense mutation in exon 7 of TRPS1 gene in an Italian family with a mild form of trichorhinophalangeal syndrome type I. <i>British Journal of Dermatology</i> , 2007, 157, 1021-1024.	1.4	23
95	Familial keratosis follicularis spinulosa decalvans associated with woolly hair. <i>International Journal of Dermatology</i> , 2007, 46, 840-843.	0.5	22
96	Ultrasoundâ€assisted liposuction for the removal of siliconomas. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 2004, 38, 21-26.	0.6	23
97	Evaluation of Sexual Function With an International Index of Erectile Function in Subjects Taking Finasteride for Androgenetic Alopecia. <i>Archives of Dermatology</i> , 2004, 140, 857-8.	1.7	47
98	What's new in trichothiodystrophy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2001, 15, 1-4.	1.3	11
99	Taphonomy of the fossil hominid bones from the Acheulean site of Castel di Guido near Rome, Italy. <i>Journal of Human Evolution</i> , 2001, 41, 211-225.	1.3	15
100	Myotonic dystrophy (Steinert disease): a morphologic and biochemical hair study. <i>International Journal of Dermatology</i> , 1999, 38, 434-438.	0.5	8
101	Ultrasonic Liposculpturing: Extrapolations from the Analysis of In Vivo Sonicated Adipose Tissue. <i>Plastic and Reconstructive Surgery</i> , 1997, 100, 220-226.	0.7	42
102	Hair abnormalities in Alzheimer's disease. <i>Lancet, The</i> , 1996, 347, 901.	6.3	2
103	Treatment of cutaneous and pulmonary sarcoidosis with thalidomide. <i>Journal of the American Academy of Dermatology</i> , 1995, 32, 866-869.	0.6	168
104	Trichothiodystrophy: Ultrastructural Studies of Two Patients. <i>Pediatric Dermatology</i> , 1993, 10, 111-116.	0.5	11
105	Clinical aspect, pathogenesis and therapy options of alopecia induced by hormonal therapy for breast cancer. <i>Exploration of Targeted Anti-tumor Therapy</i> , 0, , .	0.5	2