

Tatiana

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5957110/publications.pdf>

Version: 2024-02-01

35
papers

872
citations

471509

17
h-index

477307

29
g-index

35
all docs

35
docs citations

35
times ranked

1474
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxidative stress and inflammatory markers in patients with COVID-19: Potential role of RAGE, HMGB1, GFAP and COX-2 in disease severity. <i>International Immunopharmacology</i> , 2022, 104, 108502.	3.8	30
2	Magnitude of visceral leishmaniasis and HIV coinfection and association with social determinants of health in the Northeast region of Brazil: a retrospective, spatiotemporal model (2010â€“2018). <i>Parasitology Research</i> , 2022, 121, 1021-1031.	1.6	2
3	TREM-1 Expression on the Surface of Neutrophils in Patients With Visceral Leishmaniasis Is Associated With Immunopathogenesis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 863986.	3.9	0
4	Role of triggering receptor expressed on myeloid cells-1 (TREM-1) in COVID-19 and other viral pneumonias: a systematic review and meta-analysis of clinical studies. <i>Inflammopharmacology</i> , 2022, 30, 1037-1045.	3.9	7
5	Soluble triggering receptor expressed on myeloid cells-1 (sTREM-1) and other inflammatory mediators in malaria by <i>Plasmodium vivax</i> during enteroparasites coinfection. <i>PLoS ONE</i> , 2022, 17, e0270007.	2.5	1
6	Antimony resistance associated with persistence of <i>Leishmania (Leishmania) infantum</i> infection in macrophages. <i>Parasitology Research</i> , 2021, 120, 2959-2964.	1.6	1
7	Seroprevalence of SARS-CoV-2 antibodies in the poorest region of Brazil: results from a population-based study. <i>Epidemiology and Infection</i> , 2021, 149, e130.	2.1	5
8	Space-time risk cluster of visceral leishmaniasis in Brazilian endemic region with high social vulnerability: An ecological time series study. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009006.	3.0	22
9	Potential role of Triggering Receptor Expressed on Myeloid Cells-1 (TREM-1) in SARS-CoV-2 infection: First insights. <i>EXCLI Journal</i> , 2021, 20, 722-723.	0.7	2
10	Is there a bidirectional interaction between periodontitis and the severity of SARS-CoV-2 infection?. <i>EXCLI Journal</i> , 2021, 20, 1009-1010.	0.7	1
11	Estresse ocupacional dos profissionais de enfermagem durante a pandemia de Covid-19 no Brasil. <i>Research, Society and Development</i> , 2021, 10, e244101522023.	0.1	0
12	Pancreatic islets seeded in a novel bioscaffold forms an organoid to rescue insulin production and reverse hyperglycemia in models of type 1 diabetes. <i>Scientific Reports</i> , 2020, 10, 4362.	3.3	9
13	Inflammatory modulation of fluoxetine use in patients with depression: A systematic review and meta-analysis. <i>Cytokine</i> , 2020, 131, 155100.	3.2	23
14	Spatial and spatiotemporal dynamics of visceral leishmaniasis in an endemic North-eastern region of Brazil. <i>Geospatial Health</i> , 2020, 15, .	0.8	2
15	Oxidized Low-Density Lipoprotein (Ox-LDL) and Triggering Receptor-Expressed Myeloid Cell (TREM-1) Levels Are Associated with Cardiometabolic Risk in Nonobese, Clinically Healthy, and Young Adults. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-8.	4.0	5
16	Allograft Inflammatory Factor-1 Governs Hematopoietic Stem Cell Differentiation Into cDC1 and Monocyte-Derived Dendritic Cells Through IRF8 and RelB in vitro. <i>Frontiers in Immunology</i> , 2019, 10, 173.	4.8	16
17	Increased thiol levels in antimony-resistant <i>Leishmania infantum</i> isolated from treatment-refractory visceral leishmaniasis in Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2018, 113, 119-125.	1.6	12
18	IL-10 producing CD8+ CD122+ PD-1+ regulatory T cells are expanded by dendritic cells silenced for Allograft Inflammatory Factor-1. <i>Journal of Leukocyte Biology</i> , 2018, 105, 123-130.	3.3	26

#	ARTICLE	IF	CITATIONS
19	The influence of innate and adaptative immune responses on the differential clinical outcomes of leprosy. <i>Infectious Diseases of Poverty</i> , 2017, 6, 5.	3.7	68
20	<i>Leishmania infantum</i> Induces the Release of sTREM-1 in Visceral Leishmaniasis. <i>Frontiers in Microbiology</i> , 2017, 8, 2265.	3.5	14
21	Cross-resistance of <i>Leishmania infantum</i> isolates to nitric oxide from patients refractory to antimony treatment, and greater tolerance to antileishmanial responses by macrophages. <i>Parasitology Research</i> , 2016, 115, 713-721.	1.6	22
22	The Severity of Visceral Leishmaniasis Correlates with Elevated Levels of Serum IL-6, IL-27 and sCD14. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004375.	3.0	80
23	Stability, antimicrobial activity, and effect of nisin on the physico-chemical properties of fruit juices. <i>International Journal of Food Microbiology</i> , 2015, 211, 38-43.	4.7	43
24	In vitro infection by <i>Leishmania infantum</i> in the peripheral blood mononuclear cell-derived macrophages from crab-eating foxes (<i>Cerdocyon thous</i>). <i>Veterinary Parasitology</i> , 2015, 212, 417-421.	1.8	2
25	Soluble CD40 Ligand in Sera of Subjects Exposed to <i>Leishmania infantum</i> Infection Reduces the Parasite Load in Macrophages. <i>PLoS ONE</i> , 2015, 10, e0141265.	2.5	16
26	Fatty acid profiles in <i>Leishmania</i> spp. isolates with natural resistance to nitric oxide and trivalent antimony. <i>Parasitology Research</i> , 2014, 113, 19-27.	1.6	20
27	High levels of soluble CD40 ligand and matrix metalloproteinase-9 in serum are associated with favorable clinical evolution in human visceral leishmaniasis. <i>BMC Infectious Diseases</i> , 2013, 13, 331.	2.9	20
28	PLGA nanoparticles loaded with KMP-11 stimulate innate immunity and induce the killing of <i>Leishmania</i> . <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2013, 9, 985-995.	3.3	41
29	Functional Transcriptomics of Wild-Caught <i>Lutzomyia intermedia</i> Salivary Glands: Identification of a Protective Salivary Protein against <i>Leishmania braziliensis</i> Infection. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2242.	3.0	60
30	The presence of Tregs does not preclude immunity to reinfection with <i>Leishmania braziliensis</i> . <i>International Journal for Parasitology</i> , 2012, 42, 771-780.	3.1	16
31	Towards development of novel immunization strategies against leishmaniasis using PLGA nanoparticles loaded with kinetoplastid membrane protein-11. <i>International Journal of Nanomedicine</i> , 2012, 7, 2115.	6.7	25
32	Resistance of <i>Leishmania (Viannia) braziliensis</i> to nitric oxide: correlation with antimony therapy and TNF- α production. <i>BMC Infectious Diseases</i> , 2010, 10, 209.	2.9	55
33	Immunity to <i>Lutzomyia intermedia</i> Saliva Modulates the Inflammatory Environment Induced by <i>Leishmania braziliensis</i> . <i>PLoS Neglected Tropical Diseases</i> , 2010, 4, e712.	3.0	54
34	Enhanced <i>Leishmania braziliensis</i> Infection Following Pre-Exposure to Sandfly Saliva. <i>PLoS Neglected Tropical Diseases</i> , 2007, 1, e84.	3.0	82
35	Toward a Novel Experimental Model of Infection To Study American Cutaneous Leishmaniasis Caused by <i>Leishmania braziliensis</i> . <i>Infection and Immunity</i> , 2005, 73, 5827-5834.	2.2	90