

# Kazu Kobayakawa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5957908/publications.pdf>

Version: 2024-02-01

23  
papers

1,279  
citations

516710

16  
h-index

677142

22  
g-index

23  
all docs

23  
docs citations

23  
times ranked

1889  
citing authors

#	ARTICLE	IF	CITATIONS
1	Interaction of reactive astrocytes with type I collagen induces astrocytic scar formation through the integrin- $\alpha$ 5 $\beta$ 1-cadherin pathway after spinal cord injury. <i>Nature Medicine</i> , 2017, 23, 818-828.	30.7	355
2	Astrocyte reactivity and astrogliosis after spinal cord injury. <i>Neuroscience Research</i> , 2018, 126, 39-43.	1.9	228
3	Ly6C <sup>+</sup> Ly6G <sup>+</sup> Myeloid-derived suppressor cells play a critical role in the resolution of acute inflammation and the subsequent tissue repair process after spinal cord injury. <i>Journal of Neurochemistry</i> , 2013, 125, 74-88.	3.9	90
4	Acute hyperglycemia impairs functional improvement after spinal cord injury in mice and humans. <i>Science Translational Medicine</i> , 2014, 6, 256ra137.	12.4	68
5	Direct isolation and RNA-seq reveal environment-dependent properties of engrafted neural stem/progenitor cells. <i>Nature Communications</i> , 2012, 3, 1140.	12.8	65
6	Periostin Promotes Scar Formation through the Interaction between Pericytes and Infiltrating Monocytes/Macrophages after Spinal Cord Injury. <i>American Journal of Pathology</i> , 2017, 187, 639-653.	3.8	61
7	Macrophage centripetal migration drives spontaneous healing process after spinal cord injury. <i>Science Advances</i> , 2019, 5, eaav5086.	10.3	60
8	Therapeutic Activities of Engrafted Neural Stem/Precursor Cells Are Not Dormant in the Chronically Injured Spinal Cord. <i>Stem Cells</i> , 2013, 31, 1535-1547.	3.2	57
9	Liposomal clodronate selectively eliminates microglia from primary astrocyte cultures. <i>Journal of Neuroinflammation</i> , 2012, 9, 116.	7.2	49
10	Engrafted Neural Stem/Progenitor Cells Promote Functional Recovery through Synapse Reorganization with Spared Host Neurons after Spinal Cord Injury. <i>Stem Cell Reports</i> , 2015, 5, 264-277.	4.8	48
11	Pathological changes of distal motor neurons after complete spinal cord injury. <i>Molecular Brain</i> , 2019, 12, 4.	2.6	34
12	The acute phase serum zinc concentration is a reliable biomarker for predicting the functional outcome after spinal cord injury. <i>EBioMedicine</i> , 2019, 41, 659-669.	6.1	29
13	Experimental Mouse Model of Lumbar Ligamentum Flavum Hypertrophy. <i>PLoS ONE</i> , 2017, 12, e0169717.	2.5	25
14	Macrophage Infiltration Is a Causative Factor for Ligamentum Flavum Hypertrophy through the Activation of Collagen Production in Fibroblasts. <i>American Journal of Pathology</i> , 2017, 187, 2831-2840.	3.8	21
15	Neurological Recovery Is Impaired by Concurrent but Not by Asymptomatic Pre-existing Spinal Cord Compression After Traumatic Spinal Cord Injury. <i>Spine</i> , 2012, 37, 1448-1455.	2.0	20
16	Periostin Promotes Fibroblast Migration and Inhibits Muscle Repair After Skeletal Muscle Injury. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, e108.	3.0	20
17	Disturbance of Rib Cage Development Causes Progressive Thoracic Scoliosis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, e130.	3.0	15
18	The feasibility of in vivo imaging of infiltrating blood cells for predicting the functional prognosis after spinal cord injury. <i>Scientific Reports</i> , 2016, 6, 25673.	3.3	10

#	ARTICLE	IF	CITATIONS
19	Right thoracic curvature in the normal spine. <i>Journal of Orthopaedic Surgery and Research</i> , 2011, 6, 4.	2.3	9
20	Locomotor Training Increases Synaptic Structure With High NGL-2 Expression After Spinal Cord Hemisection. <i>Neurorehabilitation and Neural Repair</i> , 2019, 33, 225-231.	2.9	7
21	How much time is necessary to confirm the diagnosis of permanent complete cervical spinal cord injury?. <i>Spinal Cord</i> , 2020, 58, 284-289.	1.9	7
22	Significance of the neurological level of injury as a prognostic predictor for motor complete cervical spinal cord injury patients. <i>Journal of Spinal Cord Medicine</i> , 2023, 46, 494-500.	1.4	1
23	The establishment of the first nonsurgical experimental model of progressive scoliosis -The biomechanical mechanism involved in the etiology of the thoracic scoliosis-. <i>Scoliosis</i> , 2015, 10, .	0.4	0