

# Edaire Cheng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5959016/publications.pdf>

Version: 2024-02-01

15  
papers

1,802  
citations

759233

12  
h-index

940533

16  
g-index

16  
all docs

16  
docs citations

16  
times ranked

1498  
citing authors

#	ARTICLE	IF	CITATIONS
1	Updated International Consensus Diagnostic Criteria for Eosinophilic Esophagitis: Proceedings of the AGREE Conference. <i>Gastroenterology</i> , 2018, 155, 1022-1033.e10.	1.3	712
2	Omeprazole blocks eotaxin-3 expression by oesophageal squamous cells from patients with eosinophilic oesophagitis and GORD. <i>Gut</i> , 2013, 62, 824-832.	12.1	286
3	Proton pump inhibitor-responsive oesophageal eosinophilia: an entity challenging current diagnostic criteria for eosinophilic oesophagitis. <i>Gut</i> , 2016, 65, 524-531.	12.1	279
4	Omeprazole Blocks STAT6 Binding to the Eotaxin-3 Promoter in Eosinophilic Esophagitis Cells. <i>PLoS ONE</i> , 2012, 7, e50037.	2.5	203
5	In oesophageal squamous cells exposed to acidic bile salt medium, omeprazole inhibits IL-8 expression through effects on nuclear factor- $\kappa$ B and activator protein-1. <i>Gut</i> , 2014, 63, 1042-1052.	12.1	62
6	Eosinophilic Esophagitis. <i>Gastroenterology Clinics of North America</i> , 2014, 43, 243-256.	2.2	48
7	Autocrine VEGF Signaling Promotes Proliferation of Neoplastic Barrett's Epithelial Cells Through a PLC-Dependent Pathway. <i>Gastroenterology</i> , 2014, 146, 461-472.e6.	1.3	45
8	NOD-Like Receptor Protein 3 Inflammasome Priming and Activation in Barrett's Epithelial Cells. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2016, 2, 439-453.	4.5	43
9	Proton Pump Inhibitors Decrease Eotaxin-3 Expression in the Proximal Esophagus of Children with Esophageal Eosinophilia. <i>PLoS ONE</i> , 2014, 9, e101391.	2.5	42
10	Obtaining adequate lamina propria for subepithelial fibrosis evaluation in pediatric eosinophilic esophagitis. <i>Gastrointestinal Endoscopy</i> , 2018, 87, 1207-1214.e3.	1.0	25
11	Mitochondrial STAT3 contributes to transformation of Barrett's epithelial cells that express oncogenic Ras in a p53-independent fashion. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, G146-G161.	3.4	18
12	Proton pump inhibitors for eosinophilic oesophagitis. <i>Current Opinion in Gastroenterology</i> , 2013, 29, 416-420.	2.3	9
13	Eosinophilic esophagitis: current perspectives from diagnosis to management. <i>Annals of the New York Academy of Sciences</i> , 2016, 1380, 204-217.	3.8	8
14	Esophageal Fibrosis in Eosinophilic Gastrointestinal Diseases. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021, 72, 392-397.	1.8	6
15	Eosinophilic esophagitis, Barrett's esophagus and esophageal neoplasms in the pediatric patient: a narrative review. <i>Translational Gastroenterology and Hepatology</i> , 2021, 6, 32-32.	3.0	2