

Anna Zdziennicka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5961198/publications.pdf>

Version: 2024-02-01

106
papers

2,483
citations

218677

26
h-index

243625

44
g-index

106
all docs

106
docs citations

106
times ranked

1822
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of fluorocarbon surfactants on the adsorption of hydrocarbon surfactants mixture at the water-air interface. <i>Journal of Molecular Liquids</i> , 2022, 345, 117832.	4.9	8
2	Adsorption Properties and Composition of Binary Kolliphor Mixtures at the Water–Air Interface at Different Temperatures. <i>Molecules</i> , 2022, 27, 877.	3.8	6
3	Mutual Influence of Some Flavonoids and Classical Nonionic Surfactants on Their Adsorption and Volumetric Properties at Different Temperatures. <i>Molecules</i> , 2022, 27, 2842.	3.8	3
4	Thermodynamic Analysis of the Adsorption and Micellization Activity of the Mixtures of Rhamnolipid and Surfactin with Triton X-165. <i>Molecules</i> , 2022, 27, 3600.	3.8	12
5	Properties of some nonionic fluorocarbon surfactants and their mixtures with hydrocarbon ones. <i>Advances in Colloid and Interface Science</i> , 2021, 292, 102421.	14.7	20
6	Modification of Canola Oil Physicochemical Properties by Hexane and Ethanol with Regards of Its Application in Diesel Engine. <i>Energies</i> , 2021, 14, 4469.	3.1	4
7	Adsorption Properties of Hydrocarbon and Fluorocarbon Surfactants Ternary Mixture at the Water-Air Interface. <i>Molecules</i> , 2021, 26, 4313.	3.8	6
8	Effect of ethanol on wetting and adhesion properties of rhamnolipid. <i>International Journal of Adhesion and Adhesives</i> , 2021, 110, 102955.	2.9	2
9	Mutual influence of ethanol and surfactin on their wetting and adhesion properties. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 627, 127161.	4.7	8
10	Prediction of Aqueous Solution Surface Tension of Some Surfactant Mixtures and Composition of Their Monolayers at the Solution–Air Interface. <i>Colloids and Interfaces</i> , 2021, 5, 53.	2.1	6
11	Wetting properties of <i>Saponaria officinalis</i> saponins. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 584, 123980.	4.7	12
12	Adsorption of surfactin at water with ethanol mixture-air interface. <i>Journal of Molecular Liquids</i> , 2020, 300, 112240.	4.9	9
13	Modification of adsorption, aggregation and wetting properties of surfactants by short chain alcohols. <i>Advances in Colloid and Interface Science</i> , 2020, 284, 102249.	14.7	34
14	Combustion Process of Canola Oil and n-Hexane Mixtures in Dynamic Diesel Engine Operating Conditions. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 80.	2.5	11
15	Adsorption properties of rhamnolipid and ethanol at water/ethanol solution-air interface. <i>Journal of Molecular Liquids</i> , 2020, 308, 113080.	4.9	14
16	Surface, Volumetric, and Wetting Properties of Oleic, Linoleic, and Linolenic Acids with Regards to Application of Canola Oil in Diesel Engines. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 3445.	2.5	16
17	Critical micelle concentration, composition and thermodynamic properties of n-octyl- β -D-glucopyranoside and sodium dodecylsulfate mixed micelles. <i>Journal of Molecular Liquids</i> , 2019, 286, 110748.	4.9	8
18	Properties of n-octyl- β -D-glucopyranoside and sodium dodecylsulfate mixed monolayer at the water-air interface. <i>Journal of Molecular Liquids</i> , 2019, 280, 259-267.	4.9	5

#	ARTICLE	IF	CITATIONS
19	Wetting and adhesion properties of rhamnolipid and surfactin. <i>International Journal of Adhesion and Adhesives</i> , 2018, 84, 275-282.	2.9	24
20	Volumetric properties of rhamnolipid and surfactin at different temperatures. <i>Journal of Molecular Liquids</i> , 2018, 255, 562-571.	4.9	21
21	Macroscopic and Microscopic Properties of Some Surfactants and Biosurfactants. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1934.	4.1	33
22	Adsorption and Aggregation Properties of Some Polysorbates at Different Temperatures. <i>Journal of Solution Chemistry</i> , 2018, 47, 1824-1840.	1.2	36
23	Effect of Polysorbates on Solids Wettability and Their Adsorption Properties. <i>Colloids and Interfaces</i> , 2018, 2, 26.	2.1	18
24	Wettability and Adhesion Work Prediction in the Polymer-Aqueous Solution of Surface Active Agent Systems. <i>Colloids and Interfaces</i> , 2018, 2, 21.	2.1	12
25	Some remarks on the solid surface tension determination from contact angle measurements. <i>Applied Surface Science</i> , 2017, 405, 88-101.	6.1	73
26	Composition of Surface Layer at the Water-Air Interface and Micelles of Triton X-100+Rhamnolipid Mixtures. <i>Journal of Solution Chemistry</i> , 2017, 46, 1251-1271.	1.2	4
27	Components and parameters of solid/surfactant layer surface tension. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 522, 461-469.	4.7	16
28	Adsorption and Aggregation Activity of Sodium Dodecyl Sulfate and Rhamnolipid Mixture. <i>Journal of Surfactants and Detergents</i> , 2017, 20, 411-423.	2.1	15
29	Components and parameters of liquids and some polymers surface tension at different temperature. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 529, 864-875.	4.7	40
30	Thermodynamic parameters of some biosurfactants and surfactants adsorption at water-air interface. <i>Journal of Molecular Liquids</i> , 2017, 243, 236-244.	4.9	37
31	Correlation between adhesion of aqueous solutions of nonionic and anionic surfactant mixture with short-chain alcohols to polymer surface and their adsorption at interfaces. I. Adhesion tension and adsorption. <i>International Journal of Adhesion and Adhesives</i> , 2017, 74, 200-206.	2.9	3
32	Correlation between adhesion of aqueous solutions of nonionic and anionic surfactant mixture with short-chain alcohols to polymer surface and their adsorption at interfaces. II. Critical surface tension of polymer wetting and work of adhesion. <i>International Journal of Adhesion and Adhesives</i> , 2017, 74, 194-199.	2.9	7
33	Surface tension of polytetrafluoroethylene and its wetting by aqueous solution of some surfactants and their mixtures. <i>Applied Surface Science</i> , 2017, 392, 117-125.	6.1	36
34	Synthesis, spectroscopic studies, aggregation and surface behavior of hexamethylene-1,6-bis(N,N-dimethyl-N-dodecylammonium bromide). <i>Journal of Molecular Liquids</i> , 2016, 221, 1086-1096.	4.9	19
35	Wettability prediction of such polymers as polyethylene and polytetrafluoroethylene by aqueous solutions of classical surfactants and biosurfactants. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016, 506, 409-415.	4.7	11
36	Surface and volumetric properties of n-octyl- β -D-glucopyranoside and rhamnolipid mixture. <i>Journal of Molecular Liquids</i> , 2016, 219, 801-809.	4.9	5

#	ARTICLE	IF	CITATIONS
37	Wetting and adsorption properties of cetyltrimethylammonium bromide and Triton X-100 mixture with short-chain alcohol in polymer–solution–air system. <i>Journal of Adhesion Science and Technology</i> , 2016, 30, 729-746.	2.6	1
38	Ethanol behaviour at the solution-air interface in the presence of Triton X-100 and cetyltrimethylammonium bromide mixture. <i>Annales Universitatis Mariae Curie-Sklodowska Sectio AA – Chemia</i> , 2015, 70, .	0.2	0
39	Volumetric properties of sodium dodecylsulfate and Triton X-100 mixture with short-chain alcohol in aqueous solution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 480, 270-278.	4.7	9
40	Wettability of polytetrafluoroethylene and polymethyl methacrylate by aqueous solutions of TX-100 and TX-165 mixture with propanol. <i>Journal of Adhesion Science and Technology</i> , 2015, 29, 1081-1095.	2.6	3
41	Adhesion of canola and diesel oils to some parts of diesel engine in the light of surface tension components and parameters of these substrates. <i>International Journal of Adhesion and Adhesives</i> , 2015, 60, 23-30.	2.9	19
42	Behavior of hexadecyltrimethylammonium bromide and Triton X-100 mixture in the bulk phase of aqueous solution in the presence of methanol and propanol. <i>Journal of Molecular Liquids</i> , 2015, 211, 324-331.	4.9	5
43	Sugar-based surfactants as alternative to synthetic ones. <i>Annales Universitatis Mariae Curie-Sklodowska Sectio AA – Chemia</i> , 2015, 70, .	0.2	4
44	Adsorption and wetting properties of cationic, anionic and nonionic surfactants in the glass-aqueous solution of surfactant-air system. <i>Materials Chemistry and Physics</i> , 2015, 162, 166-176.	4.0	25
45	Wetting and adsorption properties of n-octyl- β -D-glucopyranoside and monorhamnolipid in the system polytetrafluoroethylene–solution–air. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 486, 114-123.	4.7	9
46	Influence of short chain alcohols on adsorption of sodium dodecylsulfate and Triton X-100 mixture at solution–air interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 464, 57-64.	4.7	9
47	Importance of surface layers in solid surface free energy determination. <i>Surface Innovations</i> , 2014, 2, 173-183.	2.3	5
48	Thermodynamic properties of adsorption and micellization of n-oktyl- β -D-glucopiranoside. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 114, 170-176.	5.0	21
49	Thermodynamic properties of rhamnolipid micellization and adsorption. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 119, 22-29.	5.0	58
50	Behavior of cetyltrimethylammonium bromide and Triton X-100 mixture at solution–air interface in presence of short-chain alcohols. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014, 454, 65-73.	4.7	9
51	Behaviour of cetyltrimethylammonium bromide, Triton X-100 and Triton X-114 in mixed monolayer at the (water–air) interface. <i>Journal of Chemical Thermodynamics</i> , 2014, 69, 85-92.	2.0	13
52	Correlation between wetting, adhesion and adsorption in the polymer–aqueous solutions of ternary surfactant mixtures–air systems. <i>Applied Surface Science</i> , 2014, 288, 488-496.	6.1	30
53	Mutual influence of two nonionic surfactants mixture and propanol on their volumetric properties in aqueous solution. <i>Journal of Molecular Liquids</i> , 2014, 200, 305-310.	4.9	1
54	Influence of the propanol on the behaviour of binary mixture of nonionic surfactants at the water–air interface. <i>Journal of Molecular Liquids</i> , 2014, 199, 196-201.	4.9	6

#	ARTICLE	IF	CITATIONS
55	Behavior of Cetyltrimethylammonium Bromide, <i>n</i> -Octylphenol (9.5 EO) Ethoxylate and Ethanol Mixtures at the Water–Air Interface. <i>Journal of Surfactants and Detergents</i> , 2013, 16, 203-212.	2.1	9
56	Wettability of polymers by aqueous solution of binary surfactants mixture with regard to adhesion in polymer–solution system II. Critical surface tension of polymers wetting and work of adhesion. <i>International Journal of Adhesion and Adhesives</i> , 2013, 45, 106-111.	2.9	23
57	Adsorption of Triton X-100 and cetyltrimethylammonium bromide mixture with ethanol at nylon-6–solution interface with regard to nylon-6 wettability: I. The effect of adsorption on critical surface tension of nylon-6 wetting. <i>Adsorption</i> , 2013, 19, 435-444.	3.0	11
58	Adsorption of Triton X-100 and cetyltrimethylammonium bromide mixture with ethanol at nylon-6–solution interface with regard to nylon-6 wettability: II. Work of adhesion and activity of surfactants at interfaces. <i>Adsorption</i> , 2013, 19, 445-453.	3.0	3
59	Mutual influence of cetyltrimethylammonium bromide and Triton X-100 on their adsorption at the water–air interface. <i>Journal of Chemical Thermodynamics</i> , 2013, 59, 35-42.	2.0	14
60	Aggregation properties of the cetyltrimethylammonium bromide and Triton X-100 mixture with ethanol in aqueous media. <i>Fluid Phase Equilibria</i> , 2013, 356, 168-175.	2.5	7
61	Adhesion work and wettability of polytetrafluorethylene and poly(methyl methacrylate) by aqueous solutions of cetyltrimethylammonium bromide and Triton X-100 mixture with ethanol. <i>Journal of Colloid and Interface Science</i> , 2013, 404, 201-206.	9.4	16
62	Wettability of polymers by aqueous solution of binary surfactants mixture with regard to adhesion in polymer–solution system I—Correlation between the adsorption of surfactants mixture and contact angle. <i>International Journal of Adhesion and Adhesives</i> , 2013, 45, 98-105.	2.9	11
63	Determination of CTAB CMC in mixed water+short-chain alcohol solvent by surface tension, conductivity, density and viscosity measurements. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013, 424, 81-88.	4.7	76
64	Volumetric and Surface Properties of Short Chain Alcohols in Aqueous Solution–Air Systems at 293 K. <i>Journal of Solution Chemistry</i> , 2012, 41, 2226-2245.	1.2	60
65	Activity and thermodynamic parameters of some surfactants adsorption at the water–air interface. <i>Fluid Phase Equilibria</i> , 2012, 318, 25-33.	2.5	84
66	Critical micelle concentration of some surfactants and thermodynamic parameters of their micellization. <i>Fluid Phase Equilibria</i> , 2012, 322-323, 126-134.	2.5	113
67	Wettability, adhesion, adsorption and interface tension in the polymer/surfactant aqueous solution system. I. Critical surface tension of polymer wetting and its surface tension. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012, 402, 132-138.	4.7	45
68	Wettability, adhesion, adsorption and interface tension in the polymer/surfactant aqueous solution system: II. Work of adhesion and adsorption of surfactant at polymer–solution and solution–air interfaces. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012, 402, 139-145.	4.7	35
69	Behavior of Anionic Surfactants and Short Chain Alcohols Mixtures in the Monolayer at the Water–Air Interface. <i>Journal of Surfactants and Detergents</i> , 2011, 14, 257-267.	2.1	15
70	Effect of anionic surfactant and short-chain alcohol mixtures on adsorption at quartz/water and water/air interfaces and the wettability of quartz. <i>Journal of Colloid and Interface Science</i> , 2011, 354, 396-404.	9.4	27
71	Wettability of quartz by aqueous solution of cationic surfactants and short chain alcohols mixtures. <i>Materials Chemistry and Physics</i> , 2010, 124, 569-574.	4.0	20
72	The relationship between the adhesion work, the wettability and composition of the surface layer in the systems polymer/aqueous solution of anionic surfactants and alcohol mixtures. <i>Applied Surface Science</i> , 2010, 257, 1034-1042.	6.1	41

#	ARTICLE	IF	CITATIONS
73	Wettability of quartz in presence of nonionic surfactants and short chain alcohols mixtures. Journal of Colloid and Interface Science, 2010, 343, 594-601.	9.4	14
74	Behavior of cationic surfactants and short chain alcohols in mixed surface layers at water-air and polymer-water interfaces with regard to polymer wettability. I. Adsorption at water-air interface. Journal of Colloid and Interface Science, 2010, 349, 374-383.	9.4	23
75	Behavior of cationic surfactants and short-chain alcohols in mixed surface layers at water-air and polymer-water interfaces with regard to polymer wettability. Journal of Colloid and Interface Science, 2010, 350, 568-576.	9.4	23
76	The wettability of polytetrafluoroethylene and polymethylmethacrylate with regard to interface behaviour of Triton X-165 and short chain alcohol mixtures: I. Critical surface tension of wetting and adhesion work. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2010, 367, 108-114.	4.7	16
77	The wettability of polytetrafluoroethylene and polymethylmethacrylate with regard to interface behaviour of Triton X-165 and short chain alcohol mixtures: Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2010, 367, 115-120.	4.7	4
78	Surface Behavior of Triton X-165 and Short Chain Alcohol Mixtures. Langmuir, 2010, 26, 1860-1869.	3.5	26
79	The wettability of polytetrafluoroethylene and polymethylmethacrylate by aqueous solutions of Triton X-100 and propanol mixtures. Applied Surface Science, 2009, 255, 3801-3810.	6.1	21
80	The adsorption properties of short chain alcohols and Triton X-100 mixtures at the water-air interface. Journal of Colloid and Interface Science, 2009, 335, 175-182.	9.4	20
81	Adsorption and volumetric properties of Triton X-100 and propanol mixtures. Journal of Colloid and Interface Science, 2009, 336, 423-430.	9.4	15
82	Correlation between surface free energy of quartz and its wettability by aqueous solutions of nonionic, anionic and cationic surfactants. Journal of Colloid and Interface Science, 2009, 340, 243-248.	9.4	84
83	The wettability of polytetrafluoroethylene and polymethylmethacrylate by aqueous solutions of Triton X-100 and short chain alcohol mixtures. Applied Surface Science, 2009, 255, 7369-7379.	6.1	12
84	Adsorption of cetyltrimethylammonium bromide and propanol mixtures with regard to wettability of polytetrafluoroethylene. I. Adsorption at aqueous solution-air interface. Journal of Colloid and Interface Science, 2008, 317, 44-53.	9.4	15
85	The adsorption of cetyltrimethylammonium bromide and propanol mixtures with regard to wettability of polytetrafluoroethylene. Journal of Colloid and Interface Science, 2008, 318, 15-22.	9.4	21
86	The adsorption tendency of cetylpyridinium bromide at water-air interface and micelles formation in the presence of propanol. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2008, 325, 93-100.	4.7	11
87	The wettability of polytetrafluoroethylene by aqueous solution of cetylpyridinium bromide and propanol mixtures. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2008, 330, 127-133.	4.7	9
88	The wettability of polytetrafluoroethylene and polymethyl methacrylate by aqueous solution of two cationic surfactants mixture. Journal of Colloid and Interface Science, 2006, 293, 172-180.	9.4	83
89	The wettability of polytetrafluoroethylene by aqueous solutions of sodium dodecyl sulfate and propanol mixtures. Journal of Colloid and Interface Science, 2005, 281, 465-472.	9.4	19
90	The properties of mixtures of two cationic surfactants in water at water/air interface. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2005, 264, 147-156.	4.7	33

#	ARTICLE	IF	CITATIONS
91	Adsorption of sodium dodecyl sulphate and propanol mixtures at aqueous solution-air interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004, 244, 1-7.	4.7	14
92	Adsorption of mixtures of sodium dodecyl sulphate and propanol at water-air and polytetrafluoroethylene-water interfaces. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004, 249, 73-77.	4.7	5
93	Wettability of polytetrafluoroethylene by aqueous solutions of two anionic surfactant mixtures. <i>Journal of Colloid and Interface Science</i> , 2003, 268, 200-207.	9.4	67
94	The properties of mixtures of two anionic surfactants in water at the water-air interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2003, 220, 61-68.	4.7	34
95	Wettability and surface free energy of glass in the presence of cetyltrimethylammonium bromide. <i>Materials Chemistry and Physics</i> , 1999, 58, 166-171.	4.0	11
96	Some Remarks on the Components of the Liquid Surface Free Energy. <i>Journal of Colloid and Interface Science</i> , 1999, 211, 96-103.	9.4	160
97	Influence of ethyl xanthate on the wettability and surface free energy of synthetic chalcocite. <i>Powder Technology</i> , 1998, 95, 234-239.	4.2	4
98	RELATIONSHIP BETWEEN WETTING OF TEFLON BY CETYLTRIMETHYLAMMONIUM BROMIDE SOLUTION AND ADSORPTION. <i>European Polymer Journal</i> , 1997, 33, 1093-1098.	5.4	68
99	Influence of ethyl xanthate on the wettability and surface free energy of galena. <i>Applied Surface Science</i> , 1997, 120, 35-42.	6.1	5
100	Components of the surface free energy of low rank coals in the presence of n-alkanes. <i>Powder Technology</i> , 1996, 86, 229-238.	4.2	32
101	Determination of the Components of the Surface Tension of Some Liquids from Interfacial Liquid-Liquid Tension Measurements. <i>Journal of Colloid and Interface Science</i> , 1993, 157, 384-393.	9.4	172
102	Determination of surface-free energy components of synthetic chalcocite from contact angle measurements. <i>Powder Technology</i> , 1993, 76, 233-239.	4.2	9
103	Determination of the galena surface free energy components from contact angle measurements. <i>Materials Chemistry and Physics</i> , 1992, 31, 235-241.	4.0	14
104	The surface free energy of low rank coals precovered with diacetone alcohol. <i>Fuel</i> , 1992, 71, 708-711.	6.4	1
105	The Use of Canola Oil, n-Hexane, and Ethanol Mixtures in a Diesel Engine. <i>SAE International Journal of Fuels and Lubricants</i> , 0, 14, .	0.2	6
106	Comparison of Components and Parameters of Some Sulfide Minerals Surface Tension with Regards to Stability of Mineral-Air Bubble System. <i>Physicochemical Problems of Mineral Processing</i> , 0, , .	0.4	1