

Angela M Crawley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5962577/publications.pdf>

Version: 2024-02-01

30
papers

673
citations

567247

15
h-index

580810

25
g-index

30
all docs

30
docs citations

30
times ranked

980
citing authors

#	ARTICLE	IF	CITATIONS
1	Soluble IL-7R \pm (sCD127) Inhibits IL-7 Activity and Is Increased in HIV Infection. <i>Journal of Immunology</i> , 2010, 184, 4679-4687.	0.8	84
2	IL-7 decreases IL-7 receptor \hat{A} (CD127) expression and induces the shedding of CD127 by human CD8+ T cells. <i>International Immunology</i> , 2007, 19, 1329-1339.	4.0	76
3	Symptoms, Pulmonary Function, and Functional Capacity Four Months after COVID-19. <i>Annals of the American Thoracic Society</i> , 2021, 18, 1912-1917.	3.2	53
4	Direct-Acting Antiviral Treatment of HCV Infection Does Not Resolve the Dysfunction of Circulating CD8+ T-Cells in Advanced Liver Disease. <i>Frontiers in Immunology</i> , 2019, 10, 1926.	4.8	41
5	Genetic selection for high and low immune response in pigs: Effects on immunoglobulin isotype expression. <i>Veterinary Immunology and Immunopathology</i> , 2005, 108, 71-76.	1.2	37
6	Relative Ratios of Human Seasonal Coronavirus Antibodies Predict the Efficiency of Cross-Neutralization of SARS-CoV-2 Spike Binding to ACE2. <i>EBioMedicine</i> , 2021, 74, 103700.	6.1	37
7	Hepatitis C Direct Acting Antivirals and Ribavirin Modify Lipid but not Glucose Parameters. <i>Cells</i> , 2019, 8, 252.	4.1	33
8	The influence of HIV on CD127 expression and its potential implications for IL-7 therapy. <i>Seminars in Immunology</i> , 2012, 24, 231-240.	5.6	31
9	IL-7-dependent STAT-5 activation and CD8+ T cell proliferation are impaired in HIV infection. <i>Journal of Leukocyte Biology</i> , 2010, 89, 499-506.	3.3	25
10	Jak/STAT and PI3K signaling pathways have both common and distinct roles in IL-7-mediated activities in human CD8+ T cells. <i>Journal of Leukocyte Biology</i> , 2013, 95, 117-127.	3.3	23
11	Chronic Hepatitis C Virus Infection Impairs M1 Macrophage Differentiation and Contributes to CD8+ T-Cell Dysfunction. <i>Cells</i> , 2019, 8, 374.	4.1	23
12	In Vitro Hepatitis C Virus Infection and Hepatic Choline Metabolism. <i>Viruses</i> , 2020, 12, 108.	3.3	23
13	Interleukin $\hat{7}$ enhances memory CD8 ⁺ T cell recall responses in health but its activity is impaired in human immunodeficiency virus infection. <i>Immunology</i> , 2010, 131, 525-536.	4.4	18
14	Interleukin $\hat{4}$ downregulates CD127 expression and activity on human thymocytes and mature CD8 + T cells. <i>European Journal of Immunology</i> , 2010, 40, 1396-1407.	2.9	17
15	Complexed soluble IL-7 receptor $\hat{\pm}$ and IL-7 increase IL-7-mediated proliferation and viability of CD8+ T-cells in vitro. <i>Cellular Immunology</i> , 2015, 293, 122-125.	3.0	17
16	IL-2 receptor \hat{A} chain cytokines differentially regulate human CD8+CD127+ and CD8+CD127- T cell division and susceptibility to apoptosis. <i>International Immunology</i> , 2009, 21, 29-42.	4.0	15
17	TLR-4 Agonist Induces IFN- $\hat{\gamma}$ Production Selectively in Proinflammatory Human M1 Macrophages through the PI3K-mTOR $\hat{\epsilon}$ and JNK-MAPK $\hat{\epsilon}$ Activated p70S6K Pathway. <i>Journal of Immunology</i> , 2021, 207, 2310-2324.	0.8	15
18	Generalized Liver- and Blood-Derived CD8+ T-Cell Impairment in Response to Cytokines in Chronic Hepatitis C Virus Infection. <i>PLoS ONE</i> , 2016, 11, e0157055.	2.5	15

#	ARTICLE	IF	CITATIONS
19	Hepatitis C virus core protein reduces CD ⁸ T cell proliferation, perforin production and degranulation but increases STAT ⁵ activation. <i>Immunology</i> , 2018, 154, 156-165.	4.4	14
20	Development of a Quantitative Bead Capture Assay for Soluble IL-7 Receptor Alpha in Human Plasma. <i>PLoS ONE</i> , 2009, 4, e6690.	2.5	13
21	Influence of female sex on hepatitis C virus infection progression and treatment outcomes. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 405-411.	1.6	12
22	Increased soluble IL-7 receptor concentrations associate with improved IL-7 therapy outcomes in SIV-infected ART-treated Rhesus macaques. <i>PLoS ONE</i> , 2017, 12, e0188427.	2.5	12
23	Expression of Inhibitory Receptors on T and NK Cells Defines Immunological Phenotypes of HCV Patients with Advanced Liver Fibrosis. <i>IScience</i> , 2020, 23, 101513.	4.1	11
24	Selective killing of human M1 macrophages by Smac mimetics alone and M2 macrophages by Smac mimetics and caspase inhibition. <i>Journal of Leukocyte Biology</i> , 2021, 110, 693-710.	3.3	7
25	Evaluation of Safety and Effectiveness of Elvitegravir/Cobicistat/Emtricitabine/Tenofovir Alafenamide Switch Followed by Ledipasvir/Sofosbuvir HCV Therapy in HIV/HCV Coinfection. <i>Open Forum Infectious Diseases</i> , 2019, 6, .	0.9	5
26	IL γ induces sCD127 release and mCD127 downregulation in human CD ⁸ T cells by distinct yet overlapping mechanisms, both of which are impaired in HIV infection. <i>European Journal of Immunology</i> , 2020, 50, 1537-1549.	2.9	5
27	Expression of γ chain cytokine receptors on CD ⁸ + T cells in HIV infection with a focus on IL γ (CD127). <i>Immunology and Cell Biology</i> , 2012, 90, 379-387.	2.3	4
28	BATL: Bayesian annotations for targeted lipidomics. <i>Bioinformatics</i> , 2022, 38, 1593-1599.	4.1	3
29	In Vitro HIV Type 1 Infection Indirectly Alters CD127 Expression on CD8+ T Cells. <i>AIDS Research and Human Retroviruses</i> , 2012, 28, 295-298.	1.1	2
30	The 9th Canadian Symposium on Hepatitis C Virus: Advances in HCV research and treatment towards elimination. <i>Canadian Liver Journal</i> , 2021, 4, 59-71.	0.9	2