Alessandro Antonelli

List of Publications by Citations

 $\textbf{Source:} \ https://exaly.com/author-pdf/5963532/aless and ro-antonelli-publications-by-citations.pdf$

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27 233 3,531 51 h-index g-index citations papers 262 4,977 3.9 5.22 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 233 | Teprotumumab for Thyroid-Associated Ophthalmopathy. <i>New England Journal of Medicine</i> , 2017 , 376, 1748-1761 | 59.2 | 294 |
| 232 | Teprotumumab for the Treatment of Active Thyroid Eye Disease. <i>New England Journal of Medicine</i> , 2020 , 382, 341-352 | 59.2 | 178 |
| 231 | Validation of the 2009 TNM version in a large multi-institutional cohort of patients treated for renal cell carcinoma: are further improvements needed?. <i>European Urology</i> , 2010 , 58, 588-95 | 10.2 | 164 |
| 230 | Nephron-sparing techniques independently decrease the risk of cardiovascular events relative to radical nephrectomy in patients with a T1a-T1b renal mass and normal preoperative renal function. <i>European Urology</i> , 2015 , 67, 683-9 | 10.2 | 133 |
| 229 | Simple enucleation is equivalent to traditional partial nephrectomy for renal cell carcinoma: results of a nonrandomized, retrospective, comparative study. <i>Journal of Urology</i> , 2011 , 185, 1604-10 | 2.5 | 117 |
| 228 | Chromophobe renal cell carcinoma (RCC): oncological outcomes and prognostic factors in a large multicentre series. <i>BJU International</i> , 2012 , 110, 76-83 | 5.6 | 93 |
| 227 | Clinical aspects and surgical treatment of urinary tract endometriosis: our experience with 31 cases. <i>European Urology</i> , 2006 , 49, 1093-7; discussion 1097-8 | 10.2 | 89 |
| 226 | Nephron-sparing surgery versus radical nephrectomy in the treatment of intracapsular renal cell carcinoma up to 7cm. <i>European Urology</i> , 2008 , 53, 803-9 | 10.2 | 87 |
| 225 | Elective partial nephrectomy is equivalent to radical nephrectomy in patients with clinical T1 renal cell carcinoma: results of a retrospective, comparative, multi-institutional study. <i>BJU International</i> , 2012 , 109, 1013-8 | 5.6 | 70 |
| 224 | Partial Nephrectomy in Clinical T1b Renal Tumors: Multicenter Comparative Study of Open, Laparoscopic and Robot-assisted Approach (the RECORd Project). <i>Urology</i> , 2016 , 89, 45-51 | 1.6 | 68 |
| 223 | Surgical treatment of adrenal metastasis from renal cell carcinoma: a single-centre experience of 45 patients. <i>BJU International</i> , 2006 , 97, 505-8 | 5.6 | 66 |
| 222 | The follow-up management of non-metastatic renal cell carcinoma: definition of a surveillance protocol. <i>BJU International</i> , 2007 , 99, 296-300 | 5.6 | 65 |
| 221 | A multicentre matched-pair analysis comparing robot-assisted versus open partial nephrectomy. <i>BJU International</i> , 2014 , 113, 936-41 | 5.6 | 64 |
| 220 | Features associated with recurrence beyond 5 years after nephrectomy and nephron-sparing surgery for renal cell carcinoma: development and internal validation of a risk model (PRELANE score) to predict late recurrence based on a large multicenter database (CORONA/SATURN | 10.2 | 61 |
| 219 | Project). European Urology, 2013 , 64, 472-7 Can Teledentistry Improve the Monitoring of Patients during the Covid-19 Dissemination? A Descriptive Pilot Study. International Journal of Environmental Research and Public Health, 2020 , 17, | 4.6 | 59 |
| 218 | Open versus robotic-assisted partial nephrectomy: a multicenter comparison study of perioperative results and complications. <i>World Journal of Urology</i> , 2014 , 32, 287-93 | 4 | 54 |
| 217 | Below Safety Limits, Every Unit of Glomerular Filtration Rate Counts: Assessing the Relationship Between Renal Function and Cancer-specific Mortality in Renal Cell Carcinoma. <i>European Urology</i> , 2018 , 74, 661-667 | 10.2 | 52 |

| 216 | Surgical treatment of ureteral obstruction from endometriosis: our experience with thirteen cases. <i>International Urogynecology Journal</i> , 2004 , 15, 407-12; discussion 412 | 2 | 44 | |
|-----|---|------|----|--|
| 215 | Open versus laparoscopic partial nephrectomy for clinical T1a renal masses: a matched-pair comparison of 280 patients with TRIFECTA outcomes (RECORd Project). <i>World Journal of Urology</i> , 2014 , 32, 257-63 | 4 | 43 | |
| 214 | Cytogenetic features, clinical significance and prognostic impact of type 1 and type 2 papillary renal cell carcinoma. <i>Cancer Genetics and Cytogenetics</i> , 2010 , 199, 128-33 | | 41 | |
| 213 | Elective Nephron Sparing Surgery Decreases Other Cause Mortality Relative to Radical Nephrectomy Only in Specific Subgroups of Patients with Renal Cell Carcinoma. <i>Journal of Urology</i> , 2016 , 196, 1008-13 | 2.5 | 40 | |
| 212 | Impact of Resection Technique on Perioperative Outcomes and Surgical Margins after Partial Nephrectomy for Localized Renal Masses: A Prospective Multicenter Study. <i>Journal of Urology</i> , 2020 , 203, 496-504 | 2.5 | 37 | |
| 211 | GravesPdisease: Epidemiology, genetic and environmental risk factors and viruses. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2020 , 34, 101387 | 6.5 | 36 | |
| 210 | Can Autofluorescence Guide Surgeons in the Treatment of Medication-Related Osteonecrosis of the Jaw? A Prospective Feasibility Study. <i>Journal of Oral and Maxillofacial Surgery</i> , 2018 , 76, 982-995 | 1.8 | 34 | |
| 209 | End-Stage Renal Disease After Renal Surgery in Patients with Normal Preoperative Kidney Function: Balancing Surgical Strategy and Individual Disorders at Baseline. <i>European Urology</i> , 2016 , 70, 558-561 | 10.2 | 30 | |
| 208 | GravesPdisease: Clinical manifestations, immune pathogenesis (cytokines and chemokines) and therapy. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2020 , 34, 101388 | 6.5 | 29 | |
| 207 | Role of Clinical and Surgical Factors for the Prediction of Immediate, Early and Late Functional Results, and its Relationship with Cardiovascular Outcome after Partial Nephrectomy: Results from the Prospective Multicenter RECORd 1 Project. <i>Journal of Urology</i> , 2018 , 199, 927-932 | 2.5 | 28 | |
| 206 | Surgical treatment of atypical metastasis from renal cell carcinoma (RCC). <i>BJU International</i> , 2012 , 110, E559-63 | 5.6 | 27 | |
| 205 | Perioperative Outcomes of Open, Laparoscopic, and Robotic Partial Nephrectomy: A Prospective Multicenter Observational Study (The RECORd 2 Project). <i>European Urology Focus</i> , 2021 , 7, 390-396 | 5.1 | 27 | |
| 204 | A prospective, multicenter evaluation of predictive factors for positive surgical margins after nephron-sparing surgery for renal cell carcinoma: the RECORd1 Italian Project. <i>Clinical Genitourinary Cancer</i> , 2015 , 13, 165-70 | 3.3 | 26 | |
| 203 | Robotic versus other nephroureterectomy techniques: a systematic review and meta-analysis of over 87,000 cases. <i>World Journal of Urology</i> , 2020 , 38, 845-852 | 4 | 26 | |
| 202 | Differences in trends in the use of robot-assisted and open radical cystectomy and changes over time in peri-operative outcomes among selected centres in North America and Europe: an international multicentre collaboration. <i>BJU International</i> , 2019 , 124, 656 | 5.6 | 25 | |
| 201 | Predictive Value of Nephrometry Scores in Nephron-sparing Surgery: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , 2020 , 6, 490-504 | 5.1 | 25 | |
| 200 | TriMatch comparison of the efficacy of FloSeal versus TachoSil versus no hemostatic agents for partial nephrectomy: results from a large multicenter dataset. <i>International Journal of Urology</i> , 2015 , 22, 47-52 | 2.3 | 24 | |
| 199 | Prognostic factors in a large multi-institutional series of papillary renal cell carcinoma. <i>BJU</i> International, 2012 , 109, 1140-6 | 5.6 | 24 | |

| 198 | Impact of clinical and histopathological parameters on disease specific survival in patients with collecting duct renal cell carcinoma: development of a disease specific risk model. <i>Journal of Urology</i> , 2013 , 190, 458-63 | 2.5 | 24 |
|-----|--|------------------|----|
| 197 | Predictors of the Transition from Off to On Clamp Approach during Ongoing Robotic Partial Nephrectomy: Data from the CLOCK Randomized Clinical Trial. <i>Journal of Urology</i> , 2019 , 202, 62-68 | 2.5 | 24 |
| 196 | What is the standard surgical approach to large volume BPE? Systematic review of existing randomized clinical trials. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 22-29 | 4.4 | 23 |
| 195 | The Simplified PADUA REnal (SPARE) nephrometry system: a novel classification of parenchymal renal tumours suitable for partial nephrectomy. <i>BJU International</i> , 2019 , 124, 621 | 5.6 | 22 |
| 194 | Surgical quality, cancer control and functional preservation: introducing a novel trifecta for robot-assisted partial nephrectomy. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 82-90 | 4.4 | 22 |
| 193 | Holographic Reconstructions for Preoperative Planning before Partial Nephrectomy: A Head-to-Head Comparison with Standard CT Scan. <i>Urologia Internationalis</i> , 2019 , 102, 212-217 | 1.9 | 22 |
| 192 | Positive Surgical Margins Predict Progression-free Survival After Nephron-sparing Surgery for Renal Cell Carcinoma: Results From a Single Center Cohort of 459 Cases With a Minimum Follow-up of 5 Years. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e26-e31 | 3.3 | 21 |
| 191 | Hypertension and Cardiovascular Morbidity Following Surgery for Kidney Cancer. <i>European Urology Oncology</i> , 2020 , 3, 209-215 | 6.7 | 21 |
| 190 | Transformation of Prostate Adenocarcinoma Into Small-Cell Neuroendocrine Cancer Under Androgen Deprivation Therapy: Much Is Achieved But More Information Is Needed. <i>Journal of Clinical Oncology</i> , 2019 , 37, 350-351 | 2.2 | 20 |
| 189 | Urology in the Time of Coronavirus: Reduced Access to Urgent and Emergent Urological Care during the Coronavirus Disease 2019 Outbreak in Italy. <i>Urologia Internationalis</i> , 2020 , 104, 631-636 | 1.9 | 20 |
| 188 | Acute kidney injury promotes development of papillary renal cell adenoma and carcinoma from renal progenitor cells. <i>Science Translational Medicine</i> , 2020 , 12, | 17.5 | 19 |
| 187 | Multicenter Analysis of Postoperative Complications in Octogenarians After Radical Cystectomy and Ureterocutaneostomy: The Role of the Frailty Index. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 402-40 | 7 ^{3.3} | 18 |
| 186 | The occurrence of intraoperative complications during partial nephrectomy and their impact on postoperative outcome: results from the RECORd1 project. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 47-54 | 4.4 | 18 |
| 185 | The R.E.N.A.L. nephrometric nomogram cannot accurately predict malignancy or aggressiveness of small renal masses amenable to partial nephrectomy. <i>Clinical Genitourinary Cancer</i> , 2014 , 12, 366-72 | 3.3 | 18 |
| 184 | Histological variants in non-muscle invasive bladder cancer. <i>Translational Andrology and Urology</i> , 2019 , 8, 34-38 | 2.3 | 17 |
| 183 | Pre-existing type-2 diabetes is not an adverse prognostic factor in patients with renal cell carcinoma: a single-center retrospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1310-5 | 2.8 | 17 |
| 182 | Laparoscopic and robotic ureteral stenosis repair: a multi-institutional experience with a long-term follow-up. <i>Journal of Robotic Surgery</i> , 2016 , 10, 323-330 | 2.9 | 17 |
| 181 | Bipolar endoscopic enucleation versus bipolar transurethral resection of the prostate: an ESUT systematic review and cumulative analysis. <i>World Journal of Urology</i> , 2020 , 38, 1177-1186 | 4 | 17 |

| 180 | Can Surgical Management Improve Resolution of Medication-Related Osteonecrosis of the Jaw at Early Stages? A Prospective Cohort Study. <i>Journal of Oral and Maxillofacial Surgery</i> , 2020 , 78, 1986-1999 | 91.8 | 16 | |
|-----|---|-------------------|----|--|
| 179 | Robotic partial nephrectomy versus radical nephrectomy in elderly patients with large renal masses. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 99-10 | 18 ⁴⁻⁴ | 16 | |
| 178 | Patient frailty predicts worse perioperative outcomes and higher cost after radical cystectomy. Surgical Oncology, 2020 , 32, 8-13 | 2.5 | 16 | |
| 177 | Nomogram for predicting the likelihood of postoperative surgical complications in patients treated with partial nephrectomy: a prospective multicentre observational study (the RECORd 2 project). BJU International, 2019 , 124, 93-102 | 5.6 | 16 | |
| 176 | Near-infrared Fluorescence Imaging with Indocyanine Green in Robot-assisted Partial Nephrectomy: Pooled Analysis of Comparative Studies. <i>European Urology Focus</i> , 2020 , 6, 505-512 | 5.1 | 16 | |
| 175 | On-clamp versus off-clamp robotic partial nephrectomy: A systematic review and meta-analysis. <i>Urologia</i> , 2019 , 86, 52-62 | 1.2 | 15 | |
| 174 | Impact of Surgical Approach on Patient-Reported Outcomes after Radical Prostatectomy: A Propensity Score-Weighted Analysis from a Multicenter, Prospective, Observational Study (The Pros-IT CNR Study). <i>Urologia Internationalis</i> , 2019 , 103, 8-18 | 1.9 | 15 | |
| 173 | Safety of on- vs off-clamp robotic partial nephrectomy: per-protocol analysis from the data of the CLOCK randomized trial. <i>World Journal of Urology</i> , 2020 , 38, 1101-1108 | 4 | 15 | |
| 172 | Surgical treatment of metastases from renal cell carcinoma. <i>Archivio Italiano Di Urologia Andrologia</i> , 2005 , 77, 125-8 | 1.6 | 15 | |
| 171 | Incidence and survival outcomes in patients with upper urinary tract urothelial carcinoma diagnosed with variant histology and treated with nephroureterectomy. <i>BJU International</i> , 2019 , 124, 738-745 | 5.6 | 14 | |
| 170 | The Predictive Role of Biomarkers for the Detection of Acute Kidney Injury After Partial or Radical Nephrectomy: A Systematic Review of the Literature. <i>European Urology Focus</i> , 2020 , 6, 344-353 | 5.1 | 14 | |
| 169 | Rates and Predictors of Perioperative Complications in Cytoreductive Nephrectomy: Analysis of the Registry for Metastatic Renal Cell Carcinoma. <i>European Urology Oncology</i> , 2020 , 3, 523-529 | 6.7 | 13 | |
| 168 | Urinary tract endometriosis. <i>Urologia</i> , 2012 , 79, 167-70 | 1.2 | 13 | |
| 167 | The role of vascular clamping during robot-assisted partial nephrectomy for localized renal cancer: rationale and design of the CLOCK randomized phase III study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 96-100 | 4.4 | 13 | |
| 166 | The Case of Medication-Related Osteonecrosis of the Jaw Addressed from a Pathogenic Point of View. Innovative Therapeutic Strategies: Focus on the Most Recent Discoveries on Oral Mesenchymal Stem Cell-Derived Exosomes. <i>Pharmaceuticals</i> , 2020 , 13, | 5.2 | 13 | |
| 165 | Is off-clamp robot-assisted partial nephrectomy beneficial for renal function? Data from the CLOCK trial. <i>BJU International</i> , 2021 , | 5.6 | 13 | |
| 164 | Features, risk factors and clinical outcome of "very late" recurrences after surgery for localized renal carcinoma: A retrospective evaluation of a cohort with a minimum of 10 years of follow up. <i>International Journal of Urology</i> , 2016 , 23, 36-40 | 2.3 | 13 | |
| 163 | Tumour contact surface area as a predictor of postoperative complications and renal function in patients undergoing partial nephrectomy for renal tumours. <i>BJU International</i> , 2019 , 123, 639-645 | 5.6 | 13 | |

| 162 | Partial versus radical nephrectomy in very elderly patients: a propensity score analysis of surgical, functional and oncologic outcomes (RESURGE project). <i>World Journal of Urology</i> , 2020 , 38, 151-158 | 4 | 13 |
|-----|---|-----|----|
| 161 | Trifecta Outcomes of Partial Nephrectomy in Patients Over 75 Years Old: Analysis of the REnal SURGery in Elderly (RESURGE) Group. <i>European Urology Focus</i> , 2020 , 6, 982-990 | 5.1 | 12 |
| 160 | Features of Ipsilateral Renal Recurrences After Partial Nephrectomy: A Proposal of a Pathogenetic Classification. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 540-547 | 3.3 | 11 |
| 159 | Contemporary Age-adjusted Incidence and Mortality Rates of Renal Cell Carcinoma: Analysis According to Gender, Race, Stage, Grade, and Histology. <i>European Urology Focus</i> , 2021 , 7, 644-652 | 5.1 | 11 |
| 158 | Positive surgical margins and early oncological outcomes of robotic vs open radical prostatectomy at a medium case-load institution. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 63-68 | 2.3 | 11 |
| 157 | Assessment of volume preservation performed before or after partial nephrectomy accurately predicts postoperative renal function: Results from a prospective multicenter study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 33-39 | 2.8 | 11 |
| 156 | Complication rates, failure to rescue and in-hospital mortality after cytoreductive nephrectomy in the older patients. <i>Journal of Geriatric Oncology</i> , 2020 , 11, 718-723 | 3.6 | 11 |
| 155 | Comparison of Perioperative Morbidity of Radical Cystectomy With Neobladder Versus Ileal Conduit: A Matched Pair Analysis of 170 Patients. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, 244-8 | 3.3 | 10 |
| 154 | External histopathological validation of the surface-intermediate-base margin score. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 215-220 | 2.8 | 10 |
| 153 | Impact of Tumor Size on Cancer-Specific Mortality Rate After Local Tumor Ablation in T1a Renal-Cell Carcinoma. <i>Journal of Endourology</i> , 2019 , 33, 606-613 | 2.7 | 10 |
| 152 | Upstaging to pT3a in Patients Undergoing Partial or Radical Nephrectomy for cT1 Renal Tumors: A Systematic Review and Meta-analysis of Outcomes and Predictive Factors. <i>European Urology Focus</i> , 2021 , 7, 574-581 | 5.1 | 10 |
| 151 | Survival and Complication Rates of Metastasectomy in Patients With Metastatic Renal Cell Carcinoma Treated Exclusively With Targeted Therapy: A Combined Population-based Analysis. Anticancer Research, 2019, 39, 4357-4361 | 2.3 | 10 |
| 150 | The percentage of core involved by cancer is the best predictor of insignificant prostate cancer, according to an updated definition (tumor volume up to 2.5 cm3): analysis of a cohort of 210 consecutive patients with low-risk disease. <i>Urology</i> , 2014 , 83, 28-32 | 1.6 | 10 |
| 149 | Comprehensive long-term assessment of outcomes following robot-assisted partial nephrectomy for renal cell carcinoma: the ROMeB achievement and its predicting nomogram. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 482-489 | 4.4 | 10 |
| 148 | Transperitoneal vs retroperitoneal minimally invasive partial nephrectomy: comparison of perioperative outcomes and functional follow-up in a large multi-institutional cohort (The RECORD 2 Project). Surgical Endoscopy and Other Interventional Techniques, 2021 , 35, 4295-4304 | 5.2 | 10 |
| 147 | Surgical approach to urinary endometriosis: experience on 28 cases. <i>Archivio Italiano Di Urologia Andrologia</i> , 2006 , 78, 35-8 | 1.6 | 10 |
| 146 | Obesity strongly predicts clinically undetected multiple lymph node metastases in intermediate- and high-risk prostate cancer patients who underwent robot assisted radical prostatectomy and extended lymph node dissection. <i>International Urology and Nephrology</i> , 2020 , 52, 2097-2105 | 2.3 | 9 |
| 145 | Contemporary Incidence and Mortality Rates in Patients With Testicular Germ Cell Tumors. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e1026-e1035 | 3.3 | 9 |

(2020-2020)

| 144 | How Can the COVID-19 Pandemic Lead to Positive Changes in Urology Residency?. <i>Frontiers in Surgery</i> , 2020 , 7, 563006 | 2.3 | 9 | |
|-----|---|------------------|---|--|
| 143 | Primary Stability of Three Different Osteotomy Techniques in Medullary Bone: An in Vitro Study. Dentistry Journal, 2020 , 8, | 3.1 | 8 | |
| 142 | Endogenous testosterone mirrors prostate cancer aggressiveness: correlation between basal testosterone serum levels and prostate cancer European Urology Association clinical risk classes in a large cohort of Caucasian patients. <i>International Urology and Nephrology</i> , 2020 , 52, 1261-1269 | 2.3 | 8 | |
| 141 | Segmental Ureterectomy for Upper Tract Urothelial Carcinoma: A Systematic Review and Meta-analysis of Comparative Studies. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e10-e20 | 3.3 | 8 | |
| 140 | Perioperative and Mid-term Oncological and Functional Outcomes After Partial Nephrectomy for Complex (PADUA Score 10) Renal Tumors: A Prospective Multicenter Observational Study (the RECORD2 Project). <i>European Urology Focus</i> , 2021 , 7, 1371-1379 | 5.1 | 8 | |
| 139 | Can Bone Compaction Improve Primary Implant Stability? An In Vitro Comparative Study with Osseodensification Technique. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 8623 | 2.6 | 8 | |
| 138 | Venous tumor thrombus consistency is not predictive of survival in patients with renal cell carcinoma: A retrospective study of 147 patients. <i>International Journal of Urology</i> , 2015 , 22, 534-9 | 2.3 | 7 | |
| 137 | Renal cell carcinoma incidence rates and trends in young adults aged 20-39 years. <i>Cancer Epidemiology</i> , 2020 , 67, 101762 | 2.8 | 7 | |
| 136 | Upstaging to pT3a disease in patients undergoing robotic partial nephrectomy for cT1 kidney cancer: Outcomes and predictors from a multi-institutional dataset. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 286-292 | 2.8 | 7 | |
| 135 | Standard vs delayed ligature of the dorsal vascular complex during robot-assisted radical prostatectomy: results from a randomized controlled trial. <i>Journal of Robotic Surgery</i> , 2019 , 13, 253-26 | 0 ^{2.9} | 7 | |
| 134 | Use of the appendix as ureteral substitute in a patient with a single kidney affected by relapsing upper urinary tract carcinoma. <i>Scientific World Journal, The</i> , 2005 , 5, 276-9 | 2.2 | 7 | |
| 133 | Development of a Novel Risk Score to Select the Optimal Candidate for Cytoreductive Nephrectomy Among Patients with Metastatic Renal Cell Carcinoma. Results from a Multi-institutional Registry (REMARCC). <i>European Urology Oncology</i> , 2021 , 4, 256-263 | 6.7 | 7 | |
| 132 | The impact of preoperative nutritional status on post-surgical complication and mortality rates in patients undergoing radical cystectomy for bladder cancer: a systematic review of the literature. <i>World Journal of Urology</i> , 2021 , 39, 1045-1081 | 4 | 7 | |
| 131 | Evaluation of local hemostatic efficacy after dental extractions in patients taking antiplatelet drugs: a randomized clinical trial. <i>Clinical Oral Investigations</i> , 2021 , 25, 1159-1167 | 4.2 | 7 | |
| 130 | Endogenous testosterone as a predictor of prostate growing disorders in the aging male. <i>International Urology and Nephrology</i> , 2021 , 53, 843-854 | 2.3 | 7 | |
| 129 | External Validation of the Arterial-Based Complexity Score and First Head-to-Head Comparison With the R.E.N.A.L. and PADUA Scores and C-index. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e595-e604 | 3.3 | 7 | |
| 128 | Early and Late Efficacy on Wound Healing of Silver Nanoparticle Gel in Males after Circumcision. Journal of Clinical Medicine, 2020 , 9, | 5.1 | 6 | |
| 127 | Letter to the Editor: "Clinical characteristics and outcomes of patients undergoing surgeries during the incubation period of COVID-19 infection". <i>EClinicalMedicine</i> , 2020 , 22, 100362 | 11.3 | 6 | |

| 126 | Biological effect of neoadjuvant androgen-deprivation therapy assessed on specimens from radical prostatectomy: a systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018 , 70, 370-379 | 4.4 | 6 |
|-----|---|------------------|---|
| 125 | Assessment of local tumor ablation and non-interventional management versus partial nephrectomy in T1a renal cell carcinoma. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 350-359 | 4.4 | 6 |
| 124 | Overview of potential determinants of radical prostatectomy versus radiation therapy in management of clinically localized prostate cancer: results from an Italian, prospective, observational study (the Pros-IT CNR study). Minerva Urologica E Nefrologica = the Italian Journal of | 4.4 | 6 |
| 123 | Conditional Survival of Patients With Nonmetastatic Renal Cell Carcinoma: How Cancer-Specific Mortality Changes After Nephrectomy. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020 , 18, 44-51 | 7-3 | 6 |
| 122 | The Impact of SARS-CoV-2 Pandemic on Time to Primary, Secondary Resection and Adjuvant Intravesical Therapy in Patients with High-Risk Non-Muscle Invasive Bladder Cancer: A Retrospective Multi-Institutional Cohort Analysis. <i>Cancers</i> , 2021 , 13, | 6.6 | 6 |
| 121 | Predicting positive surgical margins in partial nephrectomy: A prospective multicentre observational study (the RECORd 2 project). <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1353-1359 | ₉ 3.6 | 6 |
| 120 | Renal Function Impairment Below Safety Limits Correlates With Cancer-specific Mortality in Localized Renal Cell Carcinoma: Results From a Single-center Study. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e360-e367 | 3.3 | 6 |
| 119 | Delaying BCG immunotherapy onset after transurethral resection of non-muscle-invasive bladder cancer is associated with adverse survival outcomes. <i>World Journal of Urology</i> , 2021 , 39, 2545-2552 | 4 | 6 |
| 118 | The role of vacuum-assisted closure (VAC) therapy in the management of FOURNIER医 gangrene: a retrospective multi-institutional cohort study. <i>World Journal of Urology</i> , 2021 , 39, 121-128 | 4 | 6 |
| 117 | Durable and complete remission of a metastatic bladder sarcomatoid carcinoma with chemotherapic and surgical treatments. <i>Archivio Italiano Di Urologia Andrologia</i> , 2006 , 78, 67-70 | 1.6 | 6 |
| 116 | Analysis of Circulating Tumor Cells in Prostate Cancer Patients at PSA Recurrence and Review of the Literature. <i>Anticancer Research</i> , 2016 , 36, 2975-81 | 2.3 | 6 |
| 115 | Peri-Operative Outcomes after Open and Robot-Assisted Radical Cystectomy by Using an Advanced Bipolar Seal and Cut Technology (Caiman [®]): A Prospective, Comparative, and Multi-Institutional Study. <i>Current Urology</i> , 2019 , 12, 64-69 | 1.7 | 5 |
| 114 | Outcomes of Partial and Radical Nephrectomy in Octogenarians - A Multicenter International Study (Resurge). <i>Urology</i> , 2019 , 129, 139-145 | 1.6 | 5 |
| 113 | How cancer-specific mortality changes over time after radical cystectomy: Conditional survival of patients with nonmetastatic urothelial carcinoma of the urinary bladder. <i>Urologic Oncology:</i> Seminars and Original Investigations, 2019 , 37, 893-899 | 2.8 | 5 |
| 112 | Treatment paths for localised prostate cancer in Italy: The results of a multidisciplinary, observational, prospective study (Pros-IT CNR). <i>PLoS ONE</i> , 2019 , 14, e0224151 | 3.7 | 5 |
| 111 | Prognostic role of delay before radical cystectomy: retrospective analysis of a single-centre cohort with 376 patients. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018 , 70, 494-500 | 4.4 | 5 |
| 110 | Active surveillance for small renal masses in elderly patients does not increase overall mortality rates compared to primary intervention: a propensity score weighted analysis. <i>Minerva Urology and Nephrology</i> , 2020 , | 2.3 | 5 |
| 109 | Renal surgery for the older population: time for a paradigm shift? Data from the RESURGE project. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 173-178 | 4.8 | 5 |

| 108 | Serum testosterone and obesity in prostate cancer biology: a call for health promotion in the ageing male. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 1399-1401 | 4.8 | 5 |
|-----|---|-------------------|---|
| 107 | Contemporary Cytoreductive Nephrectomy Provides Survival Benefit in Clear-cell Metastatic Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e730-e738 | 3.3 | 4 |
| 106 | Toward Individualized Approaches to Partial Nephrectomy: Assessing the Correlation Between Ischemia Time and Patient Health Status (RECORD2 Project). <i>European Urology Oncology</i> , 2021 , 4, 645-6 | 567 | 4 |
| 105 | Usefulness of Magnetic Mallet in Oral Surgery and Implantology: A Systematic Review <i>Journal of Personalized Medicine</i> , 2022 , 12, | 3.6 | 4 |
| 104 | Minimally Invasive Radical Prostatectomy after Previous Bladder Outlet Surgery: A Systematic Review and Pooled Analysis of Comparative Studies. <i>Journal of Urology</i> , 2019 , 202, 511-517 | 2.5 | 4 |
| 103 | External validation of Cormio nomogram for predicting all prostate cancers and clinically significant prostate cancers. <i>World Journal of Urology</i> , 2020 , 38, 2555-2561 | 4 | 4 |
| 102 | Head to Head Impact of Margin, Ischemia, Complications, Score Versus a Novel Trifecta Score on Oncologic and Functional Outcomes After Robotic-assisted Partial Nephrectomy: Results of a Multicenter Series. <i>European Urology Focus</i> , 2021 , 7, 1391-1399 | 5.1 | 4 |
| 101 | Cytokines as Targets of Novel Therapies for GravesPOphthalmopathy. <i>Frontiers in Endocrinology</i> , 2021 , 12, 654473 | 5.7 | 4 |
| 100 | Three vs. Four Cycles of Neoadjuvant Chemotherapy for Localized Muscle Invasive Bladder Cancer Undergoing Radical Cystectomy: A Retrospective Multi-Institutional Analysis. <i>Frontiers in Oncology</i> , 2021 , 11, 651745 | 5.3 | 4 |
| 99 | Is partial nephrectomy safe and effective in the setting of frail comorbid patients affected by renal cell carcinoma? Insights from the RECORD 2 multicentre prospective study. <i>Urologic Oncology:</i> Seminars and Original Investigations, 2021, 39, 78.e17-78.e26 | 2.8 | 4 |
| 98 | Radical prostatectomy technique in the robotic evolution: from da Vinci standard to single port-a single surgeon pathway. <i>Journal of Robotic Surgery</i> , 2021 , 1 | 2.9 | 4 |
| 97 | Assessing the impact of renal artery clamping during laparoscopic partial nephrectomy (LPN) for small renal masses: the rationale and design of the CLamp vs Off Clamp Kidney during LPN (CLOCK II) randomised phase III trial. <i>BJU International</i> , 2019 , 124, 365-367 | 5.6 | 3 |
| 96 | Differences in short-term outcomes between open versus robot-assisted radical cystectomy in frail malnourished patients. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1347-1352 | 3.6 | 3 |
| 95 | Myofibroblastic inflammatory tumors of the bladder. <i>Urologia Internationalis</i> , 2004 , 72, 79-81 | 1.9 | 3 |
| 94 | Neoadjuvant Strategies Before Radical Prostatectomy for High Risk Prostate Cancer in the Era of New Hormonal Agents. <i>Current Drug Targets</i> , 2021 , 22, 68-76 | 3 | 3 |
| 93 | Current evidence and future perspectives about the role of iXip[] in the diagnosis of prostate cancer. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 201-20 |)4 ^{1.4} | 3 |
| 92 | Randomized trials to determine the ideal management of the renal artery during partial nephrectomy: LifeB under no obligation to give us what we expect. <i>International Journal of Urology</i> , 2021 , | 2.3 | 3 |
| 91 | A Plea for Optimizing Selection in Current Adjuvant Immunotherapy Trials for High-risk Nonmetastatic Renal Cell Carcinoma According to Expected Cancer-specific Mortality. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 314-321.e1 | 3.3 | 3 |

| 90 | Outcomes of transurethral resection of the prostate in unobstructed patients with concomitant detrusor underactivity. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2179-2185 | 2.3 | 3 |
|----|---|--------------------|---|
| 89 | Is the Voided Volume at Office Uroflowmetry Physiological and Reliable? A Comparison between Voiding Diary and Uroflowmetry. <i>Urologia Internationalis</i> , 2020 , 104, 908-913 | 1.9 | 3 |
| 88 | Ureteral location is associated with survival outcomes in upper tract urothelial carcinoma: A population-based analysis. <i>International Journal of Urology</i> , 2020 , 27, 966-972 | 2.3 | 3 |
| 87 | Changes in body composition and lipid profile in prostate cancer patients without bone metastases given Degarelix treatment: the BLADE prospective cohort study. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 852-859 | 6.2 | 3 |
| 86 | Warm ischemia time length during on-clamp partial nephrectomy: dose it really matter?. <i>Minerva Urology and Nephrology</i> , 2021 , | 2.3 | 3 |
| 85 | Response to Editorial Comment to Features, risk factors and clinical outcome of "very late" recurrences after surgery for localized renal carcinoma: A retrospective evaluation of a cohort with a minimum of 10 years of follow up. <i>International Journal of Urology</i> , 2016 , 23, 41 | 2.3 | 3 |
| 84 | How to improve patient selection for neoadjuvant chemotherapy in bladder cancer patients candidate for radical cystectomy and pelvic lymph node dissection. <i>World Journal of Urology</i> , 2020 , 38, 1229-1233 | 4 | 3 |
| 83 | Frailty impact on postoperative complications and early mortality rates in patients undergoing radical cystectomy for bladder cancer: a systematic review. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 19, 9-23 | 1.7 | 3 |
| 82 | Deviation from the Protocol of a Randomized Clinical Trial Comparing On-Clamp versus Off-Clamp Laparoscopic Partial Nephrectomy (CLOCK II Laparoscopic Study): A Real-Life Analysis. <i>Journal of Urology</i> , 2021 , 205, 678-685 | 2.5 | 3 |
| 81 | A Nomogram for the Prediction of Intermediate Significant Renal Function Loss After Robot-assisted Partial Nephrectomy for Localized Renal Tumors: A Prospective Multicenter Observational Study (RECORd2 Project). <i>European Urology Focus</i> , 2021 , | 5.1 | 3 |
| 80 | Long-term Prognostic Impact of Chromosome Abnormalities in Clear Cell Renal Cell Carcinoma. <i>Anticancer Research</i> , 2019 , 39, 2757-2765 | 2.3 | 2 |
| 79 | Re: Comparing Off-clamp and On-clamp Robot-assisted Partial Nephrectomy: A Prospective Randomized Trial. <i>Urology</i> , 2019 , 128, 113-114 | 1.6 | 2 |
| 78 | Basal total testosterone serum levels predict biopsy and pathological ISUP grade group in a large cohort of Caucasian prostate cancer patients who underwent radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2020 , 12, 1756287220929481 | 3.2 | 2 |
| 77 | Impact of Robotic Surgery on Sick Leave and Return to Work in Patients Undergoing Radical Prostatectomy: An Evidence-Based Analysis. <i>Urology Practice</i> , 2020 , 7, 47-52 | 0.8 | 2 |
| 76 | A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2021 , | 4.4 | 2 |
| 75 | Outcomes of minimally invasive partial nephrectomy among very elderly patients: report from the RESURGE collaborative international database. <i>Central European Journal of Urology</i> , 2020 , 73, 273-279 | 0.9 | 2 |
| 74 | External validation of the PalaciosPequation: a simple and accurate tool to estimate the new baseline renal function after renal cancer surgery. <i>World Journal of Urology</i> , 2021 , 1 | 4 | 2 |
| 73 | Role of cultural analysis in patients with indwelling ureteral stent submitted to ureteroscopy for stones. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 755-76 | 5 2 1·4 | 2 |

| 72 | Cystocele Repair by a Modified Surgical Technique of Bilateral Pubococcygeus Plication: Long-Term Surgical and Functional Results. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 2 |
|----|--|------|---|
| 71 | Reply by Authors. <i>Journal of Urology</i> , 2021 , 205, 685 | 2.5 | 2 |
| 70 | Omics in urology: An overview on concepts, current status and future perspectives. <i>Urologia</i> , 2021 , 88, 270-279 | 1.2 | 2 |
| 69 | Prostatic Inflammation in Prostate Cancer: Protective Effect or Risk Factor?. <i>Uro</i> , 2021 , 1, 54-59 | | 2 |
| 68 | MP41-11 RESECTION TECHNIQUES FOR NEPHRON SPARING SURGERY (NSS) VARY: INSIGHTS FROM A PROSPECTIVELY COLLECTED MULTI-INSTITUTIONAL COHORT HARNESSING THE SURFACEINTERMEDIATEBASE (S.I.B.) MARGIN SCORE (SIB INTERNATIONAL CONSORTIUM). | 2.5 | 2 |
| 67 | A Double-Blind, Placebo-Controlled Parallel Group Study to Evaluate the Effect of a Single Oral Dose of 5-HT1A Antagonist GSK958108 on Ejaculation Latency Time in Male Patients Suffering From Premature Ejaculation. <i>Journal of Sexual Medicine</i> , 2021 , 18, 63-71 | 1.1 | 2 |
| 66 | The Influence of Endogenous Testosterone on Incidental Prostate Cancer after Transurethral Prostate Resection. <i>Urologia Internationalis</i> , 2021 , 105, 826-834 | 1.9 | 2 |
| 65 | Assessment of the oncological outcomes of three different bacillus Calmette-Gufin strains in patients with high-grade T1 non-muscle-invasive bladder cancer. <i>Arab Journal of Urology Arab Association of Urology</i> , 2021 , 19, 78-85 | 1.7 | 2 |
| 64 | Low endogenous testosterone levels are associated with the extend of lymphnodal invasion at radical prostatectomy and extended pelvic lymph node dissection. <i>International Urology and Nephrology</i> , 2021 , 53, 2027-2039 | 2.3 | 2 |
| 63 | Perioperative Outcomes of Holmium Laser Enucleation of the Prostate: A Systematic Review. <i>Urologia Internationalis</i> , 2021 , 1-13 | 1.9 | 2 |
| 62 | Effect of Neoadjuvant Chemotherapy on Complications, in-Hospital Mortality, Length of Stay and Total Hospital Costs in Bladder Cancer Patients Undergoing Radical Cystectomy <i>Cancers</i> , 2022 , 14, | 6.6 | 2 |
| 61 | Re: Renal Cancer Surgery for Patients Without Preexisting Chronic Kidney Disease: Is There a Survival Benefit for Partial Nephrectomy?. <i>European Urology</i> , 2019 , 76, 407-408 | 10.2 | 1 |
| 60 | The impact of completeness of last transurethral resection of bladder tumors on the outcomes of radical cystectomy. <i>World Journal of Urology</i> , 2019 , 37, 2707-2714 | 4 | 1 |
| 59 | Re: The Temporal Association of Robotic Surgical Diffusion with Overtreatment of the Small Renal Mass. <i>European Urology</i> , 2019 , 75, 877-878 | 10.2 | 1 |
| 58 | MDM2 gene amplification as selection tool for innovative targeted approaches in PD-L1 positive or negative muscle-invasive urothelial bladder carcinoma. <i>Journal of Clinical Pathology</i> , 2020 , | 3.9 | 1 |
| 57 | Prostatic chronic inflammation and prostate cancer risk at baseline random biopsy: Analysis of predictors. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 18, 148-154 | 1.7 | 1 |
| 56 | Single-Port robot assisted partial nephrectomy: initial experience and technique with the da Vinci Single-Port platform (IDEAL Phase 1). <i>Minerva Urology and Nephrology</i> , 2021 , | 2.3 | 1 |
| 55 | Active surveillance for small renal masses in elderly patients does not increase overall mortality rates compared to primary intervention: a propensity score weighted analysis. <i>Minerva Urology and Nephrology</i> , 2022 , 73, | 2.3 | 1 |

| 54 | Slit2 Regulation of Hyaluronan and Cytokine Synthesis in Fibrocytes in Thyroid-associated Ophthalmopathy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e1907-e1908 | 5.6 | 1 |
|----|--|---------------------|---|
| 53 | Reply by Authors. <i>Journal of Urology</i> , 2020 , 203, 503-504 | 2.5 | 1 |
| 52 | Health-related quality of life 24-month after prostate cancer diagnosis: an update from the Pros-IT CNR prospective observational study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2021 , | 4.4 | 1 |
| 51 | A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urology and Nephrology</i> , 2022 , 74, | 2.3 | 1 |
| 50 | Outcomes and predictors of benign histology in patients undergoing robotic partial or radical nephrectomy for renal masses: a multicenter study. <i>Central European Journal of Urology</i> , 2020 , 73, 33-30 | 8 ^{0.9} | 1 |
| 49 | PD51-05 ACTIVE SURVEILLANCE VS. NEPHRON SPARING SURGERY FOR SMALL RENAL MASS IN VERY ELDERLY PATIENTS: A COMPETING RISK ANALYSIS. <i>Journal of Urology</i> , 2019 , 201, | 2.5 | 1 |
| 48 | Bladder cancer incidence rates and trends in young adults aged 20-39 years. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 934.e11-934.e19 | 2.8 | 1 |
| 47 | Adjuvant chemotherapy is ineffective in patients with bladder cancer and variant histology treated with radical cystectomy with curative intent. <i>World Journal of Urology</i> , 2021 , 39, 1947-1953 | 4 | 1 |
| 46 | Low-intensity extracorporeal shock wave therapy (Li-ESWT) for priapism-induced erectile dysfunction in young patients: the first case series. <i>International Journal of Impotence Research</i> , 2021 , | 2.3 | 1 |
| 45 | The microbiological profile of patients with Fournier® gangrene: A retrospective multi-institutional cohort study. <i>Urologia</i> , 2021 , 3915603211018441 | 1.2 | 1 |
| 44 | Robot-assisted vesico-vaginal fistula repair: technical nuances. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2021 , 47, 684-685 | 2 | 1 |
| 43 | Bioethical implications of robotic surgery in urology: a narrative review. <i>Minerva Urology and Nephrology</i> , 2021 , | 2.3 | 1 |
| 42 | Predictors of Lymph Node Invasion in Patients with Clinically Localized Prostate Cancer Who Undergo Radical Prostatectomy and Extended Pelvic Lymph Node Dissection: The Role of Obesity. <i>Urologia Internationalis</i> , 2021 , 105, 362-369 | 1.9 | 1 |
| 41 | Nomogram predicting 30-day mortality after nephrectomy in the contemporary era: Results from the SEER database. <i>International Journal of Urology</i> , 2021 , 28, 309-314 | 2.3 | 1 |
| 40 | Post-void residual urine ratio: A novel clinical approach to the post-void residual urine in the assessment of males with lower urinary tract symptoms. <i>Investigative and Clinical Urology</i> , 2021 , 62, 470 |)- 1 496 | 1 |
| 39 | Protocol of the Italian Radical Cystectomy Registry (RIC): a non-randomized, 24-month, multicenter study comparing robotic-assisted, laparoscopic, and open surgery for radical cystectomy in bladder cancer. <i>BMC Cancer</i> , 2021 , 21, 51 | 4.8 | 1 |
| 38 | Acute kidney injury strongly influences renal function after radical nephroureterectomy for upper tract urothelial carcinoma: A single-centre experience. <i>Archivio Italiano Di Urologia Andrologia</i> , 2021 , 93, 9-14 | 1.6 | 1 |
| 37 | Management of local recurrence after radical nephrectomy: surgical removal with or without systemic treatment is still the gold standard. Results from a multicenter international cohort. International Urology and Nephrology, 2021, 53, 2273-2280 | 2.3 | 1 |

| 36 | Perioperative outcomes of patients undergoing urological elective surgery during the COVID-19 pandemic: a national overview across 28 Italian institutions. <i>Central European Journal of Urology</i> , 2021 , 74, 259-268 | 0.9 | 1 |
|----|--|-----|---|
| 35 | Second surgery for renal relapse after nephron sparing surgery: review of seven cases. <i>Archivio Italiano Di Urologia Andrologia</i> , 2009 , 81, 218-22 | 1.6 | 1 |
| 34 | Prediction of significant renal function decline after open, laparoscopic, and robotic partial nephrectomy: External validation of the Martiniß nomogram on the RECORD2 project cohort <i>International Journal of Urology</i> , 2022 , | 2.3 | 1 |
| 33 | Impact of Trifecta definition on rates and predictors of "successful" robotic partial nephrectomy for localized renal masses: results from the Surface-Intermediate-Base Margin Score International Consortium <i>Minerva Urology and Nephrology</i> , 2022 , 74, 186-193 | 2.3 | 1 |
| 32 | Cross-analysis of two randomized controlled trials to compare pure versus robot-assisted laparoscopic approach during off-clamp partial nephrectomy <i>Minerva Urology and Nephrology</i> , 2022 , 74, 5-10 | 2.3 | 1 |
| 31 | Simultaneous robotic partial nephrectomy for bilateral renal masses <i>World Journal of Urology</i> , 2022 , 40, 1005 | 4 | O |
| 30 | The Influence of Endogenous Testosterone Density on Unfavorable Disease and Tumor Load at Final Pathology in Intermediate-Risk Prostate Cancer: Results in 338 Patients Treated with Radical Prostatectomy and Extended Pelvic Lymph Node Dissection <i>Urologia Internationalis</i> , 2022 , 1-12 | 1.9 | О |
| 29 | Endogenous testosterone density is an independent predictor of pelvic lymph node invasion in high-risk prostate cancer: results in 201 consecutive patients treated with radical prostatectomy and extended pelvic lymph node dissection <i>International Urology and Nephrology</i> , 2022 , 54, 541 | 2.3 | O |
| 28 | Oncologic outcome of salvage high-intensity focused ultrasound (HIFU) in radiorecurrent prostate cancer. A systematic review. <i>Acta Biomedica</i> , 2021 , 92, e2021191 | 3.2 | O |
| 27 | Primary lymphomas of the genitourinary tract: A population-based study. <i>Asian Journal of Urology</i> , 2020 , 7, 332-339 | 2.7 | O |
| 26 | ABO blood group system and risk of positive surgical margins in patients treated with robot-assisted radical prostatectomy: results in 1114 consecutive patients. <i>Journal of Robotic Surgery</i> , 2021 , 1 | 2.9 | О |
| 25 | Severe intraoperative bleeding predicts the risk of perioperative blood transfusion after robot-assisted radical prostatectomy. <i>Journal of Robotic Surgery</i> , 2021 , 1 | 2.9 | O |
| 24 | Non-metastatic ductal adenocarcinoma of the prostate: pattern of care from an uro-oncology multidisciplinary group. <i>World Journal of Urology</i> , 2021 , 39, 1161-1170 | 4 | O |
| 23 | Alfuzosin for the medical treatment of benign prostatic hyperplasia and lower urinary tract symptoms: a systematic review of the literature and narrative synthesis. <i>Therapeutic Advances in Urology</i> , 2021 , 13, 1756287221993283 | 3.2 | O |
| 22 | Effects of Physical Activity at High Altitude on Hormonal Profiles in Foreign Trekkers and Indigenous Nepalese Porters. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1335, 111-119 | 3.6 | O |
| 21 | Predictors of complications occurring after open and robot-assisted prostate cancer surgery: a retrospective evaluation of 1062 consecutive patients treated in a tertiary referral high volume center. <i>Journal of Robotic Surgery</i> , 2021 , 1 | 2.9 | O |
| 20 | Endogenous testosterone density predicts unfavorable disease at final pathology in intermediate risk prostate cancer. <i>International Urology and Nephrology</i> , 2021 , 53, 2517-2526 | 2.3 | О |
| 19 | Rotterdam mobile phone app including MRI data for the prediction of prostate cancer: A multicenter external validation. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2640-2645 | 3.6 | O |

| 18 | Immediate radical cystectomy versus BCG immunotherapy for T1 high-grade non-muscle-invasive squamous bladder cancer: an international multi-centre collaboration <i>World Journal of Urology</i> , 2022 , 1 | 4 | О |
|----|--|------|---|
| 17 | Is antibiotic prophylaxis still mandatory for transperineal prostate biopsy? Results of a comparative study <i>Prostate International</i> , 2022 , 10, 34-37 | 3.4 | Ο |
| 16 | Metastatic stage vs complications at radical nephrectomy with inferior vena cava thrombectomy. <i>Surgical Oncology</i> , 2022 , 101783 | 2.5 | О |
| 15 | Reply to Steven C. Campbell, Chalairat Suk-Ouichai, and Yun-Lin Yeß Words of Wisdom re: Below Safety Limits, Every Unit of Glomerular Filtration Rate Counts: Assessing the Relationship between Renal Function and Cancer-specific Mortality in Renal Cell Carcinoma. Antonelli A, Minervini A, | 10.2 | |
| 14 | Below safety limits, every unit of glomerular filtration rate counts-reply letter. <i>Annals of Translational Medicine</i> , 2020 , 8, 137 | 3.2 | |
| 13 | Editorial Comment. <i>Journal of Urology</i> , 2018 , 199, 399-400 | 2.5 | |
| 12 | Concomitant Radical Cystectomy and Infrarenal Aortic Aneurysm Repair with Cryopreserved Aortic Allograft: A Case Report. <i>Uro</i> , 2022 , 2, 6-12 | | |
| 11 | Live Surgery and Safety Standards 2021 , 203-210 | | |
| 10 | Wound dehiscence prevalence and relationship with prosthetic material extrusion in women underwent anterior colpotomy. <i>Therapeutic Advances in Urology</i> , 2021 , 13, 17562872211058246 | 3.2 | |
| 9 | Endogenous testosterone density as ratio of endogenous testosterone levels on prostate volume predicts tumor upgrading in low-risk prostate cancer. <i>International Urology and Nephrology</i> , 2021 , 53, 2505-2515 | 2.3 | |
| 8 | Editorial Comment. Journal of Urology, 2019, 201, 1096 | 2.5 | |
| 7 | Reply by Authors. <i>Journal of Urology</i> , 2019 , 202, 68 | 2.5 | |
| 6 | Renal Carcinoma Surveillance Counterpoint: Europe 2013 , 375-379 | | |
| 5 | Late diagnosis of ureteral injury from anterior lumbar spine interbody fusion surgery: Case report and literature review. <i>Urologia</i> , 2021 , 3915603211030230 | 1.2 | |
| 4 | The bladder-flap ureteral augmentation: An original solution in case of complex distal stricture. <i>Urology Case Reports</i> , 2021 , 37, 101636 | 0.5 | |
| 3 | AUTHOR REPLY. <i>Urology</i> , 2021 , 148, 46 | 1.6 | |
| 2 | E-scooter accidents: A rising cause of kidney injury. <i>Urologia</i> , 2021 , 3915603211037611 | 1.2 | |
| 1 | Ectopic adrenal tissue in the kidney: A systematic review <i>Archivio Italiano Di Urologia Andrologia</i> , 2021 , 93, 481-488 | 1.6 | |