

Hermann Wtzig

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5963621/hermann-wtzig-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

2,091
citations

27
h-index

41
g-index

94
ext. papers

2,348
ext. citations

3.9
avg, IF

5.09
L-index

#	Paper	IF	Citations
89	A comparative study of CE-SDS, SDS-PAGE, and Simple Western-Precision, repeatability, and apparent molecular mass shifts by glycosylation. <i>Electrophoresis</i> , 2021 , 42, 1521-1531	3.6	2
88	A comparative study of CE-SDS, SDS-PAGE, and Simple Western: Influences of sample preparation on molecular weight determination of proteins. <i>Electrophoresis</i> , 2021 , 42, 206-218	3.6	4
87	Immobilization of Chondroitin Sulfate A onto Monolithic Epoxy Silica Column as a New Chiral Stationary Phase for High-Performance Liquid Chromatographic Enantioseparation. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	1
86	Isoelectric point determination by imaged CIEF of commercially available SARS-CoV-2 proteins and the hACE2 receptor. <i>Electrophoresis</i> , 2021 , 42, 687-692	3.6	11
85	Protein analysis and stability: Overcoming trial-and-error by grouping according to physicochemical properties. <i>Journal of Chromatography A</i> , 2021 , 1649, 462234	4.5	0
84	Combination of strong anion exchange liquid chromatography with microchip capillary electrophoresis sodium dodecyl sulfate for rapid two-dimensional separations of complex protein mixtures. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 414, 1699	4.4	0
83	Ni-modified magnetic nanoparticles for affinity purification of His-tagged proteins from the complex matrix of the silkworm fat body. <i>Journal of Nanobiotechnology</i> , 2020 , 18, 159	9.4	6
82	Physicochemical properties of SARS-CoV-2 for drug targeting, virus inactivation and attenuation, vaccine formulation and quality control. <i>Electrophoresis</i> , 2020 , 41, 1137-1151	3.6	53
81	A systematic and methodical approach for the efficient purification of recombinant protein from silkworm larval hemolymph. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020 , 1138, 121964	3.2	3
80	Bone Morphogenetic Protein 2 (BMP-2) Aggregates Can be Solubilized by Albumin-Investigation of BMP-2 Aggregation by Light Scattering and Electrophoresis. <i>Pharmaceutics</i> , 2020 , 12,	6.4	5
79	Investigation of the enantioselective interaction between selected drug enantiomers and human serum albumin by mobility shift-affinity capillary electrophoresis. <i>Journal of Separation Science</i> , 2020 , 43, 3960-3968	3.4	8
78	Design of experiments as a valuable tool for biopharmaceutical analysis with (imaged) capillary isoelectric focusing. <i>Electrophoresis</i> , 2019 , 40, 2382-2389	3.6	8
77	Comparative charge-based separation study with various capillary electrophoresis (CE) modes and cation exchange chromatography (CEX) for the analysis of monoclonal antibodies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 174, 460-470	3.5	11
76	Experimental design and measurement uncertainty in ligand binding studies by affinity capillary electrophoresis. <i>Electrophoresis</i> , 2019 , 40, 1041-1054	3.6	11
75	Performance qualification for reproducible Surface Plasmon Resonance analysis. <i>Analytical Biochemistry</i> , 2018 , 544, 108-113	3.1	2
74	Interlaced Size Exclusion Chromatography for faster protein analysis. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2018 , 126, 101-103	5.7	1
73	The next generation of capillary electrophoresis instruments: Performance of CE-SDS protein analysis. <i>Electrophoresis</i> , 2018 , 39, 311-325	3.6	21

72	Interaction of albumins and heparinoids investigated by affinity capillary electrophoresis and free flow electrophoresis. <i>Electrophoresis</i> , 2018 , 39, 569-580	3.6	11
71	Determination of protein charge variants with (imaged) capillary isoelectric focusing and capillary zone electrophoresis. <i>Electrophoresis</i> , 2018 , 39, 2492-2511	3.6	22
70	Affinity capillary electrophoresis for studying interactions in life sciences. <i>Methods</i> , 2018 , 146, 76-92	4.6	33
69	Using affinity capillary electrophoresis and computational models for binding studies of heparinoids with p-selectin and other proteins. <i>Electrophoresis</i> , 2017 , 38, 1560-1571	3.6	10
68	Long term kinetic measurements revealing precision and general performance of surface plasmon resonance biosensors. <i>Analytical Biochemistry</i> , 2017 , 530, 94-103	3.1	9
67	Metal ion - Dehydrin interactions investigated by affinity capillary electrophoresis and computer models. <i>Journal of Plant Physiology</i> , 2017 , 216, 219-228	3.6	11
66	Ca(2+) -complex stability of GAPAGPLIVPY peptide in gas and aqueous phase, investigated by affinity capillary electrophoresis and molecular dynamics simulations and compared to mass spectrometric results. <i>Electrophoresis</i> , 2016 , 37, 744-51	3.6	8
65	Recent advances in capillary electrophoretic migration techniques for pharmaceutical analysis (2013-2015). <i>Electrophoresis</i> , 2016 , 37, 1591-608	3.6	80
64	The Arabidopsis KS-type dehydrin recovers lactate dehydrogenase activity inhibited by copper with the contribution of His residues. <i>Plant Science</i> , 2016 , 245, 135-42	5.3	28
63	Ionic liquids in enhancing the sensitivity of capillary electrophoresis: Off-line and on-line sample preconcentration techniques. <i>Electrophoresis</i> , 2016 , 37, 1609-23	3.6	13
62	Accurate and precise quantification of Cu,Zn-SOD in human red blood cells using species-specific double and triple IDMS. <i>Journal of Analytical Atomic Spectrometry</i> , 2016 , 31, 1922-1928	3.7	5
61	Data quality in drug discovery: the role of analytical performance in ligand binding assays. <i>Journal of Computer-Aided Molecular Design</i> , 2015 , 29, 847-65	4.2	32
60	Stabilizing proteins for affinity capillary electrophoresis using ionic liquid aqueous two phase systems: Pharmaceuticals and human serum albumin. <i>Electrophoresis</i> , 2015 , 36, 3080-7	3.6	6
59	Optimization of affinity capillary electrophoresis for routine investigations of protein-metal ion interactions. <i>Journal of Separation Science</i> , 2015 , 38, 3629-37	3.4	17
58	A comprehensive platform to investigate protein-metal ion interactions by affinity capillary electrophoresis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 107, 311-7	3.5	33
57	Characterization of human papillomavirus 6b L1 virus-like particles isolated from silkworms using capillary zone electrophoresis. <i>Journal of Bioscience and Bioengineering</i> , 2014 , 118, 311-4	3.3	7
56	Investigating effects of sample pretreatment on protein stability using size-exclusion chromatography and high-resolution continuum source atomic absorption spectrometry. <i>Journal of Separation Science</i> , 2014 , 37, 2583-90	3.4	4
55	Analytical Instrument Qualification 2014 , 11-40		1

54	Recent advances in affinity capillary electrophoresis for binding studies. <i>Bioanalysis</i> , 2014 , 6, 3369-92	2.1	42
53	Precise, fast, and flexible determination of protein interactions by affinity capillary electrophoresis: part 3: anions. <i>Electrophoresis</i> , 2014 , 35, 2203-12	3.6	4
52	Recent advances in capillary electrophoretic migration techniques for pharmaceutical analysis. <i>Electrophoresis</i> , 2014 , 35, 170-89	3.6	62
51	Precise, fast and flexible determination of protein interactions by affinity capillary electrophoresis. Part 2: cations. <i>Electrophoresis</i> , 2013 , 34, 1812-9	3.6	22
50	Capillary electrophoresis to investigate biopharmaceuticals and pharmaceutically-relevant binding properties. <i>TrAC - Trends in Analytical Chemistry</i> , 2013 , 48, 112-131	14.6	46
49	Fast investigations from biological matrices using CE--test of a blood-brain barrier model. <i>Electrophoresis</i> , 2012 , 33, 395-401	3.6	8
48	The challenge to quantify proteins with charge trains due to isoforms or conformers. <i>Electrophoresis</i> , 2012 , 33, 263-9	3.6	13
47	Protein quantitation using various modes of high performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 71, 127-38	3.5	27
46	Capillary gel electrophoresis for precise protein quantitation. <i>Electrophoresis</i> , 2012 , 33, 3276-80	3.6	24
45	Precise, fast, and flexible determination of protein interactions by affinity capillary electrophoresis: part 1: performance. <i>Electrophoresis</i> , 2012 , 33, 3316-22	3.6	22
44	Minimum required signal-to-noise ratio for optimal precision in HPLC and CE. <i>Electrophoresis</i> , 2012 , 33, 1509-16	3.6	19
43	Analytical instrument qualification in capillary electrophoresis. <i>Electrophoresis</i> , 2012 , 33, 1499-508	3.6	15
42	Quantitative gel electrophoresis: new records in precision by elaborated staining and detection protocols. <i>Electrophoresis</i> , 2011 , 32, 1667-74	3.6	7
41	Infrared-based temperature measurements in capillary electrophoresis. <i>Electrophoresis</i> , 2011 , 32, 1530-6	3.6	10
40	Efficient and economic HPLC performance qualification. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 557-64	3.5	12
39	Precision in affinity capillary electrophoresis for drug-protein binding studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 52, 232-41	3.5	48
38	Improving precision in gel electrophoresis by stepwisely decreasing variance components. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 320-7	3.5	7
37	Quantitative gel electrophoresis: sources of variation. <i>Journal of Proteome Research</i> , 2008 , 7, 1226-34	5.6	28

36	10 Validation of analytical methods using capillary electrophoresis. <i>Separation Science and Technology</i> , 2008 , 9, 225-244	1.7	5
35	Long-term precision in capillary isoelectric focusing for protein analysis. <i>Journal of Separation Science</i> , 2008 , 31, 1834-40	3.4	16
34	Repeatability of monolithic HPLC columns while using a flow program. <i>Journal of Separation Science</i> , 2008 , 31, 1745-9	3.4	20
33	Strategies in method development to quantify enantiomeric impurities using CE. <i>Electrophoresis</i> , 2008 , 29, 3552-62	3.6	35
32	Separation of cold medicine ingredients using a precise MEKC method at elevated pH. <i>Electrophoresis</i> , 2007 , 28, 1779-87	3.6	10
31	Analysis of substances to be used as internal standards in MEKC. <i>Electrophoresis</i> , 2007 , 28, 1798-804	3.6	8
30	Reproducible protein analysis by CE using linear polyacrylamide-coated capillaries and hydrochloric acid rinsing. <i>Electrophoresis</i> , 2007 , 28, 2324-8	3.6	22
29	A strategy to develop fast RP-HPLC methods using monolithic silica columns. <i>Journal of Separation Science</i> , 2007 , 30, 1993-2001	3.4	15
28	Fast HPLC method for the determination of glimepiride, glibenclamide, and related substances using monolithic column and flow program. <i>Journal of Separation Science</i> , 2006 , 29, 1571-7	3.4	37
27	Acceptance Criteria and Analytical Variability 2005 , 265-280		2
26	Precision from drug stability studies. Investigation of reliable repeatability and intermediate precision of HPLC assay procedures. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 38, 653-63	3.5	18
25	Protein adsorption in fused-silica and polyacrylamide-coated capillaries. <i>Electrophoresis</i> , 2005 , 26, 2409-17	3.6	74
24	Quantification in capillary electrophoresis-mass spectrometry: long- and short-term variance components and their compensation using internal standards. <i>Electrophoresis</i> , 2005 , 26, 2360-75	3.6	26
23	Precision and variance components in quantitative gel electrophoresis. <i>Electrophoresis</i> , 2005 , 26, 2470-5	3.6	37
22	Quantitation in capillary electrophoresis-mass spectrometry. <i>Electrophoresis</i> , 2005 , 26, 3973-87	3.6	74
21	Capillary isoelectric focusing--reproducibility and protein adsorption. <i>Electrophoresis</i> , 2004 , 25, 2959-64	3.6	28
20	Inner surface properties of capillaries for electrophoresis. <i>TrAC - Trends in Analytical Chemistry</i> , 2003 , 22, 588-604	14.6	35
19	Capillary electrophoresis-a high performance analytical separation technique. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003 , 41, 724-38	5.9	32

18	Electroosmotic flow variations caused by the volatility of buffer components: diagnosis and therapy. <i>Journal of Chromatography A</i> , 2002 , 979, 97-103	4.5	5
17	Improvements in pentosan polysulfate sodium quality assurance using fingerprint electropherograms. <i>Electrophoresis</i> , 2001 , 22, 1150-62	3.6	13
16	Possibilities to improve automation, speed and precision of proteome analysis: a comparison of two-dimensional electrophoresis and alternatives. <i>Electrophoresis</i> , 2001 , 22, 4035-52	3.6	86
15	The lectin from the mushroom <i>Pleurotus ostreatus</i> : a phosphatase-activating protein that is closely associated with an alpha-galactosidase activity. A part of this paper has been presented as a preliminary report at the 17th Interlec. Meeting 1997 in Würzburg, Germany. <i>Plant Science</i> , 2001 , 160, 1025-1033	5.3	18
14	Unexpected surface chemistry in capillaries for electrophoresis. <i>Journal of Chromatography A</i> , 2000 , 894, 73-7	4.5	20
13	Pharmacokinetic investigations with direct injection of plasma samples: possible savings using capillary electrophoresis (CE). <i>Archiv Der Pharmazie</i> , 1999 , 332, 175-8	4.3	25
12	Micellar electrokinetic capillary chromatography as a powerful tool for pharmacological investigations without sample pretreatment: a precise technique providing cost advantages and limits of detection to the low nanomolar range. <i>Electrophoresis</i> , 1999 , 20, 2379-89	3.6	26
11	Fused-silica capillaries for capillary electrophoresis and gas chromatography: inner surface corrosion, within-batch differences, and influence of drawing parameters studied by atomic force microscopy. <i>Electrophoresis</i> , 1999 , 20, 2566-74	3.6	19
10	Quality control of pentosane polysulfate by capillary zone electrophoresis using indirect detection. <i>Journal of Chromatography A</i> , 1998 , 817, 297-306	4.5	16
9	Strategies for capillary electrophoresis: method development and validation for pharmaceutical and biological applications. <i>Electrophoresis</i> , 1998 , 19, 2695-752	3.6	174
8	Performance of instruments and aspects of methodology and validation in quantitative capillary electrophoresis an update. <i>Journal of Chromatography A</i> , 1997 , 768, 17-27	4.5	48
7	Quantitation of insulin by capillary electrophoresis and high-performance liquid chromatography method comparison and validation. <i>Journal of Chromatography A</i> , 1997 , 781, 445-455	4.5	46
6	Characterization of inner surface phenomena in capillary electrophoresis capillaries by electron microscopy, atomic force microscopy and secondary ion mass spectroscopy. <i>Journal of Chromatography A</i> , 1997 , 781, 55-65	4.5	23
5	Determination of pharmaceuticals in plasma by capillary electrophoresis without sample pretreatment reproducibility, limit of quantitation and limit of detection. <i>Electrophoresis</i> , 1997 , 18, 1882-96	3.6	37
4	Purity control of carbamazepine by micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 1997 , 768, 113-123	4.5	11
3	Sodium dodecyl sulfate solution is an effective between-run rinse for capillary electrophoresis of samples in biological matrices. <i>Biomedical Applications</i> , 1995 , 663, 400-5		73
2	Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights. <i>Journal of Chromatography A</i> , 1995 , 700, 1-7	4.5	40
1	Separation of enantiomers of N-acetylcysteine by capillary electrophoresis after derivatization by o-phthaldialdehyde. <i>Electrophoresis</i> , 1994 , 15, 763-8	3.6	21

