

# Kerstin Perner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5967425/publications.pdf>

Version: 2024-02-01

25  
papers

926  
citations

471509

17  
h-index

580821

25  
g-index

26  
all docs

26  
docs citations

26  
times ranked

1459  
citing authors

#	ARTICLE	IF	CITATIONS
1	Insolation vs. meltwater control of productivity and sea surface conditions off SW Greenland during the Holocene. <i>Boreas</i> , 2021, 50, 631-651.	2.4	9
2	Hydrographic shifts south of Australia over the last deglaciation and possible interhemispheric linkages. <i>Quaternary Research</i> , 2021, 102, 130-141.	1.7	8
3	Climatic evolution in the Australian region over the last 94 ka - spanning human occupancy -, and unveiling the Last Glacial Maximum. <i>Quaternary Science Reviews</i> , 2020, 249, 106593.	3.0	21
4	Is "deep-water formation" in the Baltic Sea a key to understanding seabed dynamics and ventilation changes over the past 7,000 years?. <i>Quaternary International</i> , 2020, 550, 55-65.	1.5	17
5	A multi-decadal record of oceanographic changes of the past ~165 years (1850-2015 AD) from Northwest of Iceland. <i>PLoS ONE</i> , 2020, 15, e0239373.	2.5	6
6	Variability in the Northern North Atlantic and Arctic Oceans Across the Last Two Millennia: A Review. <i>Paleoceanography and Paleoclimatology</i> , 2019, 34, 1399-1436.	2.9	53
7	An oceanic perspective on Greenland's recent freshwater discharge since 1850. <i>Scientific Reports</i> , 2019, 9, 17680.	3.3	12
8	Marine Isotope Stage 4 in Australasia: A full glacial culminating 65,000 years ago " Global connections and implications for human dispersal. <i>Quaternary Science Reviews</i> , 2019, 204, 187-207.	3.0	38
9	Heat export from the tropics drives mid to late Holocene palaeoceanographic changes offshore southern Australia. <i>Quaternary Science Reviews</i> , 2018, 180, 96-110.	3.0	17
10	Subarctic Front migration at the Reykjanes Ridge during the mid-to late Holocene: evidence from planktic foraminifera. <i>Boreas</i> , 2018, 47, 175-188.	2.4	8
11	New insights into sea ice changes over the past 2.2 kyr in Disko Bugt, West Greenland. <i>Arktos</i> , 2018, 4, 1-20.	1.0	5
12	Climate induced human demographic and cultural change in northern Europe during the mid-Holocene. <i>Scientific Reports</i> , 2017, 7, 15251.	3.3	72
13	Short-term variability in late Holocene sea ice cover on the East Greenland Shelf and its driving mechanisms. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 485, 336-350.	2.3	36
14	Late Quaternary changes in sediment composition on the NE Greenland margin (~73° N) with a focus on the fjords and shelf. <i>Boreas</i> , 2016, 45, 381-397.	2.4	25
15	Interaction between warm Atlantic-sourced waters and the East Greenland Current in northern Denmark Strait (68°N) during the last 10,600 cal a BP. <i>Journal of Quaternary Science</i> , 2016, 31, 472-483.	2.1	26
16	Surface and sub-surface multi-proxy reconstruction of middle to late Holocene palaeoceanographic changes in Disko Bugt, West Greenland. <i>Quaternary Science Reviews</i> , 2016, 132, 146-160.	3.0	48
17	Mid to late Holocene strengthening of the East Greenland Current linked to warm subsurface Atlantic water. <i>Quaternary Science Reviews</i> , 2015, 129, 296-307.	3.0	52
18	Holocene palaeoceanographic evolution off West Greenland. <i>Holocene</i> , 2013, 23, 374-387.	1.7	71

#	ARTICLE	IF	CITATIONS
19	Establishment of modern circulation pattern at <i>c.</i> 6000 cal a BP in Disko Bugt, central West Greenland: opening of the Vaigat Strait. <i>Journal of Quaternary Science</i> , 2013, 28, 480-489.	2.1	17
20	Influence of the tropics and southern westerlies on glacial interhemispheric asymmetry. <i>Nature Geoscience</i> , 2012, 5, 266-269.	12.9	118
21	Centennial scale benthic foraminiferal record of late Holocene oceanographic variability in Disko Bugt, West Greenland. <i>Quaternary Science Reviews</i> , 2011, 30, 2815-2826.	3.0	46
22	A 100 yr record of ocean temperature control on the stability of Jakobshavn Isbrae, West Greenland. <i>Geology</i> , 2011, 39, 867-870.	4.4	80
23	Contamination of arctic Fjord sediments by Pb-Zn mining at Maarmorilik in central West Greenland. <i>Marine Pollution Bulletin</i> , 2010, 60, 1065-1073.	5.0	36
24	A reconstruction of sea surface warming in the northern North Atlantic during MIS 3 ice-rafting events. <i>Quaternary Science Reviews</i> , 2010, 29, 1791-1800.	3.0	47
25	Holocene climate variability in the Southern Ocean recorded in a deep-sea sediment core off South Australia. <i>Quaternary Science Reviews</i> , 2009, 28, 1932-1940.	3.0	58