

Babasaheb R Sankapal

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5967759/babasaheb-r-sankapal-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145
papers

4,346
citations

39
h-index

57
g-index

147
ext. papers

5,106
ext. citations

5.1
avg, IF

6.25
L-index

#	Paper	IF	Citations
145	Pyridine enhances the efficiency of 1D-CdS nanowire solar cells fabricated using novel organic dyes. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022 , 640, 128500	5.1	0
144	Sequential growth-controlled silver selenide nanoparticles embedded 1D-CdS nanowires: Heterostructure design to enhance power conversion efficiency. <i>Journal of Physics and Chemistry of Solids</i> , 2022 , 163, 110576	3.9	0
143	Process optimization for decoration of Bi ₂ Se ₃ nanoparticles on CdS nanowires: Twofold power conversion solar cell efficiency. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2022 , 133, 104251	5.3	1
142	Vanadium telluride nanoparticles on MWCNTs prepared by successive ionic layer adsorption and reaction for solid-state supercapacitor. <i>Chemical Engineering Journal</i> , 2022 , 429, 132505	14.7	8
141	Cerium Selenide Nanopebble/Multiwalled Carbon Nanotube Composite Electrodes for Solid-State Symmetric Supercapacitors. <i>ACS Applied Nano Materials</i> , 2022 , 5, 3007-3017	5.6	1
140	PbS nanoparticles anchored 1D- CdSe nanowires: Core-shell design towards energy storage supercapacitor application. <i>Journal of Alloys and Compounds</i> , 2022 , 906, 164323	5.7	2
139	Multi-walled carbon nanotubes supported copper phosphate microflowers for flexible solid-state supercapacitor. <i>International Journal of Energy Research</i> , 2022 , 46, 6177-6196	4.5	2
138	Pseudocapacitive nanostructured silver selenide thin film through room temperature chemical route: First approach towards supercapacitive application. <i>Inorganic Chemistry Communication</i> , 2021 , 135, 109083	3.1	1
137	Process optimization of dip-coated MWCNTs thin-films: Counter electrode in dye sensitized solar cells. <i>Journal of the Indian Chemical Society</i> , 2021 , 98, 100195		3
136	Fabrication and characterization of lead sulfide and multi-walled carbon nanotube based field effect transistors using low cost chemical route. <i>Engineering Research Express</i> , 2021 , 3, 025016	0.9	0
135	Spongy nano surface architecture of chemically grown BiVO ₄ : High-capacitance retentive electrochemical supercapacitor. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 25586-25595	6.7	8
134	Core-shell cadmium sulphide @ silver sulphide nanowires surface architecture: Design towards photoelectrochemical solar cells. <i>Journal of Colloid and Interface Science</i> , 2021 , 587, 715-726	9.3	15
133	Prototype symmetric configured MWCNTs/Fe ₂ O ₃ based solid-state supercapacitor. <i>Synthetic Metals</i> , 2021 , 271, 116629	3.6	9
132	The electrochemical kinetics of cerium selenide nano-pebbles: the design of a device-grade symmetric configured wide-potential flexible solid-state supercapacitor. <i>Nanoscale Advances</i> , 2021 , 3, 1057-1066	5.1	5
131	Dye-sensitized solar cells 2021 , 179-211		0
130	Metal phosphides: topical advances in the design of supercapacitors. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 20241-20276	13	9
129	Combined electrochemical and DFT investigations of iron selenide: a mechanically bendable solid-state symmetric supercapacitor. <i>Sustainable Energy and Fuels</i> , 2021 , 5, 5001-5012	5.8	12

128	Chemically Processed Metal Oxides for Sensing Application: Heterojunction Room Temperature LPG Sensor 2021 , 765-805		0
127	Synthesis of metal free organic dyes: Experimental and theoretical approach to sensitize one-dimensional cadmium sulphide nanowires for solar cell application. <i>Journal of Molecular Liquids</i> , 2021 , 336, 116862	6	6
126	Aggregation induced emission (AIE) materials based on diketopyrrolopyrrole chromophore for CdS nanowire solar cell applications. <i>Journal of Electroanalytical Chemistry</i> , 2021 , 895, 115451	4.1	3
125	Web-analogues one-dimensional iron hydroxide@cadmium hydroxide nanostructure: electrochemical supercapacitor. <i>Journal of Materials Science: Materials in Electronics</i> , 2021 , 32, 22472-22480	2.1	1
124	Mixed phase FeTe: Fe ₂ TeO ₅ nanopebbles through solution chemistry: Electrochemical supercapacitor application. <i>Ceramics International</i> , 2021 , 48, 137-137	5.1	2
123	MoS ₂ nanoflakes anchored MWCNTs: Counter electrode in dye-sensitized solar cell. <i>Inorganic Chemistry Communication</i> , 2021 , 132, 108827	3.1	2
122	Ultrathin Cu ₂ P ₂ O ₇ nanoflakes on stainless steel substrate for flexible symmetric all-solid-state supercapacitors. <i>Chemical Engineering Journal</i> , 2021 , 422, 130131	14.7	14
121	Facile Bi ₂ S ₃ nanoparticles on CdS nanowires surface: Core-shell nanostructured design towards solar cell application. <i>Surfaces and Interfaces</i> , 2021 , 27, 101457	4.1	3
120	Synthesis of nickel hydroxide/reduced graphene oxide composite thin films for water splitting application. <i>International Journal of Energy Research</i> , 2020 , 44, 10908-10916	4.5	7
119	ZnO/CuSCN Nano-Heterostructure as a Highly Efficient Field Emitter: a Combined Experimental and Theoretical Investigation. <i>ACS Omega</i> , 2020 , 5, 6715-6724	3.9	8
118	Widening potential window of flexible solid-state supercapacitor through asymmetric configured iron oxide and poly(3,4-ethylenedioxythiophene) polystyrene sulfonate coated multi-walled carbon nanotubes assembly. <i>Journal of Energy Storage</i> , 2020 , 31, 101622	7.8	6
117	. <i>IEEE Transactions on Power Electronics</i> , 2020 , 35, 11344-11351	7.2	19
116	Anchoring of gold nanoparticles into aligned TiO ₂ nanotube: Improved supercapacitive performance. <i>Nano Structures Nano Objects</i> , 2019 , 20, 100381	5.6	3
115	Vanadium oxide anchored MWCNTs nanostructure for superior symmetric electrochemical supercapacitors. <i>Materials and Design</i> , 2019 , 182, 107972	8.1	25
114	Role of polyaniline thickness in polymer-zinc oxide based solid state solar cell. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2019 , 244, 23-28	3.1	7
113	Reduced turn-on field through solution processed MoS ₂ nanoflakes anchored MWCNTs. <i>Chemical Physics Letters</i> , 2019 , 723, 146-150	2.5	6
112	Solution processed nanostructured cerium oxide electrode: Electrochemical engineering towards solid-state symmetric supercapacitor device. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 839, 96-107	4.1	20
111	Novel chemical route for CeO/MWCNTs composite towards highly bendable solid-state supercapacitor device. <i>Scientific Reports</i> , 2019 , 9, 5892	4.9	53

110	Nanoheterojunction through PbS nanoparticles anchored CdS nanowires towards solar cell application. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 7095-7107	6.7	21
109	CdO nanonecklace: Effect of air annealing on performance of photo electrochemical cell. <i>Journal of Alloys and Compounds</i> , 2019 , 788, 75-82	5.7	22
108	Electrochemical engineering approach of high performance solid-state flexible supercapacitor device based on chemically synthesized VS ₂ nanoregime structure. <i>Journal of Energy Chemistry</i> , 2019 , 31, 79-88	12	55
107	Facile SILAR Processed Bi ₂ S ₃ :PbS Solid Solution on MWCNTs for High-performance Electrochemical Supercapacitor. <i>Chinese Journal of Chemistry</i> , 2019 , 37, 1279-1286	4.9	20
106	Cu(OH) ₂ @Cd(OH) ₂ core-shell nanostructure: Synthesis to supercapacitor application. <i>Thin Solid Films</i> , 2019 , 692, 137584	2.2	13
105	Approach for fabricating JLT using chemically deposited cadmium sulphide and titanium dioxide. <i>Micro and Nano Letters</i> , 2019 , 14, 1060-1063	0.9	1
104	Flexible iron-doped Sr(OH) ₂ fibre wrapped tuberose for high-performance supercapacitor electrode. <i>Journal of Alloys and Compounds</i> , 2019 , 781, 831-841	5.7	18
103	First report on solution processed Bi ₂ Se ₃ rectangular microrods: An efficient energy storage supercapacitive electrode. <i>Journal of Colloid and Interface Science</i> , 2019 , 535, 169-175	9.3	7
102	SILAR controlled CdSe nanoparticles sensitized ZnO nanorods photoanode for solar cell application: Electrolyte effect. <i>Journal of Colloid and Interface Science</i> , 2018 , 524, 148-155	9.3	17
101	Zinc Ferrite Anchored Multiwalled Carbon Nanotubes for High-Performance Supercapacitor Applications. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 137-142	2.3	26
100	Facile chemical route for multiwalled carbon nanotube/mercury sulfide nanocomposite: High performance supercapacitive electrode. <i>Journal of Colloid and Interface Science</i> , 2018 , 514, 740-749	9.3	32
99	Materials Mutualism through EDLC-Behaved MWCNTs with Pseudocapacitive MoTe ₂ Nanopebbles: Enhanced Supercapacitive Performance. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 15072-15082	8.3	33
98	Enhanced field emission properties of V ₂ O ₅ /MWCNTs nanocomposite. <i>Applied Physics A: Materials Science and Processing</i> , 2018 , 124, 1	2.6	17
97	Influence of Cu on the Performance of Tuberose Architecture of Strontium Hydroxide Thin Film as a Supercapacitor Electrode. <i>ChemElectroChem</i> , 2018 , 5, 4021-4028	4.3	7
96	CdO necklace like nanobeads decorated with PbS nanoparticles: Room temperature LPG sensor. <i>Materials Chemistry and Physics</i> , 2017 , 191, 168-172	4.4	26
95	VO encapsulated MWCNTs in 2D surface architecture: Complete solid-state bendable highly stabilized energy efficient supercapacitor device. <i>Scientific Reports</i> , 2017 , 7, 43430	4.9	111
94	First report on a FeS-based 2 V operating flexible solid-state symmetric supercapacitor device. <i>Sustainable Energy and Fuels</i> , 2017 , 1, 1366-1375	5.8	58
93	Large scale flexible solid state symmetric supercapacitor through inexpensive solution processed V ₂ O ₅ complex surface architecture. <i>Electrochimica Acta</i> , 2017 , 242, 382-389	6.7	122

92	Nested CdS@HgS core-shell nanowires as supercapacitive Faradaic electrode through simple solution chemistry. <i>Nano Structures Nano Objects</i> , 2017 , 10, 159-166	5.6	9
91	Facile fabrication of CdS/CdSe core-shell nanowire heterostructure for solar cell applications. <i>New Journal of Chemistry</i> , 2017 , 41, 5808-5817	3.6	19
90	Synthesis of interconnected needle-like Bi ₂ O ₃ using successive ionic layer adsorption and reaction towards supercapacitor application. <i>Ionics</i> , 2017 , 23, 1831-1837	2.7	22
89	Inverted organic solar cell with ultrasonic spray deposited active layer. <i>Optik</i> , 2017 , 131, 1079-1084	2.5	3
88	The n-Bi ₂ S ₃ /p-PbS heterojunction for room temperature LPG sensors. <i>Sensors and Actuators A: Physical</i> , 2017 , 267, 187-193	3.9	13
87	Tuberoso surface architecture of Sr(OH) ₂ film as supercapacitive electrode. <i>Electrochimica Acta</i> , 2017 , 258, 34-42	6.7	16
86	Highly conductive energy efficient electroless anchored silver nanoparticles on MWCNTs as a supercapacitive electrode. <i>New Journal of Chemistry</i> , 2017 , 41, 10808-10814	3.6	35
85	Electrochemical approach of chemically synthesized HgS nanoparticles as supercapacitor electrode. <i>Materials Letters</i> , 2017 , 209, 97-101	3.3	38
84	Synthesis and characterization of polypyrrole and its application for solar cell. <i>Applied Physics A: Materials Science and Processing</i> , 2017 , 123, 1	2.6	10
83	Free-standing flexible MWCNTs bucky paper: Extremely stable and energy efficient supercapacitive electrode. <i>Electrochimica Acta</i> , 2017 , 249, 395-403	6.7	46
82	Electroless-deposited Ag nanoparticles for highly stable energy-efficient electrochemical supercapacitor. <i>Journal of Alloys and Compounds</i> , 2017 , 726, 1295-1303	5.7	46
81	Two dimensional cryptomelane like growth of MoSe ₂ over MWCNTs: Symmetric all-solid-state supercapacitor. <i>Journal of Electroanalytical Chemistry</i> , 2017 , 802, 131-138	4.1	47
80	Hexagonal VS Anchored MWCNTs: First Approach to Design Flexible Solid-State Symmetric Supercapacitor Device. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 44880-44891	9.5	75
79	Decoration of Ultrathin MoS ₂ Nanoflakes over MWCNTs: Enhanced Supercapacitive Performance through Electrode to Symmetric All-Solid-State Device. <i>ChemistrySelect</i> , 2017 , 2, 10405-10412	1.8	20
78	Chemically deposited BiS:PbS solid solution thin film as supercapacitive electrode. <i>Journal of Colloid and Interface Science</i> , 2017 , 505, 1011-1017	9.3	48
77	Porous zinc cobaltite (ZnCoO) film by successive ionic layer adsorption and reaction towards solid-state symmetric supercapacitive device. <i>Journal of Colloid and Interface Science</i> , 2017 , 487, 201-208 ^{9.3}	9.3	24
76	SILAR deposited Bi ₂ S ₃ thin film towards electrochemical supercapacitor. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2017 , 87, 209-212	3	27
75	Novel application of non-aqueous chemical bath deposited Sb ₂ S ₃ thin films as supercapacitive electrode. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 21278-21285	6.7	16

74	Solution-processed CdS quantum dots on TiO ₂ : light-induced electrochemical properties. <i>RSC Advances</i> , 2016 , 6, 83175-83184	3.7	18
73	Vertically aligned TiO ₂ nanotubes: Highly stable electrochemical supercapacitor. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 780, 197-200	4.1	26
72	Aligned 2D CuSCN nanosheets: a high performance field emitter. <i>RSC Advances</i> , 2016 , 6, 71958-71962	3.7	10
71	Light-induced electrochemical performance of 3D- CdS nanonetwork: Effect of annealing. <i>Electrochimica Acta</i> , 2016 , 222, 100-107	6.7	21
70	Cationic-exchange approach for conversion of two dimensional CdS to two dimensional Ag ₂ S nanowires with an intermediate core-shell nanostructure towards supercapacitor application. <i>New Journal of Chemistry</i> , 2016 , 40, 10144-10152	3.6	26
69	Facile synthesis of D ₃ A structured dyes and their applications towards the cost effective fabrication of solar cells as well as sensing of hazardous Hg(II). <i>RSC Advances</i> , 2016 , 6, 106453-106464	3.7	4
68	Straightening of chemically deposited CdS nanowires through annealing towards improved PV device performance. <i>Ceramics International</i> , 2016 , 42, 6682-6691	5.1	21
67	Comparative studies on MWCNTs, Fe ₂ O ₃ and Fe ₂ O ₃ /MWCNTs thin films towards supercapacitor application. <i>New Journal of Chemistry</i> , 2016 , 40, 2619-2627	3.6	53
66	Zinc Oxide Encapsulated Carbon Nanotube Thin Films for Energy Storage Applications. <i>Electrochimica Acta</i> , 2016 , 192, 377-384	6.7	43
65	First report on synthesis of ZnFe ₂ O ₄ thin film using successive ionic layer adsorption and reaction: Approach towards solid-state symmetric supercapacitor device. <i>Electrochimica Acta</i> , 2016 , 198, 203-211	6.7	92
64	Basic idea, advance approach—Efficiency boost by sensitization of blended dye on chemically deposited ZnO films. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2016 , 318, 135-141	4.7	19
63	Synthesis of D ₃ A-type small organic molecules with an enlarged linker system towards organic solar cells and the effect of co-adsorbents on cell performance. <i>New Journal of Chemistry</i> , 2016 , 40, 634-640	3.6	3
62	Pseudocapacitive behavior of unidirectional CdS nanoforest in 3D architecture through solution chemistry. <i>Chemical Physics Letters</i> , 2016 , 659, 105-111	2.5	13
61	Nanonecklace of CdO through simple solution chemistry. <i>Materials Science in Semiconductor Processing</i> , 2016 , 49, 81-83	4.3	6
60	Room temperature PEDOT:PSS encapsulated MWCNTs thin film for electrochemical supercapacitor. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 771, 80-86	4.1	41
59	MoS ₂ ultrathin nanoflakes for high performance supercapacitors: room temperature chemical bath deposition (CBD). <i>RSC Advances</i> , 2016 , 6, 39159-39165	3.7	94
58	CdS surface encapsulated ZnO nanorods: Synthesis to solar cell application. <i>Journal of Alloys and Compounds</i> , 2016 , 689, 394-400	5.7	22
57	SILAR coated Bi ₂ S ₃ nanoparticles on vertically aligned ZnO nanorods: Synthesis and characterizations. <i>Ceramics International</i> , 2015 , 41, 10394-10399	5.1	30

56	One-dimensional cadmium hydroxide nanowires towards electrochemical supercapacitor. <i>New Journal of Chemistry</i> , 2015 , 39, 9124-9131	3.6	50
55	1-D electron path of 3-D architecture consisting of dye loaded CdS nanowires: Dye sensitized solar cell. <i>Journal of Alloys and Compounds</i> , 2015 , 651, 399-404	5.7	17
54	The first report on SILAR deposited nanostructured uranyl sulphide thin films and their chemical conversion to silver sulphide. <i>New Journal of Chemistry</i> , 2015 , 39, 8695-8702	3.6	2
53	Nickel cobaltite as an emerging material for supercapacitors: An overview. <i>Nano Energy</i> , 2015 , 11, 377-399.1	7.1	354
52	Room temperature linker free growth of CdSe quantum dots on mesoporous TiO ₂ : solar cell application. <i>Ceramics International</i> , 2015 , 41, 3940-3946	5.1	7
51	Linker free synthesis of TiO ₂ /Bi ₂ S ₃ heterostructure towards solar cell application: Facile chemical routes. <i>Materials Science in Semiconductor Processing</i> , 2015 , 30, 335-342	4.3	15
50	Anchoring cobalt oxide nanoparticles on to the surface multiwalled carbon nanotubes for improved supercapacitive performances. <i>RSC Advances</i> , 2015 , 5, 48426-48432	3.7	28
49	Green biochemistry approach for synthesis of silver and gold nanoparticles using <i>Ficus racemosa</i> latex and their pH-dependent binding study with different amino acids using UV/Vis absorption spectroscopy. <i>Amino Acids</i> , 2015 , 47, 757-65	3.5	19
48	Presenting highest supercapacitance for TiO ₂ /MWNTs nanocomposites: Novel method. <i>Chemical Engineering Journal</i> , 2014 , 247, 103-110	14.7	57
47	Influence of processing parameters on chemically grown ZnO films with low cost Eosin-Y dye towards efficient dye sensitized solar cell. <i>Solar Energy</i> , 2014 , 105, 445-454	6.8	30
46	Cactus architecture of ZnO nanoparticles network through simple wet chemistry: Efficient dye sensitized solar cells. <i>Materials Letters</i> , 2014 , 116, 91-93	3.3	19
45	CdS nanowires with PbS nanoparticles surface coating as room temperature liquefied petroleum gas sensor. <i>Sensors and Actuators A: Physical</i> , 2014 , 216, 78-83	3.9	35
44	PEDOT:PSS shell on CdS nanowires: Room temperature LPG sensor. <i>Journal of Alloys and Compounds</i> , 2014 , 592, 1-5	5.7	19
43	Controlled synthesis of ZnO nanostructures with assorted morphologies via simple solution chemistry. <i>Journal of Alloys and Compounds</i> , 2013 , 551, 233-242	5.7	56
42	Sb ₂ S ₃ nanoparticles through solution chemistry on mesoporous TiO ₂ for solar cell application. <i>Chemical Physics Letters</i> , 2012 , 554, 150-154	2.5	31
41	Decoration of CdS nanoparticles on MWCNT's by simple solution chemistry. <i>Applied Surface Science</i> , 2012 , 258, 7536-7539	6.7	13
40	Nanobeads of zinc oxide with rhodamine B dye as a sensitizer for dye sensitized solar cell application. <i>Journal of Alloys and Compounds</i> , 2012 , 510, 33-37	5.7	52
39	p-PEDOT:PSS as a heterojunction partner with n-ZnO for detection of LPG at room temperature. <i>Journal of Alloys and Compounds</i> , 2012 , 515, 80-85	5.7	25

38	Nanocrystalline p-type-cuprous oxide thin films by room temperature chemical bath deposition method. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 5551-5554	5-7	28
37	Room temperature chemical synthesis of highly oriented PbSe nanotubes based on negative free energy of formation. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 10066-10069	5-7	19
36	LPG sensor based on complete inorganic n-Bi ₂ S ₃ -p-CuSCN heterojunction synthesized by a simple chemical route. <i>Journal Physics D: Applied Physics</i> , 2010 , 43, 245302	3	25
35	Synthesis and characterization of AgI thin films at low temperature. <i>Journal of Alloys and Compounds</i> , 2010 , 506, 268-270	5-7	9
34	Wet chemical synthesis of ZnO thin films and sensitization to light with N3 dye for solar cell application. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 125108	3	21
33	Synthesis of pyridine derivatives and their influence as additives on the photocurrent of dye-sensitized solar cells. <i>Journal of Applied Electrochemistry</i> , 2009 , 39, 147-154	2.6	20
32	Efficiency enhancement of solid-state dye sensitized solar cell by in situ deposition of CuI. <i>Surface and Interface Analysis</i> , 2008 , 40, 1393-1396	1.5	4
31	Electrical properties of air-stable, iodine-doped carbon-nanotube/polymer composites. <i>Applied Physics Letters</i> , 2007 , 91, 173103	3-4	42
30	Chemical and electrochemical synthesis of nanosized TiO ₂ anatase for large-area photon conversion. <i>Comptes Rendus Chimie</i> , 2006 , 9, 702-707	2.7	38
29	TiO ₂ and TiO ₂ /BiO ₂ thin films and powders by one-step soft-solution method: Synthesis and characterizations. <i>Solar Energy Materials and Solar Cells</i> , 2006 , 90, 1533-1541	6.4	47
28	Synthesis and characterization of anatase-TiO ₂ thin films. <i>Applied Surface Science</i> , 2005 , 239, 165-170	6.7	100
27	Characterization of p-CuI prepared by the SILAR technique on Cu-tape/n-CuInS ₂ for solar cells. <i>Thin Solid Films</i> , 2005 , 480-481, 142-146	2.2	40
26	Preparation of nanocrystalline ZnS by a new chemical bath deposition route. <i>Thin Solid Films</i> , 2005 , 480-481, 168-172	2.2	92
25	Wide band gap p-type windows by CBD and SILAR methods. <i>Thin Solid Films</i> , 2004 , 451-452, 128-132	2.2	82
24	Chemical synthesis of Cd-free wide band gap materials for solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2004 , 83, 447-458	6.4	32
23	Preparation and characterization of nanocrystalline CdSe thin films deposited by SILAR method. <i>Materials Chemistry and Physics</i> , 2003 , 78, 11-14	4.4	61
22	Photoelectrochemical characterization of Bi ₂ Se ₃ thin films deposited by SILAR technique. <i>Materials Chemistry and Physics</i> , 2002 , 73, 151-155	4.4	39
21	Effect of annealing on chemically deposited Bi ₂ Se ₃ /Bi ₂ Se ₃ composite thin films. <i>Materials Chemistry and Physics</i> , 2002 , 74, 126-133	4.4	28

20	Structural characterization of chemically deposited Bi ₂ S ₃ and Bi ₂ Se ₃ thin films. <i>Applied Surface Science</i> , 2002 , 187, 108-115	6.7	39
19	XRD, SEM, AFM, HRTEM, EDAX and RBS studies of chemically deposited Sb ₂ S ₃ and Sb ₂ Se ₃ thin films. <i>Applied Surface Science</i> , 2002 , 193, 1-10	6.7	56
18	Some structural studies on successive ionic layer adsorption and reaction (SILAR)-deposited CdS thin films. <i>Applied Surface Science</i> , 2001 , 181, 277-282	6.7	51
17	A novel method for the deposition of nanocrystalline Bi ₂ Se ₃ , Sb ₂ Se ₃ and Bi ₂ Se ₃ /Sb ₂ Se ₃ thin films by SILAR. <i>Applied Surface Science</i> , 2001 , 182, 413-417	6.7	41
16	Studies on photoelectrochemical (PEC) cell formed with SILAR deposited Bi ₂ Se ₃ /Sb ₂ Se ₃ multilayer thin films. <i>Solar Energy Materials and Solar Cells</i> , 2001 , 69, 43-52	6.4	38
15	Photoelectrochemical characterization of chemically deposited (CdS) _x (Bi ₂ S ₃) _{1-x} composite thin films. <i>Materials Chemistry and Physics</i> , 2001 , 72, 48-55	4.4	22
14	Photoelectrochemical investigation of Ag ₂ S thin films deposited by SILAR method. <i>Materials Chemistry and Physics</i> , 2001 , 72, 105-108	4.4	38
13	Preparation and characterization of Bi ₂ S ₃ thin films using modified chemical bath deposition method. <i>Materials Research Bulletin</i> , 2001 , 36, 199-210	5.1	41
12	A chemical method for the deposition of Bi ₂ S ₃ thin films from a non-aqueous bath. <i>Thin Solid Films</i> , 2000 , 359, 136-140	2.2	38
11	A new chemical method for the preparation of Ag ₂ S thin films. <i>Materials Chemistry and Physics</i> , 2000 , 63, 226-229	4.4	41
10	Preparation and characterization of Bi ₂ Se ₃ thin films deposited by successive ionic layer adsorption and reaction (SILAR) method. <i>Materials Chemistry and Physics</i> , 2000 , 63, 230-234	4.4	53
9	Thickness dependent properties of chemically deposited As ₂ S ₃ thin films from thioacetamide bath. <i>Materials Chemistry and Physics</i> , 2000 , 64, 215-221	4.4	38
8	Deposition of CdS thin films by the successive ionic layer adsorption and reaction (SILAR) method. <i>Materials Research Bulletin</i> , 2000 , 35, 177-184	5.1	82
7	Studies on chemically deposited nanocrystalline Bi ₂ S ₃ thin films. <i>Materials Research Bulletin</i> , 2000 , 35, 587-601	5.1	37
6	Successive ionic layer adsorption and reaction (SILAR) method for the deposition of large area (~10 cm ²) tin disulfide (SnS ₂) thin films. <i>Materials Research Bulletin</i> , 2000 , 35, 2027-2035	5.1	65
5	Non-aqueous chemical bath deposition of Sb ₂ S ₃ thin films. <i>Thin Solid Films</i> , 1999 , 353, 29-32	2.2	38
4	Preparation of CdCr ₂ S ₄ and HgCr ₂ S ₄ thin films by chemical bath deposition. <i>Materials Research Bulletin</i> , 1999 , 34, 2035-2042	5.1	12
3	Photoelectrochemical cells based on chemically deposited nanocrystalline Bi ₂ S ₃ thin films. <i>Materials Chemistry and Physics</i> , 1999 , 60, 196-203	4.4	65

2	Photoelectrochemical (PEC) characterization of chemically deposited Bi ₂ S ₃ thin films from non-aqueous medium. <i>Materials Chemistry and Physics</i> , 1999 , 60, 158-162	4-4	42
1	Preparation and characterization of Sb ₂ S ₃ thin films using a successive ionic layer adsorption and reaction (SILAR) method. <i>Journal of Materials Science Letters</i> , 1999 , 18, 1453-1455		29