
Benedicte Deau

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5969441/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Outcomes of refractory or relapsed Hodgkin lymphoma patients with post-autologous stem cell transplantation brentuximab vedotin maintenance: a French multicenter observational cohort study. Haematologica, 2022, 107, 1681-1686.	3.5	12
2	Can nivolumab alone cure patients with relapse or refractory Hodgkin lymphoma? A 5â€year analysis of the French early access program (EPA). British Journal of Haematology, 2022, , .	2.5	3
3	Amahrelis : Adcetris Maintenance after Autologous Stem Cell Transplantation in Hodgkin Lymphoma : A Real Life Study from Sfgmtc and Lysa Groups. Blood, 2020, 136, 20-21.	1.4	3
4	Impact of genotype in relapsed and refractory acute myeloid leukaemia patients treated with clofarabine and cytarabine: a retrospective study. British Journal of Haematology, 2019, 187, 65-72.	2.5	3
5	Long-term efficacy of anti-PD1 therapy in Hodgkin lymphoma with and without allogenic stem cell transplantation. European Journal of Cancer, 2019, 115, 47-56.	2.8	33
6	The role of radiotherapy as salvage and/or consolidation treatment in relapsed/refractory and highâ€risk diffuse large Bâ€cell lymphoma. European Journal of Haematology, 2018, 101, 150-159.	2.2	6
7	Tandem haematopoietic stem cell transplantation for High Risk relapsed/refractory Hodgkin Lymphoma: a <scp>LYSA</scp> study. British Journal of Haematology, 2018, 181, 341-349.	2.5	10
8	Transmission of Hepatitis E Virus With Plasma Exchange in Kidney Transplant Recipients. Transplantation, 2018, 102, 1351-1357.	1.0	14
9	Consolidation anti-CD22 fractionated radioimmunotherapy with 90 Y-epratuzumab tetraxetan following R-CHOP in elderly patients with diffuse large B-cell lymphoma: a prospective, single group, phase 2 trial. Lancet Haematology,the, 2017, 4, e35-e45.	4.6	33
10	Primary bone diffuse large B-cell lymphoma: a retrospective evaluation on 76 cases from French institutional and LYSA studies. Leukemia and Lymphoma, 2016, 57, 2820-2826.	1.3	13
11	The Combination of High Expression of CD68-Positive Tumor-Associated Macrophages and PET2-Positivity Predicts Unfavorable Outcome in Patients with Classical Hodgkin Lymphoma Treated in the Lysa AHL2011 Study. Blood, 2016, 128, 1825-1825.	1.4	1
12	In Situ Hepatitis C NS3 Protein Detection Is Associated with High Grade Features in Hepatitis C-Associated B-Cell Non-Hodgkin Lymphomas. PLoS ONE, 2016, 11, e0156384.	2.5	19
13	Clonal B-Cell Lymphocytosis with Marginal Zone Features and Splenic Marginal Zone Lymphoma Share a Similar Cytogenetic and Mutational Profile. Blood, 2016, 128, 2962-2962.	1.4	0
14	Sequential combination of gemcitabine, vinorelbine, pegylated liposomal doxorubicin and brentuximab as a bridge regimen to transplant in relapsed or refractory Hodgkin lymphoma. Haematologica, 2015, 100, e269-e271.	3.5	24