

Mose Coffier

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5969804/moise-coeffier-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117
papers

3,717
citations

34
h-index

56
g-index

137
ext. papers

4,309
ext. citations

4.2
avg, IF

5
L-index

#	Paper	IF	Citations
117	Gut microbiota depletion affects nutritional and behavioral responses to activity-based anorexia model in a sex-dependent manner. <i>Clinical Nutrition</i> , 2021 , 40, 2734-2744	5.9	3
116	Role of gastric motility in weight gain after subthalamic nucleus stimulation in Parkinson's disease. <i>Brain Stimulation</i> , 2021 , 14, 801-803	5.1	
115	The centenary of the Harris-Benedict equations: How to assess energy requirements best? Recommendations from the ESPEN expert group. <i>Clinical Nutrition</i> , 2021 , 40, 690-701	5.9	16
114	Hypermetabolism is a reality in amyotrophic lateral sclerosis compared to healthy subjects. <i>Journal of the Neurological Sciences</i> , 2021 , 420, 117257	3.2	2
113	Gut microbiota alteration in a mouse model of Anorexia Nervosa. <i>Clinical Nutrition</i> , 2021 , 40, 181-189	5.9	18
112	Balance énergétique et composition corporelle 2021 , 147-150		
111	Increased resting energy expenditure compared with predictive theoretical equations in amyotrophic lateral sclerosis. <i>Nutrition</i> , 2020 , 77, 110805	4.8	1
110	Stress-induced intestinal barrier dysfunction is exacerbated during diet-induced obesity. <i>Journal of Nutritional Biochemistry</i> , 2020 , 81, 108382	6.3	2
109	Fructose and irritable bowel syndrome. <i>Nutrition Research Reviews</i> , 2020 , 33, 235-243	7	3
108	Plasma Peptide Concentrations and Peptide-Reactive Immunoglobulins in Patients with Eating Disorders at Inclusion in the French EDILS Cohort (Eating Disorders Inventory and Longitudinal Survey). <i>Nutrients</i> , 2020 , 12,	6.7	3
107	An in vitro explant model for studies of intestinal amino acid metabolism. <i>Clinical Nutrition Experimental</i> , 2020 , 29, 1-9	2	1
106	Intestinal lymphatic alteration in mouse models of energy imbalance. <i>Nutrition</i> , 2020 , 73, 110714	4.8	
105	Characterizing the metabolic perturbations induced by activity-based anorexia in the C57Bl/6 mouse using H NMR spectroscopy. <i>Clinical Nutrition</i> , 2020 , 39, 2428-2434	5.9	4
104	Comparison of different modes of antibiotic delivery on gut microbiota depletion efficiency and body composition in mouse. <i>BMC Microbiology</i> , 2020 , 20, 340	4.5	7
103	Validity of Bioimpedance Equations to Evaluate Fat-Free Mass and Muscle Mass in Severely Malnourished Anorectic Patients. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
102	Influence of Glutamine and Branched-Chain Amino Acids Supplementation during Refeeding in Activity-Based Anorectic Mice. <i>Nutrients</i> , 2020 , 12,	6.7	1
101	Glutamine, but not Branched-Chain Amino Acids, Restores Intestinal Barrier Function during Activity-Based Anorexia. <i>Nutrients</i> , 2019 , 11,	6.7	17

100	New therapeutic approaches to target gut-brain axis dysfunction during anorexia nervosa. <i>Clinical Nutrition Experimental</i> , 2019 , 28, 33-41	2	4
99	Chronic colitis-induced visceral pain is associated with increased anxiety during quiescent phase. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 316, G692-G700	5.1	18
98	Prevention of Adult Colitis by Oral Ferric Iron in Juvenile Mice Is Associated with the Inhibition of the Tbet Promoter Hypomethylation and Gene Overexpression. <i>Nutrients</i> , 2019 , 11,	6.7	3
97	Proteome modifications of gut microbiota in mice with activity-based anorexia and starvation: Role in ATP production. <i>Nutrition</i> , 2019 , 67-68, 110557	4.8	6
96	Immunoglobulin G modulation of the melanocortin 4 receptor signaling in obesity and eating disorders. <i>Translational Psychiatry</i> , 2019 , 9, 87	8.6	19
95	Colonic Proteome Signature in Immunoproteasome-Deficient Stressed Mice and Its Relevance for Irritable Bowel Syndrome. <i>Journal of Proteome Research</i> , 2019 , 18, 478-492	5.6	4
94	Delayed gastric emptying and altered antrum protein metabolism during activity-based anorexia. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13305	4	9
93	Colonic immune cells in irritable bowel syndrome: A systematic review and meta-analysis. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13192	4	73
92	Dietary n-3 PUFA May Attenuate Experimental Colitis. <i>Mediators of Inflammation</i> , 2018 , 2018, 8430614	4.3	35
91	Validity of Predictive Equations for Resting Energy Expenditure Developed for Obese Patients: Impact of Body Composition Method. <i>Nutrients</i> , 2018 , 10,	6.7	14
90	Comparison of body composition assessment by DXA and BIA according to the body mass index: A retrospective study on 3655 measures. <i>PLoS ONE</i> , 2018 , 13, e0200465	3.7	78
89	Alterations of proteome, mitochondrial dynamic and autophagy in the hypothalamus during activity-based anorexia. <i>Scientific Reports</i> , 2018 , 8, 7233	4.9	19
88	Colonic Mucosal Proteome Signature Reveals Reduced Energy Metabolism and Protein Synthesis but Activated Autophagy during Anorexia-Induced Malnutrition in Mice. <i>Proteomics</i> , 2018 , 18, e1700395	4.8	7
87	Does calprotectin level identify a subgroup among patients suffering from irritable bowel syndrome? Results of a prospective study. <i>United European Gastroenterology Journal</i> , 2017 , 5, 261-269	5.3	10
86	Glutamine and the regulation of intestinal permeability: from bench to bedside. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2017 , 20, 86-91	3.8	30
85	Sex differences in response to activity-based anorexia model in C57Bl/6 mice. <i>Physiology and Behavior</i> , 2017 , 170, 1-5	3.5	20
84	Comment évaluer les besoins énergétiques et protéiques du sujet obèse ?. <i>Nutrition Clinique Et Métabolisme</i> , 2017 , 31, 260-267	0.8	3
83	Targeting immunoproteasome and glutamine supplementation prevent intestinal hyperpermeability. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017 , 1861, 3278-3288	4	9

82	Micronutrient Status in 153 Patients with Anorexia Nervosa. <i>Nutrients</i> , 2017 , 9,	6.7	23
81	Bone Mineral Density after Weight Gain in 160 Patients with Anorexia Nervosa. <i>Frontiers in Nutrition</i> , 2017 , 4, 46	6.2	6
80	Proteasome inhibitors exacerbate interleukin-8 production induced by protease-activated receptor 2 in intestinal epithelial cells. <i>Cytokine</i> , 2016 , 86, 41-46	4	4
79	A role for intestinal TLR4-driven inflammatory response during activity-based anorexia. <i>Scientific Reports</i> , 2016 , 6, 35813	4.9	27
78	Glutamine Restores Tight Junction Protein Claudin-1 Expression in Colonic Mucosa of Patients With Diarrhea-Predominant Irritable Bowel Syndrome. <i>Journal of Parenteral and Enteral Nutrition</i> , 2016 , 40, 1170-1176	4.2	23
77	High-fat diet increases ghrelin-expressing cells in stomach, contributing to obesity. <i>Nutrition</i> , 2016 , 32, 709-15	4.8	22
76	Increased Ghrelin but Low Ghrelin-Reactive Immunoglobulins in a Rat Model of Methotrexate Chemotherapy-Induced Anorexia. <i>Frontiers in Nutrition</i> , 2016 , 3, 23	6.2	13
75	Maintaining physical activity during refeeding improves body composition, intestinal hyperpermeability and behavior in anorectic mice. <i>Scientific Reports</i> , 2016 , 6, 21887	4.9	28
74	Physical activity in patients with anorexia nervosa. <i>Nutrition Reviews</i> , 2016 , 74, 301-11	6.4	43
73	Ghrelin treatment prevents development of activity based anorexia in mice. <i>European Neuropsychopharmacology</i> , 2016 , 26, 948-58	1.2	20
72	Enteral delivery of proteins enhances the expression of proteins involved in the cytoskeleton and protein biosynthesis in human duodenal mucosa. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 359-67		6
71	Intestinal permeability in patients with diarrhea-predominant irritable bowel syndrome: is there a place for glutamine supplementation?. <i>Gastroenterology</i> , 2015 , 148, 1079-80	13.3	11
70	Hypothalamic Neuropeptide 26RFa Acts as an Incretin to Regulate Glucose Homeostasis. <i>Diabetes</i> , 2015 , 64, 2805-16	0.9	18
69	The number of preproghrelin mRNA expressing cells is increased in mice with activity-based anorexia. <i>Neuropeptides</i> , 2015 , 51, 17-23	3.3	16
68	Validity of predictive equations for resting energy expenditure according to the body mass index in a population of 1726 patients followed in a Nutrition Unit. <i>Clinical Nutrition</i> , 2015 , 34, 529-35	5.9	44
67	Glutamine enema regulates colonic ubiquitinated proteins but not proteasome activities during TNBS-induced colitis leading to increased mitochondrial activity. <i>Proteomics</i> , 2015 , 15, 2198-210	4.8	12
66	Enteral glutamine infusion modulates ubiquitination of heat shock proteins, Grp-75 and Apg-2, in the human duodenal mucosa. <i>Amino Acids</i> , 2014 , 46, 1059-67	3.5	9
65	Hyperhomocysteinemia-induced oxidative stress differentially alters proteasome composition and activities in heart and aorta. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 452, 740-5	3.4	28

64	Glutamine supplementation, but not combined glutamine and arginine supplementation, improves gut barrier function during chemotherapy-induced intestinal mucositis in rats. <i>Clinical Nutrition</i> , 2014 , 33, 694-701	5.9	55
63	Alteration of intestinal barrier function during activity-based anorexia in mice. <i>Clinical Nutrition</i> , 2014 , 33, 1046-53	5.9	67
62	2,4,6-trinitrobenzene sulfonic acid-induced chronic colitis with fibrosis and modulation of TGF- β signaling. <i>World Journal of Gastroenterology</i> , 2014 , 20, 18207-15	5.6	18
61	Luminal cysteine-proteases degrade colonic tight junction structure and are responsible for abdominal pain in constipation-predominant IBS. <i>American Journal of Gastroenterology</i> , 2013 , 108, 1322-37	5.7	53
60	Omega-3 polyunsaturated fatty acids delay the progression of endotoxic shock-induced myocardial dysfunction. <i>Inflammation</i> , 2013 , 36, 932-40	5.1	7
59	Combined arginine and glutamine decrease release of de novo synthesized leukotrienes and expression of proinflammatory cytokines in activated human intestinal mast cells. <i>European Journal of Nutrition</i> , 2013 , 52, 505-12	5.2	18
58	Regulation of intestinal protein metabolism by amino acids. <i>Amino Acids</i> , 2013 , 45, 443-50	3.5	35
57	Evaluation of ubiquitinated proteins by proteomics reveals the role of the ubiquitin proteasome system in the regulation of Grp75 and Grp78 chaperone proteins during intestinal inflammation. <i>Proteomics</i> , 2013 , 13, 3284-92	4.8	10
56	Glutamine and arginine improve permeability and tight junction protein expression in methotrexate-treated Caco-2 cells. <i>Clinical Nutrition</i> , 2013 , 32, 863-9	5.9	63
55	An enteral leucine supply modulates human duodenal mucosal proteome and decreases the expression of enzymes involved in fatty acid beta-oxidation. <i>Journal of Proteomics</i> , 2013 , 78, 535-44	3.9	20
54	Enteral delivery of proteins stimulates protein synthesis in human duodenal mucosa in the fed state through a mammalian target of rapamycin-independent pathway. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 286-94	7	12
53	Anti-ghrelin immunoglobulins modulate ghrelin stability and its orexigenic effect in obese mice and humans. <i>Nature Communications</i> , 2013 , 4, 2685	17.4	66
52	Intestinal inflammation influences BMSH reactive autoantibodies: relevance to food intake and body weight. <i>Psychoneuroendocrinology</i> , 2012 , 37, 94-106	5	21
51	Dietary linolenic acid-rich formula reduces adhesion molecules in rats with experimental colitis. <i>Nutrition</i> , 2012 , 28, 799-802	4.8	26
50	Impact of eating disorders and psychological distress on the quality of life of obese people. <i>Nutrition</i> , 2012 , 28, e7-e13	4.8	19
49	Effects of essential amino acids or glutamine deprivation on intestinal permeability and protein synthesis in HCT-8 cells: involvement of GCN2 and mTOR pathways. <i>Amino Acids</i> , 2012 , 42, 375-83	3.5	27
48	Juvenile ferric iron prevents microbiota dysbiosis and colitis in adult rodents. <i>World Journal of Gastroenterology</i> , 2012 , 18, 2619-29	5.6	38
47	Methotrexate modulates tight junctions through NF- κ B, MEK, and JNK pathways. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 463-70	2.8	58

46	Role of toll like receptors in irritable bowel syndrome: differential mucosal immune activation according to the disease subtype. <i>PLoS ONE</i> , 2012 , 7, e42777	3.7	86
45	Régulation du métabolisme protéique intestinal par les nutriments. <i>Nutrition Clinique Et Metabolisme</i> , 2011 , 25, 131-137	0.8	
44	The expression and the cellular distribution of the tight junction proteins are altered in irritable bowel syndrome patients with differences according to the disease subtype. <i>American Journal of Gastroenterology</i> , 2011 , 106, 2165-73	0.7	183
43	Influence of leucine on protein metabolism, phosphokinase expression, and cell proliferation in human duodenum ^{1,3} . <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 1255-62	7	28
42	Gastric electrical stimulation increases ghrelin production and inhibits catecholaminergic brainstem neurons in rats. <i>European Journal of Neuroscience</i> , 2011 , 33, 276-84	3.5	24
41	Anti-inflammatory and anti-angiogenic effect of long chain n-3 polyunsaturated fatty acids in intestinal microvascular endothelium. <i>Clinical Nutrition</i> , 2011 , 30, 678-87	5.9	83
40	Effects of an enteral glucose supply on protein synthesis, proteolytic pathways, and proteome in human duodenal mucosa. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 784-94	7	7
39	Beneficial effects of cathepsin inhibition to prevent chemotherapy-induced intestinal mucositis. <i>Clinical and Experimental Immunology</i> , 2010 , 162, 298-305	6.2	21
38	A diet containing whey protein, free glutamine, and transforming growth factor-beta ameliorates nutritional outcome and intestinal mucositis during repeated chemotherapeutic challenges in rats. <i>Journal of Nutrition</i> , 2010 , 140, 799-805	4.1	14
37	An Elinolenic acid-rich formula reduces oxidative stress and inflammation by regulating NF-B in rats with TNBS-induced colitis. <i>Journal of Nutrition</i> , 2010 , 140, 1714-21	4.1	101
36	Chemotherapy-induced anorexia is accompanied by activation of brain pathways signaling dehydration. <i>Physiology and Behavior</i> , 2010 , 101, 639-48	3.5	20
35	Increased proteasome-mediated degradation of occludin in irritable bowel syndrome. <i>American Journal of Gastroenterology</i> , 2010 , 105, 1181-8	0.7	129
34	Combined infusion of glutamine and arginine: does it make sense?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010 , 13, 70-4	3.8	27
33	A diet containing whey protein, glutamine, and TGFbeta modulates gut protein metabolism during chemotherapy-induced mucositis in rats. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 2172-81	4	16
32	Potential for amino acids supplementation during inflammatory bowel diseases. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 518-24	4.5	60
31	Human duodenal proteome modulations by glutamine and antioxidants. <i>Proteomics - Clinical Applications</i> , 2010 , 4, 325-36	3.1	5
30	Methotrexate induces intestinal mucositis and alters gut protein metabolism independently of reduced food intake. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 296, E182-90 ⁶		48
29	Regulation of feeding and anxiety by alpha-MSH reactive autoantibodies. <i>Psychoneuroendocrinology</i> , 2009 , 34, 140-9	5	45

28	Mécanismes d'action potentiels de la glutamine chez le patient agressif. <i>Nutrition Clinique Et Metabolisme</i> , 2009 , 23, 133-136	0.8	2
27	Quel pharmanutriments choisir en réanimation ?. <i>Nutrition Clinique Et Metabolisme</i> , 2009 , 23, 226-234	0.8	1
26	Quelle pharmanutrition pour lutter contre la sarcopénie ?. <i>Nutrition Clinique Et Metabolisme</i> , 2009 , 23, 76-79	0.8	
25	Supplémentation parentérale en glutamine en réanimation : preuves cliniques et mécanismes d'action. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2009 , 18, 506-510		5
24	Autoantibodies against appetite-regulating peptide hormones and neuropeptides: putative modulation by gut microflora. <i>Nutrition</i> , 2008 , 24, 348-59	4.8	130
23	Emerging role of autoantibodies against appetite-regulating neuropeptides in eating disorders. <i>Nutrition</i> , 2008 , 24, 854-9	4.8	46
22	Chemotherapy-induced mucositis is associated with changes in proteolytic pathways. <i>Experimental Biology and Medicine</i> , 2008 , 233, 219-28	3.7	23
21	Combined glutamine and arginine decrease proinflammatory cytokine production by biopsies from Crohn's patients in association with changes in nuclear factor-kappaB and p38 mitogen-activated protein kinase pathways. <i>Journal of Nutrition</i> , 2008 , 138, 2481-6	4.1	58
20	Combined enteral infusion of glutamine, carbohydrates, and antioxidants modulates gut protein metabolism in humans. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1284-90	7	14
19	Lack of effect of acute enteral arginine infusion on whole-body and intestinal protein metabolism in humans. <i>Digestive Diseases and Sciences</i> , 2007 , 52, 1826-32	4	9
18	Effects of glutamine supplementation on gut barrier, glutathione content and acute phase response in malnourished rats during inflammatory shock. <i>World Journal of Gastroenterology</i> , 2007 , 13, 2833-40	5.6	29
17	Selective expression of histamine receptors H1R, H2R, and H4R, but not H3R, in the human intestinal tract. <i>Gut</i> , 2006 , 55, 498-504	19.2	110
16	Regulation of proteolysis by cytokines in the human intestinal epithelial cell line HCT-8: role of IFNgamma. <i>Biochimie</i> , 2006 , 88, 759-65	4.6	30
15	Glutamine pretreatment reduces IL-8 production in human intestinal epithelial cells by limiting IκappaBα ubiquitination. <i>Journal of Nutrition</i> , 2006 , 136, 1461-5	4.1	50
14	L-alanyl-L-glutamine dipeptide-supplemented total parenteral nutrition reduces infectious complications and glucose intolerance in critically ill patients: the French controlled, randomized, double-blind, multicenter study. <i>Critical Care Medicine</i> , 2006 , 34, 598-604	1.4	267
13	Does glutamine-supplemented total parenteral nutrition reduce the incidence of nosocomial pneumonia?. <i>Critical Care Medicine</i> , 2006 , 34, 2872	1.4	
12	L-Arginine modulates CXC chemokines in the human intestinal epithelial cell line HCT-8 by the NO pathway. <i>Biochimie</i> , 2005 , 87, 1048-55	4.6	19
11	Effect of glutamine on water and sodium absorption in human jejunum at baseline and during PGE1-induced secretion. <i>Journal of Applied Physiology</i> , 2005 , 98, 2163-8	3.7	10

10	The role of glutamine in intensive care unit patients: mechanisms of action and clinical outcome. <i>Nutrition Reviews</i> , 2005 , 63, 65-9	6.4	86
9	Epsilon germ-line and IL-4 transcripts are expressed in human intestinal mucosa and enhanced in patients with food allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005 , 60, 822-7	9.3	29
8	Modulation of nitric oxide and cytokines production by L-arginine in human gut mucosa. <i>Clinical Nutrition</i> , 2005 , 24, 353-9	5.9	13
7	Parenteral glutamine in critically ill patients: effects on complication rate and glucose homeostasis. <i>Clinical Nutrition Supplements</i> , 2004 , 1, 33-36		3
6	Enteral glutamine stimulates protein synthesis and decreases ubiquitin mRNA level in human gut mucosa. <i>American Journal of Physiology - Renal Physiology</i> , 2003 , 285, G266-73	5.1	69
5	Modulating effect of glutamine on IL-1beta-induced cytokine production by human gut. <i>Clinical Nutrition</i> , 2003 , 22, 407-13	5.9	111
4	Cytokine-stimulated nitric oxide production and inducible NO-synthase mRNA level in human intestinal cells: lack of modulation by glutamine. <i>Clinical Nutrition</i> , 2003 , 22, 523-8	5.9	33
3	Acute enteral glutamine infusion enhances heme oxygenase-1 expression in human duodenal mucosa. <i>Journal of Nutrition</i> , 2002 , 132, 2570-3	4.1	53
2	Glutamine decreases interleukin-8 and interleukin-6 but not nitric oxide and prostaglandins e(2) production by human gut in-vitro. <i>Cytokine</i> , 2002 , 18, 92-7	4	59
1	Influence of glutamine on cytokine production by human gut in vitro. <i>Cytokine</i> , 2001 , 13, 148-54	4	99