

Morse Coeffier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5969804/publications.pdf>

Version: 2024-02-01

121
papers

4,844
citations

94381

37
h-index

106281

65
g-index

137
all docs

137
docs citations

137
times ranked

5546
citing authors

#	ARTICLE	IF	CITATIONS
1	Intestinal permeability and appetite regulating peptides-reactive immunoglobulins in severely malnourished women with anorexia nervosa. <i>Clinical Nutrition</i> , 2022, 41, 1752-1758.	2.3	5
2	The centenary of the Harrisâ€“Benedict equations: How to assess energy requirements best? Recommendations from the ESPEN expert group. <i>Clinical Nutrition</i> , 2021, 40, 690-701.	2.3	48
3	Hypermetabolism is a reality in amyotrophic lateral sclerosis compared to healthy subjects. <i>Journal of the Neurological Sciences</i> , 2021, 420, 117257.	0.3	23
4	Gut microbiota alteration in a mouse model of Anorexia Nervosa. <i>Clinical Nutrition</i> , 2021, 40, 181-189.	2.3	40
5	Balance Ã©nergÃ©tique et composition corporelle. , 2021, , 147-150.		0
6	Gut microbiota depletion affects nutritional and behavioral responses to activity-based anorexia model in a sex-dependent manner. <i>Clinical Nutrition</i> , 2021, 40, 2734-2744.	2.3	14
7	Role of gastric motility in weight gain after subthalamic nucleus stimulation in Parkinson's disease. <i>Brain Stimulation</i> , 2021, 14, 801-803.	0.7	0
8	Intestinal lymphatic alteration in mouse models of energy imbalance. <i>Nutrition</i> , 2020, 73, 110714.	1.1	0
9	Characterizing the metabolic perturbations induced by activity-based anorexia in the C57Bl/6 mouse using 1H NMR spectroscopy. <i>Clinical Nutrition</i> , 2020, 39, 2428-2434.	2.3	10
10	Comparison of different modes of antibiotic delivery on gut microbiota depletion efficiency and body composition in mouse. <i>BMC Microbiology</i> , 2020, 20, 340.	1.3	41
11	Validity of Bioimpedance Equations to Evaluate Fat-Free Mass and Muscle Mass in Severely Malnourished Anorectic Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 3664.	1.0	6
12	Influence of Glutamine and Branched-Chain Amino Acids Supplementation during Refeeding in Activity-Based Anorectic Mice. <i>Nutrients</i> , 2020, 12, 3510.	1.7	3
13	Increased resting energy expenditure compared with predictive theoretical equations in amyotrophic lateral sclerosis. <i>Nutrition</i> , 2020, 77, 110805.	1.1	9
14	Stress-induced intestinal barrier dysfunction is exacerbated during diet-induced obesity. <i>Journal of Nutritional Biochemistry</i> , 2020, 81, 108382.	1.9	10
15	Fructose and irritable bowel syndrome. <i>Nutrition Research Reviews</i> , 2020, 33, 235-243.	2.1	16
16	Plasma Peptide Concentrations and Peptide-Reactive Immunoglobulins in Patients with Eating Disorders at Inclusion in the French EDILS Cohort (Eating Disorders Inventory and Longitudinal) Tj ETQq0 0 0 rgBT /Overlock 00 Tf 50 13		
17	An inÃ©vitro explant model for studies of intestinal amino acid metabolism. <i>Clinical Nutrition Experimental</i> , 2020, 29, 1-9.	2.0	3
18	Prevention of Adult Colitis by Oral Ferric Iron in Juvenile Mice Is Associated with the Inhibition of the Tbet Promoter Hypomethylation and Gene Overexpression. <i>Nutrients</i> , 2019, 11, 1758.	1.7	8

#	ARTICLE	IF	CITATIONS
19	Proteome modifications of gut microbiota in mice with activity-based anorexia and starvation: Role in ATP production. <i>Nutrition</i> , 2019, 67-68, 110557.	1.1	12
20	OR42: Validity of Bioimpedance Equations to Evaluate Body Composition in Patients with Severe Anorexia Nervosa. <i>Clinical Nutrition</i> , 2019, 38, S20.	2.3	1
21	Glutamine, but not Branched-Chain Amino Acids, Restores Intestinal Barrier Function during Activity-Based Anorexia. <i>Nutrients</i> , 2019, 11, 1348.	1.7	19
22	New therapeutic approaches to target gut-brain axis dysfunction during anorexia nervosa. <i>Clinical Nutrition Experimental</i> , 2019, 28, 33-41.	2.0	9
23	Chronic colitis-induced visceral pain is associated with increased anxiety during quiescent phase. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 316, G692-G700.	1.6	28
24	Immunoglobulin G modulation of the melanocortin 4 receptor signaling in obesity and eating disorders. <i>Translational Psychiatry</i> , 2019, 9, 87.	2.4	29
25	Delayed gastric emptying and altered antrum protein metabolism during activity-based anorexia. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13305.	1.6	13
26	Colonic immune cells in irritable bowel syndrome: A systematic review and meta-analysis. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13192.	1.6	119
27	Colonic Proteome Signature in Immunoproteasome-Deficient Stressed Mice and Its Relevance for Irritable Bowel Syndrome. <i>Journal of Proteome Research</i> , 2018, 18, 478-492.	1.8	4
28	Colonic Mucosal Proteome Signature Reveals Reduced Energy Metabolism and Protein Synthesis but Activated Autophagy during Anorexia-Induced Malnutrition in Mice. <i>Proteomics</i> , 2018, 18, e1700395.	1.3	10
29	Dietary n-3 PUFA May Attenuate Experimental Colitis. <i>Mediators of Inflammation</i> , 2018, 2018, 1-10.	1.4	56
30	Validity of Predictive Equations for Resting Energy Expenditure Developed for Obese Patients: Impact of Body Composition Method. <i>Nutrients</i> , 2018, 10, 63.	1.7	21
31	Comparison of body composition assessment by DXA and BIA according to the body mass index: A retrospective study on 3655 measures. <i>PLoS ONE</i> , 2018, 13, e0200465.	1.1	168
32	Alterations of proteome, mitochondrial dynamic and autophagy in the hypothalamus during activity-based anorexia. <i>Scientific Reports</i> , 2018, 8, 7233.	1.6	26
33	Does calprotectin level identify a subgroup among patients suffering from irritable bowel syndrome? Results of a prospective study. <i>United European Gastroenterology Journal</i> , 2017, 5, 261-269.	1.6	19
34	Glutamine and the regulation of intestinal permeability. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2017, 20, 86-91.	1.3	51
35	Sex differences in response to activity-based anorexia model in C57Bl/6 mice. <i>Physiology and Behavior</i> , 2017, 170, 1-5.	1.0	29
36	Comment évaluer les besoins énergétiques et protéiques du sujet obèse?. <i>Nutrition Clinique Et Metabolisme</i> , 2017, 31, 260-267.	0.2	4

#	ARTICLE	IF	CITATIONS
37	Targeting immunoproteasome and glutamine supplementation prevent intestinal hyperpermeability. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 3278-3288.	1.1	10
38	Micronutrient Status in 153 Patients with Anorexia Nervosa. <i>Nutrients</i> , 2017, 9, 225.	1.7	31
39	Bone Mineral Density after Weight Gain in 160 Patients with Anorexia Nervosa. <i>Frontiers in Nutrition</i> , 2017, 4, 46.	1.6	7
40	Increased Ghrelin but Low Ghrelin-Reactive Immunoglobulins in a Rat Model of Methotrexate Chemotherapy-Induced Anorexia. <i>Frontiers in Nutrition</i> , 2016, 3, 23.	1.6	14
41	Maintaining physical activity during refeeding improves body composition, intestinal hyperpermeability and behavior in anorectic mice. <i>Scientific Reports</i> , 2016, 6, 21887.	1.6	38
42	Physical activity in patients with anorexia nervosa. <i>Nutrition Reviews</i> , 2016, 74, 301-311.	2.6	61
43	Ghrelin treatment prevents development of activity based anorexia in mice. <i>European Neuropsychopharmacology</i> , 2016, 26, 948-958.	0.3	24
44	Proteasome inhibitors exacerbate interleukin-8 production induced by protease-activated receptor 2 in intestinal epithelial cells. <i>Cytokine</i> , 2016, 86, 41-46.	1.4	6
45	SUN-P241: Activation of Autophagy in the Colonic Mucosa of Anorectic Mice. <i>Clinical Nutrition</i> , 2016, 35, S133-S134.	2.3	1
46	A role for intestinal TLR4-driven inflammatory response during activity-based anorexia. <i>Scientific Reports</i> , 2016, 6, 35813.	1.6	40
47	Glutamine Restores Tight Junction Protein Claudin-1 Expression in Colonic Mucosa of Patients With Diarrhea-Predominant Irritable Bowel Syndrome. <i>Journal of Parenteral and Enteral Nutrition</i> , 2016, 40, 1170-1176.	1.3	31
48	High-fat diet increases ghrelin-expressing cells in stomach, contributing to obesity. <i>Nutrition</i> , 2016, 32, 709-715.	1.1	24
49	Glutamine enema regulates colonic ubiquitinated proteins but not proteasome activities during TNBS-induced colitis leading to increased mitochondrial activity. <i>Proteomics</i> , 2015, 15, 2198-2210.	1.3	13
50	Enteral delivery of proteins enhances the expression of proteins involved in the cytoskeleton and protein biosynthesis in human duodenal mucosa. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 359-367.	2.2	6
51	Intestinal Permeability in Patients With Diarrhea-Predominant Irritable Bowel Syndrome: Is There a Place for Glutamine Supplementation?. <i>Gastroenterology</i> , 2015, 148, 1079-1080.	0.6	15
52	Hypothalamic Neuropeptide 26RFa Acts as an Incretin to Regulate Glucose Homeostasis. <i>Diabetes</i> , 2015, 64, 2805-2816.	0.3	26
53	The number of preproghrelin mRNA expressing cells is increased in mice with activity-based anorexia. <i>Neuropeptides</i> , 2015, 51, 17-23.	0.9	17
54	Validity of predictive equations for resting energy expenditure according to the body mass index in a population of 1726 patients followed in a Nutrition Unit. <i>Clinical Nutrition</i> , 2015, 34, 529-535.	2.3	62

#	ARTICLE	IF	CITATIONS
55	Alteration of intestinal barrier function during activity-based anorexia in mice. <i>Clinical Nutrition</i> , 2014, 33, 1046-1053.	2.3	88
56	Enteral glutamine infusion modulates ubiquitination of heat shock proteins, Grp-75 and Apg-2, in the human duodenal mucosa. <i>Amino Acids</i> , 2014, 46, 1059-1067.	1.2	9
57	Hyperhomocysteinemia-induced oxidative stress differentially alters proteasome composition and activities in heart and aorta. <i>Biochemical and Biophysical Research Communications</i> , 2014, 452, 740-745.	1.0	37
58	Glutamine supplementation, but not combined glutamine and arginine supplementation, improves gut barrier function during chemotherapy-induced intestinal mucositis in rats. <i>Clinical Nutrition</i> , 2014, 33, 694-701.	2.3	64
59	2,4,6-trinitrobenzene sulfonic acid-induced chronic colitis with fibrosis and modulation of TGF- β 1 signaling. <i>World Journal of Gastroenterology</i> , 2014, 20, 18207.	1.4	19
60	Luminal Cysteine-Proteases Degrade Colonic Tight Junction Structure and Are Responsible for Abdominal Pain in Constipation-Predominant IBS. <i>American Journal of Gastroenterology</i> , 2013, 108, 1322-1331.	0.2	69
61	Omega-3 Polyunsaturated Fatty Acids Delay the Progression of Endotoxic Shock-Induced Myocardial Dysfunction. <i>Inflammation</i> , 2013, 36, 932-940.	1.7	9
62	Combined arginine and glutamine decrease release of de novo synthesized leukotrienes and expression of proinflammatory cytokines in activated human intestinal mast cells. <i>European Journal of Nutrition</i> , 2013, 52, 505-512.	1.8	22
63	Regulation of intestinal protein metabolism by amino acids. <i>Amino Acids</i> , 2013, 45, 443-450.	1.2	43
64	Evaluation of ubiquitinated proteins by proteomics reveals the role of the ubiquitin proteasome system in the regulation of Grp75 and Grp78 chaperone proteins during intestinal inflammation. <i>Proteomics</i> , 2013, 13, 3284-3292.	1.3	12
65	Glutamine and arginine improve permeability and tight junction protein expression in methotrexate-treated Caco-2 cells. <i>Clinical Nutrition</i> , 2013, 32, 863-869.	2.3	80
66	An enteral leucine supply modulates human duodenal mucosal proteome and decreases the expression of enzymes involved in fatty acid beta-oxidation. <i>Journal of Proteomics</i> , 2013, 78, 535-544.	1.2	21
67	Enteral delivery of proteins stimulates protein synthesis in human duodenal mucosa in the fed state through a mammalian target of rapamycin-independent pathway. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 286-294.	2.2	17
68	Anti-ghrelin immunoglobulins modulate ghrelin stability and its orexigenic effect in obese mice and humans. <i>Nature Communications</i> , 2013, 4, 2685.	5.8	87
69	Methotrexate Modulates Tight Junctions Through NF- κ B, MEK, and JNK Pathways. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012, 54, 463-470.	0.9	68
70	Juvenile ferric iron prevents microbiota dysbiosis and colitis in adult rodents. <i>World Journal of Gastroenterology</i> , 2012, 18, 2619.	1.4	45
71	Intestinal inflammation influences α -MSH reactive autoantibodies: Relevance to food intake and body weight. <i>Psychoneuroendocrinology</i> , 2012, 37, 94-106.	1.3	21
72	Dietary α -linolenic acid-rich formula reduces adhesion molecules in rats with experimental colitis. <i>Nutrition</i> , 2012, 28, 799-802.	1.1	29

#	ARTICLE	IF	CITATIONS
73	Impact of eating disorders and psychological distress on the quality of life of obese people. <i>Nutrition</i> , 2012, 28, e7-e13.	1.1	23
74	Effects of essential amino acids or glutamine deprivation on intestinal permeability and protein synthesis in HCT-8 cells: involvement of GCN2 and mTOR pathways. <i>Amino Acids</i> , 2012, 42, 375-383.	1.2	31
75	Role of Toll Like Receptors in Irritable Bowel Syndrome: Differential Mucosal Immune Activation According to the Disease Subtype. <i>PLoS ONE</i> , 2012, 7, e42777.	1.1	108
76	R�gulation du m�tabolisme prot�ique intestinal par les nutriments. <i>Nutrition Clinique Et Metabolisme</i> , 2011, 25, 131-137.	0.2	0
77	The Expression and the Cellular Distribution of the Tight Junction Proteins Are Altered in Irritable Bowel Syndrome Patients With Differences According to the Disease Subtype. <i>American Journal of Gastroenterology</i> , 2011, 106, 2165-2173.	0.2	240
78	Influence of leucine on protein metabolism, phosphokinase expression, and cell proliferation in human duodenum. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 1255-1262.	2.2	33
79	Gastric electrical stimulation increases ghrelin production and inhibits catecholaminergic brainstem neurons in rats. <i>European Journal of Neuroscience</i> , 2011, 33, 276-284.	1.2	27
80	Anti-inflammatory and anti-angiogenic effect of long chain n-3 polyunsaturated fatty acids in intestinal microvascular endothelium. <i>Clinical Nutrition</i> , 2011, 30, 678-687.	2.3	95
81	Effects of an enteral glucose supply on protein synthesis, proteolytic pathways, and proteome in human duodenal mucosa. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 784-794.	2.2	9
82	Combined infusion of glutamine and arginine: does it make sense?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010, 13, 70-74.	1.3	31
83	A Diet Containing Whey Protein, Glutamine, and TGF� Modulates Gut Protein Metabolism During Chemotherapy-Induced Mucositis in Rats. <i>Digestive Diseases and Sciences</i> , 2010, 55, 2172-2181.	1.1	17
84	Potential for amino acids supplementation during inflammatory bowel diseases. <i>Inflammatory Bowel Diseases</i> , 2010, 16, 518-524.	0.9	70
85	Human duodenal proteome modulations by glutamine and antioxidants. <i>Proteomics - Clinical Applications</i> , 2010, 4, 325-336.	0.8	5
86	Beneficial effects of cathepsin inhibition to prevent chemotherapy-induced intestinal mucositis. <i>Clinical and Experimental Immunology</i> , 2010, 162, 298-305.	1.1	26
87	A Diet Containing Whey Protein, Free Glutamine, and Transforming Growth Factor-� Ameliorates Nutritional Outcome and Intestinal Mucositis during Repeated Chemotherapeutic Challenges in Rats. <i>Journal of Nutrition</i> , 2010, 140, 799-805.	1.3	16
88	An �-Linolenic Acid-Rich Formula Reduces Oxidative Stress and Inflammation by Regulating NF-�B in Rats with TNBS-Induced Colitis . <i>Journal of Nutrition</i> , 2010, 140, 1714-1721.	1.3	143
89	Chemotherapy-induced anorexia is accompanied by activation of brain pathways signaling dehydration. <i>Physiology and Behavior</i> , 2010, 101, 639-648.	1.0	23
90	Increased Proteasome-Mediated Degradation of Occludin in Irritable Bowel Syndrome. <i>American Journal of Gastroenterology</i> , 2010, 105, 1181-1188.	0.2	149

#	ARTICLE	IF	CITATIONS
91	Methotrexate induces intestinal mucositis and alters gut protein metabolism independently of reduced food intake. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 296, E182-E190.	1.8	60
92	Regulation of feeding and anxiety by \pm -MSH reactive autoantibodies. <i>Psychoneuroendocrinology</i> , 2009, 34, 140-149.	1.3	53
93	Mécanismes d'action potentiels de la glutamine chez le patient agressif. <i>Nutrition Clinique Et Metabolisme</i> , 2009, 23, 133-136.	0.2	2
94	Quel pharmaconutriment choisir en réanimation?. <i>Nutrition Clinique Et Metabolisme</i> , 2009, 23, 226-234.	0.2	2
95	Quelle pharmaconutrition pour lutter contre la sarcopénie?. <i>Nutrition Clinique Et Metabolisme</i> , 2009, 23, 76-79.	0.2	0
96	Supplémentation parentérale en glutamine en réanimation: preuves cliniques et mécanismes d'action. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2009, 18, 506-510.	0.1	6
97	Autoantibodies against appetite-regulating peptide hormones and neuropeptides: Putative modulation by gut microflora. <i>Nutrition</i> , 2008, 24, 348-359.	1.1	154
98	Emerging role of autoantibodies against appetite-regulating neuropeptides in eating disorders. <i>Nutrition</i> , 2008, 24, 854-859.	1.1	58
99	Chemotherapy-Induced Mucositis Is Associated with Changes in Proteolytic Pathways. <i>Experimental Biology and Medicine</i> , 2008, 233, 219-228.	1.1	26
100	Combined Glutamine and Arginine Decrease Proinflammatory Cytokine Production by Biopsies from Crohn's Patients in Association with Changes in Nuclear Factor- κ B and p38 Mitogen-Activated Protein Kinase Pathways. <i>Journal of Nutrition</i> , 2008, 138, 2481-2486.	1.3	71
101	Combined enteral infusion of glutamine, carbohydrates, and antioxidants modulates gut protein metabolism in humans. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1284-90.	2.2	17
102	Lack of Effect of Acute Enteral Arginine Infusion on Whole-Body and Intestinal Protein Metabolism in Humans. <i>Digestive Diseases and Sciences</i> , 2007, 52, 1826-1832.	1.1	11
103	Effects of glutamine supplementation on gut barrier, glutathione content and acute phase response in malnourished rats during inflammatory shock. <i>World Journal of Gastroenterology</i> , 2007, 13, 2833.	1.4	33
104	Selective expression of histamine receptors H1R, H2R, and H4R, but not H3R, in the human intestinal tract. <i>Gut</i> , 2006, 55, 498-504.	6.1	133
105	Regulation of proteolysis by cytokines in the human intestinal epithelial cell line HCT8: role of I κ B. <i>Biochimie</i> , 2006, 88, 759-765.	1.3	32
106	Glutamine Pretreatment Reduces IL-8 Production in Human Intestinal Epithelial Cells by Limiting κ B Ubiquitination. <i>Journal of Nutrition</i> , 2006, 136, 1461-1465.	1.3	59
107	L-alanyl-L-glutamine dipeptide-supplemented total parenteral nutrition reduces infectious complications and glucose intolerance in critically ill patients: The French controlled, randomized, double-blind, multicenter study*. <i>Critical Care Medicine</i> , 2006, 34, 598-604.	0.4	315
108	Does glutamine-supplemented total parenteral nutrition reduce the incidence of nosocomial pneumonia?. <i>Critical Care Medicine</i> , 2006, 34, 2872.	0.4	0

#	ARTICLE	IF	CITATIONS
109	Heme oxygenase: A new piece in the glutamine puzzle*. Critical Care Medicine, 2005, 33, 457-458.	0.4	11
110	Effect of glutamine on water and sodium absorption in human jejunum at baseline and during PGE1-induced secretion. Journal of Applied Physiology, 2005, 98, 2163-2168.	1.2	13
111	The Role of Glutamine in Intensive Care Unit Patients: Mechanisms of Action and Clinical Outcome. Nutrition Reviews, 2005, 63, 65-69.	2.6	104
112	Epsilon germ-line and IL-4 transcripts are expressed in human intestinal mucosa and enhanced in patients with food allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2005, 60, 822-827.	2.7	32
113	Modulation of nitric oxide and cytokines production by L-arginine in human gut mucosa. Clinical Nutrition, 2005, 24, 353-359.	2.3	16
114	L-Arginine modulates CXC chemokines in the human intestinal epithelial cell line HCT-8 by the NO pathway. Biochimie, 2005, 87, 1048-1055.	1.3	20
115	Parenteral glutamine in critically ill patients: effects on complication rate and glucose homeostasis. Clinical Nutrition Supplements, 2004, 1, 33-36.	0.0	4
116	Modulating effect of glutamine on IL-1 β -induced cytokine production by human gut. Clinical Nutrition, 2003, 22, 407-413.	2.3	134
117	Cytokine-stimulated nitric oxide production and inducible NO-synthase mRNA level in human intestinal cells: lack of modulation by glutamine. Clinical Nutrition, 2003, 22, 523-528.	2.3	34
118	Enteral glutamine stimulates protein synthesis and decreases ubiquitin mRNA level in human gut mucosa. American Journal of Physiology - Renal Physiology, 2003, 285, G266-G273.	1.6	81
119	GLUTAMINE DECREASES INTERLEUKIN-8 AND INTERLEUKIN-6 BUT NOT NITRIC OXIDE AND PROSTAGLANDINS E2 PRODUCTION BY HUMAN GUT IN-VITRO. Cytokine, 2002, 18, 92-97.	1.4	64
120	Acute Enteral Glutamine Infusion Enhances Heme Oxygenase-1 Expression in Human Duodenal Mucosa. Journal of Nutrition, 2002, 132, 2570-2573.	1.3	58
121	INFLUENCE OF GLUTAMINE ON CYTOKINE PRODUCTION BY HUMAN GUT IN VITRO. Cytokine, 2001, 13, 148-154. 1.4	1.4	116