Marzia Caproni

List of Publications by Citations

Source: https://exaly.com/author-pdf/5970799/marzia-caproni-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

216 4,596 34 59 h-index g-index citations papers 5.12 227 3.2 5,579 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
216	Human interleukin 17-producing cells originate from a CD161+CD4+ T cell precursor. <i>Journal of Experimental Medicine</i> , 2008 , 205, 1903-16	16.6	569
215	Serum levels of IL-17 and IL-22 are reduced by etanercept, but not by acitretin, in patients with psoriasis: a randomized-controlled trial. <i>Journal of Clinical Immunology</i> , 2009 , 29, 210-4	5.7	145
214	Expression of cytokines, chemokines and other effector molecules in two prototypic autoinflammatory skin diseases, pyoderma gangrenosum and Sweet@syndrome. <i>Clinical and Experimental Immunology</i> , 2014 , 178, 48-56	6.2	144
213	Guidelines for the diagnosis and treatment of dermatitis herpetiformis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009 , 23, 633-8	4.6	126
212	Nomenclature of Cutaneous Vasculitis: Dermatologic Addendum to the 2012 Revised International Chapel Hill Consensus Conference Nomenclature of Vasculitides. <i>Arthritis and Rheumatology</i> , 2018 , 70, 171-184	9.5	121
211	Family history, body mass index, selected dietary factors, menstrual history, and risk of moderate to severe acne in adolescents and young adults. <i>Journal of the American Academy of Dermatology</i> , 2012 , 67, 1129-35	4.5	111
21 0	Regulatory T cells in the skin lesions and blood of patients with systemic sclerosis and morphoea. <i>British Journal of Dermatology</i> , 2010 , 162, 1056-63	4	107
209	The spectrum of cutaneous manifestations in lupus erythematosusthe Italian experience. <i>Lupus</i> , 2000 , 9, 417-23	2.6	95
208	Cutaneous lupus erythematosus: diagnosis and management. <i>American Journal of Clinical Dermatology</i> , 2003 , 4, 449-65	7.1	94
207	Chronic idiopathic urticaria: infiltrating cells and related cytokines in autologous serum-induced wheals. <i>Clinical Immunology</i> , 2005 , 114, 284-92	9	80
206	Expression of cytokines and chemokine receptors in the cutaneous lesions of erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>British Journal of Dermatology</i> , 2006 , 155, 722-8	4	78
205	S2k guideline for treatment of cutaneous lupus erythematosus - guided by the European Dermatology Forum (EDF) in cooperation with the European Academy of Dermatology and Venereology, 2017 , 31, 389-4	4.6 404	75
204	Infiltrating cells, related cytokines and chemokine receptors in lesional skin of patients with dermatomyositis. <i>British Journal of Dermatology</i> , 2004 , 151, 784-91	4	67
203	Oral Curcumin (Meriva) Is Effective as an Adjuvant Treatment and Is Able to Reduce IL-22 Serum Levels in Patients with Psoriasis Vulgaris. <i>BioMed Research International</i> , 2015 , 2015, 283634	3	63
202	Clinical, histological and immunopathological features of 58 patients with subacute cutaneous lupus erythematosus. A review by the Italian group of immunodermatology. <i>Dermatology</i> , 2000 , 200, 6-10	4.4	63
201	Updated S2K guidelines on the management of pemphigus vulgaris and foliaceus initiated by the european academy of dermatology and venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1900-1913	4.6	60
200	Chronic idiopathic and chronic autoimmune urticaria: clinical and immunopathological features of 68 subjects. <i>Acta Dermato-Venereologica</i> , 2004 , 84, 288-90	2.2	58

199	Influence of smoking on disease severity and antimalarial therapy in cutaneous lupus erythematosus: analysis of 1002 patients from the EUSCLE database. <i>British Journal of Dermatology</i> , 2014 , 171, 571-9	4	56	
198	The diagnosis and treatment of dermatitis herpetiformis. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2015 , 8, 257-65	2.9	53	
197	Characterization of regulatory T cells in patients with dermatomyositis. <i>Journal of Autoimmunity</i> , 2010 , 35, 342-50	15.5	46	
196	Th2-like cytokine activity in dermatitis herpetiformis. <i>British Journal of Dermatology</i> , 1998 , 138, 242-7	4	46	
195	Overweight, diabetes and disease duration influence clinical severity in hidradenitis suppurativa-acne inversa: evidence from the national Italian registry. <i>British Journal of Dermatology</i> , 2016 , 174, 195-7	4	46	
194	The Treg/Th17 cell ratio is reduced in the skin lesions of patients with pyoderma gangrenosum. <i>British Journal of Dermatology</i> , 2015 , 173, 275-8	4	45	
193	Immunopathogenesis of folliculitis decalvans: clues in early lesions. <i>American Journal of Clinical Pathology</i> , 2008 , 130, 526-34	1.9	45	
192	The effects of tacrolimus ointment on regulatory T lymphocytes in atopic dermatitis. <i>Journal of Clinical Immunology</i> , 2006 , 26, 370-5	5.7	42	
191	Infiltrating cells and related cytokines in lesional skin of patients with chronic idiopathic urticaria and positive autologous serum skin test. <i>Experimental Dermatology</i> , 2003 , 12, 621-8	4	42	
190	Further support for a role for Th2-like cytokines in blister formation of pemphigus. <i>Clinical Immunology</i> , 2001 , 98, 264-71	9	42	
189	The intracellular and extracellular domains of BP180 antigen comprise novel epitopes targeted by pemphigoid gestationis autoantibodies. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 864-73	4.3	40	
188	Tissue transglutaminase antibody assessment in dermatitis herpetiformis. <i>British Journal of Dermatology</i> , 2001 , 144, 196-197	4	40	
187	Dermatitis Herpetiformis: Novel Perspectives. Frontiers in Immunology, 2019, 10, 1290	8.4	39	
186	Dermatomyositis in 132 patients with different clinical subtypes: cutaneous signs, constitutional symptoms and circulating antibodies. <i>Acta Dermato-Venereologica</i> , 2002 , 82, 48-51	2.2	39	
185	Regulatory T cells in skin lesions and blood of patients with bullous pemphigoid. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 222-30	4.6	37	
184	The CD40/CD40 ligand system is expressed in the cutaneous lesions of erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis spectrum. <i>British Journal of Dermatology</i> , 2006 , 154, 319-24	4	37	
183	Amyopathic dermatomyositis: a review by the Italian Group of Immunodermatology. <i>Archives of Dermatology</i> , 2002 , 138, 23-7		36	
182	In vivo relevance of CD30 in atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997 , 52, 1063-70	9.3	34	

181	Cutaneous Manifestations of Non-Celiac Gluten Sensitivity: Clinical Histological and Immunopathological Features. <i>Nutrients</i> , 2015 , 7, 7798-805	6.7	33
180	The last word on the so-called @ owell @ syndrome <i>Q</i> . <i>Lupus</i> , 2012 , 21, 577-85	2.6	33
179	Serological detection of eotaxin, IL-4, IL-13, IFN-gamma, MIP-1alpha, TARC and IP-10 in chronic autoimmune urticaria and chronic idiopathic urticaria. <i>Journal of Dermatological Science</i> , 2004 , 36, 57-9	4.3	33
178	Adult female acne and associated risk factors: Results of a multicenter case-control study in Italy. Journal of the American Academy of Dermatology, 2016 , 75, 1134-1141.e1	4.5	32
177	The comparative effects of tacrolimus and hydrocortisone in adult atopic dermatitis: an immunohistochemical study. <i>British Journal of Dermatology</i> , 2007 , 156, 312-9	4	32
176	Dermatitis herpetiformis: from the genetics to the development of skin lesions. <i>Clinical and Developmental Immunology</i> , 2012 , 2012, 239691		31
175	The constellation of dietary factors in adolescent acne: a semantic connectivity map approach. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 96-100	4.6	30
174	Curcumin nanoparticles potentiate therapeutic effectiveness of acitrein in moderate-to-severe psoriasis patients and control serum cholesterol levels. <i>Journal of Pharmacy and Pharmacology</i> , 2018 , 70, 919-928	4.8	28
173	The clinical spectrum of COVID-19-associated cutaneous manifestations: An Italian multicenter study of 200 adult patients. <i>Journal of the American Academy of Dermatology</i> , 2021 , 84, 1356-1363	4.5	27
172	Meeting Report of the Pathogenesis of Pemphigus and Pemphigoid Meeting in Munich, September 2016. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1199-1203	4.3	26
171	Serum levels of the Th1 promoter IL-12 and the Th2 chemokine TARC are elevated in erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis and correlate with soluble Fas ligand expression. An immunoenzymatic study from the Italian Group of Immunopathology.	4.4	26
170	Dermatology, 2007, 214, 296-304 Th1, Th2 and Th3 cytokines in the pathogenesis of bullous pemphigoid. <i>Journal of Dermatological Science</i> , 2002, 30, 116-28	4.3	25
169	The composition of the lupus band test (LBT) on the sun-protected non-lesional (SPNL) skin in patients with cutaneous lupus erythematosus (CLE). <i>Lupus</i> , 1999 , 8, 755-60	2.6	25
168	Nailfold Capillaroscopy Characteristics of Antisynthetase Syndrome and Possible Clinical Associations: Results of a Multicenter International Study. <i>Journal of Rheumatology</i> , 2019 , 46, 279-284	4.1	25
167	Celiac disease and dermatologic manifestations: many skin clue to unfold gluten-sensitive enteropathy. <i>Gastroenterology Research and Practice</i> , 2012 , 2012, 952753	2	24
166	The utility of the lupus band test on sun-protected non-lesional skin for the diagnosis of systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 1999 , 17, 427-32	2.2	24
165	Circulating CD4+ CD25brightFOXP3+ regulatory T-cells are significantly reduced in bullous pemphigoid patients. <i>Archives of Dermatological Research</i> , 2012 , 304, 639-45	3.3	23
164	Etanercept downregulates the Th17 pathway and decreases the IL-17+/IL-10+ cell ratio in patients with psoriasis vulgaris. <i>Journal of Clinical Immunology</i> , 2012 , 32, 1221-32	5.7	23

(2013-2006)

163	Cellular adhesion molecules in chronic urticaria: modulation of serum levels occurs during levocetirizine treatment. <i>British Journal of Dermatology</i> , 2006 , 155, 1270-4	4	23	
162	The role of T lymphocytes and cytokines in the pathogenesis of pemphigoid gestationis. <i>British Journal of Dermatology</i> , 2003 , 148, 1141-8	4	23	
161	T helper type 1-related molecules as well as interleukin-15 are hyperexpressed in the skin lesions of patients with pyoderma gangrenosum. <i>Clinical and Experimental Immunology</i> , 2017 , 189, 383-391	6.2	22	
160	Soluble CD30 and cyclosporine in severe atopic dermatitis. <i>International Archives of Allergy and Immunology</i> , 2000 , 121, 324-8	3.7	22	
159	The role of lymphocytes, granulocytes, mast cells and their related cytokines in lesional skin of linear IgA bullous dermatosis. <i>British Journal of Dermatology</i> , 1999 , 140, 1072-8	4	22	
158	Serum eosinophil cationic protein (ECP) in bullous pemphigoid. <i>International Journal of Dermatology</i> , 1995 , 34, 177-80	1.7	22	
157	Is the search for serum antibodies to gliadin, endomysium and tissue transglutaminase meaningful in psoriatic patients? Relationship between the pathogenesis of psoriasis and coeliac disease. <i>British Journal of Dermatology</i> , 2002 , 147, 187-8	4	21	
156	Increased risk of venous thromboembolism in patients with bullous pemphigoid. The INVENTEP (INcidence of VENous ThromboEmbolism in bullous Pemphigoid) study. <i>Thrombosis and Haemostasis</i> , 2016 , 115, 193-9	7	21	
155	New insights into potential risk factors and associations in genital lichen sclerosus: Data from a multicentre Italian study on 729 consecutive cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 699-704	4.6	20	
154	Newly described clinical and immunopathological feature of dermatitis herpetiformis. <i>Clinical and Developmental Immunology</i> , 2012 , 2012, 967974		20	
153	Eosinophilic dermatosis of hematologic malignancy: A retrospective cohort of 37 patients from an Italian center. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 246-249	4.5	20	
152	PRURITUS CHARACTERISTICS IN A LARGE ITALIAN COHORT OF PSORIATIC PATIENTS. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 1316-1324	4.6	19	
151	Cytokine profile and supposed contribution to scarring in cicatricial pemphigoid. <i>Journal of Oral Pathology and Medicine</i> , 2003 , 32, 34-40	3.3	19	
150	Serum levels and tissue expression of interleukin-31 in dermatitis herpetiformis and bullous pemphigoid. <i>Journal of Dermatological Science</i> , 2017 , 87, 210-212	4.3	18	
149	Clinical, histopathological, and immunological evaluation of a series of patients with erythema nodosum. <i>International Journal of Dermatology</i> , 2016 , 55, e289-94	1.7	18	
148	Pharmacologic modulation by cetirizine of some adhesion molecules expression in psoriatic skin lesions. <i>International Journal of Dermatology</i> , 1995 , 34, 510-3	1.7	18	
147	Anti-desmoplakin antibodies in erythema multiforme and Stevens-Johnson syndrome sera: pathogenic or epiphenomenon?. <i>European Journal of Dermatology</i> , 2011 , 21, 32-6	0.8	18	
146	Neo-epitope tissue transglutaminase autoantibodies as a biomarker of the gluten sensitive skin diseasedermatitis herpetiformis. <i>Clinica Chimica Acta</i> , 2013 , 415, 346-9	6.2	17	

145	Immunohistochemical expression of apoptotic markers in drug-induced erythema multiforme, Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>International Journal of Immunopathology and Pharmacology</i> , 2007 , 20, 557-66	3	17
144	Bullous pemphigoid initially localized around a urostomy. <i>International Journal of Dermatology</i> , 2006 , 45, 1387-9	1.7	17
143	Contact dermatitis from Rhus toxicodendron in a homeopathic remedy. <i>Journal of the American Academy of Dermatology</i> , 2004 , 50, 150-1	4.5	17
142	A case of lichenoid drug eruption associated with sildenafil citratus. <i>Journal of Dermatology</i> , 2005 , 32, 972-5	1.6	17
141	Elevated circulating CD40 ligand in patients with erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis spectrum. <i>British Journal of Dermatology</i> , 2006 , 154, 1006-7	4	16
140	European Guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part II. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1926-1948	4.6	16
139	Phenotypical characterization of circulating cell subsets in pyoderma gangrenosum patients: the experience of the Italian immuno-pathology group. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 655-8	4.6	15
138	Multiple cutaneous precanceroses and carcinomas from combined iatrogenic/professional exposure to arsenic. <i>International Journal of Dermatology</i> , 2008 , 47, 592-3	1.7	15
137	Linear IgA disease presenting as prurigo nodularis. <i>British Journal of Dermatology</i> , 2006 , 155, 479-80	4	15
136	Kaposi® varicelliform eruption in pemphigus foliaceus. <i>International Journal of Dermatology</i> , 1996 , 35, 809-10	1.7	15
135	Clinical and immunopathological features of 159 patients with dermatitis herpetiformis: an Italian experience. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2013 , 148, 163-9	0.8	15
134	Hailey-Hailey disease treated with methotrexate. <i>Journal of Dermatological Case Reports</i> , 2012 , 6, 49-51		14
133	FoxP3-expressing T regulatory cells in atopic dermatitis lesions. <i>Allergy and Asthma Proceedings</i> , 2007 , 28, 525-8	2.6	14
132	Cellular infiltrate and related cytokines, chemokines, chemokine receptors and adhesion molecules in chronic autoimmune urticaria: comparison between spontaneous and autologous serum skin test induced wheal. <i>International Journal of Immunopathology and Pharmacology</i> , 2006 , 19, 507-15	3	14
131	Autoantibody Profile of a Cohort of 78 Italian Patients with Mucous Membrane Pemphigoid: Correlation Between Reactivity Profile and Clinical Involvement. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 768-73	2.2	13
130	Effects of tacrolimus ointment on Toll-like receptors in atopic dermatitis. <i>Clinical and Experimental Dermatology</i> , 2011 , 36, 235-41	1.8	13
129	Hepatitis C virus: a common triggering factor for both nodular vasculitis and Sjgren@syndrome?. <i>British Journal of Dermatology</i> , 2000 , 142, 187-9	4	13
128	Subacute cutaneous lupus erythematosus with pityriasis-like cutaneous manifestations. International Journal of Dermatology, 2001, 40, 59-62	1.7	13

127	Discoid lupus erythematosus lesions developed on lupus erythematosus profundus nodules. <i>International Journal of Dermatology</i> , 1995 , 34, 357-9	1.7	13
126	Modulation of serum eosinophil cationic protein levels by cyclosporin in severe atopic dermatitis. <i>British Journal of Dermatology</i> , 1996 , 135, 336-7	4	13
125	Ex vivo pathogenicity of anti-laminin 🛭 autoantibodies. American Journal of Pathology, 2014 , 184, 494-5	05 .8	12
124	Paraneoplastic toxic epidermal necrolysis-like subacute cutaneous lupus erythematosus. <i>Clinical and Experimental Dermatology</i> , 2010 , 35, 455-6	1.8	12
123	Serum levels of the regulatory cytokines transforming growth factor-land interleukin-10 are reduced in patients with discoid lupus erythematosus. <i>Lupus</i> , 2011 , 20, 556-60	2.6	12
122	Vitamin D receptor gene polymorphism is not associated with psoriasis in the Italian Caucasian population. <i>Journal of Dermatological Science</i> , 2004 , 35, 68-70	4.3	12
121	Hepatitis C virus (HCV) in cryoglobulinaemic leukocytoclastic vasculitis (LCV): could the presence of HCV in skin lesions be related to T CD8+ lymphocytes, HLA-DR and ICAM-1 expression?. Experimental Dermatology, 1999 , 8, 480-6	4	12
120	S2k guidelines (consensus statement) for diagnosis and therapy of dermatitis herpetiformis initiated by the European Academy of Dermatology and Venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1251-1277	4.6	12
119	Advances in Cutaneous Lupus Erythematosus and Dermatomyositis: A Report from the 4th International Conference on Cutaneous Lupus Erythematosus-An Ongoing Need for International Consensus and Collaborations. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 270-276	4.3	12
118	Regulatory T cells as well as IL-10 are reduced in the skin of patients with dermatitis herpetiformis. <i>Journal of Dermatological Science</i> , 2015 , 77, 54-62	4.3	11
117	Gluten-free diet in patients with dermatitis herpetiformis: not only a matter of skin. <i>Archives of Dermatology</i> , 2011 , 147, 988-9; author reply 989		11
116	The role of apoptosis in the pathogenesis of dermatitis herpetiformis. <i>International Journal of Immunopathology and Pharmacology</i> , 2005 , 18, 691-9	3	11
115	A case of nodular scleroderma. <i>Journal of Dermatology</i> , 2005 , 32, 1028-31	1.6	11
114	Serum eosinophil cationic protein, myeloperoxidase, tryptase, eotaxin and Th2-L-like cytokines in Dermatitis herpetiformis. <i>International Archives of Allergy and Immunology</i> , 2002 , 128, 67-72	3.7	11
113	A fatal case of hidradenitis suppurativa associated with sepsis and squamous cell carcinoma. <i>International Journal of Dermatology</i> , 2016 , 55, e52-3	1.7	11
112	Autoantibody profile and clinical patterns in 619 Italian patients with cutaneous lupus erythematosus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 742-752	4.6	10
111	Treating psoriasis with etanercept in italian clinical practice: prescribing practices and duration of remission following discontinuation. <i>Clinical Drug Investigation</i> , 2010 , 30, 507-16	3.2	10
110	Case study: periodic follow-up is necessary in morphea profunda to identify systemic evolution. <i>Skinmed</i> , 2005 , 4, 188-90	0.2	10

109	European guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part I. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1750-1764	4.6	10
108	A case of blood sweating: hematohidrosis syndrome. <i>Cmaj</i> , 2017 , 189, E1314	3.5	9
107	Treatment of psoriasis with topical agents: Recommendations from a Tuscany Consensus. <i>Dermatologic Therapy</i> , 2017 , 30, e12549	2.2	9
106	The role of etanercept on the expression of markers of T helper 17 cells and their precursors in skin lesions of patients with psoriasis vulgaris. <i>International Journal of Immunopathology and Pharmacology</i> , 2010 , 23, 767-74	3	9
105	Expression of matrix metalloproteinases 2, 9 and 11 in erythema multiforme: immunohistochemical comparison with Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>British Journal of Dermatology</i> , 2008 , 158, 1163-6	4	9
104	Linear IgA disease and desquamative gingivitis: time for inclusion in mucous membrane pemphigoid. <i>Oral Diseases</i> , 2008 , 14, 768-9 author reply 770	3.5	9
103	Radiation therapy as a trigger factor for initially localized bullous pemphigoid. <i>Breast Journal</i> , 2005 , 11, 485-6	1.2	9
102	Bullous eruption in a patient with B-cell chronic lymphocytic leukemia: a diagnostic challenge. <i>International Journal of Dermatology</i> , 2017 , 56, 1445-1447	1.7	8
101	An update on the nomenclature for cutaneous vasculitis. <i>Current Opinion in Rheumatology</i> , 2019 , 31, 46-52	5.3	8
100	Pemphigus foliaceus developing on pre-existing psoriasis: a supposed pathogenetic linkage. <i>Acta Dermato-Venereologica</i> , 2004 , 84, 82-3	2.2	8
99	IL-4, IL-5, TGF-beta1 and IFN-gamma mRNAs detected by a new in situ amplification system in cicatricial pemphigoid. <i>Experimental Dermatology</i> , 2002 , 11, 421-7	4	8
98	Erythrodermic bullous pemphigoid. International Journal of Dermatology, 2001, 40, 343-6	1.7	8
97	Skin manifestations of celiac disease: not always dermatitis herpetiformis. <i>International Journal of Dermatology</i> , 2014 , 53, e352-3	1.7	7
96	Antilaminin-1 antibodies in cutaneous lupus erythematosus patients. <i>Lupus</i> , 2009 , 18, 858	2.6	7
95	Polymorphic eruption of pregnancy. International Journal of Dermatology, 1997, 36, 448-50	1.7	7
94	Subacute prurigo-like linear IgA disease. <i>International Journal of Dermatology</i> , 2007 , 46, 1101-3	1.7	7
93	The CD40/CD40 ligand system is involved in the pathogenesis of pemphigus. <i>Clinical Immunology</i> , 2007 , 124, 22-5	9	7
92	Systemic contact dermatitis from herbal and homeopathic preparations used for herpes virus treatment. <i>Acta Dermato-Venereologica</i> , 2004 , 84, 223-6	2.2	7

(2010-2005)

91	Evidence for a role of type I interferons in the pathogenesis of dermatomyositis: reply from authors. <i>British Journal of Dermatology</i> , 2005 , 153, 463-464	4	7
90	A case of vesiculo-bullous Darier® disease associated with bipolar psychiatric disorder. <i>Journal of Dermatology</i> , 2000 , 27, 673-6	1.6	7
89	Homocysteine serum levels are increased and correlate with disease severity in patients with lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 76-81	2.2	7
88	Influenza-B associated rhabdomyolysis and acute renal failure. <i>Indian Pediatrics</i> , 2013 , 50, 595-6	1.2	6
87	Interleukin 8 as a chemoattractant for neutrophil granulocytes in toxic epidermal necrolysis lesions. <i>Clinical and Experimental Dermatology</i> , 2009 , 34, 403-4	1.8	6
86	Relevance of cellular infiltrate and cytokines in polymorphic eruption of pregnancy (PEP). <i>Journal of Dermatological Science</i> , 2006 , 43, 67-9	4.3	6
85	Ulcerative carcinoma of the breast with zosteriform skin metastases. <i>Breast Journal</i> , 2006 , 12, 385	1.2	6
84	Expression of adhesion molecules in atopic dermatitis is reduced by tacrolimus, but not by hydrocortisone butyrate: a randomized immunohistochemical study. <i>Clinical and Experimental Dermatology</i> , 2006 , 31, 813-7	1.8	6
83	Maculopapular lupus rash in a young woman with systemic involvement. <i>Lupus</i> , 2000 , 9, 713-6	2.6	6
82	Amyopathic dermatomyositis: report of three cases. <i>British Journal of Dermatology</i> , 1998 , 139, 1116-8	4	6
81	Characterization of Hidradenitis Suppurativa Phenotypes: A Multidimensional Latent Class Analysis of the National Italian Registry IRHIS. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1236-1242.e1	4.3	6
80	Development and optimisation of biopharmaceutical properties of a new microemulgel of cannabidiol for locally-acting dermatological delivery. <i>International Journal of Pharmaceutics</i> , 2021 , 607, 121036	6.5	6
79	Tissue transglutaminase antibody assessment in dermatitis herpetiformis. <i>British Journal of Dermatology</i> , 2001 , 144, 196-7	4	6
78	Cutaneous eruptions associated with haematologic malignancies: the need for a unifying nomenclature. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e191-e192	4.6	5
77	Comment on "Association of bullous pemphigoid with malignancy: A systematic review and meta-analysis". <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, e343	4.5	5
76	Annular subacute cutaneous lupus erythematosus lesions and polymyositis onset in a patient with primary Sjogren@syndrome: how should this unusual association be classified?. <i>Lupus</i> , 2013 , 22, 312-5	2.6	5
75	Plasma levels of metalloproteinase-9 are elevated in patients with chronic autoimmune urticaria. British Journal of Dermatology, 2009 , 161, 712-4	4	5
74	Immunosuppressive therapy may affect the number of circulating regulatory cells in systemic sclerosis: Pay attention to the patient selection criteria. <i>Cellular Immunology</i> , 2010 , 264, 186	4.4	5

73	An unusual cause of gastrointestinal bleeding in a young girl. <i>Cmaj</i> , 2006 , 175, 583	3.5	5
72	Does the determination of the Bb vitamin D receptor genotype identify psoriasis vulgaris patients responsive to topical tacalcitol?. <i>Journal of Dermatological Science</i> , 2005 , 37, 180-1	4.3	5
71	IL-4 and cellular adhesion molecule (CAM) pathway are involved in cicatricial pemphigoid scarring process. <i>Journal of Dermatological Science</i> , 2005 , 38, 57-9	4.3	5
70	Cutaneous hypertrophic lupus erythematosus in a patient with systemic involvement. <i>Skinmed</i> , 2004 , 3, 49-51	0.2	5
69	Effects of TNFIInhibitors in patients with psoriasis and metabolic syndrome: a preliminary study. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020 , 155, 14-18	0.8	5
68	A novel quantitative ELISA as accurate and reproducible tool to detect epidermal transglutaminase antibodies in patients with Dermatitis Herpetiformis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e78-e80	4.6	5
67	Italian Guidelines in Pemphigus - adapted from the European Dermatology Forum (EDF) and European Academy of Dermatology and Venerology (EADV). <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2018 , 153, 599-608	0.8	5
66	Granular IgA Deposits in the Skin of Patients with Coeliac Disease: Is it Always Dermatitis Herpetiformis?. <i>Acta Dermato-Venereologica</i> , 2019 , 99, 78-83	2.2	5
65	SAPHO syndrome in pediatric patients with inflammatory bowel disease treated with infliximab. <i>Digestive and Liver Disease</i> , 2018 , 50, 1249-1251	3.3	5
64	Indirect immunofluorescence in mucous membrane pemphigoid: which substrate should be used?. <i>British Journal of Dermatology</i> , 2019 , 180, 1266-1267	4	4
63	Bullous pemphigoid: Italian guidelines adapted from the EDF/EADV guidelines. <i>Italian Journal of Dermatology and Venereology</i> , 2018 , 153, 305-315	1.2	4
62	A further case of subacute prurigo-like linear IgA bullous dermatosis: growing evidence of a new subset. <i>International Journal of Dermatology</i> , 2012 , 51, 1500-1	1.7	4
61	The Fas/Fas ligand system, rather than granzyme B, may represent the main mediator of epidermal apoptosis in dermatomyositis. <i>Clinical and Experimental Dermatology</i> , 2010 , 35, 669-70	1.8	4
60	Comment on "Dermatitis herpetiformis sera or goat anti-transglutaminase-3 transferred to human skin-grafted mice mimics dermatitis herpetiformis immunopathology". <i>Journal of Immunology</i> , 2011 , 187, 595; author reply 595-6	5.3	4
59	Linear IgA dermatosis with exclusive mucosal involvement or mucous membrane pemphigoid?. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007 , 104, 151-2		4
58	Epidemiology of systemic sclerosis: a multi-database population-based study in Tuscany (Italy). Orphanet Journal of Rare Diseases, 2021 , 16, 90	4.2	4
57	At the Root: Cutaneous Langerhans Cell Histiocytosis. <i>American Journal of Medicine</i> , 2018 , 131, 922-926	2.4	3
56	Is tocilizumab safe in Kaposi sarcoma? A complex association among rheumatoid arthritis, psoriasis, and Kaposi sarcoma. <i>Clinical Drug Investigation</i> , 2014 , 34, 437-8	3.2	3

(2003-2015)

55	A case of rupioid psoriasis exacerbated by systemic glucocorticosteroids. <i>International Journal of Dermatology</i> , 2015 , 54, e100-2	1.7	3
54	Magnetic resonance imaging for paraneoplastic dermatomyositis. <i>Medical Journal of Australia</i> , 2007 , 187, 589	4	3
53	Serum interleukin-13 levels are increased in patients with Stevens-Johnson syndrome/toxic epidermal necrolysis but not in those with erythema multiforme. <i>British Journal of Dermatology</i> , 2008 , 158, 184-6	4	3
52	Chronic autoimmune urticaria in a patient with multiple piloleiomyomas. <i>Clinical and Experimental Dermatology</i> , 2007 , 32, 449-50	1.8	3
51	Cutis marmorata telangiectatica congenita and chronic autoimmune urticaria in a young man. <i>Journal of Dermatology</i> , 2007 , 34, 210-3	1.6	3
50	Autoantibody Profile of a Cohort of 54 Italian Patients with Linear IgA Bullous Dermatosis: LAD-1 Denoted as a Major Auto-antigen of the Lamina Lucida Subtype. <i>Acta Dermato-Venereologica</i> , 2020 , 100, adv00070	2.2	3
49	Gender differences in genital lichen sclerosus: data from a multicenter Italian study on 729 consecutive cases. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020 , 155, 155-160	0.8	3
48	T Cell Response Toward Tissue-and Epidermal-Transglutaminases in Coeliac Disease Patients Developing Dermatitis Herpetiformis. <i>Frontiers in Immunology</i> , 2021 , 12, 645143	8.4	3
47	Female Patients with Dermatitis Herpetiformis Show a Reduced Diagnostic Delay and Have Higher Sensitivity Rates at Autoantibody Testing for Celiac Disease. <i>BioMed Research International</i> , 2019 , 2019, 6307035	3	3
46	Granular Deposits of IgA in the Skin of Coeliac Patients Without Dermatitis Herpetiformis: A Prospective Multicentric Analysis. <i>Acta Dermato-Venereologica</i> , 2021 , 101, adv00382	2.2	3
45	Guess what! Malignant pyoderma responding to cyclosporine. <i>European Journal of Dermatology</i> , 2001 , 11, 595-6	0.8	3
44	Vaccination for SARS-CoV-2 in Patients With Psoriatic Arthritis: Can Therapy Affect the Immunological Response?. <i>Frontiers in Medicine</i> , 2022 , 9, 811829	4.9	3
43	Bleeding from the oral cavity: a new case of hematohidrosis. <i>International Journal of Dermatology</i> , 2020 , 59, e421-e422	1.7	2
42	Serration pattern analysis as a tool for the diagnosis of immunoglobulin A-mediated epidermolysis bullosa acquisita. <i>Journal of Dermatology</i> , 2020 , 47, e198-e199	1.6	2
41	A case of lichenoid drug eruption associated with subcutaneous immunoglobulin therapy. <i>Clinical Immunology</i> , 2011 , 139, 228-30	9	2
40	Linear immunoglobulin A bullous dermatosis. Expert Review of Dermatology, 2009, 4, 495-508		2
39	A case of natural killer cell monoclonal expansion during efalizumab treatment in a patient with psoriasis. <i>British Journal of Dermatology</i> , 2009 , 160, 896-7	4	2
38	Undifferentiated connective tissue disease and its cutaneous manifestations. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2003 , 17, 715-7	4.6	2

37	Case study: pachyonychia congenita: a mixed type II-type IV presentation. Skinmed, 2004, 3, 233-5	0.2	2
36	Dramatic exacerbation of bullous pemphigoid following rituximab and successful treatment with omalizumab. <i>European Journal of Dermatology</i> , 2019 , 29, 213-215	0.8	2
35	Tuscan consensus on the use of UVBnb phototherapy in the treatment of psoriasis. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2019 , 154, 99-105	0.8	2
34	Tissue transglutaminase antibody assessment in dermatitis herpetiformis 2001 , 144, 196		2
33	Tuscan consensus on the diagnosis, treatment and follow-up of moderate-to-severe psoriasis. <i>Italian Journal of Dermatology and Venereology</i> , 2017 , 152, 99-108	1.2	2
32	Brugada syndrome, epilepsy and pemphigus vulgaris. Southern Medical Journal, 2008, 101, 1183	0.6	2
31	Granulomatous Dermatitis and Systemic Disease: An Association to Consider. <i>BioMed Research International</i> , 2020 , 2020, 3281380	3	2
30	Impressive response of erosive pustular dermatosis of the scalp to lymecycline monotherapy. <i>JDDG</i> - <i>Journal of the German Society of Dermatology</i> , 2019 , 17, 1177-1178	1.2	2
29	Clinical and immunopathologic features of idiopathic cutaneous immunoglobulin M/G vasculitis versus idiopathic skin-limited immunoglobulin A vasculitis. <i>Journal of the American Academy of Dermatology</i> , 2021 , 84, 175-178	4.5	2
28	Rowell syndrome: does it exist?. Clinical and Experimental Dermatology, 2014 , 39, 58	1.8	1
27	Re: Serum thyroid autoantibodies in patients with idiopathic either acute or chronic urticaria. <i>Journal of Endocrinological Investigation</i> , 2010 , 33, 357	5.2	1
26	Systemic lupus erythematosus with unusual maculopapular and erosive cutaneous lesions. <i>Skinmed</i> , 2004 , 3, 292-3	0.2	1
25	Stevens-Johnson Syndrome induced by Vaxvetria (AZD1222) Covid-19 vaccine <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022 ,	4.6	1
24	Specific dermatoses of pregnancy other than pemphigoid gestationis. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2019 , 154, 286-298	0.8	1
23	Reply letter to "An update on direct immunofluorescence for diagnosing dermatitis herpetiformis". Could granular C3 deposits at the dermal epidermal junction be considered a marker of "cutaneous gluten sensitivity"?. <i>Postepy Dermatologii I Alergologii</i> , 2021 , 38, 346-348	1.5	1
22	Covid vaccination in patients with autoimmune diseases treated with mycophenolate: Let@think back to the recommendations. <i>Autoimmunity Reviews</i> , 2021 , 20, 102908	13.6	1
21	Bullous Pemphigoid Associated With COVID-19 Vaccines: An Italian Multicentre Study <i>Frontiers in Medicine</i> , 2022 , 9, 841506	4.9	1
20	Could anti-glycan antibodies be useful in dermatitis herpetiformis?. <i>European Journal of Dermatology</i> , 2019 , 29, 322-323	0.8	1

(2021-2021)

19	Anti-laminin 332 antibody detection using biochip immunofluorescence microscopy in a real-life cohort of Italian patients with mucous membrane pemphigoid. <i>European Journal of Dermatology</i> , 2021 ,	0.8	1
18	Linear IGA bullous dermatosis potentially triggered by vaccination <i>International Journal of Immunopathology and Pharmacology</i> , 2022 , 36, 20587384211021218	3	О
17	Clinical characteristics of itch in cutaneous lupus erythematosus: A prospective, multicenter, multinational, cross-sectional study. <i>Lupus</i> , 2021 , 30, 1385-1393	2.6	Ο
16	Late-onset hidradenitis suppurativa: A cluster analysis of the National Italian Registry IRHIS. <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, e29-e32	4.5	О
15	Exacerbation of generalized plaque psoriasis after tuberculin test. Dermatology Reports, 2021, 13, 9019	0.9	О
14	Docetaxel-induced-like subacute cutaneous lupus erythematosus. <i>Clinical and Experimental Dermatology</i> , 2016 , 41, 318-9	1.8	O
13	Case Report: Management of Malignancy-Exacerbated Pemphigus Vulgaris During COVID-19 Pandemic. <i>Frontiers in Medicine</i> , 2021 , 8, 708284	4.9	Ο
12	Dermatitis herpetiformis: not only in adults. <i>Pediatric Dermatology</i> , 2014 , 31, 538	1.9	
11	Prurigo even as a symptom of a linear IgA bullous disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013 , 27, 794-5	4.6	
10	Detection of serum antibodies to human intracisternal A-type retroviral particles in chronic idiopathic urticaria. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009 , 23, 352-3	4.6	
9	Hypereosinophilic syndrome as prodrome of bullous pemphigoid:report of a case. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006 , 6, 255-259	4.6	
8	Persistent erythema, telangiectases, and facial flushing after carcinoid tumor excision. <i>Skinmed</i> , 2003 , 2, 259-62	0.2	
7	Dermatite atopica: diagnostica in vitro 2007 , 185-196		
6	Rowell@ Syndrome or subacute cutaneous lupus erythematosus?. <i>Italian Journal of Dermatology and Venereology</i> , 2017 , 152, 82-83	1.2	
5	Comment on "Dermatitis herpetiformis in an African woman", the importance of direct immunofluorescence assay. <i>Pan African Medical Journal</i> , 2020 , 36, 196	1.2	
4	Reply to Oruritic arthropod bite-like papules in T-cell large granular lymphocytic leukaemia and chronic myelomonocytic leukaemiaO<i>Clinical and Experimental Dermatology</i>, 2019, 44, 75-76	1.8	
3	Is chemotherapy the best option for chronic lymphocytic leukemia associated Wells@yndrome? Reply to "Case of Wells@yndrome: A rare association with the clinical course of chronic lymphocytic leukemia". <i>Journal of Dermatology</i> , 2019 , 46, e146-e147	1.6	
2	Unilateral generalised morphea successfully treated with rituximab and mycophenolate mofetil. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 1449-1450	2.2	

The skin does not lie: a case of dermatitis herpetiformis in the setting of refractory celiac disease. *Italian Journal of Dermatology and Venereology,* **2021**, 156, 267-268

1.2