

# Marzia Caproni

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5970799/marzia-caproni-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

216  
papers

4,596  
citations

34  
h-index

59  
g-index

227  
ext. papers

5,579  
ext. citations

3.2  
avg, IF

5.12  
L-index

#	Paper	IF	Citations
216	Linear IGA bullous dermatosis potentially triggered by vaccination.. <i>International Journal of Immunopathology and Pharmacology</i> , <b>2022</b> , 36, 20587384211021218	3	0
215	Stevens-Johnson Syndrome induced by Vaxvetria (AZD1222) Covid-19 vaccine.. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2022</b> ,	4.6	1
214	Bullous Pemphigoid Associated With COVID-19 Vaccines: An Italian Multicentre Study.. <i>Frontiers in Medicine</i> , <b>2022</b> , 9, 841506	4.9	1
213	Vaccination for SARS-CoV-2 in Patients With Psoriatic Arthritis: Can Therapy Affect the Immunological Response?. <i>Frontiers in Medicine</i> , <b>2022</b> , 9, 811829	4.9	3
212	Comment on "Association of bullous pemphigoid with malignancy: A systematic review and meta-analysis". <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> , 85, e343	4.5	5
211	T Cell Response Toward Tissue-and Epidermal-Transglutaminases in Coeliac Disease Patients Developing Dermatitis Herpetiformis. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 645143	8.4	3
210	S2k guidelines (consensus statement) for diagnosis and therapy of dermatitis herpetiformis initiated by the European Academy of Dermatology and Venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1251-1277	4.6	12
209	Clinical characteristics of itch in cutaneous lupus erythematosus: A prospective, multicenter, multinational, cross-sectional study. <i>Lupus</i> , <b>2021</b> , 30, 1385-1393	2.6	0
208	The clinical spectrum of COVID-19-associated cutaneous manifestations: An Italian multicenter study of 200 adult patients. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> , 84, 1356-1363	4.5	27
207	Late-onset hidradenitis suppurativa: A cluster analysis of the National Italian Registry IRHIS. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> , 85, e29-e32	4.5	0
206	European guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part I. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1750-1764	4.6	10
205	European Guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part II. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1926-1948	4.6	16
204	Exacerbation of generalized plaque psoriasis after tuberculin test. <i>Dermatology Reports</i> , <b>2021</b> , 13, 9019	0.9	0
203	Clinical and immunopathologic features of idiopathic cutaneous immunoglobulin M/G vasculitis versus idiopathic skin-limited immunoglobulin A vasculitis. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> , 84, 175-178	4.5	2
202	A novel quantitative ELISA as accurate and reproducible tool to detect epidermal transglutaminase antibodies in patients with Dermatitis Herpetiformis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e78-e80	4.6	5
201	Characterization of Hidradenitis Suppurativa Phenotypes: A Multidimensional Latent Class Analysis of the National Italian Registry IRHIS. <i>Journal of Investigative Dermatology</i> , <b>2021</b> , 141, 1236-1242.e1	4.3	6
200	Reply letter to "An update on direct immunofluorescence for diagnosing dermatitis herpetiformis". Could granular C3 deposits at the dermal epidermal junction be considered a marker of "cutaneous gluten sensitivity"?. <i>Postepy Dermatologii I Alergologii</i> , <b>2021</b> , 38, 346-348	1.5	1

199	Granular Deposits of IgA in the Skin of Coeliac Patients Without Dermatitis Herpetiformis: A Prospective Multicentric Analysis. <i>Acta Dermato-Venereologica</i> , <b>2021</b> , 101, adv00382	2.2	3
198	Epidemiology of systemic sclerosis: a multi-database population-based study in Tuscany (Italy). <i>Orphanet Journal of Rare Diseases</i> , <b>2021</b> , 16, 90	4.2	4
197	Case Report: Management of Malignancy-Exacerbated Pemphigus Vulgaris During COVID-19 Pandemic. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 708284	4.9	0
196	Development and optimisation of biopharmaceutical properties of a new microemulgel of cannabidiol for locally-acting dermatological delivery. <i>International Journal of Pharmaceutics</i> , <b>2021</b> , 607, 121036	6.5	6
195	Covid vaccination in patients with autoimmune diseases treated with mycophenolate: Let's think back to the recommendations. <i>Autoimmunity Reviews</i> , <b>2021</b> , 20, 102908	13.6	1
194	Unilateral generalised morphea successfully treated with rituximab and mycophenolate mofetil. <i>Clinical and Experimental Rheumatology</i> , <b>2021</b> , 39, 1449-1450	2.2	
193	Anti-laminin 332 antibody detection using biochip immunofluorescence microscopy in a real-life cohort of Italian patients with mucous membrane pemphigoid. <i>European Journal of Dermatology</i> , <b>2021</b> ,	0.8	1
192	The skin does not lie: a case of dermatitis herpetiformis in the setting of refractory celiac disease. <i>Italian Journal of Dermatology and Venereology</i> , <b>2021</b> , 156, 267-268	1.2	
191	Bleeding from the oral cavity: a new case of hematohidrosis. <i>International Journal of Dermatology</i> , <b>2020</b> , 59, e421-e422	1.7	2
190	Serration pattern analysis as a tool for the diagnosis of immunoglobulin A-mediated epidermolysis bullosa acquisita. <i>Journal of Dermatology</i> , <b>2020</b> , 47, e198-e199	1.6	2
189	Autoantibody Profile of a Cohort of 54 Italian Patients with Linear IgA Bullous Dermatitis: LAD-1 Denoted as a Major Auto-antigen of the Lamina Lucida Subtype. <i>Acta Dermato-Venereologica</i> , <b>2020</b> , 100, adv00070	2.2	3
188	Effects of TNF inhibitors in patients with psoriasis and metabolic syndrome: a preliminary study. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2020</b> , 155, 14-18	0.8	5
187	Gender differences in genital lichen sclerosus: data from a multicenter Italian study on 729 consecutive cases. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2020</b> , 155, 155-160	0.8	3
186	Comment on "Dermatitis herpetiformis in an African woman", the importance of direct immunofluorescence assay. <i>Pan African Medical Journal</i> , <b>2020</b> , 36, 196	1.2	
185	Granulomatous Dermatitis and Systemic Disease: An Association to Consider. <i>BioMed Research International</i> , <b>2020</b> , 2020, 3281380	3	2
184	Updated S2K guidelines on the management of pemphigus vulgaris and foliaceus initiated by the european academy of dermatology and venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 1900-1913	4.6	60
183	Cutaneous eruptions associated with haematologic malignancies: the need for a unifying nomenclature. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, e191-e192	4.6	5
182	An update on the nomenclature for cutaneous vasculitis. <i>Current Opinion in Rheumatology</i> , <b>2019</b> , 31, 46-52	5.3	8

181	Indirect immunofluorescence in mucous membrane pemphigoid: which substrate should be used?. <i>British Journal of Dermatology</i> , <b>2019</b> , 180, 1266-1267	4	4
180	Dermatitis Herpetiformis: Novel Perspectives. <i>Frontiers in Immunology</i> , <b>2019</b> , 10, 1290	8.4	39
179	PRURITUS CHARACTERISTICS IN A LARGE ITALIAN COHORT OF PSORIATIC PATIENTS. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, 1316-1324	4.6	19
178	Autoantibody profile and clinical patterns in 619 Italian patients with cutaneous lupus erythematosus. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, 742-752	4.6	10
177	Dramatic exacerbation of bullous pemphigoid following rituximab and successful treatment with omalizumab. <i>European Journal of Dermatology</i> , <b>2019</b> , 29, 213-215	0.8	2
176	Specific dermatoses of pregnancy other than pemphigoid gestationis. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2019</b> , 154, 286-298	0.8	1
175	Tuscan consensus on the use of UVBnb phototherapy in the treatment of psoriasis. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2019</b> , 154, 99-105	0.8	2
174	Eosinophilic dermatosis of hematologic malignancy: A retrospective cohort of 37 patients from an Italian center. <i>Journal of the American Academy of Dermatology</i> , <b>2019</b> , 81, 246-249	4.5	20
173	Female Patients with Dermatitis Herpetiformis Show a Reduced Diagnostic Delay and Have Higher Sensitivity Rates at Autoantibody Testing for Celiac Disease. <i>BioMed Research International</i> , <b>2019</b> , 2019, 6307035	3	3
172	Impressive response of erosive pustular dermatosis of the scalp to lymecycline monotherapy. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2019</b> , 17, 1177-1178	1.2	2
171	Reply to Pruritic arthropod bite-like papules in T-cell large granular lymphocytic leukaemia and chronic myelomonocytic leukaemia. <i>Clinical and Experimental Dermatology</i> , <b>2019</b> , 44, 75-76	1.8	
170	Nailfold Capillaroscopy Characteristics of Antisynthetase Syndrome and Possible Clinical Associations: Results of a Multicenter International Study. <i>Journal of Rheumatology</i> , <b>2019</b> , 46, 279-284	4.1	25
169	Advances in Cutaneous Lupus Erythematosus and Dermatomyositis: A Report from the 4th International Conference on Cutaneous Lupus Erythematosus-An Ongoing Need for International Consensus and Collaborations. <i>Journal of Investigative Dermatology</i> , <b>2019</b> , 139, 270-276	4.3	12
168	Is chemotherapy the best option for chronic lymphocytic leukemia associated Wells Syndrome? Reply to "Case of Wells Syndrome: A rare association with the clinical course of chronic lymphocytic leukemia". <i>Journal of Dermatology</i> , <b>2019</b> , 46, e146-e147	1.6	
167	Granular IgA Deposits in the Skin of Patients with Coeliac Disease: Is it Always Dermatitis Herpetiformis?. <i>Acta Dermato-Venereologica</i> , <b>2019</b> , 99, 78-83	2.2	5
166	Could anti-glycan antibodies be useful in dermatitis herpetiformis?. <i>European Journal of Dermatology</i> , <b>2019</b> , 29, 322-323	0.8	1
165	Curcumin nanoparticles potentiate therapeutic effectiveness of acitrein in moderate-to-severe psoriasis patients and control serum cholesterol levels. <i>Journal of Pharmacy and Pharmacology</i> , <b>2018</b> , 70, 919-928	4.8	28
164	Bullous pemphigoid: Italian guidelines adapted from the EDF/EADV guidelines. <i>Italian Journal of Dermatology and Venereology</i> , <b>2018</b> , 153, 305-315	1.2	4

163	At the Root: Cutaneous Langerhans Cell Histiocytosis. <i>American Journal of Medicine</i> , <b>2018</b> , 131, 922-926	2.4	3
162	Nomenclature of Cutaneous Vasculitis: Dermatologic Addendum to the 2012 Revised International Chapel Hill Consensus Conference Nomenclature of Vasculitides. <i>Arthritis and Rheumatology</i> , <b>2018</b> , 70, 171-184	9.5	121
161	Italian Guidelines in Pemphigus - adapted from the European Dermatology Forum (EDF) and European Academy of Dermatology and Venereology (EADV). <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2018</b> , 153, 599-608	0.8	5
160	SAPHO syndrome in pediatric patients with inflammatory bowel disease treated with infliximab. <i>Digestive and Liver Disease</i> , <b>2018</b> , 50, 1249-1251	3.3	5
159	Serum levels and tissue expression of interleukin-31 in dermatitis herpetiformis and bullous pemphigoid. <i>Journal of Dermatological Science</i> , <b>2017</b> , 87, 210-212	4.3	18
158	T helper type 1-related molecules as well as interleukin-15 are hyperexpressed in the skin lesions of patients with pyoderma gangrenosum. <i>Clinical and Experimental Immunology</i> , <b>2017</b> , 189, 383-391	6.2	22
157	Meeting Report of the Pathogenesis of Pemphigus and Pemphigoid Meeting in Munich, September 2016. <i>Journal of Investigative Dermatology</i> , <b>2017</b> , 137, 1199-1203	4.3	26
156	Bullous eruption in a patient with B-cell chronic lymphocytic leukemia: a diagnostic challenge. <i>International Journal of Dermatology</i> , <b>2017</b> , 56, 1445-1447	1.7	8
155	A case of blood sweating: hematohidrosis syndrome. <i>Cmaj</i> , <b>2017</b> , 189, E1314	3.5	9
154	Treatment of psoriasis with topical agents: Recommendations from a Tuscany Consensus. <i>Dermatologic Therapy</i> , <b>2017</b> , 30, e12549	2.2	9
153	S2k guideline for treatment of cutaneous lupus erythematosus - guided by the European Dermatology Forum (EDF) in cooperation with the European Academy of Dermatology and Venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 389-404	4.6	75
152	New insights into potential risk factors and associations in genital lichen sclerosus: Data from a multicentre Italian study on 729 consecutive cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 699-704	4.6	20
151	Rowell Syndrome or subacute cutaneous lupus erythematosus?. <i>Italian Journal of Dermatology and Venereology</i> , <b>2017</b> , 152, 82-83	1.2	
150	Tuscan consensus on the diagnosis, treatment and follow-up of moderate-to-severe psoriasis. <i>Italian Journal of Dermatology and Venereology</i> , <b>2017</b> , 152, 99-108	1.2	2
149	Adult female acne and associated risk factors: Results of a multicenter case-control study in Italy. <i>Journal of the American Academy of Dermatology</i> , <b>2016</b> , 75, 1134-1141.e1	4.5	32
148	Phenotypical characterization of circulating cell subsets in pyoderma gangrenosum patients: the experience of the Italian immuno-pathology group. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, 655-8	4.6	15
147	Clinical, histopathological, and immunological evaluation of a series of patients with erythema nodosum. <i>International Journal of Dermatology</i> , <b>2016</b> , 55, e289-94	1.7	18
146	The constellation of dietary factors in adolescent acne: a semantic connectivity map approach. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, 96-100	4.6	30

145	Autoantibody Profile of a Cohort of 78 Italian Patients with Mucous Membrane Pemphigoid: Correlation Between Reactivity Profile and Clinical Involvement. <i>Acta Dermato-Venereologica</i> , <b>2016</b> , 96, 768-73	2.2	13
144	Increased risk of venous thromboembolism in patients with bullous pemphigoid. The INVENTEP (INcidence of VENous ThromboEmbolism in bullous Pemphigoid) study. <i>Thrombosis and Haemostasis</i> , <b>2016</b> , 115, 193-9	7	21
143	Docetaxel-induced-like subacute cutaneous lupus erythematosus. <i>Clinical and Experimental Dermatology</i> , <b>2016</b> , 41, 318-9	1.8	0
142	A fatal case of hidradenitis suppurativa associated with sepsis and squamous cell carcinoma. <i>International Journal of Dermatology</i> , <b>2016</b> , 55, e52-3	1.7	11
141	Overweight, diabetes and disease duration influence clinical severity in hidradenitis suppurativa-acne inversa: evidence from the national Italian registry. <i>British Journal of Dermatology</i> , <b>2016</b> , 174, 195-7	4	46
140	Homocysteine serum levels are increased and correlate with disease severity in patients with lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , <b>2016</b> , 34, 76-81	2.2	7
139	The Treg/Th17 cell ratio is reduced in the skin lesions of patients with pyoderma gangrenosum. <i>British Journal of Dermatology</i> , <b>2015</b> , 173, 275-8	4	45
138	Cutaneous Manifestations of Non-Celiac Gluten Sensitivity: Clinical Histological and Immunopathological Features. <i>Nutrients</i> , <b>2015</b> , 7, 7798-805	6.7	33
137	Oral Curcumin (Meriva) Is Effective as an Adjuvant Treatment and Is Able to Reduce IL-22 Serum Levels in Patients with Psoriasis Vulgaris. <i>BioMed Research International</i> , <b>2015</b> , 2015, 283634	3	63
136	A case of rupioid psoriasis exacerbated by systemic glucocorticosteroids. <i>International Journal of Dermatology</i> , <b>2015</b> , 54, e100-2	1.7	3
135	The diagnosis and treatment of dermatitis herpetiformis. <i>Clinical, Cosmetic and Investigational Dermatology</i> , <b>2015</b> , 8, 257-65	2.9	53
134	Regulatory T cells as well as IL-10 are reduced in the skin of patients with dermatitis herpetiformis. <i>Journal of Dermatological Science</i> , <b>2015</b> , 77, 54-62	4.3	11
133	Influence of smoking on disease severity and antimalarial therapy in cutaneous lupus erythematosus: analysis of 1002 patients from the EUSCLE database. <i>British Journal of Dermatology</i> , <b>2014</b> , 171, 571-9	4	56
132	Dermatitis herpetiformis: not only in adults. <i>Pediatric Dermatology</i> , <b>2014</b> , 31, 538	1.9	
131	Expression of cytokines, chemokines and other effector molecules in two prototypic autoinflammatory skin diseases, pyoderma gangrenosum and Sweet's syndrome. <i>Clinical and Experimental Immunology</i> , <b>2014</b> , 178, 48-56	6.2	144
130	Is tocilizumab safe in Kaposi sarcoma? A complex association among rheumatoid arthritis, psoriasis, and Kaposi sarcoma. <i>Clinical Drug Investigation</i> , <b>2014</b> , 34, 437-8	3.2	3
129	Ex vivo pathogenicity of anti-laminin $\alpha$ autoantibodies. <i>American Journal of Pathology</i> , <b>2014</b> , 184, 494-506	8	12
128	Rowell syndrome: does it exist?. <i>Clinical and Experimental Dermatology</i> , <b>2014</b> , 39, 58	1.8	1

127	Skin manifestations of celiac disease: not always dermatitis herpetiformis. <i>International Journal of Dermatology</i> , <b>2014</b> , 53, e352-3	1.7	7
126	Regulatory T cells in skin lesions and blood of patients with bullous pemphigoid. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2014</b> , 28, 222-30	4.6	37
125	Influenza-B associated rhabdomyolysis and acute renal failure. <i>Indian Pediatrics</i> , <b>2013</b> , 50, 595-6	1.2	6
124	Neo-epitope tissue transglutaminase autoantibodies as a biomarker of the gluten sensitive skin disease--dermatitis herpetiformis. <i>Clinica Chimica Acta</i> , <b>2013</b> , 415, 346-9	6.2	17
123	Prurigo even as a symptom of a linear IgA bullous disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2013</b> , 27, 794-5	4.6	
122	Annular subacute cutaneous lupus erythematosus lesions and polymyositis onset in a patient with primary Sjogren's syndrome: how should this unusual association be classified?. <i>Lupus</i> , <b>2013</b> , 22, 312-5	2.6	5
121	Clinical and immunopathological features of 159 patients with dermatitis herpetiformis: an Italian experience. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2013</b> , 148, 163-9	0.8	15
120	Circulating CD4+ CD25brightFOXP3+ regulatory T-cells are significantly reduced in bullous pemphigoid patients. <i>Archives of Dermatological Research</i> , <b>2012</b> , 304, 639-45	3.3	23
119	A further case of subacute prurigo-like linear IgA bullous dermatosis: growing evidence of a new subset. <i>International Journal of Dermatology</i> , <b>2012</b> , 51, 1500-1	1.7	4
118	Family history, body mass index, selected dietary factors, menstrual history, and risk of moderate to severe acne in adolescents and young adults. <i>Journal of the American Academy of Dermatology</i> , <b>2012</b> , 67, 1129-35	4.5	111
117	Etanercept downregulates the Th17 pathway and decreases the IL-17+/IL-10+ cell ratio in patients with psoriasis vulgaris. <i>Journal of Clinical Immunology</i> , <b>2012</b> , 32, 1221-32	5.7	23
116	Dermatitis herpetiformis: from the genetics to the development of skin lesions. <i>Clinical and Developmental Immunology</i> , <b>2012</b> , 2012, 239691		31
115	Hailey-Hailey disease treated with methotrexate. <i>Journal of Dermatological Case Reports</i> , <b>2012</b> , 6, 49-51		14
114	Celiac disease and dermatologic manifestations: many skin clue to unfold gluten-sensitive enteropathy. <i>Gastroenterology Research and Practice</i> , <b>2012</b> , 2012, 952753	2	24
113	Newly described clinical and immunopathological feature of dermatitis herpetiformis. <i>Clinical and Developmental Immunology</i> , <b>2012</b> , 2012, 967974		20
112	The last word on the so-called Rowell's syndrome. <i>Lupus</i> , <b>2012</b> , 21, 577-85	2.6	33
111	Effects of tacrolimus ointment on Toll-like receptors in atopic dermatitis. <i>Clinical and Experimental Dermatology</i> , <b>2011</b> , 36, 235-41	1.8	13
110	A case of lichenoid drug eruption associated with subcutaneous immunoglobulin therapy. <i>Clinical Immunology</i> , <b>2011</b> , 139, 228-30	9	2

109	Comment on "Dermatitis herpetiformis sera or goat anti-transglutaminase-3 transferred to human skin-grafted mice mimics dermatitis herpetiformis immunopathology". <i>Journal of Immunology</i> , <b>2011</b> , 187, 595; author reply 595-6	5.3	4
108	Gluten-free diet in patients with dermatitis herpetiformis: not only a matter of skin. <i>Archives of Dermatology</i> , <b>2011</b> , 147, 988-9; author reply 989		11
107	Serum levels of the regulatory cytokines transforming growth factor- $\beta$ and interleukin-10 are reduced in patients with discoid lupus erythematosus. <i>Lupus</i> , <b>2011</b> , 20, 556-60	2.6	12
106	Anti-desmoplakin antibodies in erythema multiforme and Stevens-Johnson syndrome sera: pathogenic or epiphenomenon?. <i>European Journal of Dermatology</i> , <b>2011</b> , 21, 32-6	0.8	18
105	Regulatory T cells in the skin lesions and blood of patients with systemic sclerosis and morphea. <i>British Journal of Dermatology</i> , <b>2010</b> , 162, 1056-63	4	107
104	Paraneoplastic toxic epidermal necrolysis-like subacute cutaneous lupus erythematosus. <i>Clinical and Experimental Dermatology</i> , <b>2010</b> , 35, 455-6	1.8	12
103	The Fas/Fas ligand system, rather than granzyme B, may represent the main mediator of epidermal apoptosis in dermatomyositis. <i>Clinical and Experimental Dermatology</i> , <b>2010</b> , 35, 669-70	1.8	4
102	Treating psoriasis with etanercept in Italian clinical practice: prescribing practices and duration of remission following discontinuation. <i>Clinical Drug Investigation</i> , <b>2010</b> , 30, 507-16	3.2	10
101	Characterization of regulatory T cells in patients with dermatomyositis. <i>Journal of Autoimmunity</i> , <b>2010</b> , 35, 342-50	15.5	46
100	Re: Serum thyroid autoantibodies in patients with idiopathic either acute or chronic urticaria. <i>Journal of Endocrinological Investigation</i> , <b>2010</b> , 33, 357	5.2	1
99	The role of etanercept on the expression of markers of T helper 17 cells and their precursors in skin lesions of patients with psoriasis vulgaris. <i>International Journal of Immunopathology and Pharmacology</i> , <b>2010</b> , 23, 767-74	3	9
98	Immunosuppressive therapy may affect the number of circulating regulatory cells in systemic sclerosis: Pay attention to the patient selection criteria. <i>Cellular Immunology</i> , <b>2010</b> , 264, 186	4.4	5
97	Linear immunoglobulin A bullous dermatosis. <i>Expert Review of Dermatology</i> , <b>2009</b> , 4, 495-508		2
96	Antilaminin-1 antibodies in cutaneous lupus erythematosus patients. <i>Lupus</i> , <b>2009</b> , 18, 858	2.6	7
95	Serum levels of IL-17 and IL-22 are reduced by etanercept, but not by acitretin, in patients with psoriasis: a randomized-controlled trial. <i>Journal of Clinical Immunology</i> , <b>2009</b> , 29, 210-4	5.7	145
94	A case of natural killer cell monoclonal expansion during efalizumab treatment in a patient with psoriasis. <i>British Journal of Dermatology</i> , <b>2009</b> , 160, 896-7	4	2
93	Plasma levels of metalloproteinase-9 are elevated in patients with chronic autoimmune urticaria. <i>British Journal of Dermatology</i> , <b>2009</b> , 161, 712-4	4	5
92	Interleukin 8 as a chemoattractant for neutrophil granulocytes in toxic epidermal necrolysis lesions. <i>Clinical and Experimental Dermatology</i> , <b>2009</b> , 34, 403-4	1.8	6



91	Detection of serum antibodies to human intracisternal A-type retroviral particles in chronic idiopathic urticaria. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2009</b> , 23, 352-3	4.6	
90	Guidelines for the diagnosis and treatment of dermatitis herpetiformis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2009</b> , 23, 633-8	4.6	126
89	Expression of matrix metalloproteinases 2, 9 and 11 in erythema multiforme: immunohistochemical comparison with Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>British Journal of Dermatology</i> , <b>2008</b> , 158, 1163-6	4	9
88	Multiple cutaneous precanceroses and carcinomas from combined iatrogenic/professional exposure to arsenic. <i>International Journal of Dermatology</i> , <b>2008</b> , 47, 592-3	1.7	15
87	Immunopathogenesis of folliculitis decalvans: clues in early lesions. <i>American Journal of Clinical Pathology</i> , <b>2008</b> , 130, 526-34	1.9	45
86	Human interleukin 17-producing cells originate from a CD161+CD4+ T cell precursor. <i>Journal of Experimental Medicine</i> , <b>2008</b> , 205, 1903-16	16.6	569
85	Serum interleukin-13 levels are increased in patients with Stevens-Johnson syndrome/ toxic epidermal necrolysis but not in those with erythema multiforme. <i>British Journal of Dermatology</i> , <b>2008</b> , 158, 184-6	4	3
84	Linear IgA disease and desquamative gingivitis: time for inclusion in mucous membrane pemphigoid. <i>Oral Diseases</i> , <b>2008</b> , 14, 768-9 author reply 770	3.5	9
83	Brugada syndrome, epilepsy and pemphigus vulgaris. <i>Southern Medical Journal</i> , <b>2008</b> , 101, 1183	0.6	2
82	Magnetic resonance imaging for paraneoplastic dermatomyositis. <i>Medical Journal of Australia</i> , <b>2007</b> , 187, 589	4	3
81	The intracellular and extracellular domains of BP180 antigen comprise novel epitopes targeted by pemphigoid gestationis autoantibodies. <i>Journal of Investigative Dermatology</i> , <b>2007</b> , 127, 864-73	4.3	40
80	The comparative effects of tacrolimus and hydrocortisone in adult atopic dermatitis: an immunohistochemical study. <i>British Journal of Dermatology</i> , <b>2007</b> , 156, 312-9	4	32
79	Chronic autoimmune urticaria in a patient with multiple piloleiomyomas. <i>Clinical and Experimental Dermatology</i> , <b>2007</b> , 32, 449-50	1.8	3
78	Subacute prurigo-like linear IgA disease. <i>International Journal of Dermatology</i> , <b>2007</b> , 46, 1101-3	1.7	7
77	Cutis marmorata telangiectatica congenita and chronic autoimmune urticaria in a young man. <i>Journal of Dermatology</i> , <b>2007</b> , 34, 210-3	1.6	3
76	The CD40/CD40 ligand system is involved in the pathogenesis of pemphigus. <i>Clinical Immunology</i> , <b>2007</b> , 124, 22-5	9	7
75	Serum levels of the Th1 promoter IL-12 and the Th2 chemokine TARC are elevated in erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis and correlate with soluble Fas ligand expression. An immunoenzymatic study from the Italian Group of Immunopathology. <i>Dermatology</i> , <b>2007</b> , 214, 296-304	4.4	26
74	Immunohistochemical expression of apoptotic markers in drug-induced erythema multiforme, Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>International Journal of Immunopathology and Pharmacology</i> , <b>2007</b> , 20, 557-66	3	17

73	FoxP3-expressing T regulatory cells in atopic dermatitis lesions. <i>Allergy and Asthma Proceedings</i> , <b>2007</b> , 28, 525-8	2.6	14
72	Linear IgA dermatosis with exclusive mucosal involvement or mucous membrane pemphigoid?. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , <b>2007</b> , 104, 151-2		4
71	Dermatite atopica: diagnostica in vitro <b>2007</b> , 185-196		
70	An unusual cause of gastrointestinal bleeding in a young girl. <i>Cmaj</i> , <b>2006</b> , 175, 583	3.5	5
69	Relevance of cellular infiltrate and cytokines in polymorphic eruption of pregnancy (PEP). <i>Journal of Dermatological Science</i> , <b>2006</b> , 43, 67-9	4.3	6
68	Cellular infiltrate and related cytokines, chemokines, chemokine receptors and adhesion molecules in chronic autoimmune urticaria: comparison between spontaneous and autologous serum skin test induced wheal. <i>International Journal of Immunopathology and Pharmacology</i> , <b>2006</b> , 19, 507-15	3	14
67	Ulcerative carcinoma of the breast with zosteriform skin metastases. <i>Breast Journal</i> , <b>2006</b> , 12, 385	1.2	6
66	Hypereosinophilic syndrome as prodrome of bullous pemphigoid:report of a case. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2006</b> , 6, 255-259	4.6	
65	The CD40/CD40 ligand system is expressed in the cutaneous lesions of erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis spectrum. <i>British Journal of Dermatology</i> , <b>2006</b> , 154, 319-24	4	37
64	Elevated circulating CD40 ligand in patients with erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis spectrum. <i>British Journal of Dermatology</i> , <b>2006</b> , 154, 1006-7	4	16
63	Linear IgA disease presenting as prurigo nodularis. <i>British Journal of Dermatology</i> , <b>2006</b> , 155, 479-80	4	15
62	Expression of cytokines and chemokine receptors in the cutaneous lesions of erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>British Journal of Dermatology</i> , <b>2006</b> , 155, 722-8	4	78
61	Cellular adhesion molecules in chronic urticaria: modulation of serum levels occurs during levocetirizine treatment. <i>British Journal of Dermatology</i> , <b>2006</b> , 155, 1270-4	4	23
60	Expression of adhesion molecules in atopic dermatitis is reduced by tacrolimus, but not by hydrocortisone butyrate: a randomized immunohistochemical study. <i>Clinical and Experimental Dermatology</i> , <b>2006</b> , 31, 813-7	1.8	6
59	Bullous pemphigoid initially localized around a urostomy. <i>International Journal of Dermatology</i> , <b>2006</b> , 45, 1387-9	1.7	17
58	The effects of tacrolimus ointment on regulatory T lymphocytes in atopic dermatitis. <i>Journal of Clinical Immunology</i> , <b>2006</b> , 26, 370-5	5.7	42
57	Chronic idiopathic urticaria: infiltrating cells and related cytokines in autologous serum-induced wheals. <i>Clinical Immunology</i> , <b>2005</b> , 114, 284-92	9	80
56	Does the determination of the Bb vitamin D receptor genotype identify psoriasis vulgaris patients responsive to topical tacalcitol?. <i>Journal of Dermatological Science</i> , <b>2005</b> , 37, 180-1	4.3	5

55	IL-4 and cellular adhesion molecule (CAM) pathway are involved in cicatricial pemphigoid scarring process. <i>Journal of Dermatological Science</i> , <b>2005</b> , 38, 57-9	4.3	5
54	The role of apoptosis in the pathogenesis of dermatitis herpetiformis. <i>International Journal of Immunopathology and Pharmacology</i> , <b>2005</b> , 18, 691-9	3	11
53	A case of lichenoid drug eruption associated with sildenafil citratus. <i>Journal of Dermatology</i> , <b>2005</b> , 32, 972-5	1.6	17
52	A case of nodular scleroderma. <i>Journal of Dermatology</i> , <b>2005</b> , 32, 1028-31	1.6	11
51	Evidence for a role of type I interferons in the pathogenesis of dermatomyositis: reply from authors. <i>British Journal of Dermatology</i> , <b>2005</b> , 153, 463-464	4	7
50	Radiation therapy as a trigger factor for initially localized bullous pemphigoid. <i>Breast Journal</i> , <b>2005</b> , 11, 485-6	1.2	9
49	Case study: periodic follow-up is necessary in morphea profunda to identify systemic evolution. <i>Skinmed</i> , <b>2005</b> , 4, 188-90	0.2	10
48	Pemphigus foliaceus developing on pre-existing psoriasis: a supposed pathogenetic linkage. <i>Acta Dermato-Venereologica</i> , <b>2004</b> , 84, 82-3	2.2	8
47	Systemic contact dermatitis from herbal and homeopathic preparations used for herpes virus treatment. <i>Acta Dermato-Venereologica</i> , <b>2004</b> , 84, 223-6	2.2	7
46	Chronic idiopathic and chronic autoimmune urticaria: clinical and immunopathological features of 68 subjects. <i>Acta Dermato-Venereologica</i> , <b>2004</b> , 84, 288-90	2.2	58
45	Infiltrating cells, related cytokines and chemokine receptors in lesional skin of patients with dermatomyositis. <i>British Journal of Dermatology</i> , <b>2004</b> , 151, 784-91	4	67
44	Vitamin D receptor gene polymorphism is not associated with psoriasis in the Italian Caucasian population. <i>Journal of Dermatological Science</i> , <b>2004</b> , 35, 68-70	4.3	12
43	Serological detection of eotaxin, IL-4, IL-13, IFN-gamma, MIP-1alpha, TARC and IP-10 in chronic autoimmune urticaria and chronic idiopathic urticaria. <i>Journal of Dermatological Science</i> , <b>2004</b> , 36, 57-9	4.3	33
42	Contact dermatitis from Rhus toxicodendron in a homeopathic remedy. <i>Journal of the American Academy of Dermatology</i> , <b>2004</b> , 50, 150-1	4.5	17
41	Case study: pachyonychia congenita: a mixed type II-type IV presentation. <i>Skinmed</i> , <b>2004</b> , 3, 233-5	0.2	2
40	Cutaneous hypertrophic lupus erythematosus in a patient with systemic involvement. <i>Skinmed</i> , <b>2004</b> , 3, 49-51	0.2	5
39	Systemic lupus erythematosus with unusual maculopapular and erosive cutaneous lesions. <i>Skinmed</i> , <b>2004</b> , 3, 292-3	0.2	1
38	Persistent erythema, telangiectases, and facial flushing after carcinoid tumor excision. <i>Skinmed</i> , <b>2003</b> , 2, 259-62	0.2	

37	Infiltrating cells and related cytokines in lesional skin of patients with chronic idiopathic urticaria and positive autologous serum skin test. <i>Experimental Dermatology</i> , <b>2003</b> , 12, 621-8	4	42
36	Cytokine profile and supposed contribution to scarring in cicatricial pemphigoid. <i>Journal of Oral Pathology and Medicine</i> , <b>2003</b> , 32, 34-40	3.3	19
35	Undifferentiated connective tissue disease and its cutaneous manifestations. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2003</b> , 17, 715-7	4.6	2
34	The role of T lymphocytes and cytokines in the pathogenesis of pemphigoid gestationis. <i>British Journal of Dermatology</i> , <b>2003</b> , 148, 1141-8	4	23
33	Cutaneous lupus erythematosus: diagnosis and management. <i>American Journal of Clinical Dermatology</i> , <b>2003</b> , 4, 449-65	7.1	94
32	IL-4, IL-5, TGF-beta1 and IFN-gamma mRNAs detected by a new in situ amplification system in cicatricial pemphigoid. <i>Experimental Dermatology</i> , <b>2002</b> , 11, 421-7	4	8
31	Is the search for serum antibodies to gliadin, endomysium and tissue transglutaminase meaningful in psoriatic patients? Relationship between the pathogenesis of psoriasis and coeliac disease. <i>British Journal of Dermatology</i> , <b>2002</b> , 147, 187-8	4	21
30	Serum eosinophil cationic protein, myeloperoxidase, tryptase, eotaxin and Th2-L-like cytokines in Dermatitis herpetiformis. <i>International Archives of Allergy and Immunology</i> , <b>2002</b> , 128, 67-72	3.7	11
29	Dermatomyositis in 132 patients with different clinical subtypes: cutaneous signs, constitutional symptoms and circulating antibodies. <i>Acta Dermato-Venereologica</i> , <b>2002</b> , 82, 48-51	2.2	39
28	Amyopathic dermatomyositis: a review by the Italian Group of Immunodermatology. <i>Archives of Dermatology</i> , <b>2002</b> , 138, 23-7		36
27	Th1, Th2 and Th3 cytokines in the pathogenesis of bullous pemphigoid. <i>Journal of Dermatological Science</i> , <b>2002</b> , 30, 116-28	4.3	25
26	Erythrodermic bullous pemphigoid. <i>International Journal of Dermatology</i> , <b>2001</b> , 40, 343-6	1.7	8
25	Tissue transglutaminase antibody assessment in dermatitis herpetiformis. <i>British Journal of Dermatology</i> , <b>2001</b> , 144, 196-197	4	40
24	Further support for a role for Th2-like cytokines in blister formation of pemphigus. <i>Clinical Immunology</i> , <b>2001</b> , 98, 264-71	9	42
23	Subacute cutaneous lupus erythematosus with pityriasis-like cutaneous manifestations. <i>International Journal of Dermatology</i> , <b>2001</b> , 40, 59-62	1.7	13
22	Tissue transglutaminase antibody assessment in dermatitis herpetiformis <b>2001</b> , 144, 196		2
21	Tissue transglutaminase antibody assessment in dermatitis herpetiformis. <i>British Journal of Dermatology</i> , <b>2001</b> , 144, 196-7	4	6
20	Guess what! Malignant pyoderma responding to cyclosporine. <i>European Journal of Dermatology</i> , <b>2001</b> , 11, 595-6	0.8	3

19	Clinical, histological and immunopathological features of 58 patients with subacute cutaneous lupus erythematosus. A review by the Italian group of immunodermatology. <i>Dermatology</i> , <b>2000</b> , 200, 6-10	4.4	63
18	A case of vesiculo-bullous Darier® disease associated with bipolar psychiatric disorder. <i>Journal of Dermatology</i> , <b>2000</b> , 27, 673-6	1.6	7
17	Maculopapular lupus rash in a young woman with systemic involvement. <i>Lupus</i> , <b>2000</b> , 9, 713-6	2.6	6
16	The spectrum of cutaneous manifestations in lupus erythematosus--the Italian experience. <i>Lupus</i> , <b>2000</b> , 9, 417-23	2.6	95
15	Hepatitis C virus: a common triggering factor for both nodular vasculitis and Sjögren® syndrome?. <i>British Journal of Dermatology</i> , <b>2000</b> , 142, 187-9	4	13
14	Soluble CD30 and cyclosporine in severe atopic dermatitis. <i>International Archives of Allergy and Immunology</i> , <b>2000</b> , 121, 324-8	3.7	22
13	The composition of the lupus band test (LBT) on the sun-protected non-lesional (SPNL) skin in patients with cutaneous lupus erythematosus (CLE). <i>Lupus</i> , <b>1999</b> , 8, 755-60	2.6	25
12	The role of lymphocytes, granulocytes, mast cells and their related cytokines in lesional skin of linear IgA bullous dermatosis. <i>British Journal of Dermatology</i> , <b>1999</b> , 140, 1072-8	4	22
11	Hepatitis C virus (HCV) in cryoglobulinaemic leukocytoclastic vasculitis (LCV): could the presence of HCV in skin lesions be related to T CD8+ lymphocytes, HLA-DR and ICAM-1 expression?. <i>Experimental Dermatology</i> , <b>1999</b> , 8, 480-6	4	12
10	The utility of the lupus band test on sun-protected non-lesional skin for the diagnosis of systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , <b>1999</b> , 17, 427-32	2.2	24
9	Th2-like cytokine activity in dermatitis herpetiformis. <i>British Journal of Dermatology</i> , <b>1998</b> , 138, 242-7	4	46
8	Amyopathic dermatomyositis: report of three cases. <i>British Journal of Dermatology</i> , <b>1998</b> , 139, 1116-8	4	6
7	In vivo relevance of CD30 in atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , <b>1997</b> , 52, 1063-70	9.3	34
6	Polymorphic eruption of pregnancy. <i>International Journal of Dermatology</i> , <b>1997</b> , 36, 448-50	1.7	7
5	Kaposi® varicelliform eruption in pemphigus foliaceus. <i>International Journal of Dermatology</i> , <b>1996</b> , 35, 809-10	1.7	15
4	Modulation of serum eosinophil cationic protein levels by cyclosporin in severe atopic dermatitis. <i>British Journal of Dermatology</i> , <b>1996</b> , 135, 336-7	4	13
3	Pharmacologic modulation by cetirizine of some adhesion molecules expression in psoriatic skin lesions. <i>International Journal of Dermatology</i> , <b>1995</b> , 34, 510-3	1.7	18
2	Serum eosinophil cationic protein (ECP) in bullous pemphigoid. <i>International Journal of Dermatology</i> , <b>1995</b> , 34, 177-80	1.7	22

- 1 Discoid lupus erythematosus lesions developed on lupus erythematosus profundus nodules.  
*International Journal of Dermatology*, **1995**, 34, 357-9 1.7 13