

# Susan Garthus-Niegel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5971417/publications.pdf>

Version: 2024-02-01

78  
papers

2,598  
citations

257101

24  
h-index

233125

45  
g-index

93  
all docs

93  
docs citations

93  
times ranked

2348  
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of subjective birth experiences on post-traumatic stress symptoms: a longitudinal study. Archives of Women's Mental Health, 2013, 16, 1-10.	1.2	200
2	Fear of childbirth; the relation to anxiety and depression. Acta Obstetrica Et Gynecologica Scandinavica, 2012, 91, 237-242.	1.3	179
3	The impact of previous birth experiences on maternal fear of childbirth. Acta Obstetrica Et Gynecologica Scandinavica, 2013, 92, 318-324.	1.3	148
4	Fear of childbirth and elective caesarean section: a population-based study. BMC Pregnancy and Childbirth, 2015, 15, 221.	0.9	145
5	The Role of Labor Pain and Overall Birth Experience in the Development of Posttraumatic Stress Symptoms: A Longitudinal Cohort Study. Birth, 2014, 41, 108-115.	1.1	100
6	The Impact of Perinatal Depression on Children's Social-Emotional Development: A Longitudinal Study. Maternal and Child Health Journal, 2017, 21, 607-615.	0.7	93
7	The Impact of Postpartum Posttraumatic Stress and Depression Symptoms on Couples' Relationship Satisfaction: A Population-Based Prospective Study. Frontiers in Psychology, 2018, 9, 1728.	1.1	84
8	Pediatric sleep problems and social-emotional problems. A population-based study. , 2016, 42, 111-118.		80
9	The effect of an elective cesarean section on maternal request on peripartum anxiety and depression in women with childbirth fear: a systematic review. BMC Pregnancy and Childbirth, 2017, 17, 195.	0.9	77
10	The influence of women's preferences and actual mode of delivery on post-traumatic stress symptoms following childbirth: a population-based, longitudinal study. BMC Pregnancy and Childbirth, 2014, 14, 191.	0.9	74
11	Sensory-specific impairment among older people. An investigation using both sensory thresholds and subjective measures across the five senses. PLoS ONE, 2018, 13, e0202969.	1.1	73
12	The Wijma Delivery Expectancy/Experience Questionnaire – a factor analytic study. Journal of Psychosomatic Obstetrics and Gynaecology, 2011, 32, 160-163.	1.1	66
13	Infant, maternal, and familial predictors and correlates of regulatory problems in early infancy: The differential role of infant temperament and maternal anxiety and depression. Early Human Development, 2017, 115, 23-31.	0.8	66
14	Extreme weather events in developing countries and related injuries and mental health disorders - a systematic review. BMC Public Health, 2016, 16, 1020.	1.2	62
15	The Gutenberg Health Study: measuring psychosocial factors at work and predicting health and work-related outcomes with the ERI and the COPSOQ questionnaire. BMC Public Health, 2013, 13, 538.	1.2	55
16	The influence of postpartum PTSD on breastfeeding: A longitudinal population-based study. Birth, 2018, 45, 193-201.	1.1	55
17	Mental Health Symptoms and Work-Related Stressors in Hospital Midwives and NICU Nurses: A Mixed Methods Study. Frontiers in Psychiatry, 2018, 9, 364.	1.3	54
18	Impact of Maternal Perinatal Anxiety on Social-Emotional Development of 2-Year-Olds, A Prospective Study of Norwegian Mothers and Their Offspring. Maternal and Child Health Journal, 2019, 23, 386-396.	0.7	53

#	ARTICLE	IF	CITATIONS
19	Postnatal care: a cross-cultural and historical perspective. <i>Archives of Women's Mental Health</i> , 2010, 13, 459-466.	1.2	47
20	Prevalence and risk factors of birth-related posttraumatic stress among parents: A comparative systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2022, 94, 102157.	6.0	47
21	The Relationship Between Paternal and Maternal Depression During the Perinatal Period: A Systematic Review and Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2020, 11, 563287.	1.3	45
22	Maintaining factors of posttraumatic stress symptoms following childbirth: A population-based, two-year follow-up study. <i>Journal of Affective Disorders</i> , 2015, 172, 146-152.	2.0	44
23	Labor pain in women with and without severe fear of childbirth: A population-based, longitudinal study. <i>Birth</i> , 2018, 45, 469-477.	1.1	42
24	The Impact of Parental Role Distributions, Work Participation, and Stress Factors on Family Health-Related Outcomes: Study Protocol of the Prospective Multi-Method Cohort "Dresden Study on Parenting, Work, and Mental Health" (DREAM). <i>Frontiers in Psychology</i> , 2019, 10, 1273.	1.1	32
25	Parental Birth-Related PTSD Symptoms and Bonding in the Early Postpartum Period: A Prospective Population-Based Cohort Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 570727.	1.3	31
26	Prevalence of Intimate Partner Violence Among Intimate Partners During the Perinatal Period: A Narrative Literature Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 601236.	1.3	31
27	Changes in Prevalence and Severity of Domestic Violence During the COVID-19 Pandemic: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2022, 13, 874183.	1.3	31
28	The prospective relationship between postpartum PTSD and child sleep: A 2-year follow-up study. <i>Journal of Affective Disorders</i> , 2018, 241, 71-79.	2.0	30
29	Childbirth preferences and related fears - comparison between Norway and Israel. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 362.	0.9	26
30	Precarious working conditions and psychosocial work stress act as a risk factor for symptoms of postpartum depression during maternity leave: results from a longitudinal cohort study. <i>BMC Public Health</i> , 2020, 20, 1505.	1.2	25
31	Rapid Review on the Associations of Social and Geographical Isolation and Intimate Partner Violence: Implications for the Ongoing COVID-19 Pandemic. <i>Frontiers in Psychiatry</i> , 2021, 12, 578150.	1.3	25
32	Childbirth-related PTSD: is it a unique post-traumatic disorder?. <i>Journal of Reproductive and Infant Psychology</i> , 2021, 39, 221-224.	0.9	25
33	A prospective study of weight development and behavior problems in toddlers: the Norwegian Mother and Child Cohort Study. <i>BMC Public Health</i> , 2010, 10, 626.	1.2	23
34	Predictors and Changes in Paternal Perinatal Depression Profiles" Insights From the DREAM Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 563761.	1.3	23
35	The association between the degree of nausea in pregnancy and subsequent posttraumatic stress. <i>Archives of Women's Mental Health</i> , 2019, 22, 493-501.	1.2	22
36	Intimate Partner Violence Against Women in the Arab Countries: A Systematic Review of Risk Factors. <i>Trauma, Violence, and Abuse</i> , 2022, 23, 390-407.	3.9	22

#	ARTICLE	IF	CITATIONS
37	The Gutenberg health study: associations between occupational and private stress factors and work-privacy conflict. <i>BMC Public Health</i> , 2016, 16, 192.	1.2	18
38	Specific relations of dimensional anxiety and manifest anxiety disorders during pregnancy with difficult early infant temperament: a longitudinal cohort study. <i>Archives of Women's Mental Health</i> , 2020, 23, 535-546.	1.2	18
39	Paternal Leave and Father-Infant Bonding: Findings From the Population-Based Cohort Study DREAM. <i>Frontiers in Psychology</i> , 2021, 12, 668028.	1.1	18
40	It's About Time: The Circadian Network as Time-Keeper for Cognitive Functioning, Locomotor Activity and Mental Health. <i>Frontiers in Physiology</i> , 2022, 13, 873237.	1.3	16
41	Posttraumatic stress symptoms following childbirth: associations with prenatal attachment in subsequent pregnancies. <i>Archives of Women's Mental Health</i> , 2020, 23, 547-555.	1.2	15
42	Impact of depressive disorders on quality of life after middle ear surgery in patients with chronic otitis media. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 3217-3225.	0.8	15
43	Policy, service, and training provision for women following a traumatic birth: an international knowledge mapping exercise. <i>BMC Health Services Research</i> , 2021, 21, 1206.	0.9	15
44	Assessment of Childbirth-Related PTSD: Psychometric Properties of the German Version of the City Birth Trauma Scale. <i>Frontiers in Psychiatry</i> , 2021, 12, 731537.	1.3	14
45	Differential predictors of birth-related posttraumatic stress disorder symptoms in mothers and fathers – A longitudinal cohort study. <i>Journal of Affective Disorders</i> , 2021, 292, 121-130.	2.0	13
46	Development of a mobbing short scale in the Gutenberg Health Study. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 137-146.	1.1	12
47	The course of panic disorder during the peripartum period and the risk for adverse child development: A prospective-longitudinal study. <i>Journal of Affective Disorders</i> , 2020, 266, 722-730.	2.0	11
48	My job, my child, my house: the predictive value of job- and housework-related factors on depressive symptoms during the postpartum period. <i>Journal of Affective Disorders</i> , 2020, 272, 388-397.	2.0	11
49	The Impact of Maternal Symptoms of Perinatal Insomnia on Social-emotional Child Development: A Population-based, 2-year Follow-up Study. <i>Behavioral Sleep Medicine</i> , 2021, 19, 303-317.	1.1	11
50	Birth Experience Mediates the Association Between Fear of Childbirth and Mother-Child-Bonding Up to 14 Months Postpartum: Findings From the Prospective Cohort Study DREAM. <i>Frontiers in Psychiatry</i> , 2021, 12, 776922.	1.3	11
51	The Impact of Perinatal Life Stress on Infant Temperament and Child Development: A 2-Year Follow-Up Cohort Study. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2021, 42, 299-306.	0.6	10
52	The transition to parenthood: perspectives of relationship science theories and methods. <i>Journal of Reproductive and Infant Psychology</i> , 2022, 40, 105-107.	0.9	10
53	The role of stress and self-efficacy in somatic and psychological symptoms during the climacteric period – Is there a specific association?. <i>Maturitas</i> , 2020, 136, 1-6.	1.0	9
54	Associations of Partnership Quality and Father-to-Child Attachment During the Peripartum Period. A Prospective-Longitudinal Study in Expectant Fathers. <i>Frontiers in Psychiatry</i> , 2021, 12, 572755.	1.3	9

#	ARTICLE	IF	CITATIONS
55	Personality impacts fear of childbirth and subjective birth experiences: A prospective-longitudinal study. <i>PLoS ONE</i> , 2021, 16, e0258696.	1.1	9
56	Mamma Mia – A randomized controlled trial of an internet intervention to enhance subjective well-being in perinatal women. <i>Journal of Positive Psychology</i> , 2021, 16, 446-454.	2.6	8
57	Cardiovascular health outcomes of mobbing at work: results of the population-based, five-year follow-up of the Gutenberg health study. <i>Journal of Occupational Medicine and Toxicology</i> , 2020, 15, 15.	0.9	8
58	Community Case Study on Trauma-Specific Treatment and Counseling for Refugee Women Exposed to Intimate Partner Violence. <i>Frontiers in Psychiatry</i> , 2019, 10, 891.	1.3	7
59	The relationship between early administration of morphine or nitrous oxide gas and PTSD symptom development. <i>Journal of Affective Disorders</i> , 2021, 281, 557-566.	2.0	6
60	The Impact of Parental Relationship Satisfaction on Infant Development: Results From the Population-Based Cohort Study DREAM. <i>Frontiers in Psychology</i> , 2021, 12, 667577.	1.1	6
61	Posttraumatic stress disorder following childbirth. , 2019, , 49-66.		6
62	Perinatal Depression and Beyond – Implications for Research Design and Clinical Management. <i>JAMA Network Open</i> , 2022, 5, e2218978.	2.8	6
63	Work-life conflict and cardiovascular health: 5-year follow-up of the Gutenberg Health Study. <i>PLoS ONE</i> , 2021, 16, e0251260.	1.1	5
64	Severe recalled labor pain and elective cesarean section in a subsequent delivery: a cohort study of Norwegian parous women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1678-1687.	1.3	5
65	Prenatal insomnia and childbirth-related PTSD symptoms: A prospective population-based cohort study. <i>Journal of Affective Disorders</i> , 2021, 295, 305-315.	2.0	5
66	Preferences and Barriers to Counseling for and Treatment of Intimate Partner Violence, Depression, Anxiety, and Posttraumatic Stress Disorder Among Postpartum Women: Study Protocol of the Cross-Sectional Study INVITE. <i>Frontiers in Psychiatry</i> , 2022, 13, 836350.	1.3	4
67	HÄusliche Gewalt im Kontext der COVID-19-Pandemie. <i>Trauma Und Gewalt</i> , 2021, 15, 200-210.	0.1	3
68	“Nobody Listened”: Mothers’ Experiences and Needs Regarding Professional Support Prior to Their Admission to an Infant Mental Health Day Clinic. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10917.	1.2	3
69	Subjective Birth Experience Predicts Mother’s Infant Bonding Difficulties in Women With Mental Disorders. <i>Frontiers in Global Women S Health</i> , 2022, 3, 812055.	1.1	3
70	Editorial: Perinatal Mental Health: Expanding the Focus to the Family Context. <i>Frontiers in Psychiatry</i> , 2021, 12, 719053.	1.3	2
71	Prospective associations between prepartum physical activity, birth experience, and maternal depressive symptoms in the postpartum period: Insights from the population-based DREAM cohort study. <i>Journal of Affective Disorders</i> , 2022, 297, 366-374.	2.0	2
72	Postpartale psychische Störungen. Ärztliche Psychotherapie, 2021, 16, 247-256.	0.1	2

#	ARTICLE	IF	CITATIONS
73	Physical and mental health changes in the five years before and five years after childbirth: A population-based panel study in first-time mothers and fathers from Germany. <i>Journal of Affective Disorders</i> , 2022, 301, 138-144.	2.0	2
74	Early Abusive Relationshipsâ€“Influence of Different Maltreatment Types on Postpartum Psychopathology and Mother-Infant Bonding in a Clinical Sample. <i>Frontiers in Psychiatry</i> , 2022, 13, .	1.3	2
75	FrÃ¼he bindungsfÃ¶rdernde Eltern-Kind-Therapie bei psychischen StÃ¶rungen in der Postpartalzeit. <i>Ã„rztliche Psychotherapie</i> , 2021, 16, 240-246.	0.1	1
76	Posttraumatische BelastungsstÃ¶rung in der Peripartalzeit. <i>Trauma Und Gewalt</i> , 2017, 11, 280-293.	0.1	1
77	Personality and Peripartum Changes in Perceived Social Support: Findings From Two Prospective-Longitudinal Studies in (Expectant) Mothers and Fathers. <i>Frontiers in Psychiatry</i> , 2021, 12, 814152.	1.3	1
78	O35-2â€“...Current and cumulative night shift work and subclinical atherosclerosis â€“ results of the gutenbergs health study. , 2016, , .		0