

# Claudia F Benjamim

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/597175/claudia-f-benjamim-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65  
papers

2,244  
citations

28  
h-index

46  
g-index

71  
ext. papers

2,658  
ext. citations

5.2  
avg, IF

4.37  
L-index

#	Paper	IF	Citations
65	Adenosine Diphosphate Improves Wound Healing in Diabetic Mice Through P2Y Receptor Activation. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 651740	8.4	6
64	VPS38/UVRAG and ATG14, the variant regulatory subunits of the ATG6/Beclin1-PI3K complexes, are crucial for the biogenesis of the yolk organelles and are transcriptionally regulated in the oocytes of the vector <i>Rhodnius prolixus</i> . <i>PLoS Neglected Tropical Diseases</i> , <b>2021</b> , 15, e0009760	4.8	3
63	Crosstalk Between Innate and T Cell Adaptive Immunity With(in) the Muscle. <i>Frontiers in Physiology</i> , <b>2020</b> , 11, 573347	4.6	3
62	Role of Chemokine Receptor CCR4 and Regulatory T Cells in Wound Healing of Diabetic Mice. <i>Journal of Investigative Dermatology</i> , <b>2019</b> , 139, 1161-1170	4.3	12
61	Downregulation of Microparticle Release and Pro-Inflammatory Properties of Activated Human Polymorphonuclear Neutrophils by LMW Fucoidan. <i>Journal of Innate Immunity</i> , <b>2019</b> , 11, 330-346	6.9	6
60	Brain-Defective Insulin Signaling Is Associated to Late Cognitive Impairment in Post-Septic Mice. <i>Molecular Neurobiology</i> , <b>2018</b> , 55, 435-444	6.2	19
59	JAK inhibitor improves type I interferon induced damage: proof of concept in dermatomyositis. <i>Brain</i> , <b>2018</b> , 141, 1609-1621	11.2	104
58	Activated dendritic cells modulate proliferation and differentiation of human myoblasts. <i>Cell Death and Disease</i> , <b>2018</b> , 9, 551	9.8	4
57	Emerging Role of HMGB1 in the Pathogenesis of Schistosomiasis Liver Fibrosis. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1979	8.4	19
56	Pharmacological modulation of reactive oxygen species (ROS) improves the airway hyperresponsiveness by shifting the Th1 response in allergic inflammation induced by ovalbumin. <i>Free Radical Research</i> , <b>2017</b> , 51, 708-722	4	10
55	Wound healing properties of <i>Copaifera paupera</i> in diabetic mice. <i>PLoS ONE</i> , <b>2017</b> , 12, e0187380	3.7	7
54	Short-Term Regulation of FcR-Mediated Phagocytosis by TLRs in Macrophages: Participation of 5-Lipoxygenase Products. <i>Mediators of Inflammation</i> , <b>2017</b> , 2017, 2086840	4.3	7
53	The interplay between microbiota and inflammation: lessons from peritonitis and sepsis. <i>Clinical and Translational Immunology</i> , <b>2016</b> , 5, e90	6.8	27
52	Elastase modifies bleomycin-induced pulmonary fibrosis in mice. <i>Acta Histochemica</i> , <b>2016</b> , 118, 203-12	2	4
51	Immune Complexes Indirectly Suppress the Generation of Th17 Responses In Vivo. <i>PLoS ONE</i> , <b>2016</b> , 11, e0151252	3.7	10
50	Murine IL-17+ V $\beta$ T lymphocytes accumulate in the lungs and play a protective role during severe sepsis. <i>BMC Immunology</i> , <b>2015</b> , 16, 36	3.7	19
49	Activated Microglia-Induced Deficits in Excitatory Synapses Through IL-1 $\beta$ Implications for Cognitive Impairment in Sepsis. <i>Molecular Neurobiology</i> , <b>2015</b> , 52, 653-63	6.2	89

48	CCR4 Controls the Suppressive Effects of Regulatory T Cells on Early and Late Events during Severe Sepsis. <i>PLoS ONE</i> , <b>2015</b> , 10, e0133227	3.7	21
47	The P2X7 Receptor Contributes to the Development of the Exacerbated Inflammatory Response Associated with Sepsis. <i>Journal of Innate Immunity</i> , <b>2015</b> , 7, 417-27	6.9	34
46	Purinergic P2Y12 Receptor Activation in Eosinophils and the Schistosomal Host Response. <i>PLoS ONE</i> , <b>2015</b> , 10, e0139805	3.7	18
45	Critical role of 5-lipoxygenase and heme oxygenase-1 in wound healing. <i>Journal of Investigative Dermatology</i> , <b>2014</b> , 134, 1436-1445	4.3	20
44	Pivotal role of the 5-lipoxygenase pathway in lung injury after experimental sepsis. <i>American Journal of Respiratory Cell and Molecular Biology</i> , <b>2014</b> , 50, 87-95	5.7	28
43	The effect and safety of dressing composed by nylon threads covered with metallic silver in wound treatment. <i>International Wound Journal</i> , <b>2014</b> , 11, 190-7	2.6	4
42	Oxidative stress and inflammation are differentially affected by atorvastatin, pravastatin, rosuvastatin, and simvastatin on lungs from mice exposed to cigarette smoke. <i>Inflammation</i> , <b>2014</b> , 37, 1355-65	5.1	27
41	5-Lipoxygenase products are involved in renal tubulointerstitial injury induced by albumin overload in proximal tubules in mice. <i>PLoS ONE</i> , <b>2014</b> , 9, e107549	3.7	20
40	Pulmonary antifibrotic mechanisms aspirin-triggered lipoxin A(4) synthetic analog. <i>American Journal of Respiratory Cell and Molecular Biology</i> , <b>2013</b> , 49, 1029-37	5.7	29
39	Critical role for CCR2 and HMGB1 in induction of experimental endotoxic shock. <i>Archives of Biochemistry and Biophysics</i> , <b>2013</b> , 537, 72-81	4.1	8
38	Lack of galectin-3 speeds Wallerian degeneration by altering TLR and pro-inflammatory cytokine expressions in injured sciatic nerve. <i>European Journal of Neuroscience</i> , <b>2013</b> , 37, 1682-90	3.5	26
37	Synaptic deficits in sepsis: role of glial cells. <i>Critical Care</i> , <b>2013</b> , 17, P90	10.8	78
36	Effects of PPAR $\gamma$ in dendritic cells during severe sepsis and sepsis-induced immunosuppression. <i>Critical Care</i> , <b>2013</b> , 17, P101	10.8	2
35	Epigenetic changes in dendritic cells in sepsis-associated immunosuppression. <i>Critical Care</i> , <b>2013</b> , 17, P102	10.8	78
34	Ready-to-drink Matte $\square$ tea (diet and regular) increased life span and pulmonary health in aged mice. <i>Food Research International</i> , <b>2013</b> , 54, 675-682	7	1
33	Sepsis-surviving mice are more susceptible to a secondary kidney insult. <i>Critical Care Medicine</i> , <b>2013</b> , 41, 1056-68	1.4	18
32	Ready-to-drink matte $\square$ tea shows anti-inflammatory and antioxidant properties on a cigarette smoke exposure model. <i>Food Research International</i> , <b>2012</b> , 48, 798-801	7	5
31	Oxidative stress and nitrosative stress are involved in different stages of proteolytic pulmonary emphysema. <i>Free Radical Biology and Medicine</i> , <b>2012</b> , 53, 1993-2001	7.8	45

30	Evaluation of 3-(3-chloro-phenyl)-5-(4-pyridyl)-4,5-dihydroisoxazole as a novel anti-inflammatory drug candidate. <i>PLoS ONE</i> , <b>2012</b> , 7, e39104	3.7	8
29	Redox imbalance and pulmonary function in bleomycin-induced fibrosis in C57BL/6, DBA/2, and BALB/c mice. <i>Toxicologic Pathology</i> , <b>2012</b> , 40, 731-41	2.1	19
28	Ketoprofen impairs immunosuppression induced by severe sepsis and reveals an important role for prostaglandin E2. <i>Shock</i> , <b>2012</b> , 38, 620-9	3.4	20
27	Leukotriene B4 mediates neutrophil migration induced by heme. <i>Journal of Immunology</i> , <b>2011</b> , 186, 6562-3	5.3	47
26	Endotoxin-induced acute lung injury is dependent upon oxidative response. <i>Inhalation Toxicology</i> , <b>2011</b> , 23, 918-26	2.7	13
25	Characterization of neutrophil extracellular traps in cats naturally infected with feline leukemia virus. <i>Journal of General Virology</i> , <b>2010</b> , 91, 259-64	4.9	88
24	Leukotriene B4 mediates gammadelta T lymphocyte migration in response to diverse stimuli. <i>Journal of Leukocyte Biology</i> , <b>2010</b> , 87, 323-32	6.5	34
23	Effects of the flavonoid casticin from Brazilian <i>Croton betulaster</i> in cerebral cortical progenitors in vitro: direct and indirect action through astrocytes. <i>Journal of Neuroscience Research</i> , <b>2010</b> , 88, 530-41	4.4	20
22	Role of regulatory T cells in long-term immune dysfunction associated with severe sepsis. <i>Critical Care Medicine</i> , <b>2010</b> , 38, 1718-25	1.4	71
21	ATLa, an aspirin-triggered lipoxin A4 synthetic analog, prevents the inflammatory and fibrotic effects of bleomycin-induced pulmonary fibrosis. <i>Journal of Immunology</i> , <b>2009</b> , 182, 5374-81	5.3	62
20	CCL2/MCP-1 controls parasite burden, cell infiltration, and mononuclear activation during acute <i>Trypanosoma cruzi</i> infection. <i>Journal of Leukocyte Biology</i> , <b>2009</b> , 86, 1239-46	6.5	35
19	CCR2 receptor is essential to activate microbicidal mechanisms to control <i>Toxoplasma gondii</i> infection in the central nervous system. <i>American Journal of Pathology</i> , <b>2008</b> , 173, 741-51	5.8	39
18	Involvement of CC chemokines in gammadelta T lymphocyte trafficking during allergic inflammation: the role of CCL2/CCR2 pathway. <i>International Immunology</i> , <b>2008</b> , 20, 129-39	4.9	32
17	The role of regulatory T cells in the resistance of CCR4 knockout mice during severe sepsis. <i>Critical Care</i> , <b>2007</b> , 11, P2	10.8	78
16	The chemokine CCL6 promotes innate immunity via immune cell activation and recruitment. <i>Journal of Immunology</i> , <b>2007</b> , 179, 5474-82	5.3	43
15	Neutrophil function in severe sepsis. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , <b>2006</b> , 6, 151-8	2.2	29
14	Failure of neutrophil migration to infectious focus and cardiovascular changes on sepsis in rats: Effects of the inhibition of nitric oxide production, removal of infectious focus, and antimicrobial treatment. <i>Shock</i> , <b>2006</b> , 25, 267-76	3.4	30
13	Pharmacological blockade of CCR1 ameliorates murine arthritis and alters cytokine networks in vivo. <i>British Journal of Pharmacology</i> , <b>2006</b> , 149, 666-75	8.6	59

12	Reversal of long-term sepsis-induced immunosuppression by dendritic cells. <i>Blood</i> , <b>2005</b> , 105, 3588-95	2.2	110
11	Effect of mast cells depletion on the failure of neutrophil migration during sepsis. <i>European Journal of Pharmacology</i> , <b>2005</b> , 525, 161-9	5.3	23
10	Failure of neutrophil migration toward infectious focus in severe sepsis: a critical event for the outcome of this syndrome. <i>Memorias Do Instituto Oswaldo Cruz</i> , <b>2005</b> , 100 Suppl 1, 223-6	2.6	40
9	Opposing and hierarchical roles of leukotrienes in local innate immune versus vascular responses in a model of sepsis. <i>Journal of Immunology</i> , <b>2005</b> , 174, 1616-20	5.3	56
8	The chronic consequences of severe sepsis. <i>Journal of Leukocyte Biology</i> , <b>2004</b> , 75, 408-12	6.5	96
7	Drug discovery and chemokine receptor antagonists: eppur si muove!. <i>Autoimmunity Reviews</i> , <b>2004</b> , 3, 550-6	13.6	22
6	A critical role of leukotriene B4 in neutrophil migration to infectious focus in cecal ligaton and puncture sepsis. <i>Shock</i> , <b>2003</b> , 19, 61-5	3.4	38
5	Septic mice are susceptible to pulmonary aspergillosis. <i>American Journal of Pathology</i> , <b>2003</b> , 163, 2605-17.8		63
4	Inhibition of leukocyte rolling by nitric oxide during sepsis leads to reduced migration of active microbicidal neutrophils. <i>Infection and Immunity</i> , <b>2002</b> , 70, 3602-10	3.7	116
3	Role of nitric oxide in the failure of neutrophil migration in sepsis. <i>Journal of Infectious Diseases</i> , <b>2000</b> , 182, 214-23	7	124
2	Pharmacological characterization of rat paw edema induced by canatoxin, the toxic protein from <i>Canavalia ensiformis</i> (jack bean) seeds. <i>Toxicon</i> , <b>1992</b> , 30, 879-85	2.8	16
1	Adenosine diphosphate contributes to wound healing in diabetic mice through P2Y1 and P2Y12 receptors activation		2