List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5972350/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Current understanding of the role of tyrosine kinase 2 signaling in immune responses. World Journal of Biological Chemistry, 2022, 13, 1-14.	4.3	16
2	Baicalein and <i>Salvia officinalis</i> Extract Upregulate Transglutaminase 1 mRNA Expression via the Activation of Transient Receptor Potential Channel V4. Journal of Cosmetics Dermatological Sciences and Applications, 2022, 12, 1-9.	0.2	0
3	A novel intramolecular negative regulation of mouse Jak3 activity by tyrosine 820. International Immunology, 2022, , .	4.0	3
4	5-Aminosalicylic Acid, A Weak Agonist for Aryl Hydrocarbon Receptor That Induces Splenic Regulatory T Cells. Pharmacology, 2022, 107, 28-34.	2.2	2
5	Effects of benzotriazole UV stabilizers, UV-PS and UV-P, on the differentiation of splenic regulatory T cells via aryl hydrocarbon receptor. Ecotoxicology and Environmental Safety, 2022, 238, 113549.	6.0	7
6	Regulation of NFKBIZ gene promoter activity by STAT3, C/EBPβ, and STAT1. Biochemical and Biophysical Research Communications, 2022, 613, 61-66.	2.1	4
7	Identification of RPL15 60S Ribosomal Protein as a Novel Topotecan Target Protein That Correlates with DAMP Secretion and Antitumor Immune Activation. Journal of Immunology, 2022, 209, 171-179.	0.8	6
8	STAP-2 Is a Novel Positive Regulator of TCR-Proximal Signals. Journal of Immunology, 2022, 209, 57-68.	0.8	6
9	Propolis suppresses cytokine production in activated basophils and basophil-mediated skin and intestinal allergic inflammation in mice. Allergology International, 2021, 70, 360-367.	3.3	8
10	Signal-transducing adaptor protein-2 delays recovery of B lineage lymphocytes during hematopoietic stress. Haematologica, 2021, 106, 424-436.	3.5	7
11	Implication of NF-lºB Activation on Ozone-Induced HO-1 Activation. BPB Reports, 2021, 4, 59-63.	0.3	4
12	CD47 promotes T-cell lymphoma metastasis by up-regulating AKAP13-mediated RhoA activation. International Immunology, 2021, 33, 273-280.	4.0	6
13	Graft-versus-host disease develops in mice transplanted with lymphocyte-depleted bone marrow cells from signal-transducing adaptor protein-2 transgenic mice. Biochemical and Biophysical Research Communications, 2021, 537, 118-124.	2.1	4
14	Porcine Placenta Extract Reduced Wrinkle Formation by Potentiating Epidermal Hydration. Journal of Cosmetics Dermatological Sciences and Applications, 2021, 11, 101-109.	0.2	2
15	Positive interactions between STAP-1 and BCR-ABL influence chronic myeloid leukemia cell proliferation and survival. Biochemical and Biophysical Research Communications, 2021, 556, 185-191.	2.1	4
16	Signal-transducing adaptor protein-2 has a nonredundant role for IL-33-triggered mast cell activation. Biochemical and Biophysical Research Communications, 2021, 572, 80-85.	2.1	0
17	Tyk2-mediated homeostatic control by regulating the PGE ₂ -PKA-IL-10 axis. AIMS Allergy and Immunology, 2021, 5, 175-183.	0.5	3
18	Synthesis of Resolvin E1 and Its Conformationally Restricted Cyclopropane Congeners with Potent Anti-Inflammatory Effect. ACS Medicinal Chemistry Letters, 2021, 12, 256-261.	2.8	8

#	Article	IF	CITATIONS
19	Therapeutic Advantage of Tyk2 Inhibition for Treating Autoimmune and Chronic Inflammatory Diseases. Biological and Pharmaceutical Bulletin, 2021, 44, 1585-1592.	1.4	12
20	Pivotal Role of Signal-Transducing Adaptor Protein-2 in Pathogenesis of Autoimmune Hepatitis. Biological and Pharmaceutical Bulletin, 2021, 44, 1898-1901.	1.4	0
21	Dimethyl fumarate dampens IL-17-ACT1-TBK1 axis-mediated phosphorylation of Regnase-1 and suppresses IL-17–induced lκB-ζ expression. Biochemical and Biophysical Research Communications, 2020, 521, 957-963.	2.1	11
22	Synthesis of Resolvin E3, a Proresolving Lipid Mediator, and Its Deoxy Derivatives: Identification of 18-Deoxy-resolvin E3 as a Potent Anti-Inflammatory Agent. Journal of Organic Chemistry, 2020, 85, 14190-14200.	3.2	12
23	Signal-transducing adapter protein-1 is required for maintenance of leukemic stem cells in CML. Oncogene, 2020, 39, 5601-5615.	5.9	14
24	The mechanism of Tyk2 deficiency-induced immunosuppression in mice involves robust IL-10 production in macrophages. Cytokine, 2020, 130, 155077.	3.2	9
25	Design and Synthesis of Benzene Congeners of Resolvin E2, a Proresolving Lipid Mediator, as Its Stable Equivalents. ACS Medicinal Chemistry Letters, 2020, 11, 479-484.	2.8	14
26	Expression of signal-transducing adaptor protein-1 attenuates experimental autoimmune hepatitis via down-regulating activation and homeostasis of invariant natural killer T cells. PLoS ONE, 2020, 15, e0241440.	2.5	8
27	Dimethyl fumarate regulates the ILâ€17â€ACT1â€TBK1 axisâ€mediated lκBâ€Î¶ expression by influencing the phosphorylation of Regnaseâ€1. FASEB Journal, 2020, 34, 1-1.	0.5	Ο
28	STAP-2 positively regulates FcεRI-mediated basophil activation and basophil-dependent allergic inflammatory reactions. International Immunology, 2019, 31, 349-356.	4.0	8
29	lκB-ζ Expression Requires Both TYK2/STAT3 Activity and IL-17–Regulated mRNA Stabilization. ImmunoHorizons, 2019, 3, 172-185.	1.8	17
30	Synthesis of Chiral <i>cis</i> -Cyclopropane Bearing Indole and Chromone as Potential TNFα Inhibitors. Journal of Organic Chemistry, 2018, 83, 7672-7682.	3.2	9
31	Role of Signal Transducing Adaptor Protein-1 (STAP-1) in Chronic Myelogenous Leukemia Stem Cells. Blood, 2018, 132, 4245-4245.	1.4	Ο
32	STAP-2 interacts with Pyk2 and enhances Pyk2 activity in T-cells. Biochemical and Biophysical Research Communications, 2017, 488, 81-87.	2.1	11
33	Biochanin A enhances RORÎ ³ activity through STAT3-mediated recruitment of NCOA1. Biochemical and Biophysical Research Communications, 2017, 489, 503-508.	2.1	18
34	A Novel α9 Integrin Ligand, XCL1/Lymphotactin, Is Involved in the Development of Murine Models of Autoimmune Diseases. Journal of Immunology, 2017, 199, 82-90.	0.8	17
35	STAP-2 protein promotes prostate cancer growth by enhancing epidermal growth factor receptor stabilization. Journal of Biological Chemistry, 2017, 292, 19392-19399.	3.4	22
36	A New STAT3-binding Partner, ARL3, Enhances the Phosphorylation and Nuclear Accumulation of STAT3. Journal of Biological Chemistry, 2016, 291, 11161-11171.	3.4	11

#	Article	IF	CITATIONS
37	Anti-IL-17A blocking antibody reduces cyclosporin A-induced relapse in experimental autoimmune encephalomyelitis mice. Biochemistry and Biophysics Reports, 2016, 8, 139-145.	1.3	5
38	Design and Synthesis of Cyclopropane Congeners of Resolvin E2, an Endogenous Proresolving Lipid Mediator, as Its Stable Equivalents. Organic Letters, 2016, 18, 6224-6227.	4.6	26
39	Caspaseâ€dependent cleavage regulates protein levels of Epstein–Barr virusâ€derived latent membrane protein 1. FEBS Letters, 2016, 590, 808-818.	2.8	4
40	IL-17A plays a central role in the expression of psoriasis signature genes through the induction of lκB-ζ in keratinocytes. International Immunology, 2016, 28, 443-452.	4.0	59
41	lsoflavones enhance interleukin-17 gene expression via retinoic acid receptor-related orphan receptors \hat{I}_{\pm} and \hat{I}_{3} . Toxicology, 2015, 329, 32-39.	4.2	23
42	PML suppresses IL-6-induced STAT3 activation by interfering with STAT3 and HDAC3 interaction. Biochemical and Biophysical Research Communications, 2015, 461, 366-371.	2.1	10
43	Kaposi's sarcoma-associated herpesvirus-encoded LANA associates with glucocorticoid receptor and enhances its transcriptional activities. Biochemical and Biophysical Research Communications, 2015, 463, 395-400.	2.1	3
44	STAP-2 Protein Expression in B16F10 Melanoma Cells Positively Regulates Protein Levels of Tyrosinase, Which Determines Organs to Infiltrate in the Body. Journal of Biological Chemistry, 2015, 290, 17462-17473.	3.4	10
45	CCR7 is involved in BCR-ABL/STAP-2-mediated cell growth inÂhematopoietic Ba/F3 cells. Biochemical and Biophysical Research Communications, 2015, 463, 825-831.	2.1	5
46	Signal transducer and activator of transcription 3 regulation by novel binding partners. World Journal of Biological Chemistry, 2015, 6, 324.	4.3	17
47	Signalâ€ŧransducing adaptor proteinâ€2 regulates macrophage migration into inflammatory sites during dextran sodium sulfate induced colitis. European Journal of Immunology, 2014, 44, 1791-1801.	2.9	13
48	The Novel α4B Murine α4 Integrin Protein Splicing Variant Inhibits α4 Protein-dependent Cell Adhesion. Journal of Biological Chemistry, 2014, 289, 16389-16398.	3.4	5
49	Tyk2 is a therapeutic target for psoriasis-like skin inflammation. International Immunology, 2014, 26, 257-267.	4.0	62
50	Signal-Transducing Adaptor Protein-2 Controls the IgE-Mediated, Mast Cell–Mediated Anaphylactic Responses. Journal of Immunology, 2014, 192, 3488-3495.	0.8	18
51	Y14 positively regulates TNFâ€Î± induced NFâ€ÎºB transcriptional activity via interacting RIP1 and TRADD beyond an exon junction complex protein (1012.8). FASEB Journal, 2014, 28, 1012.8.	0.5	0
52	The Role of Signal-Transducing Adaptor Protein-2 in Early T Lymphopoiesis in Thymus. Blood, 2014, 124, 752-752.	1.4	0
53	Y14 Positively Regulates TNF-α–Induced NF-κB Transcriptional Activity via Interacting RIP1 and TRADD Beyond an Exon Junction Complex Protein. Journal of Immunology, 2013, 191, 1436-1444. 	0.8	15
54	Jun Activation Domain-binding Protein 1 (JAB1) Is Required for the Optimal Response to Interferons. Journal of Biological Chemistry, 2013, 288, 30969-30979.	3.4	8

#	Article	IF	CITATIONS
55	Signal-Transducing Adaptor Protein-2 Modulates Fas-Mediated T Cell Apoptosis by Interacting with Caspase-8. Journal of Immunology, 2012, 188, 6194-6204.	0.8	21
56	STAP-2 interacts with and modulates BCR-ABL-mediated tumorigenesis. Oncogene, 2012, 31, 4384-4396.	5.9	24
57	Inhibitory effects of azole-type fungicides on interleukin-17 gene expression via retinoic acid receptor-related orphan receptors I± and γ. Toxicology and Applied Pharmacology, 2012, 259, 338-345.	2.8	36
58	STAPâ€2 interacts with and modulates BCRâ€ABLâ€mediated tumorigenesis. FASEB Journal, 2012, 26, lb182.	0.5	0
59	Involvement of STAPâ€2 in Brkâ€mediated phosphorylation and activation of STAT5 in breast cancer cells. Cancer Science, 2011, 102, 756-761.	3.9	33
60	PDLIM2 Inhibits T Helper 17 Cell Development and Granulomatous Inflammation Through Degradation of STAT3. Science Signaling, 2011, 4, ra85.	3.6	70
61	Tyk2 deficiency protects joints against destruction in anti-type II collagen antibody-induced arthritis in mice. International Immunology, 2011, 23, 575-582.	4.0	23
62	Krüppel-Associated Box-Associated Protein 1 Negatively Regulates TNF-α–Induced NF-κB Transcriptional Activity by Influencing the Interactions among STAT3, p300, and NF-κB/p65. Journal of Immunology, 2011, 187, 2476-2483.	0.8	37
63	Noncanonical K27-Linked Polyubiquitination of TIEG1 Regulates Foxp3 Expression and Tumor Growth. Journal of Immunology, 2011, 186, 5638-5647.	0.8	43
64	Involvement of Tyrosine Kinase-2 in Both the IL-12/Th1 and IL-23/Th17 Axes In Vivo. Journal of Immunology, 2011, 187, 181-189.	0.8	90
65	Zipper-interacting Protein Kinase (ZIPK) Modulates Canonical Wnt/β-Catenin Signaling through Interaction with Nemo-like Kinase and T-cell Factor 4 (NLK/TCF4). Journal of Biological Chemistry, 2011, 286, 19170-19177.	3.4	27
66	BS69 cooperates with TRAF3 in the regulation of Epstein–Barr virusâ€derived LMP1/CTAR1â€induced NFâ€î®B activation. FEBS Letters, 2010, 584, 865-872.	2.8	14
67	Functional involvement of Daxx in gp130â€mediated cell growth and survival in BaF3 cells. European Journal of Immunology, 2010, 40, 3570-3580.	2.9	8
68	Interactions of STAP-2 with Brk and STAT3 Participate in Cell Growth of Human Breast Cancer Cells. Journal of Biological Chemistry, 2010, 285, 38093-38103.	3.4	43
69	BS69 negatively regulates the canonical NFâ€kappaB activation induced by Epsteinâ€Barr virusâ€derived LMP1. FASEB Journal, 2010, 24, 861.2.	0.5	0
70	KAP1 regulates TNFâ€Induced NFâ€kappaB transcriptional activity by influencing the interactions between p300 and NFâ€kappaB. FASEB Journal, 2010, 24, 705.4.	0.5	0
71	Signal-Transducing Adaptor Protein-2 Regulates Stromal Cell-Derived Factor-1α-Induced Chemotaxis in T Cells. Journal of Immunology, 2009, 183, 7966-7974.	0.8	33
72	BS69 negatively regulates the canonical NFâ€₽B activation induced by Epstein–Barr virusâ€derived LMP1. FEBS Letters, 2009, 583, 1567-1574.	2.8	31

#	Article	IF	CITATIONS
73	Epstein–Barr virus-derived EBNA2 regulates STAT3 activation. Biochemical and Biophysical Research Communications, 2009, 378, 439-443.	2.1	39
74	HDAC3 influences phosphorylation of STAT3 at serine 727 by interacting with PP2A. Biochemical and Biophysical Research Communications, 2009, 379, 616-620.	2.1	51
75	The exon-junction complex proteins, Y14 and MAGOH regulate STAT3 activation. Biochemical and Biophysical Research Communications, 2009, 382, 63-68.	2.1	25
76	STAP-2 is phosphorylated at tyrosine-250 by Brk and modulates Brk-mediated STAT3 activation. Biochemical and Biophysical Research Communications, 2009, 384, 71-75.	2.1	46
77	The protein content of an adaptor protein, STAP-2 is controlled by E3 ubiquitin ligase Cbl. Biochemical and Biophysical Research Communications, 2009, 384, 187-192.	2.1	13
78	Silencing Mediator of Retinoic Acid and Thyroid Hormone Receptor Regulates Enhanced Activation of Signal Transducer and Activator of Transcription 3 by Epstein-Barr Virus-Derived Epstein-Barr Nuclear Antigen 2. Biological and Pharmaceutical Bulletin, 2009, 32, 1283-1285.	1.4	2
79	Physical and functional interactions between STAT3 and KAP1. Oncogene, 2008, 27, 3054-3059.	5.9	65
80	KAP1 regulates type I interferon/STAT1-mediated IRF-1 gene expression. Biochemical and Biophysical Research Communications, 2008, 370, 366-370.	2.1	50
81	Sumoylation of Smad3 stimulates its nuclear export during PIASy-mediated suppression of TGF-Î ² signaling. Biochemical and Biophysical Research Communications, 2008, 370, 359-365.	2.1	43
82	The IL-6 family of cytokines modulates STAT3 activation by desumoylation of PML through SENP1 induction. Biochemical and Biophysical Research Communications, 2008, 371, 823-828.	2.1	21
83	An RNA biding protein, Y14 interacts with and modulates STAT3 activation. Biochemical and Biophysical Research Communications, 2008, 372, 475-479.	2.1	22
84	Physical and functional interactions between ZIP kinase and UbcH5. Biochemical and Biophysical Research Communications, 2008, 372, 708-712.	2.1	4
85	BART is essential for nuclear retention of STAT3. International Immunology, 2008, 20, 395-403.	4.0	33
86	STAP-2 Negatively Regulates both Canonical and Noncanonical NF-κB Activation Induced by Epstein-Barr Virus-Derived Latent Membrane Protein 1. Molecular and Cellular Biology, 2008, 28, 5027-5042.	2.3	31
87	Enhanced c-Fms/M-CSF Receptor Signaling and Wound-Healing Process in Bone Marrow-Derived Macrophages of Signal-Transducing Adaptor Protein-2 (STAP-2) Deficient Mice. Biological and Pharmaceutical Bulletin, 2008, 31, 1790-1793.	1.4	13
88	Signal-Transducing Adaptor Protein-2 Regulates Integrin-Mediated T Cell Adhesion through Protein Degradation of Focal Adhesion Kinase. Journal of Immunology, 2007, 179, 2397-2407.	0.8	54
89	LIF- and IL-6-Induced Acetylation of STAT3 at Lys-685 through PI3K/Akt Activation. Biological and Pharmaceutical Bulletin, 2007, 30, 1860-1864.	1.4	49
90	STAP-2 regulates c-Fms/M-CSF receptor signaling in murine macrophage Raw 264.7 cells. Biochemical and Biophysical Research Communications, 2007, 358, 931-937.	2.1	21

#	Article	IF	CITATIONS
91	Physical and functional interactions between STAT3 and Kaposi's sarcoma-associated herpesvirus-encoded LANA. FEBS Letters, 2006, 580, 93-98.	2.8	46
92	Physical and functional interactions between Daxx and STAT3. Oncogene, 2006, 25, 2131-2136.	5.9	22
93	Phosphorylation of threonine-265 in Zipper-interacting protein kinase plays an important role in its activity and is induced by IL-6 family cytokines. Immunology Letters, 2006, 103, 127-134.	2.5	23
94	Sumoylation of Daxx Regulates IFN-Induced Growth Suppression of B Lymphocytes and the Hormone Receptor-Mediated Transactivation. Journal of Immunology, 2006, 177, 1160-1170.	0.8	38
95	Modulation of TLR4 Signaling by a Novel Adaptor Protein Signal-Transducing Adaptor Protein-2 in Macrophages. Journal of Immunology, 2006, 176, 380-389.	0.8	88
96	Physical and Functional interactions between Daxx and STAT3. FASEB Journal, 2006, 20, A533.	0.5	0
97	Physical and functional interactions between STAT3 and ZIP kinase. International Immunology, 2005, 17, 1543-1552.	4.0	51
98	Nuclear retention of STAT3 through the coiled-coil domain regulates its activity. Biochemical and Biophysical Research Communications, 2005, 336, 617-624.	2.1	21
99	Physical and Functional Interactions between Daxx and DNA Methyltransferase 1-Associated Protein, DMAP1. Journal of Immunology, 2004, 172, 2985-2993.	0.8	81
100	Tyrosine Kinase 2 Interacts with and Phosphorylates Receptor for Activated C Kinase-1, a WD Motif-Containing Protein. Journal of Immunology, 2004, 173, 1151-1157.	0.8	9
101	Hapten-induced contact hypersensitivity is enhanced in Tyk2-deficient mice. Journal of Dermatological Science, 2004, 36, 51-56.	1.9	7
102	Physical and functional interactions between Daxx and TSG101. Biochemical and Biophysical Research Communications, 2004, 316, 827-833.	2.1	24
103	Limitin, an interferon-like cytokine, transduces inhibitory signals on B-cell growth through activation of Tyk2, but not Stat1, followed by induction and nuclear translocation of Daxx. Experimental Hematology, 2003, 31, 1317-1322.	0.4	14
104	Daxx enhances Fas-mediated apoptosis in a murine pro-B cell line, BAF3. FEBS Letters, 2003, 540, 223-228.	2.8	13
105	Regulation of Transforming Growth Factor-β Signaling by Protein Inhibitor of Activated STAT, PIASy through Smad3. Journal of Biological Chemistry, 2003, 278, 34253-34258.	3.4	79