## Adolfo Maestro

## List of Publications by Citations

Source: https://exaly.com/author-pdf/5972459/adolfo-maestro-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

1,998
citations

h-index

44
g-index

69
ext. papers

2,140
ext. citations

3.1
avg, IF

L-index

#	Paper	IF	Citations
67	Seabed morphology and hydrocarbon seepage in the Gulf of Cdiz mud volcano area: Acoustic imagery, multibeam and ultra-high resolution seismic data. <i>Marine Geology</i> , <b>2003</b> , 195, 153-176	3.3	189
66	Vast fields of hydrocarbon-derived carbonate chimneys related to the accretionary wedge/olistostrome of the Gulf of Cdiz. <i>Marine Geology</i> , <b>2003</b> , 195, 177-200	3.3	183
65	The contourite depositional system of the Gulf of Cdiz: A sedimentary model related to the bottom current activity of the Mediterranean outflow water and its interaction with the continental margin. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2006</b> , 53, 1420-1463	2.3	170
64	Structure and evolution of the DlistostromeComplex of the Gibraltar Arc in the Gulf of Cdiz (eastern Central Atlantic): evidence from two long seismic cross-sections. <i>Marine Geology</i> , <b>2004</b> , 209, 173-198	3.3	155
63	Looking for clues to paleoceanographic imprints: A diagnosis of the Gulf of Cadiz contourite depositional systems. <i>Geology</i> , <b>2003</b> , 31, 19	5	137
62	Architectural stacking patterns of the Ebro delta controlled by Holocene high-frequency eustatic fluctuations, delta-lobe switching and subsidence processes. <i>Sedimentary Geology</i> , <b>1998</b> , 117, 11-32	2.8	115
61	Seismic stacking pattern of the Faro-Albufeira contourite system (Gulf of Cadiz): a Quaternary record of paleoceanographic and tectonic influences. <i>Marine Geophysical Researches</i> , <b>2001</b> , 22, 487-508	2.3	106
60	Sea-floor features related to hydrocarbon seeps in deepwater carbonate-mud mounds of the Gulf of Cdiz: from mud flows to carbonate precipitates. <i>Geo-Marine Letters</i> , <b>2007</b> , 27, 237-247	1.9	79
59	Classification of sea-floor features associated with methane seeps along the Gulf of Cdiz continental margin. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2006</b> , 53, 1464-1481	2.3	48
58	Active tectonics, fault patterns, and stress field of Deception Island: A response to oblique convergence between the Pacific and Antarctic plates. <i>Journal of South American Earth Sciences</i> , <b>2007</b> , 23, 256-268	2	45
57	LINDENS: A program for lineament length and density analysis. <i>Computers and Geosciences</i> , <b>2000</b> , 26, 1011-1022	4.5	45
56	Large-scale slope failure involving Triassic and Middle Miocene salt and shale in the Gulf of Cdiz (Atlantic Iberian Margin). <i>Terra Nova</i> , <b>2003</b> , 15, 380-391	3	44
55	Morphosedimentary features and recent depositional architectural model of the Cantabrian continental margin. <i>Marine Geology</i> , <b>2008</b> , 247, 61-83	3.3	42
54	An early Aurignacian arrival in southwestern Europe. <i>Nature Ecology and Evolution</i> , <b>2019</b> , 3, 207-212	12.3	41
53	Imaging the recent sediment dynamics of the Galicia Bank region (Atlantic, NW Iberian Peninsula). <i>Marine Geophysical Researches</i> , <b>2011</b> , 32, 99-126	2.3	41
52	Cenozoic deformational structures on the Galicia Bank Region (NW Iberian continental margin). <i>Marine Geology</i> , <b>2008</b> , 249, 128-149	3.3	41
51	Evidence for hydrothermal venting and sediment volcanism discharged after recent short-lived volcanic eruptions at Deception Island, Bransfield Strait, Antarctica. <i>Marine Geology</i> , <b>2004</b> , 203, 119-140	3.3	40

## (1998-2007)

Reconstructions of the Mediterranean Outflow Water during the quaternary based on the study of changes in buried mounded drift stacking pattern in the Gulf of Cadiz. <i>Marine Geophysical Researches</i> , <b>2007</b> , 28, 379-394	2.3	38	
Intraplate deformation and basin formation during the Tertiary within the northern Iberian plate: Origin and evolution of the Almaz Basin. <i>Tectonics</i> , <b>2000</b> , 19, 258-289	4.3	33	
Multibeam backscatter as a tool for sea-floor characterization and identification of oil spills in the Galicia Bank. <i>Marine Geology</i> , <b>2008</b> , 249, 93-107	3.3	30	
Updated Bouguer anomalies of the Iberian Peninsula: a new perspective to interpret the regional geology. <i>Journal of Maps</i> , <b>2016</b> , 12, 1089-1092	2.2	28	
Insights into deglaciation of the largest ice-free area in the South Shetland Islands (Antarctica) from quantitative analysis of the drainage system. <i>Geomorphology</i> , <b>2014</b> , 225, 4-24	4.3	20	
Geometry and structure associated to gas-charged sediments and recent growth faults in the Ebro Delta (Spain). <i>Marine Geology</i> , <b>2002</b> , 186, 351-368	3.3	20	
Recent sedimentary processes in the Prestige site area (Galicia Bank, NW Iberian Margin) evidenced by high-resolution marine geophysical methods. <i>Marine Geology</i> , <b>2008</b> , 249, 21-45	3.3	18	
Stress perturbations registered by jointing near strike-slip, normal, and reverse faults: Examples from the Ebro Basin, Spain. <i>Journal of Geophysical Research</i> , <b>1999</b> , 104, 15141-15153		18	
Occurrence of whale barnacles in Nerja Cave (Mlaga, southern Spain): Indirect evidence of whale consumption by humans in the Upper Magdalenian. <i>Quaternary International</i> , <b>2014</b> , 337, 163-169	2	17	
Geomorphology of the Iberian Continental Margin. <i>Geomorphology</i> , <b>2013</b> , 196, 13-35	4.3	15	
The last major earthquakes along the Magallanes Eagnano fault system recorded by disturbed trees (Tierra del Fuego, South America). <i>Terra Nova</i> , <b>2014</b> , 26, 448-453	3	14	
Occurrence of pockmarks on the Ortegal Spur continental margin, Northwestern Iberian Peninsula.  Marine and Petroleum Geology, <b>2010</b> , 27, 1551-1564	4.7	14	
Sequential limb rotation and kink-band migration recorded by growth strata, Almazī Basin, North Spain. <i>Sedimentary Geology</i> , <b>2002</b> , 146, 25-45	2.8	14	
Morphological and geological features of Drake Passage, Antarctica, from a new digital bathymetric model. <i>Journal of Maps</i> , <b>2019</b> , 15, 49-59	2.2	14	
Morphological feature analyses of the Prestige half-graben on the SW Galicia Bank. <i>Marine Geology</i> , <b>2008</b> , 249, 7-20	3.3	13	
The role of tectonic inheritance in the development of recent fracture systems, Duero Basin, Spain. <i>International Journal of Remote Sensing</i> , <b>2003</b> , 24, 4325-4345	3.1	13	
Paleomagnetism from Deception Island (South Shetlands archipelago, Antarctica), new insights into the interpretation of the volcanic evolution using a geomagnetic model. <i>International Journal of Earth Sciences</i> , <b>2016</b> , 105, 1353-1370	2.2	13	
Lineaments and fracturing in the Neogene rocks of the Almazī Basin, northern Spain. <i>Geological Magazine</i> , <b>1998</b> , 135, 255-268	2	12	
	changes in buried mounded drift stacking pattern in the Gulf of Cadiz. Marine Geophysical Researches, 2007, 28, 379-394  Intraplate deformation and basin formation during the Tertiary within the northern Iberian plate: Origin and evolution of the Almazii Basin. Tectonics, 2000, 19, 258-289  Multibeam backscatter as a tool for sea-floor characterization and identification of oil spills in the Galicia Bank. Marine Geology, 2008, 249, 93-107  Updated Bouguer anomalies of the Iberian Peninsula: a new perspective to interpret the regional geology. Journal of Maps, 2016, 12, 1089-1092  Insights into deglaciation of the largest ice-free area in the South Shetland Islands (Antarctica) from quantitative analysis of the drainage system. Geomorphology, 2014, 225, 4-24  Geometry and structure associated to gas-charged sediments and recent growth faults in the Ebro Delta (Spain). Marine Geology, 2002, 186, 531-368  Recent sedimentary processes in the Prestige site area (Galicia Bank, NW Iberian Margin) evidenced by high-resolution marine geophysical methods. Marine Geology, 2008, 249, 21-45  Stress perturbations registered by jointing near strike-slip, normal, and reverse faults: Examples from the Ebro Basin, Spain. Journal of Geophysical Research, 1999, 104, 15141-15153  Occurrence of whale barnacles in Nerja Cave (Mlaga, southern Spain): Indirect evidence of whale consumption by humans in the Upper Magdalenian. Quaternary International, 2014, 337, 163-169  Geomorphology of the Iberian Continental Margin. Geomorphology, 2013, 196, 13-35  The last major earthquakes along the Magallanesfagnano fault system recorded by disturbed trees (Tierra del Fuego, South America). Terra Nova, 2014, 26, 448-453  Occurrence of pockmarks on the Ortegal Spur continental margin, Northwestern Iberian Peninsula. Marine and Petroleum Geology, 2010, 27, 1551-1564  Morphological independent of Maps, 2019, 15, 49-59  Morphological and geological features of Drake Passage, Antarctica, from a new digital bathymetric model. Journal of Maps, 2019, 15,	changes in buried mounded drift stacking pattern in the Gulf of Cadiz. Marine Geophysical Researches, 2007, 28, 379-394  Intraplate deformation and basin formation during the Tertiarry within the northern Iberian plate: Origin and evolution of the Almazil Basin. Tectonics, 2000, 19, 258-289  Multibeam backscatter as a tool for sea-floor characterization and identification of oil spills in the Galicia Bank. Marine Geology, 2008, 249, 93-107  Updated Bouguer anomalies of the Iberian Peninsula: a new perspective to interpret the regional geology. Journal of Maps, 2016, 12, 1089-1092  Insights into deglaciation of the largest ice-free area in the South Shetland Islands (Antarctica) from quantitative analysis of the drainage system. Geometry and structure associated to gas-charged sediments and recent growth faults in the Ebro Delta (Spain). Marine Geology, 2002, 186, 531-368  Recent sedimentary processes in the Prestige site area (Galicia Bank, NW Iberian Margin) evidenced by high-resolution marine geophysical methods. Marine Geology, 2008, 249, 21-45  Stress perturbations registered by jointing near strike-slip, normal, and reverse faults: Examples from the Ebro Basin, Spain. Journal of Geophysical Research, 1999, 104, 15141-15153  Occurrence of whale barnacles in Nerja Cave (MBga, southern Spain): Indirect evidence of whale consumption by humans in the Upper Magdalenian. Quaternary International, 2014, 337, 163-169  Geomorphology of the Iberian Continental Margin. Geomorphology, 2013, 196, 13-35  The last major earthquakes along the Magallanes Bagnano fault system recorded by disturbed trees (Tierra del Fuego, South America). Terra Nova, 2014, 26, 448-453  Occurrence of pockmarks on the Ortegal Spur continental margin, Northwestern Iberian Peninsula. Marine and Petroleum Geology, 2010, 27, 1551-1564  Sequential limb rotation and kink-band migration recorded by growth strata, Almazii Basin, North Spain. Sedimentary Geology, 2001, 15, 49-59  Morphological and geological features of Drake Passage, Antarctica, from a	changes in buried mounded drift stacking pattern in the Gulf of Cadiz. Marine Geophysical Researches, 2007, 28, 379-394  Intraplate deformation and basin formation during the Tertiary within the northern liberian plate: Origin and evolution of the Almazfi Basin. Tectonics, 2000, 19, 258-289  Multibeam backscatter as a tool for sea-floor characterization and identification of oil spills in the Galicia Bank. Marine Geology, 2008, 249, 93-107  Updated Bouguer anomalies of the letrian Peninsula: a new perspective to interpret the regional geology. Journal of Maps, 2016, 12, 1089-1092  Updated Bouguer anomalies of the largest ice-free area in the South Shetland Islands (Antarctica) from geology. Journal of Maps, 2016, 12, 1089-1092  Insights into deglaciation of the largest ice-free area in the South Shetland Islands (Antarctica) from geology. Journal of Maps, 2016, 12, 1089-1092  Insights into deglaciation of the largest ice-free area in the South Shetland Islands (Antarctica) from geology. Journal of Maps, 2016, 12, 1089-1092  Insights into deglaciation of the largest ice-free area in the South Shetland Islands (Antarctica) from geology. Journal of Maps, 2016, 13, 1089-1092  Insights into deglaciation of the largest ice-free area in the South Shetland Islands (Antarctica) from geology. Journal of Geology, 2002, 186, 351-368  Recent sedimentary processes in the Prestige site area (Galicia Bank, NW Iberian Margin) evidenced by high-resolution marine geophysical methods. Marine Geology, 2018, 24, 21-45  Stress perturbations registered by jointing near strike-slip, normal, and reverse faults: Examples from the Ebro Basin, Spain. Journal of Geophysical Research, 1999, 104, 1514-15153  Occurrence of whale barnacles in Nerja Cave (Mlaga, southern Spain). Indirect evidence of whale consumption by humans in the Upper Magdalenian. Quaternary International, 2014, 337, 163-169  Geomorphology of the Iberian Continental Margin. Geomorphology, 2013, 196, 13-35  The last major earthquakes along the MagallanesBagnano fault system

32	Geomorphological and sedimentary processes of the glacially influenced northwestern Iberian continental margin and abyssal plains. <i>Geomorphology</i> , <b>2018</b> , 312, 60-85	4.3	11
31	Shellfish collection on the westernmost Mediterranean, Bajondillo cave (~160-35 cal kyr BP): A case of behavioral convergence?. <i>Quaternary Science Reviews</i> , <b>2019</b> , 217, 284-296	3.9	10
30	Chapter 7.1 Deception Island. <i>Geological Society Memoir</i> , <b>2021</b> , 55, 667-693	0.4	10
29	Geomorphological mapping of ice-free areas using polarimetric RADARSAT-2 data on Fildes Peninsula and Ardley Island, Antarctica. <i>Geomorphology</i> , <b>2017</b> , 293, 448-459	4.3	9
28	The role of basement inheritance faults in the recent fracture system of the inner shelf around Alboran Island, Western Mediterranean. <i>Geo-Marine Letters</i> , <b>2008</b> , 28, 53-64	1.9	9
27	Breaking the waves: Human use of marine bivalves in a microtidal range coast during the Upper Pleistocene and the Early Holocene, VestBulo chamber, Nerja Cave (Mlaga, southern Spain). <i>Quaternary International</i> , <b>2016</b> , 407, 59-79	2	8
26	Evolution of the stress field in the southern Scotia Arc from the late Mesozoic to the present-day. <i>Global and Planetary Change</i> , <b>2014</b> , 123, 269-297	4.2	7
25	Allochthonous Blocks as Hydrocarbon Traps in the Gulf of Cadiz <b>1999</b> ,		6
24	Stress Field Evolution of the Southernmost Andean Cordillera From Paleostress Analysis (Argentine Tierra del Fuego). <i>Tectonics</i> , <b>2019</b> , 38, 7-25	4.3	6
23	Bouguer anomalies of the NW Iberian continental margin and the adjacent abyssal plains. <i>Journal of Maps</i> , <b>2019</b> , 15, 635-641	2.2	5
22	The role of tectonic inheritance in the morphostructural evolution of the Galicia continental margin and adjacent abyssal plains from digital bathymetric model (DBM) analysis (NW Spain). <i>International Journal of Earth Sciences</i> , <b>2018</b> , 107, 1267-1286	2.2	5
21	Echo-character of the NW Iberian continental margin and the adjacent abyssal plains. <i>Journal of Maps</i> , <b>2018</b> , 14, 56-67	2.2	5
20	Geomorphological mapping in the Antarctic Peninsula region applying single and multipolarization RADARSAT-2 data. <i>Canadian Journal of Remote Sensing</i> , <b>2012</b> , 38, 367-382	1.8	5
19	Application of AMS for reconstruction of the geological evolution of recent volcanic systems: Case of Deception Island (South Shetland Islands, Antarctica). <i>Tectonophysics</i> , <b>2014</b> , 626, 69-85	3.1	4
18	Mesozoic to recent evolution of intraplate stress fields under multiple remote stresses: The case of Signy Island (South Orkney Microcontinent, Antarctica). <i>Geological Society Special Publication</i> , <b>2013</b> , 381, 45-65	1.7	4
17	Potential Pressure Compartments Sub-Salt in the Gulf of Mexico and Beneath Massive Debris Flows in the Gulf of Cadiz <b>1999</b> , 23-30		4
16	Recent deformational state from morphological analysis of mud volcanoes in the Gulf of Cadiz (southwestern part of the Iberian Atlantic Margin). <i>Journal of Geodynamics</i> , <b>2019</b> , 132, 101653	2.2	3
15	Mantle flow and deep electrical anisotropy in a main gateway: MT study in Tierra del Fuego. <i>Scientific Reports</i> , <b>2019</b> , 9, 7148	4.9	3

## LIST OF PUBLICATIONS

14	Palaeoenvironmental and chronological context of human occupations at El Cierro cave (Northern Spain) during the transition from the late Upper Pleistocene to the early Holocene. <i>Journal of Archaeological Science: Reports</i> , <b>2020</b> , 29, 102138	0.7	3
13	Morphostructural analysis and Cenozoic evolution of Elephant Island, Southern Scotia Arc, Antarctica. <i>International Journal of Earth Sciences</i> , <b>2015</b> , 104, 833-851	2.2	2
12	Cause of the rupture and distribution of broken submarine carbonate chimneys in the Gulf of Cdiz (southwestern Spain). <i>Quaternary International</i> , <b>2011</b> , 242, 240-253	2	2
11	Cenozoic stress field in the southwestern Antarctic Peninsula from brittle mesostructures in Wright Peninsula, Adelaide Island. <i>Polish Polar Research</i> , <b>2011</b> , 32, 39-58		2
10	Geodynamic implications of the Cenozoic stress field on Seymour Island, West Antarctica. <i>Antarctic Science</i> , <b>2008</b> , 20, 173-184	1.7	2
9	Echo-character distribution in the Cantabrian Margin and the Biscay Abyssal Plain. <i>Journal of Maps</i> , <b>2021</b> , 17, 533-542	2.2	2
8	Reply to 'Dating on its own cannot resolve hominin occupation patterns' and 'No reliable evidence for a very early Aurignacian in Southern Iberia'. <i>Nature Ecology and Evolution</i> , <b>2019</b> , 3, 714-715	12.3	1
7	At the edge of the Cantabrian sea. New data on the Pleistocene and Holocene archaeological open-air site of Ba <del>ll</del> gues (Gozfi, Asturias, Spain): Palaeogeography, geoarchaeology and geochronology. <i>Quaternary International</i> , <b>2020</b> , 566-567, 284-302	2	1
6	Superposed deformation in the PenBsula Mitre recess (Fuegian thrust-fold belt, Southern Argentina), and implications for orogenic curve kinematics. <i>Journal of Structural Geology</i> , <b>2020</b> , 131, 103	3947	1
5	Elephant Island Recent Tectonics in the Framework of the Scotia-Antarctic-South Shetland Block Triple Junction (NE Antarctic Peninsula) <b>2006</b> , 271-276		1
4	Tectonics and Geomorphology of Elephant Island, South Shetland Islands <b>2006</b> , 277-281		1
3	Magnetic anomalies of the NW Iberian continental margin and the adjacent abyssal plains. <i>Journal of Maps</i> , <b>2020</b> , 16, 680-688	2.2	
2	Magnetic fabric from Quaternary volcanic edifices in the extensional Bransfield Basin: internal structure of Penguin and Bridgeman islands (South Shetlands archipelago, Antarctica). <i>Geophysical Journal International</i> , <b>2021</b> , 226, 1368-1389	2.6	
1	Maritime-oriented foragers during the Late Pleistocene on the eastern costa del sol (Southeast Iberia): Cueva Victoria (Mlaga, Spain). <i>Heliyon</i> , <b>2022</b> , 8, e09548	3.6	