

Alpaslan Tanoglu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5973853/alpaslan-tanoglu-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

375
citations

11
h-index

14
g-index

89
ext. papers

444
ext. citations

2.4
avg, IF

3.72
L-index

#	Paper	IF	Citations
85	Clinical usefulness of mean platelet volume and red blood cell distribution width to platelet ratio for predicting the severity of hepatic fibrosis in chronic hepatitis B virus patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2014 , 26, 1320-4	2.2	47
84	Oxidative stress might play a role in low serum vitamin D associated liver fibrosis among patients with autoimmune hepatitis. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 1106-8	4	16
83	Evaluation of endothelial dysfunction in patients with Familial Mediterranean fever: the relationship between the levels of asymmetric dimethylarginine and endocan with carotid intima-media thickness and endothelium-dependent vasodilation. <i>Clinical Rheumatology</i> , 2017 , 36, 2071-2077	3.9	15
82	Nitric oxide is a potential mediator of hepatic inflammation and fibrogenesis in autoimmune hepatitis. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 204-10	2.4	15
81	Is the neutrophil to lymphocyte ratio associated with liver fibrosis in patients with chronic hepatitis B?. <i>World Journal of Gastroenterology</i> , 2015 , 21, 5575-81	5.6	14
80	Inefficacy of triple therapy and comparison of two different bismuth-containing quadruple regimens as a firstline treatment option for helicobacter pylori. <i>Saudi Journal of Gastroenterology</i> , 2016 , 22, 366-369	3	13
79	Predictive role of the neutrophil-to-lymphocyte ratio in patients with advanced hepatocellular carcinoma receiving sorafenib. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 1063	1.7	13
78	MicroRNA expression profile in patients with stage II colorectal cancer: a Turkish referral center study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 1851-5	1.7	13
77	Can serum fetuin-A be regarded as an inflammatory marker among patients with familial Mediterranean fever?. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 3212-7	4	12
76	Evaluation of endothelial dysfunction in patients with nonalcoholic fatty liver disease: Association of selenoprotein P with carotid intima-media thickness and endothelium-dependent vasodilation. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2017 , 41, 516-524	2.4	12
75	Healing effects of omalizumab in a patient with cholinergic urticaria associated severe dyspeptic complaints. <i>Chinese Medical Journal</i> , 2015 , 128, 1559-60	2.9	12
74	Mean platelet volume and red cell distribution width to platelet ratio for predicting the severity of hepatic fibrosis in patients with chronic hepatitis C. <i>European Journal of Gastroenterology and Hepatology</i> , 2016 , 28, 744-8	2.2	10
73	Angiotensin-converting enzyme for noninvasive assessment of liver fibrosis in autoimmune hepatitis. <i>European Journal of Gastroenterology and Hepatology</i> , 2015 , 27, 649-54	2.2	9
72	Nonalcoholic fatty liver disease-related cardiovascular risk: Is there an association with blood hemoglobin levels?. <i>European Journal of Gastroenterology and Hepatology</i> , 2015 , 27, 1126-9	2.2	9
71	Clinicopathological profile of gastrointestinal tuberculosis: a multinational ID-IRI study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020 , 39, 493-500	5.3	9
70	Red blood cell distribution width: a potential prognostic index for liver disease?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014 , 52, e201	5.9	8
69	Presepsin:albumin ratio and C-reactive protein:albumin ratio as novel sepsis-based prognostic scores : A retrospective study. <i>Wiener Klinische Wochenschrift</i> , 2020 , 132, 182-187	2.3	7

68	Trimetazidine significantly reduces cerulein-induced pancreatic apoptosis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2015 , 39, 145-50	2.4	7
67	Is combination of neutrophil to lymphocyte ratio and platelet lymphocyte ratio a useful predictor of postoperative survival in patients with esophageal squamous cell carcinoma?. <i>OncoTargets and Therapy</i> , 2014 , 7, 433-4	4.4	7
66	Mean platelet volume: an emerging diagnostic factor of recurrent aphthous stomatitis and behcet disease. <i>Angiology</i> , 2014 , 65, 326	2.1	7
65	Predictive role of neutrophil to lymphocyte ratio in Henoch-Schonlein purpura related gastrointestinal bleeding. <i>Rheumatology International</i> , 2014 , 34, 1331-2	3.6	6
64	Red Blood cell distribution width: an emerging diagnostic factor of acute appendicitis?. <i>World Journal of Emergency Surgery</i> , 2013 , 8, 54	9.2	6
63	An extremely uncommon case of parasitic infection presenting as eosinophilic ascites in a young patient. <i>Case Reports in Gastroenterology</i> , 2011 , 5, 139-43	1	6
62	Polymorphisms in Toll-like receptors 1, 2, 5, and 10 are associated with predisposition to Helicobacter pylori infection. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 1141-1146 ^{2.2}	2.2	6
61	Mean platelet volume: An emerging prognostic factor of infective endocarditis?. <i>Platelets</i> , 2015 , 26, 370-3.6	3.6	5
60	Association of reflux symptom index scores with gastroesophageal flap valve status. <i>Auris Nasus Larynx</i> , 2014 , 41, 543-7	2.2	5
59	Liver transplantation from living donors with Gilbert's syndrome is a safe procedure for both donors and recipients. <i>Clinical Transplantation</i> , 2015 , 29, 965-70	3.8	4
58	Neutrophil and platelet-to-lymphocyte ratio: new predictors of dropout and recurrence after liver transplantation for hepatocellular cancer?. <i>Transplant International</i> , 2014 , 27, e80-1	3	4
57	treatment in Turkey: Current status and rational treatment options. <i>İstanbul Kuzey Klinikleri</i> , 2020 , 7, 87-94	0.8	4
56	Midkine level may be used as a noninvasive biomarker in Crohn's disease. <i>Turkish Journal of Medical Sciences</i> , 2020 , 50, 324-329	2.7	4
55	Pentoxifylline has favorable preventive effects on experimental chronic pancreatitis model. <i>Scandinavian Journal of Gastroenterology</i> , 2020 , 55, 236-241	2.4	3
54	Prognostic role of mean platelet volume in patients with chronic hepatitis C. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2014 , 38, e113	2.4	3
53	Endoscopic extraction of proximally migrated biliary stent by intrastent balloon inflation. <i>BMJ Case Reports</i> , 2014 , 2014,	0.9	3
52	Immunohistochemical activity of Prohibitin-2 and Stomatin-Like Protein-2 in patients with ulcerative colitis. <i>Turkish Journal of Gastroenterology</i> , 2016 , 27, 233-8	1	3
51	Neutrophil-to-lymphocyte ratio alone may not be a true indicator of the severity of acute pancreatitis. <i>Turkish Journal of Gastroenterology</i> , 2019 , 30, 937	1	3

50	Is the combination of neutrophil to lymphocyte and platelet to lymphocyte ratios a useful predictor of treatment response and prognosis in patients with non-small cell lung cancer?. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 4373	1.7	3
49	Assessment of severity and mortality of COVID-19 with anti-A1 and anti-B IgM isoagglutinins, a reflection of the innate immune status. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14624	2.9	3
48	Plasma Thrombin-activatable Fibrinolysis Inhibitor Levels Correlate with the Disease Activity of Ulcerative Colitis. <i>Internal Medicine</i> , 2016 , 55, 1831-6	1.1	3
47	Associations between Gilbert's syndrome and personality characteristics. <i>Trends in Psychiatry and Psychotherapy</i> , 2021 , 43, 151-158	2.3	3
46	Vascular hamartomatous lesion of the ampulla Vateri: a very uncommon occurrence. <i>Gastrointestinal Endoscopy</i> , 2014 , 80, 347-8; discussion 348	5.2	2
45	Use of Immune Modulator Interferon-Gamma to Support Combating COVID-19 Pandemic 2020 , 1, 1-15		2
44	Role of ACE2 Gene Expression in Renin Angiotensin System and Its Importance in Covid-19: In Silico Approach. <i>Brazilian Archives of Biology and Technology</i> , 63 ,	1.8	2
43	Serum matrix metalloproteinase-9 and tissue inhibitor of metalloproteinase-1 expression in patients with familial Mediterranean fever. <i>Turkish Journal of Gastroenterology</i> , 2015 , 26, 487-91	1	2
42	Noninvasive Models to Predict Liver Fibrosis in Patients with Chronic Hepatitis B: A Study from Turkey. <i>Hepatitis Monthly</i> , 2017 , In Press,	1.8	2
41	Pain perception differences between patients and physicians: a pain severity study in patients with low back pain. <i>Turkish Neurosurgery</i> , 2015 , 25, 461-8	0.8	2
40	Ankaferd hemostat (ABS) as a potential mucosal topical agent for the management of COVID-19 syndrome based on its PAR-1 inhibitory effect and oestrogen content. <i>Medical Hypotheses</i> , 2020 , 143, 110150	3.8	2
39	Relationship between vitamin D levels and mortality rates of critically ill patients in intensive care unit. <i>Anatolian Current Medical Journal</i> ; 2021 , 3, 171-175		2
38	Mean platelet volume may predict histological severity of primary biliary cirrhosis, but drugs and comorbidities are major concerns. <i>European Journal of Gastroenterology and Hepatology</i> , 2016 , 28, 116	2.2	2
37	Landmark reading alterations in patients with gastro-oesophageal reflux symptoms undergoing diagnostic gastroscopy. <i>Arab Journal of Gastroenterology</i> , 2016 , 17, 176-180	1.7	2
36	Liver fatty acid-binding protein may be a useful marker for non-alcoholic fatty liver disease but obesity is a major concern. <i>Wiener Klinische Wochenschrift</i> , 2016 , 128, 304	2.3	2
35	Long-term proton pump inhibitor use is a risk factor for mortality in patients hospitalized for COVID-19. <i>Turkish Journal of Medical Sciences</i> , 2021 , 51, 1675-1681	2.7	2
34	Esomeprazole: a safe alternative to lansoprazole allergy?. <i>Iranian Journal of Allergy, Asthma and Immunology</i> , 2014 , 13, 296-7	1.1	2
33	Mean platelet volume: a novel diagnostic factor of systemic lupus erythematosus?. <i>Clinical Rheumatology</i> , 2015 , 34, 1655-6	3.9	1

32	Mean platelet volume: a novel predictive marker for mortality in intensive care unit (ICU) patients?. <i>Clinical Respiratory Journal</i> , 2016 , 10, 535-6	1.7	1
31	Mean platelet volume: a novel predictive marker for mortality in patients with acute mesenteric ischemia?. <i>World Journal of Emergency Surgery</i> , 2014 , 9, 30	9.2	1
30	Rabeprazole-Induced Tinnitus. <i>Annals of Pharmacotherapy</i> , 2014 , 48, 943	2.9	1
29	Giant colonic volvulus due to colonic pseudo-obstruction. <i>BMJ Case Reports</i> , 2015 , 2015,	0.9	1
28	Mean platelet volume: A novel prognostic factor of rotavirus gastroenteritis?. <i>Platelets</i> , 2015 , 26, 373	3.6	1
27	Clinical importance of serum hepatitis B surface antigen quantification in the natural history of chronic hepatitis B infection. <i>Kaohsiung Journal of Medical Sciences</i> , 2015 , 31, 384-5	2.4	1
26	A combination of levosimendan and N-Acetylcysteine shows significant favorable efficacy on experimental liver ischemia/reperfusion injury. <i>Ulusal Travma Ve Acil Cerrahi Dergisi</i> , 2021 , 27, 381-388	0.6	1
25	Drug-induced Liver Injury Caused by Phenprobamate: Strong Probability Due to Repeated Toxicity. <i>Euroasian Journal of Hepato-gastroenterology</i> , 2019 , 9, 49-51	1.6	1
24	Gamma-glutamyl-transferase may predict COVID-19 outcomes in hospitalised patients. <i>International Journal of Clinical Practice</i> , 2021 , e14933	2.9	1
23	The potential role of human papillomavirus in colorectal carcinoma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 4375	1.7	1
22	Has the neutrophil/lymphocyte ratio a predictive role in distinguishing neoplastic potential of colonic polyps?. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 2393	1.7	1
21	Evaluation of serum CXC chemokine ligand 16 (CXCL16) as a novel inflammatory bio- marker or familial Mediterranean fever disease. <i>Turkish Journal of Medical Sciences</i> , 2021 , 51, 813-818	2.7	1
20	Tigecycline induced acute pancreatitis: Suspicion is the first step in diagnosis. <i>Anatolian Current Medical Journal</i> ; 2021 , 3, 262-263		1
19	Melatonin has favorable preventive effects on experimental chronic pancreatitis rat model. <i>Turkish Journal of Medical Sciences</i> , 2021 ,	2.7	1
18	mir-221, mir-190b, mir-363-3p, mir-200c are involved in rat liver ischaemia-reperfusion injury through oxidative stress, apoptosis and endoplasmic reticulum stress. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14848	2.9	1
17	Determination of B- and T- cell epitopes for Helicobacter pylori cagPAI: An in silico approach. <i>Turkish Journal of Gastroenterology</i> , 2020 , 31, 713-720	1	0
16	A very uncommon clinical entity: Lansoprazole-induced symptomatic hyponatremia in a young woman. <i>Turkish Journal of Gastroenterology</i> , 2020 , 31, 957-959	1	0
15	Clinical utility of mean platelet volume and related scores for assessing the severity of hepatic fibrosis in chronic hepatitis C patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 664-665	2.2	

14	Evaluation of neutrophil-to-lymphocyte ratio (NLR) and platelet-to-lymphocyte ratio (PLR) in critical care patients with synthetic cannabinoid (bonzai) intoxication. <i>Egyptian Journal of Critical Care Medicine</i> , 2018 , 6, 17-20	0
13	Procalcitonin: an emerging prognostic factor of bacterial coinfection in infants with acute bronchiolitis?. <i>Pediatric Emergency Care</i> , 2014 , 30, e8	1.4
12	Is ultrasonography-diagnosed nonalcoholic fatty liver disease fibrosis score associated with the Framingham risk score?. <i>European Journal of Gastroenterology and Hepatology</i> , 2015 , 27, 748-9	2.2
11	Mean platelet volume: a useful predictor of ascitic fluid infection in cirrhotic patients?. <i>Annals of Hepatology</i> , 2014 , 13, 572	3.1
10	Serum total antioxidant capacity to discriminate benign from malignant causes of biliary obstruction. <i>Turkish Journal of Gastroenterology</i> , 2014 , 25, 592-3	1
9	The impact of prior antibiotic use on blood culture and antibiotic susceptibility results in patients with biliary obstruction. <i>Turkish Journal of Gastroenterology</i> , 2014 , 25, 744-5	1
8	Hepatitis C virus associated hepatocellular carcinoma risk. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 2585	1.7
7	Importance of serum hepatitis B surface antigen and hepatitis e antigen quantification among patients with chronic hepatitis B. <i>Turkish Journal of Gastroenterology</i> , 2015 , 26, 357	1
6	Malignant biliary obstruction significantly increases serum lipid levels: a novel biochemical tumor marker?. <i>Hepato-Gastroenterology</i> , 2012 , 59, 2079-82	
5	Clinical importance of serum procalcitonin in ulcerative colitis patients. <i>World Journal of Gastroenterology</i> , 2014 , 20, 15941-2	5.6
4	Ultrasonographic assessment of femoral cartilage thickness in patients with Helicobacter pylori infection. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14276	2.9
3	The relationship between nutritional status, anthropometric measurements and hemogram parameters in preobese and obese women before and after menopause. <i>Journal of Health Sciences and Medicine</i> , 2021 , 4, 498-504	0
2	Favorable effects of close telephone follow-up on Helicobacter pylori eradication success. <i>Anatolian Current Medical Journal</i> ; 2021 , 3, 10-14	
1	Trimetazidine has Promising Preventive Effects on Experimental Chronic Pancreatitis Rat Model. 2022 , 33, 356-361	