Emmanuel Doelsch

List of Publications by Citations

Source: https://exaly.com/author-pdf/5974204/emmanuel-doelsch-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62
papers
1,634
citations
4.31
ext. papers
26
papers
1,847
ext. citations
26
papers
4.31
citations
avg, IF
L-index

#	Paper	IF	Citations
62	Effect of dissolved organic matter composition on metal speciation in soil solutions. <i>Chemical Geology</i> , 2015 , 398, 61-69	4.2	85
61	Speciation and Crystal Chemistry of Iron(III) Chloride Hydrolyzed in the Presence of SiO4 Ligands. 1. An Fe K-Edge EXAFS Study. <i>Langmuir</i> , 2000 , 16, 4726-4731	4	85
60	Speciation and Crystal Chemistry of Fe(III) Chloride Hydrolyzed in the Presence of SiO4 Ligands. 2. Characterization of Si E e Aggregates by FTIR and 29Si Solid-State NMR. <i>Langmuir</i> , 2001 , 17, 1399-1405	4	68
59	Evidence of sulfur-bound reduced copper in bamboo exposed to high silicon and copper concentrations. <i>Environmental Pollution</i> , 2014 , 187, 22-30	9.3	65
58	Structure and distribution of allophanes, imogolite and proto-imogolite in volcanic soils. <i>Geoderma</i> , 2012 , 183-184, 100-108	6.7	65
57	Synthesis of large quantities of single-walled aluminogermanate nanotube. <i>Journal of the American Chemical Society</i> , 2008 , 130, 5862-3	16.4	65
56	Chemistry and structure of colloids obtained by hydrolysis of Fe(III) in the presence of SiO4 ligands. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2003 , 217, 121-128	5.1	62
55	Synthesis of imogolite fibers from decimolar concentration at low temperature and ambient pressure: a promising route for inexpensive nanotubes. <i>Journal of the American Chemical Society</i> , 2009 , 131, 17080-1	16.4	57
54	Evidence of double-walled Al-Ge imogolite-like nanotubes. a cryo-TEM and SAXS investigation. Journal of the American Chemical Society, 2010 , 132, 1208-9	16.4	54
53	Formation and Growth Mechanisms of Imogolite-Like Aluminogermanate Nanotubes. <i>Chemistry of Materials</i> , 2010 , 22, 2466-2473	9.6	53
52	Fractionation of tropical soilborne heavy metals@omparison of two sequential extraction procedures. <i>Geoderma</i> , 2008 , 143, 168-179	6.7	51
51	Heavy metal content in soils of Rlinion (Indian Ocean). <i>Geoderma</i> , 2006 , 134, 119-134	6.7	50
50	Investigation of copper speciation in pig slurry by a multitechnique approach. <i>Environmental Science & Environmental & Enviro</i>	10.3	44
49	High energy resolution five-crystal spectrometer for high quality fluorescence and absorption measurements on an x-ray absorption spectroscopy beamline. <i>Review of Scientific Instruments</i> , 2012 , 83, 063104	1.7	44
48	Increased zinc and copper availability in organic waste amended soil potentially involving distinct release mechanisms. <i>Environmental Pollution</i> , 2016 , 212, 299-306	9.3	40
47	New combination of EXAFS spectroscopy and density fractionation for the speciation of chromium within an andosol. <i>Environmental Science & Environmental Science & Environment</i>	10.3	38
46	Impact of sewage sludge spreading on heavy metal speciation in tropical soils (RŪnion, Indian Ocean). <i>Chemosphere</i> , 2006 , 65, 286-93	8.4	38

(2013-2013)

45	Fate and behaviour of Cu and Zn from pig slurry spreading in a tropical waterBoilBlant system. <i>Agriculture, Ecosystems and Environment</i> , 2013 , 164, 70-79	5.7	36
44	Evidence that Soil Properties and Organic Coating Drive the Phytoavailability of Cerium Oxide Nanoparticles. <i>Environmental Science & Environmental Sc</i>	10.3	35
43	Impact of pig slurry and green waste compost application on heavy metal exchangeable fractions in tropical soils. <i>Geoderma</i> , 2010 , 155, 390-400	6.7	31
42	Spectroscopic characterization of organic matter of a soil and vinasse mixture during aerobic or anaerobic incubation. <i>Waste Management</i> , 2009 , 29, 1929-35	8.6	30
41	Soil organo-mineral associations formed by co-precipitation of Fe, Si and Al in presence of organic ligands. <i>Geochimica Et Cosmochimica Acta</i> , 2019 , 260, 15-28	5.5	29
40	Copper and zinc accumulation and fractionation in a clayey Hapludox soil subject to long-term pig slurry application. <i>Science of the Total Environment</i> , 2015 , 536, 831-839	10.2	29
39	Distribution and variability of silicon, copper and zinc in different bamboo species. <i>Plant and Soil</i> , 2012 , 351, 377-387	4.2	29
38	Synthesis of Ge-imogolite: influence of the hydrolysis ratio on the structure of the nanotubes. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 14516-22	3.6	28
37	Lead, zinc, and copper redistributions in soils along a deposition gradient from emissions of a Pb-Ag smelter decommissioned 100 years ago. <i>Science of the Total Environment</i> , 2019 , 665, 502-512	10.2	27
36	Role of natural nanoparticles on the speciation of Ni in andosols of la Reunion. <i>Geochimica Et Cosmochimica Acta</i> , 2009 , 73, 4750-4760	5.5	26
35	Combining size fractionation, scanning electron microscopy, and X-ray absorption spectroscopy to probe zinc speciation in pig slurry. <i>Journal of Environmental Quality</i> , 2010 , 39, 531-40	3.4	24
34	Sources of very high heavy metal content in soils of volcanic island (La RŪnion). <i>Journal of Geochemical Exploration</i> , 2006 , 88, 194-197	3.8	24
33	Direct uptake of organically derived carbon by grass roots and allocation in leaves and phytoliths: 13C labeling evidence. <i>Biogeosciences</i> , 2016 , 13, 1693-1703	4.6	24
32	Isolated cell walls exhibit cation binding properties distinct from those of plant roots. <i>Plant and Soil</i> , 2014 , 381, 367-379	4.2	22
31	Investigation of potentially toxic heavy metals in different organic wastes used to fertilize market garden crops. <i>Waste Management</i> , 2013 , 33, 184-92	8.6	22
30	Anaerobic Digestion Alters Copper and Zinc Speciation. <i>Environmental Science & Environmental Science </i>	10.3	22
29	Drastic Change in Zinc Speciation during Anaerobic Digestion and Composting: Instability of Nanosized Zinc Sulfide. <i>Environmental Science & Environmental Science & Environme</i>	10.3	19
28	Effects of silicon and copper on bamboo grown hydroponically. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 6482-95	5.1	17

27	Hydrolysis of Iron(II) Chloride under Anoxic Conditions and Influence of SiO4Ligands. <i>Langmuir</i> , 2002 , 18, 4292-4299	4	17
26	Speciation and Crystal Chemistry of Iron(III) Chloride Hydrolyzed in the Presence of SiO4 Ligands. 3. Semilocal Scale Structure of the Aggregates. <i>Langmuir</i> , 2001 , 17, 4753-4757	4	17
25	, and Spectroscopic Assessment of Lead Exposure Reduction via Ingestion and Inhalation Pathways Using Phosphate and Iron Amendments. <i>Environmental Science & Environmental Sc</i>	41 ^{0.3}	15
24	Zinc fate in animal husbandry systems. <i>Metallomics</i> , 2014 , 6, 1999-2009	4.5	15
23	Returning Organic Residues to Agricultural Land (RORAL) [Fuelling the Follow-the-Technology approach. <i>Agricultural Systems</i> , 2014 , 124, 60-69	6.1	13
22	Radical change of Zn speciation in pig slurry amended soil: Key role of nano-sized sulfide particles. <i>Environmental Pollution</i> , 2017 , 222, 495-503	9.3	12
21	How Microbial Biofilms Control the Environmental Fate of Engineered Nanoparticles?. <i>Frontiers in Environmental Science</i> , 2020 , 8,	4.8	11
20	Application of Synchrotron Radiation-based Methods for Environmental Biogeochemistry: Introduction to the Special Section. <i>Journal of Environmental Quality</i> , 2017 , 46, 1139-1145	3.4	11
19	Repeated pig manure applications modify nitrate and chloride competition and fluxes in a Nitisol. <i>Science of the Total Environment</i> , 2015 , 511, 238-48	10.2	11
18	The impact of fermentation on the distribution of cadmium in cacao beans. <i>Food Research International</i> , 2020 , 127, 108743	7	11
17	Composition and molecular scale structure of nanophases formed by precipitation of biotite weathering products. <i>Geochimica Et Cosmochimica Acta</i> , 2018 , 229, 53-64	5.5	10
16	Parameterizing the binding properties of dissolved organic matter with default values skews the prediction of copper solution speciation and ecotoxicity in soil. <i>Environmental Toxicology and Chemistry</i> , 2017 , 36, 898-905	3.8	10
15	Impact of high natural soilborne heavy metal concentrations on the mobility and phytoavailability of these elements for sugarcane. <i>Geoderma</i> , 2010 , 159, 452-458	6.7	10
14	Involvement of nitrogen functional groups in high-affinity copper binding in tomato and wheat root apoplasts: spectroscopic and thermodynamic evidence. <i>Metallomics</i> , 2016 , 8, 366-76	4.5	8
13	Zinc Speciation in Organic Waste Drives Its Fate in Amended Soils. <i>Environmental Science & Environmental Science & Technology</i> , 2020 , 54, 12034-12041	10.3	6
12	Ex-ante fate assessment of trace organic contaminants for decision making: a post-normal estimation for sludge recycling in Reunion. <i>Journal of Environmental Management</i> , 2015 , 147, 140-51	7.9	5
11	Phytoavailability of silver at predicted environmental concentrations: does the initial ionic or nanoparticulate form matter?. <i>Environmental Science: Nano</i> , 2019 , 6, 127-135	7.1	4
10	Diagnostic de contamination des agrosystfhes pfiurbains de Dakar par les Ifhents traces mfalliques. <i>Biotechnology, Agronomy and Society and Environment</i> , 2016 , 397-407	1.3	3

LIST OF PUBLICATIONS

9	Relative Weight of Organic Waste Origin on Compost and Digestate 16S rRNA Gene Bacterial Profilings and Related Functional Inferences. <i>Frontiers in Microbiology</i> , 2021 , 12, 667043	5.7	3
8	Does specific parameterization of WHAM improve the prediction of copper competitive binding and toxicity on plant roots?. <i>Chemosphere</i> , 2017 , 170, 225-232	8.4	1
7	Direct uptake of organic carbon by grass roots and allocation in leaves and phytoliths: ¹³ C labeling evidence		1
6	Redistribution of Zn towards light-density fractions and potentially mobile phases in a long-term manure-amended clayey soil. <i>Geoderma</i> , 2021 , 394, 115044	6.7	1
5	Contrasted fate of zinc sulfide nanoparticles in soil revealed by a combination of X-ray absorption spectroscopy, diffusive gradient in thin films and isotope tracing. <i>Environmental Pollution</i> , 2022 , 292, 118414	9.3	О
4	X-ray absorption spectroscopy evidence of sulfur-bound cadmium in the Cd-hyperaccumulator Solanum nigrum and the non-accumulator Solanum melongena. <i>Environmental Pollution</i> , 2021 , 279, 11	68 97	Ο
3	INVESTIGATION OF TRACE ELEMENTS CONTENT IN ORGANIC WASTES USED FOR MARKET GARDENING. <i>Acta Horticulturae</i> , 2014 , 275-284	0.3	
2	Fifth Annual SOLEIL UsersSMeeting. Synchrotron Radiation News, 2010 , 23, 18-20	0.6	

Crystal Chemistry of Colloids Obtained by Hydrolysis of Fe(III) in the Presence of SiO4 Ligands.

Materials Research Society Symposia Proceedings, 2000, 658, 3361