

Lars Rasmussen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5975095/lars-rasmussen-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

293
papers

12,596
citations

55
h-index

104
g-index

325
ext. papers

14,863
ext. citations

3.7
avg, IF

6.24
L-index

#	Paper	IF	Citations
293	Hyperoxia and Antioxidants for Myocardial Injury in Noncardiac Surgery: A 2 × 2 Factorial, Blinded, Randomized Clinical Trial.. <i>Anesthesiology</i> , 2022 ,	4.3	2
292	Agreement Between Standard and ICD-10-Based Injury Severity Scores.. <i>Clinical Epidemiology</i> , 2022 , 14, 201-210	5.9	1
291	Neurosurgical Admission Later Than 4 h After the Emergency Call Does Not Result in Worse Long-Term Outcome in Subarachnoid Haemorrhage. <i>Frontiers in Neurology</i> , 2021 , 12, 739020	4.1	
290	Supplemental oxygen therapy in trauma patients: An exploratory registry-based study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 967-978	1.9	3
289	Biomarkers of Cerebral Injury for Prediction of Postoperative Cognitive Dysfunction in Patients Undergoing Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021 ,	2.1	4
288	Measurements of Cardiac Output and Management of Blood Transfusions During Burn Surgery-An Observational Prospective Study. <i>Journal of Burn Care and Research</i> , 2021 , 42, 420-424	0.8	0
287	Association between cerebrospinal fluid biomarkers of neuronal injury or amyloidosis and cognitive decline after major surgery. <i>British Journal of Anaesthesia</i> , 2021 , 126, 467-476	5.4	1
286	Associations between mean arterial pressure during cardiopulmonary bypass and biomarkers of cerebral injury in patients undergoing cardiac surgery: secondary results from a randomized controlled trial. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2021 , 32, 229-235	1.8	5
285	Anesthesiologists' Airway management expertise: Identifying subjective and objective knowledge gaps. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 58-67	1.9	0
284	Serum-neuroproteins, near-infrared spectroscopy, and cognitive outcome after beach-chair shoulder surgery: Observational cohort study analyses. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 26-33	1.9	0
283	The Effect of Botulinum Toxin Type A Injections on Stricture Formation, Leakage Rates, Esophageal Elongation, and Anastomotic Healing Following Primary Anastomosis in a Long- and Short-Gap Esophageal Atresia Model - A Protocol for a Randomized, Controlled, Blinded Trial in Pigs. <i>International Journal of Surgery Protocols</i> , 2021 , 25, 171-177	1.1	0
282	Determining a safe upper limit of oxygen supplementation for adult patients: a systematic review. <i>BMJ Open</i> , 2021 , 11, e045057	3	3
281	Search and Rescue Helicopters for Emergency Medical Service Assistance: A Retrospective Study. <i>Air Medical Journal</i> , 2021 , 40, 269-273	1	3
280	Hemorrhage and saline resuscitation are associated with epigenetic and proteomic reprogramming in the rat lung. <i>Injury</i> , 2021 , 52, 2095-2103	2.5	
279	Symptoms presented during emergency telephone calls for patients with spontaneous subarachnoid haemorrhage. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021 , 29, 118	3.6	0
278	A blinded randomized study comparing intubating conditions after either rocuronium 0.6 mg/kg or remifentanyl 2 µg/kg in elderly patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1367-1373	1.9	0
277	Ketamine versus propofol for rapid sequence induction in trauma patients: a retrospective study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021 , 29, 136	3.6	0

276	Supplemental oxygen for traumatic brain injury: A systematic review.. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 ,	1.9	1
275	Onset time and duration of action of rocuronium 0.6mg/kg in patients above 80 years of age: A comparison with young adults. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1082-1088	1.9	6
274	Ketamine for rapid sequence intubation in adult trauma patients: A retrospective observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1234-1242	1.9	1
273	Early-onset pneumonia following bag-mask ventilation versus endotracheal intubation during cardiopulmonary resuscitation: A substudy of the CAAM trial. <i>Resuscitation</i> , 2020 , 154, 12-18	4	1
272	Maintaining competence in airway management. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 751-758	1.9	2
271	Lack of Association Between Gaseous Microembolisms Assessed by a Single Detection Device and Cerebral Complications in Cardiac Surgery Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2020 , 34, 1496-1503	2.1	2
270	Impact of Physician-staffed Helicopters on Pre-hospital Patient Outcomes: A systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 691-704	1.9	11
269	Long-term survival and cognitive function according to blood pressure management during cardiac surgery. A follow-up. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 936-944	1.9	7
268	Smoking and risk of surgical bleeding: nationwide analysis of 5,452,411 surgical cases. <i>Transfusion</i> , 2020 , 60, 1689-1699	2.9	4
267	Red blood cell transfusion in surgery: an observational study of the trends in the USA from 2011 to 2016. <i>Anaesthesia</i> , 2020 , 75, 455-463	6.6	3
266	Incidence of residual neuromuscular blockade in children below 3 years after a single bolus of cisatracurium 0.1mg/kg: A quality assurance study. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 168-172	1.9	4
265	Neuroinflammatory markers associate with cognitive decline after major surgery: Findings of an explorative study. <i>Annals of Neurology</i> , 2020 , 87, 370-382	9.4	12
264	Hyperoxia and antioxidants during major non-cardiac surgery and risk of cardiovascular events: Protocol for a 2x2 factorial randomised clinical trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 400-409	1.9	2
263	Cervical Spine Clearance in Trauma Patients with an Unreliable Physical Examination. <i>World Journal of Surgery</i> , 2020 , 44, 1113-1120	3.3	0
262	Response letter to comments made by J. G. Fjester, M. Pitk�en. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 418	1.9	
261	Management of Ambulatory Anesthesia in Older Adults. <i>Drugs and Aging</i> , 2020 , 37, 863-874	4.7	2
260	Apolipoprotein E �4 and cognitive function after surgery in middle-aged and elderly Danish twins. <i>European Journal of Anaesthesiology</i> , 2020 , 37, 984-991	2.3	3
259	Spontaneous Subarachnoid Haemorrhage as a Cause of Out-of-Hospital Death. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020 , 29, 105239	2.8	1

258	Adjusting Early Warning Score by clinical assessment: a study protocol for a Danish cluster-randomised, multicentre study of an Individual Early Warning Score (I-EWS). <i>BMJ Open</i> , 2020 , 10, e033676	3	4
257	Blood pressure and brain injury in cardiac surgery: a secondary analysis of a randomized trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2020 , 58, 1035-1044	3	1
256	The positive predictive value of spontaneous subarachnoid hemorrhage diagnoses in the Danish National Patient Register. <i>Clinical Epidemiology</i> , 2019 , 11, 323-331	5.9	8
255	Early Discharge from the Emergency Department Based on Soluble Urokinase Plasminogen Activator Receptor (suPAR) Levels: A TRIAGE III Substudy. <i>Disease Markers</i> , 2019 , 2019, 3403549	3.2	10
254	The association between postoperative cognitive dysfunction and cerebral oximetry during cardiac surgery: a secondary analysis of a randomised trial. <i>British Journal of Anaesthesia</i> , 2019 , 123, 196-205	5.4	33
253	Dental injuries in relation to general anaesthesia-A retrospective study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 993-1000	1.9	8
252	Domain-specific cognitive dysfunction after cardiac surgery. A secondary analysis of a randomized trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 730-738	1.9	10
251	Ketamine as a Rapid Sequence Induction Agent in the Trauma Population: A Systematic Review. <i>Anesthesia and Analgesia</i> , 2019 , 128, 504-510	3.9	14
250	Restrictive vs liberal oxygen for trauma patients-the TRAUMOX1 pilot randomised clinical trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 947-955	1.9	3
249	The Copenhagen Triage Algorithm is non-inferior to a traditional triage algorithm: A cluster-randomized study. <i>PLoS ONE</i> , 2019 , 14, e0211769	3.7	2
248	Patient experience of spinal immobilisation after trauma. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019 , 27, 70	3.6	6
247	Hypotension and Stroke in Cardiac Surgery: Comment. <i>Anesthesiology</i> , 2019 , 131, 215-216	4.3	
246	Soluble Urokinase Plasminogen Activator Receptor (suPAR) as an Added Predictor to Existing Preoperative Risk Assessments. <i>World Journal of Surgery</i> , 2019 , 43, 780-790	3.3	2
245	Supplemental oxygen and hyperoxemia in trauma patients: A prospective, observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 531-536	1.9	5
244	A simple clinical assessment is superior to systematic triage in prediction of mortality in the emergency department. <i>Emergency Medicine Journal</i> , 2019 , 36, 66-71	1.5	12
243	Timing of surgical site infection and pulmonary complications after laparotomy. <i>International Journal of Surgery</i> , 2018 , 52, 56-60	7.5	10
242	Helicopter vs. ground transportation of patients bound for primary percutaneous coronary intervention. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 568-578	1.9	13
241	High-Target Versus Low-Target Blood Pressure Management During Cardiopulmonary Bypass to Prevent Cerebral Injury in Cardiac Surgery Patients: A Randomized Controlled Trial. <i>Circulation</i> , 2018 , 137, 1770-1780	16.7	88

240	Hyperoxia is a modifiable anaesthetic risk factor that varies in the practice of individual anaesthetists. <i>British Journal of Anaesthesia</i> , 2018 , 120, 610-612	5.4	1
239	No impact of surgery on cognitive function: a longitudinal study of middle-aged Danish twins. <i>Annals of Epidemiology</i> , 2018 , 28, 95-101.e1	6.4	4
238	A critical assessment of early warning score records in 168,000 patients. <i>Journal of Clinical Monitoring and Computing</i> , 2018 , 32, 109-116	2	20
237	Associations of Plasma Nitrite, L-Arginine and Asymmetric Dimethylarginine With Morbidity and Mortality in Patients With Necrotizing Soft Tissue Infections. <i>Shock</i> , 2018 , 49, 667-674	3.4	6
236	Initial use of supplementary oxygen for trauma patients: a systematic review. <i>BMJ Open</i> , 2018 , 8, e020880		10
235	Dabigatran in patients with myocardial injury after non-cardiac surgery (MANAGE): an international, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2018 , 391, 2325-2334	40	142
234	Recommendations for the nomenclature of cognitive change associated with anaesthesia and surgery-2018. <i>British Journal of Anaesthesia</i> , 2018 , 121, 1005-1012	5.4	194
233	Modifications of the National Early Warning Score for patients with chronic respiratory disease. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 242-252	1.9	8
232	Recommendations for the Nomenclature of Cognitive Change Associated with Anaesthesia and Surgery-2018. <i>Anesthesiology</i> , 2018 , 129, 872-879	4.3	177
231	Recommendations for the Nomenclature of Cognitive Change Associated With Anaesthesia and Surgery-2018. <i>Anesthesia and Analgesia</i> , 2018 , 127, 1189-1195	3.9	27
230	Response by Vedel et al to Letters Regarding Article, "High-Target Versus Low-Target Blood Pressure Management During Cardiopulmonary Bypass to Prevent Cerebral Injury in Cardiac Surgery Patients: A Randomized Controlled Trial". <i>Circulation</i> , 2018 , 138, 2447-2448	16.7	2
229	Association of preoperative anaemia with postoperative morbidity and mortality: an observational cohort study in low-, middle-, and high-income countries. <i>British Journal of Anaesthesia</i> , 2018 , 121, 1227-1235	5.4	27
228	Recommendations for the Nomenclature of Cognitive Change Associated with Anaesthesia and Surgery-2018. <i>Journal of Alzheimer's Disease</i> , 2018 , 66, 1-10	4.3	61
227	Recommendations for the nomenclature of cognitive change associated with anaesthesia and surgery-2018. <i>Canadian Journal of Anaesthesia</i> , 2018 , 65, 1248-1257	3	23
226	Recommendations for the nomenclature of cognitive change associated with anaesthesia and surgery-2018. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 1473-1480	1.9	13
225	Use of the prognostic biomarker suPAR in the emergency department improves risk stratification but has no effect on mortality: a cluster-randomized clinical trial (TRIAGE III). <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018 , 26, 69	3.6	16
224	Impact of mean arterial pressure on sublingual microcirculation during cardiopulmonary bypass-Secondary outcome from a randomized clinical trial. <i>Microcirculation</i> , 2018 , 25, e12459	2.9	7
223	Cerebral autoregulatory performance and the cerebrovascular response to head-of-bed positioning in acute ischaemic stroke. <i>European Journal of Neurology</i> , 2018 , 25, 1365-e117	6	13

222	The immune response of the human brain to abdominal surgery. <i>Annals of Neurology</i> , 2017 , 81, 572-582	9.4	58
221	WHO Guidelines to prevent surgical site infections. <i>Lancet Infectious Diseases, The</i> , 2017 , 17, 261-262	25.5	11
220	Association between cytokine response, the LRINEC score and outcome in patients with necrotising soft tissue infection: a multicentre, prospective study. <i>Scientific Reports</i> , 2017 , 7, 42179	4.9	33
219	Quality of life following trauma before and after implementation of a physician-staffed helicopter. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 111-120	1.9	4
218	Ventilation via the 2.4mm internal diameter Tritube with cuff - new possibilities in airway management. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 580-589	1.9	20
217	The effect of CT scanners in the trauma room - an observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 832-840	1.9	4
216	Barriers and facilitating factors related to use of early warning score among acute care nurses: a qualitative study. <i>BMC Emergency Medicine</i> , 2017 , 17, 36	2.4	30
215	Routine blood tests are associated with short term mortality and can improve emergency department triage: a cohort study of >12,000 patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017 , 25, 115	3.6	14
214	Return of spontaneous circulation and long-term survival according to feedback provided by automated external defibrillators. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 1345-1353	1.9	9
213	High intraoperative inspiratory oxygen fraction and risk of major respiratory complications. <i>British Journal of Anaesthesia</i> , 2017 , 119, 140-149	5.4	78
212	The impact of a physician-staffed helicopter on outcome in patients admitted to a stroke unit: a prospective observational study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017 , 25, 18	3.6	12
211	Effect of Melatonin on Sleep in the Perioperative Period after Breast Cancer Surgery: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 225-33	3.1	24
210	The Lectin Complement Pathway in Patients with Necrotizing Soft Tissue Infection. <i>Journal of Innate Immunity</i> , 2016 , 8, 507-16	6.9	11
209	Practical Management of Anaesthesia in the Elderly. <i>Drugs and Aging</i> , 2016 , 33, 765-777	4.7	18
208	The Copenhagen Triage Algorithm: a randomized controlled trial. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016 , 24, 123	3.6	5
207	Pentraxin-3 as a marker of disease severity and risk of death in patients with necrotizing soft tissue infections: a nationwide, prospective, observational study. <i>Critical Care</i> , 2016 , 20, 40	10.8	30
206	Frequency of early warning score assessment and clinical deterioration in hospitalized patients: A randomized trial. <i>Resuscitation</i> , 2016 , 101, 91-6	4	20
205	Long-term follow-up of trauma patients before and after implementation of a physician-staffed helicopter: A prospective observational study. <i>Injury</i> , 2016 , 47, 7-13	2.5	13

204	Cognitive Functioning After Surgery in Middle-aged and Elderly Danish Twins. <i>Journal of Neurosurgical Anesthesiology</i> , 2016 , 28, 275	3	8
203	Introduction of a prognostic biomarker to strengthen risk stratification of acutely admitted patients: rationale and design of the TRIAGE III cluster randomized interventional trial. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016 , 24, 100	3.6	8
202	Cognitive Functioning after Surgery in Middle-aged and Elderly Danish Twins. <i>Anesthesiology</i> , 2016 , 124, 312-21	4.3	63
201	Perfusion Pressure Cerebral Infarct (PPCI) trial - the importance of mean arterial pressure during cardiopulmonary bypass to prevent cerebral complications after cardiac surgery: study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 247	2.8	23
200	Respiratory rates measured by a standardised clinical approach, ward staff, and a wireless device. <i>Acta Anaesthesiologica Scandinavica</i> , 2016 , 60, 1444-1452	1.9	22
199	Effect of intraoperative high oxygen fraction on surgical site infection: a meta-analysis of randomized controlled trials. <i>Journal of Hospital Infection</i> , 2016 , 94, 207-8	6.9	1
198	Peri-operative cognitive dysfunction and protection. <i>Anaesthesia</i> , 2016 , 71 Suppl 1, 58-63	6.6	53
197	Circulating levels of platelet granule cytokines in trauma patients. <i>Inflammation Research</i> , 2015 , 64, 235-41	7.2	6
196	High oxygen concentration to prevent surgical site infection after rectal cancer surgery. <i>American Journal of Surgery</i> , 2015 , 209, 771	2.7	0
195	Surprising results in an article in press from your journal. <i>Journal of Arthroplasty</i> , 2015 , 30, 512	4.4	1
194	Public Access Defibrillation: Great benefit and potential but infrequently used. <i>Resuscitation</i> , 2015 , 96, 53-8	4	53
193	Emergency team calls for critically ill non-trauma patients in the emergency department: an observational study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015 , 23, 76	3.6	3
192	The effects of high perioperative inspiratory oxygen fraction for adult surgical patients. <i>The Cochrane Library</i> , 2015 , CD008884	5.2	42
191	The formation and design of the TRIAGE study--baseline data on 6005 consecutive patients admitted to hospital from the emergency department. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015 , 23, 106	3.6	14
190	Tracheal intubation in patients with anticipated difficult airway using Boedeker intubation forceps and McGrath videolaryngoscope. <i>Acta Anaesthesiologica Scandinavica</i> , 2015 , 59, 1154-60	1.9	3
189	Impaired postural stability after laparoscopic surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 2015 , 59, 1137-44	1.9	
188	Registration of randomized clinical trials--a challenge. <i>Acta Anaesthesiologica Scandinavica</i> , 2015 , 59, 986-9	1.9	3
187	Ambulatory anaesthesia and cognitive dysfunction. <i>Current Opinion in Anaesthesiology</i> , 2015 , 28, 631-5	2.9	17

186	Is there a diurnal difference in mortality of severely injured trauma patients?. <i>Emergency Medicine Journal</i> , 2015 , 32, 287-90	1.5	8
185	Should general anaesthesia be avoided in the elderly?. <i>Anaesthesia</i> , 2014 , 69 Suppl 1, 35-44	6.6	90
184	Serious adverse events in a hospital using early warning score - what went wrong?. <i>Resuscitation</i> , 2014 , 85, 1699-703	4	36
183	Effect of melatonin on depressive symptoms and anxiety in patients undergoing breast cancer surgery: a randomized, double-blind, placebo-controlled trial. <i>Breast Cancer Research and Treatment</i> , 2014 , 145, 683-95	4.4	71
182	Risk of new or recurrent cancer after a high perioperative inspiratory oxygen fraction during abdominal surgery. <i>British Journal of Anaesthesia</i> , 2014 , 113 Suppl 1, i74-i81	5.4	41
181	Persisting effect of community approaches to resuscitation. <i>Resuscitation</i> , 2014 , 85, 1450-4	4	15
180	Optimization of burn referrals. <i>Burns</i> , 2014 , 40, 397-401	2.3	28
179	Telemedicine-based treatment versus hospitalization in patients with severe chronic obstructive pulmonary disease and exacerbation: effect on cognitive function. A randomized clinical trial. <i>Telemedicine Journal and E-Health</i> , 2014 , 20, 640-6	5.9	10
178	Intraoperative high inspired oxygen fraction: are there real benefits?. <i>Anesthesiology</i> , 2014 , 120, 1052-3	4.3	5
177	Cognitive dysfunction after fast-track hip and knee replacement. <i>Anesthesia and Analgesia</i> , 2014 , 118, 1034-40	3.9	71
176	Challenges in anaesthesia for elderly. <i>Singapore Dental Journal</i> , 2014 , 35C, 23-29	0.4	23
175	Perioperative transfusion threshold and ambulation after hip revision surgery—a randomized trial. <i>BMC Anesthesiology</i> , 2014 , 14, 89	2.4	23
174	Systematic downloading and analysis of data from automated external defibrillators used in out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2014 , 85, 1681-5	4	13
173	Is paediatric trauma severity overestimated at triage? An observational follow-up study. <i>Acta Anaesthesiologica Scandinavica</i> , 2014 , 58, 98-105	1.9	4
172	Minimal impairment in pulmonary function following laparoscopic surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 2014 , 58, 198-205	1.9	5
171	In reply. <i>Acta Anaesthesiologica Scandinavica</i> , 2014 , 58, 127-8	1.9	
170	The association of perioperative dexamethasone, smoking and alcohol abuse with wound complications after laparotomy. <i>Acta Anaesthesiologica Scandinavica</i> , 2014 , 58, 352-61	1.9	21
169	Low level of procoagulant platelet microparticles is associated with impaired coagulation and transfusion requirements in trauma patients. <i>Journal of Trauma and Acute Care Surgery</i> , 2014 , 77, 692-700	3.3	17

168	Platelet aggregation following trauma: a prospective study. <i>Blood Coagulation and Fibrinolysis</i> , 2014 , 25, 67-73	1	21
167	Fresh frozen plasma resuscitation attenuates platelet dysfunction compared with normal saline in a large animal model of multisystem trauma. <i>Journal of Trauma and Acute Care Surgery</i> , 2014 , 76, 998-1007	3.3	32
166	Assessment of coagulopathy, endothelial injury, and inflammation after traumatic brain injury and hemorrhage in a porcine model. <i>Journal of Trauma and Acute Care Surgery</i> , 2014 , 76, 12-9; discussion 19-20	3.3	58
165	Cognitive Dysfunction After Fast-Track Hip and Knee Replacement. <i>Survey of Anesthesiology</i> , 2014 , 58, 225-226		
164	Effect of Melatonin on Cognitive Function and Sleep in relation to Breast Cancer Surgery: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>International Journal of Breast Cancer</i> , 2014 , 2014, 416531	2.3	24
163	Is air transport of stroke patients faster than ground transport? A prospective controlled observational study. <i>Emergency Medicine Journal</i> , 2014 , 31, 268-72	1.5	23
162	Surgical space conditions during low-pressure laparoscopic cholecystectomy with deep versus moderate neuromuscular blockade: a randomized clinical study. <i>Anesthesia and Analgesia</i> , 2014 , 119, 1084-92	3.9	103
161	Thrombelastography and rotational thromboelastometry early amplitudes in 182 trauma patients with clinical suspicion of severe injury. <i>Journal of Trauma and Acute Care Surgery</i> , 2014 , 76, 682-90	3.3	70
160	High perioperative inspiratory oxygen fraction to prevent anastomotic dehiscence. <i>Journal of Gastrointestinal Surgery</i> , 2013 , 17, 842	3.3	2
159	Can mass education and a television campaign change the attitudes towards cardiopulmonary resuscitation in a rural community?. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2013 , 21, 39	3.6	36
158	Is postoperative cognitive dysfunction a risk factor for dementia? A cohort follow-up study. <i>British Journal of Anaesthesia</i> , 2013 , 110 Suppl 1, i92-7	5.4	53
157	Fresh-frozen plasma resuscitation after traumatic brain injury and shock attenuates extracellular nucleosome levels and deoxyribonuclease 1 depletion. <i>Surgery</i> , 2013 , 154, 197-205	3.6	20
156	Pre-hospital diagnosis and transfer of patients with acute myocardial infarction--a decade long experience from one of Europe's largest STEMI networks. <i>Journal of Electrocardiology</i> , 2013 , 46, 546-52	1.4	24
155	Use and benefits of public access defibrillation in a nation-wide network. <i>Resuscitation</i> , 2013 , 84, 430-4	4	46
154	Trauma-induced coagulopathy: standard coagulation tests, biomarkers of coagulopathy, and endothelial damage in patients with traumatic brain injury. <i>Journal of Neurotrauma</i> , 2013 , 30, 301-6	5.4	61
153	In response. <i>Anesthesia and Analgesia</i> , 2013 , 117, 1507	3.9	
152	Response to succinylcholine in patients carrying the K-variant of the butyrylcholinesterase gene. <i>Anesthesia and Analgesia</i> , 2013 , 116, 596-601	3.9	21
151	A comparison of the AMBU ISCOPE and Macintosh laryngoscopes: first experience with a new device for tracheal intubation: a manikin study. <i>European Journal of Anaesthesiology</i> , 2013 , 30, 175-9	2.3	1

150	Risk factors for 48-hours mortality after prehospital treatment of opioid overdose. <i>Emergency Medicine Journal</i> , 2013 , 30, 223-5	1.5	9
149	Blood levels of histone-complexed DNA fragments are associated with coagulopathy, inflammation and endothelial damage early after trauma. <i>Journal of Emergencies, Trauma and Shock</i> , 2013 , 6, 171-5	1.2	48
148	A randomised trial of telemedicine-based treatment versus conventional hospitalisation in patients with severe COPD and exacerbation - effect on self-reported outcome. <i>Journal of Telemedicine and Telecare</i> , 2013 , 19, 160-165	6.8	16
147	Laryngeal morbidity after tracheal intubation: the Endoflex(□) tube compared to conventional endotracheal intubation with stylet. <i>Acta Anaesthesiologica Scandinavica</i> , 2013 , 57, 737-44	1.9	11
146	Impact of a physician-staffed helicopter on a regional trauma system: a prospective, controlled, observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2013 , 57, 660-8	1.9	46
145	Low hemorrhage-related mortality in trauma patients in a Level I trauma center employing transfusion packages and early thromboelastography-directed hemostatic resuscitation with plasma and platelets. <i>Transfusion</i> , 2013 , 53, 3088-99	2.9	96
144	Automated external defibrillators are not always located to meet the need. <i>Acta Anaesthesiologica Scandinavica</i> , 2013 , 57, 1332-3	1.9	
143	Platelet activation and dysfunction in a large-animal model of traumatic brain injury and hemorrhage. <i>Journal of Trauma and Acute Care Surgery</i> , 2013 , 74, 1252-1259	3.3	14
142	Increased Long-term Mortality After a High Perioperative Inspiratory Oxygen Fraction During Abdominal Surgery. <i>Survey of Anesthesiology</i> , 2013 , 57, 238		
141	Platelet activation and dysfunction in a large-animal model of traumatic brain injury and hemorrhage. <i>Journal of Trauma and Acute Care Surgery</i> , 2013 , 74, 1252-9	3.3	45
140	In reply. <i>Anesthesiology</i> , 2013 , 118, 463-4	4.3	1
139	Implementation of a physician-staffed helicopter: impact on time to primary PCI. <i>EuroIntervention</i> , 2013 , 9, 477-83	3.1	10
138	Optimized surgical space during low-pressure laparoscopy with deep neuromuscular blockade. <i>Danish Medical Journal</i> , 2013 , 60, A4579	3.8	9
137	Transfusion practice and complications after laparotomy--an observational analysis of a randomized clinical trial. <i>Vox Sanguinis</i> , 2012 , 103, 294-300	3.1	5
136	In-hospital mortality pattern of severely injured children. <i>Injury</i> , 2012 , 43, 2060-4	2.5	7
135	Engaging a whole community in resuscitation. <i>Resuscitation</i> , 2012 , 83, 1067-71	4	30
134	Delirium after fast-track hip and knee arthroplasty. <i>British Journal of Anaesthesia</i> , 2012 , 108, 607-11	5.4	78
133	Cognitive dysfunction in patients with chronic obstructive pulmonary disease--a systematic review. <i>Respiratory Medicine</i> , 2012 , 106, 1071-81	4.6	91

132	Influence of perioperative oxygen fraction on pulmonary function after abdominal surgery: a randomized controlled trial. <i>BMC Research Notes</i> , 2012 , 5, 383	2.3	17
131	Basic life support and automated external defibrillator skills among ambulance personnel: a manikin study performed in a rural low-volume ambulance setting. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2012 , 20, 34	3.6	8
130	Intraoperative transfusion threshold and tissue oxygenation: a randomised trial. <i>Transfusion Medicine</i> , 2012 , 22, 418-25	1.3	7
129	Emergency airway access in children--transtracheal cannulas and tracheotomy assessed in a porcine model. <i>Paediatric Anaesthesia</i> , 2012 , 22, 1159-65	1.8	28
128	Delirium in the fast-track surgery setting. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , 2012 , 26, 345-53	4	11
127	Short-term practice effects and variability in cognitive testing in a healthy elderly population. <i>Experimental Gerontology</i> , 2012 , 47, 432-6	4.5	23
126	Rational use of oxygen in medical disease and anesthesia. <i>Current Opinion in Anaesthesiology</i> , 2012 , 25, 363-70	2.9	29
125	The effect of MELatOnin on Depression, anxiety, cognitive function and sleep disturbances in patients with breast cancer. The MELODY trial: protocol for a randomised, placebo-controlled, double-blinded trial. <i>BMJ Open</i> , 2012 , 2, e000647	3	28
124	Rapid sequence induction and intubation with rocuronium-sugammadex compared with succinylcholine: a randomized trial. <i>British Journal of Anaesthesia</i> , 2012 , 108, 682-9	5.4	93
123	Distributing personal resuscitation manikins in an untrained population: how well are basic life support skills acquired?. <i>Emergency Medicine Journal</i> , 2012 , 29, 587-91	1.5	15
122	Airway management in unconscious non-trauma patients. <i>Emergency Medicine Journal</i> , 2012 , 29, 887-9	1.5	10
121	Sensitivity analyses of supplemental oxygen to prevent surgical site infection. <i>Anesthesia and Analgesia</i> , 2012 , 115, 734; author reply 734-5	3.9	2
120	Increased long-term mortality after a high perioperative inspiratory oxygen fraction during abdominal surgery: follow-up of a randomized clinical trial. <i>Anesthesia and Analgesia</i> , 2012 , 115, 849-54	3.9	110
119	High circulating adrenaline levels at admission predict increased mortality after trauma. <i>Journal of Trauma</i> , 2012 , 72, 428-36		95
118	There is no association between the circadian clock gene HPER3 and cognitive dysfunction after noncardiac surgery. <i>Anesthesia and Analgesia</i> , 2012 , 115, 379-85	3.9	7
117	Cytochrome P450 polymorphism and postoperative cognitive dysfunction. <i>Minerva Anestesiologica</i> , 2012 , 78, 303-9	1.9	10
116	Prehospital guidelines for use of hypertonic saline are not followed systematically. <i>Danish Medical Journal</i> , 2012 , 59, A4417	3.8	2
115	Treatment of opioid overdose in a physician-based prehospital EMS: frequency and long-term prognosis. <i>Resuscitation</i> , 2011 , 82, 1410-3	4	21

114	Prehospital treatment of opioid overdose in Copenhagen--is it safe to discharge on-scene?. <i>Resuscitation</i> , 2011 , 82, 1414-8	4	35
113	Inspiratory oxygen fraction and postoperative complications in obese patients: a subgroup analysis of the PROXI trial. <i>Anesthesiology</i> , 2011 , 114, 1313-9	4.3	30
112	Patients' experience of awake versus anaesthetised orotracheal intubation: a controlled study. <i>European Journal of Anaesthesiology</i> , 2011 , 28, 438-42	2.3	12
111	A high admission syndecan-1 level, a marker of endothelial glycocalyx degradation, is associated with inflammation, protein C depletion, fibrinolysis, and increased mortality in trauma patients. <i>Annals of Surgery</i> , 2011 , 254, 194-200	7.8	372
110	Onset time and haemodynamic response after thiopental vs. propofol in the elderly: a randomized trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2011 , 55, 429-34	1.9	9
109	Data management in automated external defibrillators: a call for a standardised solution. <i>Acta Anaesthesiologica Scandinavica</i> , 2011 , 55, 708-12	1.9	7
108	Meta-analysis of hyperoxia to prevent surgical site infection. <i>Journal of the American College of Surgeons</i> , 2011 , 212, 909; author reply 909-10	4.4	2
107	How does extracerebral trauma affect the clinical value of S100B measurements?. <i>Emergency Medicine Journal</i> , 2011 , 28, 941-4	1.5	24
106	Age-related differences in mechanism, cause, and location of trauma deaths. <i>Minerva Anesthesiologica</i> , 2011 , 77, 592-7	1.9	13
105	Postoperative delirium and postoperative cognitive dysfunction in the elderly - what are the differences?. <i>Minerva Anesthesiologica</i> , 2011 , 77, 742-9	1.9	69
104	Triage and mortality in 2875 consecutive trauma patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2010 , 54, 218-23	1.9	26
103	Depth of anaesthesia and post-operative cognitive dysfunction. <i>Acta Anaesthesiologica Scandinavica</i> , 2010 , 54, 162-8	1.9	53
102	New insights into the pathophysiology of postoperative cognitive dysfunction. <i>Acta Anaesthesiologica Scandinavica</i> , 2010 , 54, 951-6	1.9	196
101	Anesthesia for the patient with dementia. <i>Journal of Alzheimer's Disease</i> , 2010 , 22 Suppl 3, 129-34	4.3	5
100	Anesthetics and Alzheimer's disease: background and research. Preface. <i>Journal of Alzheimer's Disease</i> , 2010 , 22 Suppl 3, 1-3	4.3	7
99	Methodological issues of postoperative cognitive dysfunction research. <i>Seminars in Cardiothoracic and Vascular Anesthesia</i> , 2010 , 14, 119-22	1.4	40
98	The effects of high perioperative inspiratory oxygen fraction for adult surgical patients 2010 ,		3
97	Resuscitation, prolonged cardiac arrest, and an automated chest compression device. <i>Journal of Emergency Medicine</i> , 2010 , 38, 481-3	1.5	9

96	Cannot ventilate-cannot intubate an infant: surgical tracheotomy or transtracheal cannula?. <i>Paediatric Anaesthesia</i> , 2010 , 20, 987-93	1.8	35
95	Is postoperative cognitive decline clinically relevant?. <i>Anesthesiology</i> , 2010 , 112, 1280-1; author reply 1283-5	4.3	4
94	Clinical relevance of surgical site infection as defined by the criteria of the Centers for Disease Control and Prevention. <i>Journal of Hospital Infection</i> , 2010 , 75, 173-7	6.9	22
93	The value of ECG downloads from automated external defibrillators. <i>Resuscitation</i> , 2010 , 81, 917-8	4	8
92	Acquisition and retention of basic life support skills in an untrained population using a personal resuscitation manikin and video self-instruction (VSI). <i>Resuscitation</i> , 2010 , 81, 1156-60	4	31
91	Cognitive Dysfunction and Other Long-Term Complications of Surgery and Anesthesia 2010 , 2805-2819		6
90	The elderly and general anesthesia. <i>Minerva Anestesiologica</i> , 2010 , 76, 745-52	1.9	24
89	Effect of high perioperative oxygen fraction on surgical site infection and pulmonary complications after abdominal surgery: the PROXI randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 1543-50	27.4	261
88	Intravenous access in the emergency patient. <i>Current Anaesthesia and Critical Care</i> , 2009 , 20, 120-127		3
87	Paediatric airway management: basic aspects. <i>Acta Anaesthesiologica Scandinavica</i> , 2009 , 53, 1-9	1.9	41
86	The early IL-6 and IL-10 response in trauma is correlated with injury severity and mortality. <i>Acta Anaesthesiologica Scandinavica</i> , 2009 , 53, 515-21	1.9	76
85	Depth of anaesthesia monitoring in obese patients: a randomized study of propofol-remifentanyl. <i>Acta Anaesthesiologica Scandinavica</i> , 2009 , 53, 369-75	1.9	11
84	Choice Reaction Time and cognitive dysfunction following cardiac surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 2009 , 53, 1230	1.9	1
83	Chest compressions during resuscitation. <i>Acta Anaesthesiologica Scandinavica</i> , 2009 , 53, 1105-6	1.9	
82	The impact of therapeutic hypothermia on neurological function and quality of life after cardiac arrest. <i>Resuscitation</i> , 2009 , 80, 171-6	4	104
81	Is it possible to predict hypotension during onset of spinal anesthesia in elderly patients?. <i>Journal of Clinical Anesthesia</i> , 2009 , 21, 23-9	1.9	16
80	Anaesthesia for the patient with dementia undergoing outpatient surgery. <i>Current Opinion in Anaesthesiology</i> , 2009 , 22, 712-7	2.9	14
79	Long-term consequences of postoperative cognitive dysfunction. <i>Anesthesiology</i> , 2009 , 110, 548-55	4.3	637

78	Should dosing of rocuronium in obese patients be based on ideal or corrected body weight?. <i>Anesthesia and Analgesia</i> , 2009 , 109, 787-92	3.9	78
77	Cognitive dysfunction after cardiovascular surgery. <i>Minerva Anestesiologica</i> , 2009 , 75, 329-32	1.9	33
76	Prehospital identification of stroke--room for improvement. <i>European Journal of Neurology</i> , 2008 , 15, 792-6	6	7
75	Post-operative cognitive dysfunction [Incidence, risk factors, and correlation with biochemical markers for brain damage. <i>Acta Anaesthesiologica Scandinavica</i> , 2008 , 52, 442-443	1.9	2
74	Improved survival after an out-of-hospital cardiac arrest using new guidelines. <i>Acta Anaesthesiologica Scandinavica</i> , 2008 , 52, 908-13	1.9	83
73	Delirium is associated with early postoperative cognitive dysfunction. <i>Anaesthesia</i> , 2008 , 63, 941-7	6.6	112
72	Cognitive outcomes in elderly high-risk patients 1 year after off-pump versus on-pump coronary artery bypass grafting. A randomized trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2008 , 34, 1016-21		54
71	Choice reaction time in patients with post-operative cognitive dysfunction. <i>Acta Anaesthesiologica Scandinavica</i> , 2008 , 52, 95-8	1.9	6
70	Perioperative oxygen fraction - effect on surgical site infection and pulmonary complications after abdominal surgery: a randomized clinical trial. Rationale and design of the PROXI-Trial. <i>Trials</i> , 2008 , 9, 58	2.8	24
69	Voice advisory manikin versus instructor facilitated training in cardiopulmonary resuscitation. <i>Resuscitation</i> , 2008 , 79, 73-81	4	39
68	Long-term prognosis after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2007 , 72, 214-8	4	49
67	Skill retention in adults and in children 3 months after basic life support training using a simple personal resuscitation manikin. <i>Resuscitation</i> , 2007 , 74, 296-302	4	52
66	Long-term survival after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2007 , 75, 23-8	4	30
65	Prediction of post-operative pain by an electrical pain stimulus. <i>Acta Anaesthesiologica Scandinavica</i> , 2007 , 51, 582-6	1.9	77
64	Increasing compression depth during manikin CPR using a simple backboard. <i>Acta Anaesthesiologica Scandinavica</i> , 2007 , 51, 747-50	1.9	45
63	Rapid sequence intubation - how?. <i>Acta Anaesthesiologica Scandinavica</i> , 2007 , 51, 787-8	1.9	9
62	Anaesthesia and amnesia. <i>Acta Anaesthesiologica Scandinavica</i> , 2007 , 51, 966-7	1.9	1
61	Hemodynamic differences between propofol-remifentanyl and sevoflurane anesthesia for repair of cleft lip and palate in infants. <i>Paediatric Anaesthesia</i> , 2007 , 17, 32-7	1.8	22

60	The use of bispectral index monitoring in education - a tool to improve nurse-anaesthetists practice. <i>Journal of Advanced Nursing</i> , 2007 , 59, 577-82	3.1	2
59	Impact of sleep and circadian disturbances in urinary 6-sulphatoxymelatonin levels, on cognitive function after major surgery. <i>Journal of Pineal Research</i> , 2007 , 43, 179-84	10.4	29
58	Disseminating cardiopulmonary resuscitation training by distributing 35,000 personal manikins among school children. <i>Circulation</i> , 2007 , 116, 1380-5	16.7	90
57	Infection risk with nitrofurazone-impregnated urinary catheters in trauma patients: a randomized trial. <i>Annals of Internal Medicine</i> , 2007 , 147, 285-93	8	58
56	Biphasic cardiac output changes during onset of spinal anaesthesia in elderly patients. <i>European Journal of Anaesthesiology</i> , 2007 , 24, 770-5	2.3	19
55	Quality differences in postoperative sleep between propofol-remifentanyl and sevoflurane anesthesia in infants. <i>Anesthesia and Analgesia</i> , 2007 , 104, 779-83	3.9	14
54	Postoperative cognitive dysfunction in patients with preoperative cognitive impairment: which domains are most vulnerable?. <i>Anesthesiology</i> , 2007 , 106, 431-5	4.3	61
53	Independent vascular and cognitive risk factors for postoperative delirium. <i>American Journal of Medicine</i> , 2007 , 120, 807-13	2.4	120
52	Postoperative cognitive dysfunction: incidence and prevention. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , 2006 , 20, 315-30	4	139
51	Long-term prognosis for patients with COPD treated in the prehospital setting: Is it influenced by hospital admission?. <i>Chest</i> , 2006 , 130, 676-80	5.3	12
50	Health-related quality of life following off-pump versus on-pump coronary artery bypass grafting in elderly moderate to high-risk patients: a randomized trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2006 , 30, 294-9	3	38
49	Comparison of xenon with propofol for supplementary general anaesthesia for knee replacement: a randomized study. <i>British Journal of Anaesthesia</i> , 2006 , 97, 154-9	5.4	30
48	Cognitive outcomes in elderly high-risk patients after off-pump versus conventional coronary artery bypass grafting: a randomized trial. <i>Circulation</i> , 2006 , 113, 2790-5	16.7	96
47	Tetranectin in cerebrospinal fluid of patients with multiple sclerosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2006 , 66, 577-83	2	13
46	Hypoglycaemia in patients with diabetes: do they prefer prehospital treatment or admission to hospital?. <i>European Journal of Emergency Medicine</i> , 2006 , 13, 319-20	2.3	2
45	High incidence of chronic pain following surgery for pelvic fracture. <i>Clinical Journal of Pain</i> , 2006 , 22, 167-72	3.5	25
44	Qualitative analysis of unanticipated difficult airway management. <i>Acta Anaesthesiologica Scandinavica</i> , 2006 , 50, 290-7	1.9	24
43	The former preterm infant and risk of post-operative apnoea: recommendations for management. <i>Acta Anaesthesiologica Scandinavica</i> , 2006 , 50, 888-93	1.9	76

42	Laypersons may learn basic life support in 24min using a personal resuscitation manikin. <i>Resuscitation</i> , 2006 , 69, 435-42	4	93
41	Tetranectin in cerebrospinal fluid: biochemical characterisation and evidence of intrathecal synthesis or selective uptake into CSF. <i>Clinica Chimica Acta</i> , 2005 , 359, 65-71	6.2	10
40	Using a nasopharyngeal airway during fiberoptic intubation in small children with a difficult airway. <i>Paediatric Anaesthesia</i> , 2005 , 15, 839-45	1.8	38
39	Is peri-operative cortisol secretion related to post-operative cognitive dysfunction?. <i>Acta Anaesthesiologica Scandinavica</i> , 2005 , 49, 1225-31	1.9	72
38	Inter-observer agreement of tests used for prediction of difficult laryngoscopy/tracheal intubation. <i>Acta Anaesthesiologica Scandinavica</i> , 2005 , 49, 1057-62	1.9	35
37	Evaluation of the airway of the SimMan Full-scale patient simulator. <i>Acta Anaesthesiologica Scandinavica</i> , 2005 , 49, 1339-45	1.9	78
36	Post-operative cognitive dysfunction in the elderly. <i>Acta Anaesthesiologica Scandinavica</i> , 2005 , 49, 1573	1.9	4
35	Biochemical markers for brain damage after carbon monoxide poisoning. <i>Acta Anaesthesiologica Scandinavica</i> , 2004 , 48, 469-73	1.9	32
34	Postoperative cognitive dysfunction: true deterioration versus random variation. <i>Acta Anaesthesiologica Scandinavica</i> , 2004 , 48, 1137-43	1.9	54
33	Residents lack knowledge and practical skills in handling the difficult airway. <i>Acta Anaesthesiologica Scandinavica</i> , 2004 , 48, 1014-8	1.9	53
32	Outcome of out-of-hospital cardiac arrest--why do physicians withhold resuscitation attempts?. <i>Resuscitation</i> , 2004 , 63, 287-93	4	41
31	Apolipoprotein E genotype and cognitive dysfunction after noncardiac surgery. <i>Anesthesiology</i> , 2004 , 101, 855-61	4.3	68
30	Does anaesthesia cause postoperative cognitive dysfunction? A randomised study of regional versus general anaesthesia in 438 elderly patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2003 , 47, 260-6	1.9	375
29	Reply to letter by V. Fodale & L. B. Santamaria. <i>Acta Anaesthesiologica Scandinavica</i> , 2003 , 47, 1181-1181	1.9	
28	Cognitive dysfunction after minor surgery in the elderly. <i>Acta Anaesthesiologica Scandinavica</i> , 2003 , 47, 1204-10	1.9	225
27	Biochemical markers for brain damage after cardiac surgery -- time profile and correlation with cognitive dysfunction. <i>Acta Anaesthesiologica Scandinavica</i> , 2002 , 46, 547-51	1.9	40
26	Postoperative cognitive dysfunction in middle-aged patients. <i>Anesthesiology</i> , 2002 , 96, 1351-7	4.3	293
25	Cerebral blood flow and cognitive dysfunction after coronary surgery. <i>Annals of Thoracic Surgery</i> , 2002 , 73, 1174-8; discussion 1178-9	2.7	25

24	Neuron loss after coronary artery bypass detected by SPECT estimation of benzodiazepine receptors. <i>Annals of Thoracic Surgery</i> , 2002 , 74, 1576-80	2.7	13
23	Surgery in the Elderly [Outcome and Complication Pattern 2002 , 893-901		
22	The assessment of postoperative cognitive function. <i>Acta Anaesthesiologica Scandinavica</i> , 2001 , 45, 275-89	3.9	371
21	Meta-analysis - a valuable but easily misused tool. <i>Acta Anaesthesiologica Scandinavica</i> , 2001 , 45, 657-8	1.9	2
20	Normothermic versus hypothermic cardiopulmonary bypass during repair of congenital heart disease. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2001 , 15, 563-6	2.1	23
19	Neurone specific enolase and cognitive dysfunction after cardiac valve surgery. <i>European Journal of Anaesthesiology</i> , 2001 , 18, 68-69	2.3	
18	Cognitive dysfunction 1-2 years after non-cardiac surgery in the elderly. ISPOCD group. International Study of Post-Operative Cognitive Dysfunction. <i>Acta Anaesthesiologica Scandinavica</i> , 2000 , 44, 1246-51	1.9	272
17	Central nervous system dysfunction after anesthesia in the geriatric patient. <i>Anesthesiology Clinics</i> , 2000 , 18, 59-70, vi		36
16	Do blood concentrations of neurone specific enolase and S-100 beta protein reflect cognitive dysfunction after abdominal surgery? ISPOCD Group. <i>British Journal of Anaesthesia</i> , 2000 , 84, 242-4	5.4	57
15	Subtle brain damage cannot be detected by measuring neuron-specific enolase and S-100beta protein after carotid endarterectomy. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2000 , 14, 166-70	2.1	28
14	Benzodiazepines and postoperative cognitive dysfunction in the elderly. ISPOCD Group. International Study of Postoperative Cognitive Dysfunction. <i>British Journal of Anaesthesia</i> , 1999 , 83, 585-9	5.4	55
13	Does preoperative night pulse oximetry provide a reliable baseline?. <i>Acta Anaesthesiologica Scandinavica</i> , 1999 , 43, 34-6	1.9	4
12	Do blood levels of neuron-specific enolase and S-100 protein reflect cognitive dysfunction after coronary artery bypass?. <i>Acta Anaesthesiologica Scandinavica</i> , 1999 , 43, 495-500	1.9	68
11	Perioperative cognitive decline: the extent of the problem. <i>Acta Anaesthesiologica Belgica</i> , 1999 , 50, 199-204		2
10	Long-term postoperative cognitive dysfunction in the elderly ISPOCD1 study. ISPOCD investigators. International Study of Post-Operative Cognitive Dysfunction. <i>Lancet, The</i> , 1998 , 351, 857-61	4.0	1705
9	Defining postoperative cognitive dysfunction. <i>European Journal of Anaesthesiology</i> , 1998 , 15, 761-4	2.3	35
8	Intermittent airway obstruction in a child caused by a cervical lipoblastoma. <i>Acta Anaesthesiologica Scandinavica</i> , 1997 , 41, 945-6	1.9	23
7	The cerebrospinal fluid in multiple sclerosis. Quantitative assessment of intrathecal immunoglobulin synthesis by empirical formulae. <i>European Journal of Neurology</i> , 1996 , 3, 548-559	6	12

6	Randomized evaluation of pulse oximetry in 20,802 patients: II. Perioperative events and postoperative complications. <i>Anesthesiology</i> , 1993 , 78, 445-53	4-3	284
5	Randomized evaluation of pulse oximetry in 20,802 patients: I. Design, demography, pulse oximetry failure rate, and overall complication rate. <i>Anesthesiology</i> , 1993 , 78, 436-44	4-3	194
4	Antithrombotic efficacy of continuous extradural analgesia after knee replacement. <i>British Journal of Anaesthesia</i> , 1991 , 66, 8-12	5-4	66
3	Lower thrombosis risk with epidural blockade in knee arthroplasty. <i>Acta Orthopaedica</i> , 1990 , 61, 29-31		37
2	Long-term results after arterial surgery for arteriosclerosis of the lower limbs in young adults. <i>European Journal of Vascular Surgery</i> , 1988 , 2, 15-8		38
1	Carotid endarterectomy in patients with occlusion of the contralateral carotid artery. Perioperative risk and late results. <i>European Journal of Vascular Surgery</i> , 1987 , 1, 85-9		8