stephen halpern

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5975195/publications.pdf

Version: 2024-02-01

104 papers 4,878 citations

87723 38 h-index 102304 66 g-index

106 all docs

106 docs citations

106 times ranked 2424 citing authors

#	Article	IF	CITATIONS
1	Quadratus lumborum block vs. transversus abdominis plane block for caesarean delivery: a systematic review and network metaâ€analysis [*] . Anaesthesia, 2021, 76, 393-403.	1.8	57
2	Labor neuraxial analgesia and breastfeeding: An updated systematic review. Journal of Clinical Anesthesia, 2021, 68, 110105.	0.7	8
3	A systematic review of the association between postpartum depression and neuraxial labor analgesia. International Journal of Obstetric Anesthesia, 2021, 45, 142-149.	0.2	12
4	Prevention of hypotension after spinal anaesthesia for caesarean section: a systematic review and network metaâ€analysis of randomised controlled trials. Anaesthesia, 2020, 75, 109-121.	1.8	74
5	Oral vs intravenous iron therapy for postpartum anemia: a systematic review and meta-analysis. American Journal of Obstetrics and Gynecology, 2019, 221, 19-29.e3.	0.7	59
6	Massive hemorrhage protocol activation in obstetrics: a 5-year quality performance review. International Journal of Obstetric Anesthesia, 2019, 38, 37-45.	0.2	7
7	Rocuronium versus suxamethonium for rapid sequence induction of general anaesthesia for caesarean section: influence on neonatal outcomes. International Journal of Obstetric Anesthesia, 2018, 35, 114.	0.2	O
8	Spinal anesthesia for Cesarean delivery in obese parturients: is this the best option?. Canadian Journal of Anaesthesia, 2018, 65, 965-965.	0.7	2
9	An observational study of skill retention and practice adoption after a workshop on ultrasound-guided neuraxial anaesthesia. European Journal of Anaesthesiology, 2018, 35, 801-803.	0.7	3
10	Choice of anaesthesia for categoryâ€1 caesarean section in women with anticipated difficult tracheal intubation: the use of decision analysis. Anaesthesia, 2017, 72, 156-171.	1.8	37
11	Category-1 caesarean section, airways and Julius Caesar. A reply. Anaesthesia, 2017, 72, 1154-1155.	1.8	O
12	Teamwork Assessment Tools in Obstetric Emergencies. Simulation in Healthcare, 2017, 12, 165-176.	0.7	25
13	The Effect of Intrathecal Morphine Dose on Outcomes After Elective Cesarean Delivery: A Meta-Analysis. Anesthesia and Analgesia, 2016, 123, 154-164.	1.1	119
14	Duration of motor block with intrathecal ropivacaine versus bupivacaine for caesarean section: a meta-analysis. International Journal of Obstetric Anesthesia, 2016, 27, 9-16.	0.2	21
15	Will the Real Benefits of Single-Shot Interscalene Block Please Stand Up? A Systematic Review and Meta-Analysis. Anesthesia and Analgesia, 2015, 120, 1114-1129.	1.1	214
16	Anesthetic considerations for high order cesarean sections: a prospective cohort study. Archives of Gynecology and Obstetrics, 2014, 289, 533-540.	0.8	5
17	Reply from the authors. British Journal of Anaesthesia, 2014, 112, 174-175.	1.5	0
18	Health of Palestinians, water and coastal aquifer in Gaza. Lancet, The, 2014, 383, 1207.	6.3	0

#	Article	IF	CITATIONS
19	Chronic kidney disease in pregnancy. International Journal of Obstetric Anesthesia, 2013, 22, 223-230.	0.2	65
20	Case report: Rhabdomyolysis in morbidly obese patients: anesthetic considerations. Canadian Journal of Anaesthesia, 2013, 60, 290-293.	0.7	9
21	The effect of low concentrations versus high concentrations of local anesthetics for labour analgesia on obstetric and anesthetic outcomes: a meta-analysis. Canadian Journal of Anaesthesia, 2013, 60, 840-854.	0.7	107
22	Placenta accreta: successful outcome is all in the planning. International Journal of Obstetric Anesthesia, 2013, 22, 269-271.	0.2	3
23	Effect of intrathecal magnesium in the presence or absence of local anaesthetic with and without lipophilic opioids: a systematic review and meta-analysis. British Journal of Anaesthesia, 2013, 110, 702-712.	1.5	57
24	Health in the occupied Palestinian territory. Lancet, The, 2013, 382, 125-126.	6.3	0
25	Cardiac arrest in the operating room: Do we need to check the carotid pulse?. Canadian Journal of Anaesthesia, 2013, 60, 91-92.	0.7	0
26	Elective cesarean delivery in non-dialyzed parturient with chronic renal failure. Journal of Anaesthesiology Clinical Pharmacology, 2013, 29, 102.	0.2	1
27	Duration of analgesic effectiveness after the posterior and lateral transversus abdominis plane block techniques for transverse lower abdominal incisions: a meta-analysis. British Journal of Anaesthesia, 2013, 111, 721-735.	1.5	182
28	Repeated hands-and-knees positioning during labour: a randomized pilot study. PeerJ, 2013, 1, e25.	0.9	13
29	Anesthetic considerations of parturients with obesity and obstructive sleep apnea. Journal of Anaesthesiology Clinical Pharmacology, 2012, 28, 436.	0.2	15
30	Transversus abdominis plane block for postoperative analgesia after Caesarean delivery performed under spinal anaesthesia? A systematic review and meta-analysis. British Journal of Anaesthesia, 2012, 109, 679-687.	1.5	173
31	The American Heart Association 2010 Guidelines for the Management of Cardiac Arrest in Pregnancy: Consensus Recommendations on Implementation Strategies. Journal of Obstetrics and Gynaecology Canada, 2011, 33, 858-863.	0.3	30
32	Peripartum anesthetic management of a patient with brittle cornea syndrome. Archives of Gynecology and Obstetrics, 2011, 283, 49-52.	0.8	1
33	Effect of labor analgesia on labor outcome. Current Opinion in Anaesthesiology, 2010, 23, 317-322.	0.9	49
34	Ropivacaine Versus Bupivacaine for Epidural Labor Analgesia. Anesthesia and Analgesia, 2010, 111, 482-487.	1.1	62
35	Pré-charge ou co-charge lors de rachianesthésie pour un accouchement non urgent par césarienne: une méta-analyse. Canadian Journal of Anaesthesia, 2010, 57, 24-31.	0.7	103
36	Phase 1 development of an index to measure the quality of neuraxial labour analgesia: exploring the perspectives of childbearing women. Canadian Journal of Anaesthesia, 2010, 57, 468-478.	0.7	37

3

#	Article	IF	Citations
37	The use of ultrasound for lumbar spinous process identification: A pilot study. Canadian Journal of Anaesthesia, 2010, 57, 817-822.	0.7	65
38	Epidural analgesia for labor: Current techniques. Local and Regional Anesthesia, 2010, 3, 143.	2.8	47
39	Anesthetic management of a patient with cleidocranial dysplasia undergoing various obstetric procedures. International Journal of Obstetric Anesthesia, 2010, 19, 106-108.	0.2	9
40	Antepartum continuous epidural ropivacaine therapy reduces uterine artery vascular resistance in pre-eclampsia: a randomized, dose-ranging, placebo-controlled study. British Journal of Anaesthesia, 2009, 102, 369-378.	1.5	20
41	Hands-and-Knees Positioning During Labor With Epidural Analgesia. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2009, 38, 391-398.	0.2	6
42	Perioperative anaesthetic management of high-order repeat caesarean section: audit of practice in a university-affiliated medical centre. International Journal of Obstetric Anesthesia, 2009, 18, 314-319.	0.2	11
43	Peripartum anesthetic management of patients with aortic valve stenosis: a retrospective study and literature review. International Journal of Obstetric Anesthesia, 2009, 18, 379-386.	0.2	26
44	Conversion of epidural labour analgesia to anaesthesia for Caesarean section: a prospective study of the incidence and determinants of failure. British Journal of Anaesthesia, 2009, 102, 240-243.	1.5	65
45	Ultrasound Imaging of the Lumbar Spine in the Transverse Plane: The Correlation Between Estimated and Actual Depth to the Epidural Space in Obese Parturients. Anesthesia and Analgesia, 2009, 108, 1876-1881.	1.1	173
46	Patient-Controlled Epidural Analgesia for Labor. Anesthesia and Analgesia, 2009, 108, 921-928.	1.1	303
47	SOGC Joint Policy Statement on Normal Childbirth. Journal of Obstetrics and Gynaecology Canada, 2009, 31, 602.	0.3	17
48	Peripartum anesthetic management of patients with Takayasu's arteritis: case series and review. International Journal of Obstetric Anesthesia, 2008, 17, 358-364.	0.2	29
49	Anesthesia for cesarean section in a patient with Holt-Oram syndrome. International Journal of Obstetric Anesthesia, 2007, 16, 86-88.	0.2	9
50	Pain relief after cesarean section: A prospective Cohort study. Canadian Journal of Anaesthesia, 2007, 54, 44214-44214.	0.7	3
51	Theex utero intrapartum treatment (EXIT) procedure: maternal and fetal considerations. Canadian Journal of Anaesthesia, 2007, 54, 171-175.	0.7	13
52	Emergency cesarean section in a patient with Fontan circulation using an indwelling epidural catheter. Journal of Clinical Anesthesia, 2006, 18, 631-634.	0.7	34
53	The effect of epidural needle type on postdural puncture headache: a randomized trial. Canadian Journal of Anaesthesia, 2006, 53, 572-578.	0.7	16
54	High quality labour analgesia using small gauge epidural needles and catheters. Canadian Journal of Anaesthesia, 2006, 53, 263-267.	0.7	6

#	Article	IF	CITATIONS
55	Recent advances in patient-controlled epidural analgesia for labour. Current Opinion in Anaesthesiology, 2005, 18, 247-251.	0.9	16
56	Identification of the Epidural Space. Anesthesia and Analgesia, 2005, 100, 1218.	1.1	0
57	Uncomplicated outcome after anesthesia for pediatric patients with Gaucher disease. Canadian Journal of Anaesthesia, 2005, 52, 845-847.	0.7	6
58	Compliance with the CONSORT checklist in obstetric anaesthesia randomised controlled trials. International Journal of Obstetric Anesthesia, 2004, 13, 207-214.	0.2	29
59	Anesthesia for obstetric patients with Gaucher disease: survey and review. International Journal of Obstetric Anesthesia, 2004, 13, 244-250.	0.2	20
60	A Multicenter Randomized Controlled Trial Comparing Patient-Controlled Epidural with Intravenous Analgesia for Pain Relief in Labor. Anesthesia and Analgesia, 2004, 99, 1532-1538.	1.1	114
61	Cusum analysis is a useful tool to assess resident proficiency at insertion of labour epidurals. Canadian Journal of Anaesthesia, 2003, 50, 694-698.	0.7	92
62	Misconceptions about neuraxial analgesia. Anesthesiology Clinics, 2003, 21, 59-70.	1.4	10
63	Epidural Ropivacaine Versus Bupivacaine for Labor: A Meta-Analysis. Anesthesia and Analgesia, 2003, 96, 1473-1479.	1.1	60
64	A Multicenter, Randomized, Controlled Trial Comparing Bupivacaine with Ropivacaine for Labor Analgesia. Anesthesiology, 2003, 98, 1431-1435.	1.3	70
65	A Randomized Controlled Trial Examining the Effect of Naproxen on Analgesia During the Second Day After Cesarean Delivery. Anesthesia and Analgesia, 2002, 95, 741-745.	1.1	52
66	Why meta-analysis?. Regional Anesthesia and Pain Medicine, 2002, 27, 3-5.	1.1	6
67	Epidural analgesia: Effects on labor progress and maternal and neonatal outcome. Seminars in Perinatology, 2002, 26, 122-135.	1.1	52
68	The effects of epidural analgesia on labor, maternal, and neonatal outcomes: A systematic review*1. American Journal of Obstetrics and Gynecology, 2002, 186, S69-S77.	0.7	224
69	Patient-controlled epidural analgesia versus continuous infusion for labour analgesia: a meta-analysis. British Journal of Anaesthesia, 2002, 89, 459-65.	1.5	43
70	Multimodal therapy for postâ€"cesarean delivery pain. Regional Anesthesia and Pain Medicine, 2001, 26, 298-300.	1.1	4
71	Examining the Evidence in Anesthesia Literature: A Critical Appraisal of Systematic Reviews. Anesthesia and Analgesia, 2001, 92, 700-709.	1.1	94
72	The Effects of an Increase of Central Blood Volume Before Spinal Anesthesia for Cesarean Delivery: A Qualitative Systematic Review. Anesthesia and Analgesia, 2001, 92, 997-1005.	1.1	131

#	Article	IF	CITATIONS
73	The Neurologic and Adaptive Capacity Score Is Not a Reliable Method of Newborn Evaluation. Anesthesiology, 2001, 94, 958-962.	1.3	47
74	Optimizing obstetrical suite staffing: it's more than mathematics. Canadian Journal of Anaesthesia, 2001, 48, 219-221.	0.7	1
75	Multiport Epidural Catheters. Anesthesiology, 2000, 92, 1840-1842.	1.3	13
76	The Neurologic and Adaptive Capacity Score. Anesthesiology, 2000, 92, 237-237.	1.3	44
77	Comparison of maternal satisfaction between epidural and spinal anesthesia for elective Cesarean section. Canadian Journal of Anaesthesia, 2000, 47, 956-961.	0.7	27
78	The Risks of Lowering the Cesarean-Delivery Rate. New England Journal of Medicine, 1999, 341, 53-55.	13.9	4
79	Effect of Labor Analgesia on Breastfeeding Success. Birth, 1999, 26, 83-88.	1.1	89
80	Second stage pushing correlates with headache after unintentional dural puncture in parturients. Canadian Journal of Anaesthesia, 1999, 46, 861-866.	0.7	81
81	Comparison of epidural lidocaine and fentanyl to intrathecal sufentanil for analgesia in early labour. International Journal of Obstetric Anesthesia, 1999, 8, 226-230.	0.2	14
82	The development of a maternal satisfaction scale for caesarean section. International Journal of Obstetric Anesthesia, 1999, 8, 165-170.	0.2	40
83	Epidural analgesia and risk of caesarean section. Lancet, The, 1999, 353, 1801-1802.	6.3	2
84	RISK FACTORS FOR CESAREAN DELIVERY IN TWIN GESTATIONS NEAR TERM. Obstetrics and Gynecology, 1999, 93, 795.	1.2	0
85	Lumbar Sympathetic Blocks Speed Early and Second Stage Induced Labor in Nulliparous WomenÂ. Anesthesiology, 1999, 90, 1039-1046.	1.3	36
86	Respiratory arrest following intrathecal injection of sufentanil and bupivacaine in a parturient. Canadian Journal of Anaesthesia, 1998, 45, 880-883.	0.7	57
87	Effect of Epidural vs Parenteral Opioid Analgesia on the Progress of Labor. JAMA - Journal of the American Medical Association, 1998, 280, 2105.	3.8	255
88	Epidurals and Breastfeeding. Birth, 1997, 24, 132-132.	1.1	0
89	Quality and retrieval of obstetrical anaesthesia randomized controlled trials. Canadian Journal of Anaesthesia, 1997, 44, 14-18.	0.7	25
90	Epidural morphine vs hydromorphone in post-Caesarean section patients. Canadian Journal of Anaesthesia, 1996, 43, 595-598.	0.7	40

#	Article	IF	Citations
91	Uterine and umbilical blood flow velocity during epidural anaesthesia for Caesarean section. Canadian Journal of Anaesthesia, 1994, 41, 1057-1062.	0.7	9
92	Postdural Puncture Headache and Spinal Needle Design. Anesthesiology, 1994, 81, 1376-1383.	1.3	329
93	Uterine incision and maternal blood loss in preterm caesarean section. Archives of Gynecology and Obstetrics, 1993, 252, 113-117.	0.8	42
94	Spinal subdural haematoma in a parturient after attempted epidural anaesthesia. Canadian Journal of Anaesthesia, 1993, 40, 340-345.	0.7	70
95	A comparison of two doses of epidural fentanyl during Caesarean section. Canadian Journal of Anaesthesia, 1993, 40, 722-725.	0.7	12
96	Anesthesia and blood loss in preterm cesarean section: comparison between general and regional anesthesia. International Journal of Obstetric Anesthesia, 1993, 2, 85-88.	0.2	4
97	Epidural anaesthesia for caesarean section in an achondroplastic dwarf. Canadian Journal of Anaesthesia, 1992, 39, 708-711.	0.7	23
98	Supplemental maternal oxygen therapy during caesarean section under epidural anaesthesia: a comparison of nasal prongs and facemask. Canadian Journal of Anaesthesia, 1992, 39, 313-316.	0.7	16
99	Fluid through the epidural needle does not reduce complications of epidural catheter insertion. Canadian Journal of Anaesthesia, 1990, 37, 337-340.	0.7	28
100	Failure of a lidocaine test dose to identify subdural placement of an epidural catheter. Canadian Journal of Anaesthesia, 1989, 36, 445-447.	0.7	15
101	Epidurals for labour, and fainting fathers. Canadian Journal of Anaesthesia, 1989, 36, 482-482.	0.7	8
102	Obstetric epidural anaesthesia in patients with Harrington instrumentation. Canadian Journal of Anaesthesia, 1989, 36, 693-696.	0.7	84
103	Epidural anaesthesia for Caesarean section in patients with active recurrent genital herpes simplex infections: a retrospective review. Canadian Journal of Anaesthesia, 1989, 36, 701-704.	0.7	23
104	Anaesthesia for Caesarean section in a pre-eclamptic patient with Ebstein's anomaly. Canadian Anaesthetists' Society Journal, 1985, 32, 244-247.	0.5	15