

Francis Schneider

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5975647/publications.pdf>

Version: 2024-02-01

28
papers

1,854
citations

516710

16
h-index

501196

28
g-index

28
all docs

28
docs citations

28
times ranked

3924
citing authors

#	ARTICLE	IF	CITATIONS
1	Pretransplant Intensive Care Unit Management and Selection of Grade 3 Acute-on-Chronic Liver Failure Transplant Candidates. <i>Liver Transplantation</i> , 2022, 28, 17-26.	2.4	17
2	Evolution of Neuroimaging Findings in Severe COVID-19 Patients with Initial Neurological Impairment: An Observational Study. <i>Viruses</i> , 2022, 14, 949.	3.3	13
3	Comparison of Short- and Long-Term Mortality in Patients with or without Cancer Admitted to the ICU for Septic Shock: A Retrospective Observational Study. <i>Cancers</i> , 2022, 14, 3196.	3.7	4
4	Critical illness-associated cerebral microbleeds for patients with severe COVID-19: etiologic hypotheses. <i>Journal of Neurology</i> , 2021, 268, 2676-2684.	3.6	38
5	Cerebrospinal Fluid Features in Patients With Coronavirus Disease 2019 and Neurological Manifestations: Correlation with Brain Magnetic Resonance Imaging Findings in 58 Patients. <i>Journal of Infectious Diseases</i> , 2021, 223, 600-609.	4.0	47
6	Acute-onset delirium in intensive care COVID patients: association of imperfect brain repair with foodborne micro-pollutants. <i>European Journal of Neurology</i> , 2021, 28, 3443-3447.	3.3	2
7	Cateslytin abrogates lipopolysaccharide-induced cardiomyocyte injury by reducing inflammation and oxidative stress through toll like receptor 4 interaction. <i>International Immunopharmacology</i> , 2021, 94, 107487.	3.8	16
8	Refractory non-variceal upper gastrointestinal bleeding in a liver-transplant patient: Everolimus withdrawal should be considered. <i>Therapie</i> , 2021, 76, 257-260.	1.0	2
9	Ocular MRI Findings in Patients with Severe COVID-19: A Retrospective Multicenter Observational Study. <i>Radiology</i> , 2021, 299, E226-E229.	7.3	18
10	Catestatin in innate immunity and Cateslytin-derived peptides against superbugs. <i>Scientific Reports</i> , 2021, 11, 15615.	3.3	11
11	Adrenal gland-released vasostatin is a myocardial depressant factor. <i>British Journal of Clinical Pharmacology</i> , 2020, 86, 825-828.	2.4	3
12	Neurologic and neuroimaging findings in patients with COVID-19. <i>Neurology</i> , 2020, 95, e1868-e1882.	1.1	186
13	Delirium and encephalopathy in severe COVID-19: a cohort analysis of ICU patients. <i>Critical Care</i> , 2020, 24, 491.	5.8	251
14	Brain MRI Findings in Severe COVID-19: A Retrospective Observational Study. <i>Radiology</i> , 2020, 297, E242-E251.	7.3	333
15	Liver transplantation for critically ill cirrhotic patients: Stratifying utility based on pretransplant factors. <i>American Journal of Transplantation</i> , 2020, 20, 2437-2448.	4.7	83
16	Acute Pulmonary Embolism in Patients with COVID-19 at CT Angiography and Relationship to D-Dimer Levels. <i>Radiology</i> , 2020, 296, E189-E191.	7.3	513
17	In Trauma Patients, the Occurrence of Early-Onset Nosocomial Infections is Associated With Increased Plasma Concentrations of Chromogranin A. <i>Shock</i> , 2018, 49, 522-528.	2.1	9
18	Liver transplantation in critically ill patients: Preoperative predictive factors of post-transplant mortality to avoid futility. <i>Clinical Transplantation</i> , 2017, 31, e13115.	1.6	47

#	ARTICLE	IF	CITATIONS
19	D-Cateslytin, a new antimicrobial peptide with therapeutic potential. <i>Scientific Reports</i> , 2017, 7, 15199.	3.3	30
20	Functional outcome of prolonged refractory status epilepticus. <i>Critical Care</i> , 2015, 19, 199.	5.8	43
21	Chromofungin, CgA47-66-derived peptide, produces basal cardiac effects and postconditioning cardioprotective action during ischemia/reperfusion injury. <i>Peptides</i> , 2015, 71, 40-48.	2.4	26
22	Cateslytin, a Chromogranin A Derived Peptide Is Active against <i>Staphylococcus aureus</i> and Resistant to Degradation by Its Proteases. <i>PLoS ONE</i> , 2013, 8, e68993.	2.5	21
23	Vasostatin-I, a chromogranin A-derived peptide, in non-selected critically ill patients: distribution, kinetics, and prognostic significance. <i>Intensive Care Medicine</i> , 2012, 38, 1514-1522.	8.2	24
24	The antimicrobial peptides derived from chromogranin/secretogranin family, new actors of innate immunity. <i>Regulatory Peptides</i> , 2010, 165, 102-110.	1.9	68
25	Transient Bcl-2 gene down-expression in circulating mononuclear cells of severe sepsis patients who died despite appropriate intensive care. <i>Intensive Care Medicine</i> , 2004, 30, 408-415.	8.2	33
26	Cyclooxygenase-2 and inducible nitric oxide synthase in omental arteries harvested from patients with severe liver diseases: immuno-localization and influence on vascular tone. <i>Intensive Care Medicine</i> , 2003, 29, 262-270.	8.2	13
27	Coingestion of cyclooxygenase inhibitors can worsen severe paracetamol poisoning by middle-sized and small arteries vasoconstriction. <i>Intensive Care Medicine</i> , 2003, 29, 2090-2093.	8.2	2
28	Favorable outcome in a large left heart air embolism: Lessons from an unusual complication of a noninvasive chest scan. <i>Critical Care Medicine</i> , 2000, 28, 1217-1219.	0.9	1