

Marie Lin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5976849/marie-lin-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31
papers

587
citations

13
h-index

24
g-index

32
ext. papers

682
ext. citations

3.1
avg, IF

3.11
L-index

#	Paper	IF	Citations
31	Detecting Genetic Ancestry and Adaptation in the Taiwanese Han People. <i>Molecular Biology and Evolution</i> , 2021 , 38, 4149-4165	8.3	3
30	Elimination of pretransfusion RhD typing at Mackay Memorial Hospital, Taiwan-30-year experience (1988-2017). <i>Vox Sanguinis</i> , 2021 , 116, 234-238	3.1	0
29	Fatal hemolytic transfusion reaction due to anti-Ku in a Knoll patient. <i>Immunohematology</i> , 2020 , 19, 19-24	2.4	7
28	Genetic diversity of the Thao people of Taiwan using Y-chromosome, mitochondrial DNA and HLA gene systems. <i>BMC Evolutionary Biology</i> , 2019 , 19, 64	3	1
27	Fetal/neonatal alloimmune thrombocytopenia due to anti-CD36 antibodies: antibody evaluations by CD36-transfected cell lines. <i>Transfusion</i> , 2018 , 58, 189-195	2.9	13
26	Adaptable interaction between aquaporin-1 and band 3 reveals a potential role of water channel in blood CO transport. <i>FASEB Journal</i> , 2017 , 31, 4256-4264	0.9	7
25	Resolving the ancestry of Austronesian-speaking populations. <i>Human Genetics</i> , 2016 , 135, 309-26	6.3	51
24	Association between human leucocyte antigen subtypes and risk of end stage renal disease in Taiwanese: a retrospective study. <i>BMC Nephrology</i> , 2015 , 16, 177	2.7	9
23	Mitochondrial DNA association study of type 2 diabetes with or without ischemic stroke in Taiwan. <i>BMC Research Notes</i> , 2014 , 7, 223	2.3	5
22	Varying Specificities of Several anti-Mi(a) Antibodies Purified by Affinity Chromatography on Peptides Representing the Mi(a) Antigen are not the same as an anti-Mi(a) Monoclonal Antibody. <i>Transfusion Medicine</i> , 2008 , 15, 69-82	1.3	
21	Purification of RBC Agglutinating Antibodies by Affinity Chromatography on Peptides Representing Specific Variant MNS Antigens. <i>Transfusion Medicine</i> , 2008 , 15, 69-82	1.3	
20	Taiwan experience suggests that RhD typing for blood transfusion is unnecessary in southeast Asian populations. <i>Transfusion</i> , 2006 , 46, 95-8	2.9	16
19	A novel IGnT allele responsible for the adult i phenotype. <i>Transfusion</i> , 2006 , 46, 1982-7	2.9	10
18	A novel A allele with 664G>A mutation identified in a family with the Am phenotype. <i>Transfusion</i> , 2005 , 45, 63-9	2.9	12
17	Compatibility testing without a centrifuge: the slide Polybrene method. <i>Transfusion</i> , 2004 , 44, 410-3	2.9	9
16	Association of HLA class I with severe acute respiratory syndrome coronavirus infection. <i>BMC Medical Genetics</i> , 2003 , 4, 9	2.1	204
15	Polymorphism and distribution of the Secretor alpha(1,2)-fucosyltransferase gene in various Taiwanese populations. <i>Transfusion</i> , 2001 , 41, 1279-84	2.9	19

14	The use of genotyping to predict the phenotypes of human platelet antigens 1 through 5 and of neutrophil antigens in Taiwan. <i>Transfusion</i> , 2001 , 41, 1553-8	2.9	20
13	A Newly Identified Nonsecretor Allele of the Human Histo-Blood Group $\alpha(1,2)$ Fucosyltransferase Gene (FUT2). <i>Vox Sanguinis</i> , 1999 , 76, 115-119	3.1	24
12	Immunoematology in Taiwan. <i>Transfusion Medicine Reviews</i> , 1998 , 12, 56-72	7.4	34
11	Heterogeneity of the human H blood group $\alpha(1,2)$ fucosyltransferase gene among para-Bombay individuals. <i>Vox Sanguinis</i> , 1997 , 72, 36-40	3.1	40
10	Neonatal alloimmune thrombocytopenia in Taiwan due to an antibody against a labile component of HPA-3a (Baka). <i>Vox Sanguinis</i> , 1995 , 69, 336-40	3.1	14
9	The Le(a) antigen and neonatal hyperbilirubinemia in Taiwan. <i>Vox Sanguinis</i> , 1995 , 69, 131-4	3.1	1
8	ABO hemolytic disease of the newborn is more severe in Taiwan than in white populations. <i>Vox Sanguinis</i> , 1995 , 68, 136	3.1	7
7	Treatment of platelet alloimmunization with intravenous immunoglobulin in a child with aplastic anemia. <i>American Journal of Hematology</i> , 1995 , 49, 165-6	7.1	4
6	Postnatal development of red cell Le(a) and Le(b) antigens in Chinese infants. <i>Vox Sanguinis</i> , 1994 , 66, 137-40	3.1	15
5	The national blood program of Taiwan, ROC. <i>Vox Sanguinis</i> , 1994 , 66, 299	3.1	4
4	Transfusion-associated respiratory distress in Taiwan. <i>Vox Sanguinis</i> , 1994 , 67, 372-6	3.1	18
3	Modification of standard Western pretransfusion testing procedures for Taiwan. <i>Vox Sanguinis</i> , 1994 , 67, 199-202	3.1	25
2	Elimination of RhD typing and the antiglobulin test in pretransfusion compatibility tests for Taiwanese. <i>Vox Sanguinis</i> , 1994 , 67 Suppl 5, 28-9	3.1	15
1	The National Blood Program of Taiwan, ROC. <i>Nihon Yuketsu Gakkai Zasshi = Journal of the Japan Society of Blood Transfusion / Nihon Yuketsu Gakkai</i> , 1994 , 40, 766-768		