

Rebecca J Traub

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5977200/publications.pdf>

Version: 2024-02-01

155
papers

6,720
citations

61984

43
h-index

76900

74
g-index

157
all docs

157
docs citations

157
times ranked

4921
citing authors

#	ARTICLE	IF	CITATIONS
1	Terminology for Blastocystis subtypes – a consensus. Trends in Parasitology, 2007, 23, 93-96.	3.3	332
2	Epidemiological and molecular evidence supports the zoonotic transmission of Giardia among humans and dogs living in the same community. Parasitology, 2004, 128, 253-262.	1.5	261
3	Molecular characterization of Blastocystis isolates from zoo animals and their animal-keepers. Veterinary Parasitology, 2010, 169, 8-17.	1.8	233
4	Sheep May Not Be an Important Zoonotic Reservoir for Cryptosporidium and Giardia Parasites. Applied and Environmental Microbiology, 2005, 71, 4992-4997.	3.1	183
5	National study of the gastrointestinal parasites of dogs and cats in Australia. Veterinary Parasitology, 2008, 151, 181-190.	1.8	164
6	Direct characterization of Blastocystis from faeces by PCR and evidence of zoonotic potential. Parasitology, 2007, 134, 359.	1.5	151
7	Application of a Multiplex Quantitative PCR to Assess Prevalence and Intensity Of Intestinal Parasite Infections in a Controlled Clinical Trial. PLoS Neglected Tropical Diseases, 2016, 10, e0004380.	3.0	145
8	Water, Sanitation, and Hygiene (WASH): A Critical Component for Sustainable Soil-Transmitted Helminth and Schistosomiasis Control. PLoS Neglected Tropical Diseases, 2014, 8, e2651.	3.0	142
9	Molecular epidemiology of Blastocystis in pigs and their in-contact humans in Southeast Queensland, Australia, and Cambodia. Veterinary Parasitology, 2014, 203, 264-269.	1.8	130
10	Ancylostoma ceylanicum, a re-emerging but neglected parasitic zoonosis. International Journal for Parasitology, 2013, 43, 1009-1015.	3.1	129
11	Zoonotic Parasites of Sheltered and Stray Dogs in the Era of the Global Economic and Political Crisis. Trends in Parasitology, 2017, 33, 813-825.	3.3	127
12	High Prevalence of <i>Ancylostoma ceylanicum</i> Hookworm Infections in Humans, Cambodia, 2012. Emerging Infectious Diseases, 2014, 20, 976-82.	4.3	125
13	A New PCR-Based Approach Indicates the Range of Clonorchis sinensis Now Extends to Central Thailand. PLoS Neglected Tropical Diseases, 2009, 3, e367.	3.0	121
14	PCR-based coprodiagnostic tools reveal dogs as reservoirs of zoonotic ancylostomiasis caused by Ancylostoma ceylanicum in temple communities in Bangkok. Veterinary Parasitology, 2008, 155, 67-73.	1.8	119
15	Epidemiological and Genetic Data Supporting the Transmission of Ancylostoma ceylanicum among Human and Domestic Animals. PLoS Neglected Tropical Diseases, 2012, 6, e1522.	3.0	116
16	Canine gastrointestinal parasitic zoonoses in India. Trends in Parasitology, 2005, 21, 42-48.	3.3	112
17	A survey of canine tick-borne diseases in India. Parasites and Vectors, 2011, 4, 141.	2.5	102
18	The role of dogs in transmission of gastrointestinal parasites in a remote tea-growing community in northeastern India.. American Journal of Tropical Medicine and Hygiene, 2002, 67, 539-545.	1.4	102

#	ARTICLE	IF	CITATIONS
19	The veterinary and public health significance of hookworm in dogs and cats in Australia and the status of <i>A. ceylanicum</i> . <i>Veterinary Parasitology</i> , 2007, 145, 304-313.	1.8	99
20	Molecular and morphological characterisation of <i>Echinococcus</i> from food producing animals in India. <i>Veterinary Parasitology</i> , 2009, 165, 58-65.	1.8	97
21	The prevalence and diversity of intestinal parasitic infections in humans and domestic animals in a rural Cambodian village. <i>Parasitology International</i> , 2014, 63, 597-603.	1.3	95
22	Determining the zoonotic significance of <i>Giardia</i> and <i>Cryptosporidium</i> in Australian dogs and cats. <i>Veterinary Parasitology</i> , 2008, 154, 142-147.	1.8	93
23	Morphological and molecular characterisation of <i>Echinococcus granulosus</i> in livestock and humans in Punjab, Pakistan. <i>Veterinary Parasitology</i> , 2010, 170, 44-49.	1.8	87
24	The prevalence, intensities and risk factors associated with geohelminth infection in tea-growing communities of Assam, India. <i>Tropical Medicine and International Health</i> , 2004, 9, 688-701.	2.3	83
25	Incidence and Risk Factors of Hookworm Infection in a Rural Community of Central Thailand. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011, 84, 594-598.	1.4	83
26	Application of a species-specific PCR-RFLP to identify <i>Ancylostoma</i> eggs directly from canine faeces. <i>Veterinary Parasitology</i> , 2004, 123, 245-255.	1.8	82
27	<i>Blastocystis</i> subtypes in symptomatic and asymptomatic family members and pets and response to therapy. <i>Internal Medicine Journal</i> , 2012, 42, 1187-1195.	0.8	81
28	Comparison of faecal microbiota in <i>Blastocystis</i> -positive and <i>Blastocystis</i> -negative irritable bowel syndrome patients. <i>Microbiome</i> , 2016, 4, 47.	11.1	77
29	Transmission cycles of <i>Giardia duodenalis</i> in dogs and humans in Temple communities in Bangkok: A critical evaluation of its prevalence using three diagnostic tests in the field in the absence of a gold standard. <i>Acta Tropica</i> , 2009, 111, 125-132.	2.0	74
30	Eradication of <i>Blastocystis</i> Carriage With Antimicrobials: Reality or Delusion?. <i>Journal of Clinical Gastroenterology</i> , 2010, 44, 85-90.	2.2	74
31	Canine parasitic zoonoses in Bangkok temples. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2007, 38, 247-55.	1.0	67
32	A case of mistaken identity – reappraisal of the species of canid and felid hookworms (<i>Ancylostoma</i>) present in Australia and India. <i>Parasitology</i> , 2007, 134, 113-119.	1.5	60
33	Canine Leishmaniasis Control in the Context of One Health. <i>Emerging Infectious Diseases</i> , 2019, 25, 1-4.	4.3	60
34	Molecular Evidence Supports the Role of Dogs as Potential Reservoirs for <i>Rickettsia felis</i> . <i>Vector-Borne and Zoonotic Diseases</i> , 2011, 11, 1007-1012.	1.5	57
35	Acetylcholine receptor subunit genes from <i>Ancylostoma caninum</i> : Altered transcription patterns associated with pyrantel resistance. <i>International Journal for Parasitology</i> , 2009, 39, 435-441.	3.1	56
36	Vector-Borne Diseases - constant challenge for practicing veterinarians: recommendations from the CVBD World Forum. <i>Parasites and Vectors</i> , 2012, 5, 55.	2.5	56

#	ARTICLE	IF	CITATIONS
37	Colonization and risk factors for <i>Brachyspira aalborgi</i> and <i>Brachyspira pilosicoli</i> in humans and dogs on tea estates in Assam, India. <i>Epidemiology and Infection</i> , 2004, 132, 137-144.	2.1	55
38	Diversity of <i>Blastocystis</i> subtypes in dogs in different geographical settings. <i>Parasites and Vectors</i> , 2013, 6, 215.	2.5	55
39	Integrated morphological and molecular identification of cat fleas (<i>Ctenocephalides felis</i>) and dog fleas (<i>Ctenocephalides canis</i>) vectoring <i>Rickettsia felis</i> in central Europe. <i>Veterinary Parasitology</i> , 2015, 210, 215-223.	1.8	55
40	Canine vector-borne pathogens in semi-domesticated dogs residing in northern Cambodia. <i>Parasites and Vectors</i> , 2016, 9, 253.	2.5	52
41	A novel, species-specific, real-time PCR assay for the detection of the emerging zoonotic parasite <i>Ancylostoma ceylanicum</i> in human stool. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005734.	3.0	51
42	Complexities and Perplexities: A Critical Appraisal of the Evidence for Soil-Transmitted Helminth Infection-Related Morbidity. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004566.	3.0	49
43	A global genotyping survey of <i>Strongyloides stercoralis</i> and <i>Strongyloides fuelleborni</i> using deep amplicon sequencing. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007609.	3.0	47
44	<i>Ancylostoma ceylanicum</i> Hookworm in the Solomon Islands. <i>Emerging Infectious Diseases</i> , 2017, 23, 252-257.	4.3	46
45	Domestic dogs are mammalian reservoirs for the emerging zoonosis flea-borne spotted fever, caused by <i>Rickettsia felis</i> . <i>Scientific Reports</i> , 2020, 10, 4151.	3.3	46
46	<i>Blastocystis</i> : Subtyping isolates using pyrosequencing technology. <i>Experimental Parasitology</i> , 2007, 116, 111-119.	1.2	45
47	A survey of canine filarial diseases of veterinary and public health significance in India. <i>Parasites and Vectors</i> , 2010, 3, 30.	2.5	45
48	Molecular epidemiology: A multidisciplinary approach to understanding parasitic zoonoses. <i>International Journal for Parasitology</i> , 2005, 35, 1295-1307.	3.1	43
49	Molecular characterization of potentially zoonotic isolates of <i>Giardia duodenalis</i> in horses. <i>Veterinary Parasitology</i> , 2005, 130, 317-321.	1.8	42
50	Comparison of a new multiplex real-time PCR with the Kato Katz thick smear and copro-antigen ELISA for the detection and differentiation of <i>Taenia</i> spp. in human stools. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005743.	3.0	42
51	Canine vector-borne diseases in India: a review of the literature and identification of existing knowledge gaps. <i>Parasites and Vectors</i> , 2010, 3, 28.	2.5	41
52	Evidence for a specific host-endosymbiont relationship between <i>Rickettsia</i> sp. genotype RF2125 and <i>Ctenocephalides felis orientis</i> infesting dogs in India. <i>Parasites and Vectors</i> , 2015, 8, 169.	2.5	40
53	Water, Sanitation and Hygiene (WASH) and environmental risk factors for soil-transmitted helminth intensity of infection in Timor-Leste, using real time PCR. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005393.	3.0	38
54	A cluster-randomised controlled trial integrating a community-based water, sanitation and hygiene programme, with mass distribution of albendazole to reduce intestinal parasites in Timor-Leste: the WASH for WORMS research protocol. <i>BMJ Open</i> , 2015, 5, e009293.	1.9	37

#	ARTICLE	IF	CITATIONS
55	First international external quality assessment scheme of nucleic acid amplification tests for the detection of Schistosoma and soil-transmitted helminths, including Strongyloides: A pilot study. PLoS Neglected Tropical Diseases, 2020, 14, e0008231.	3.0	35
56	High-throughput multiplex qPCRs for the surveillance of zoonotic species of canine hookworms. PLoS Neglected Tropical Diseases, 2020, 14, e0008392.	3.0	35
57	Molecular evidence of Rickettsia felis infection in dogs from northern territory, Australia. Parasites and Vectors, 2011, 4, 198.	2.5	34
58	Parasites and vector-borne diseases disseminated by rehomed dogs. Parasites and Vectors, 2020, 13, 546.	2.5	34
59	Development and Evaluation of a Multiplex Quantitative Real-Time Polymerase Chain Reaction for Hookworm Species in Human Stool. American Journal of Tropical Medicine and Hygiene, 2018, 99, 1186-1193.	1.4	34
60	Detection of Group 1 Trypanosoma brucei gambiense by Loop-Mediated Isothermal Amplification. Journal of Clinical Microbiology, 2011, 49, 1530-1536.	3.9	33
61	Simple Fecal Flotation Is a Superior Alternative to Quadruple Kato Katz Smear Examination for the Detection of Hookworm Eggs in Human Stool. PLoS Neglected Tropical Diseases, 2014, 8, e3313.	3.0	33
62	Canine tick-borne pathogens and associated risk factors in dogs presenting with and without clinical signs consistent with tick-borne diseases in northern Australia. Australian Veterinary Journal, 2015, 93, 58-66.	1.1	33
63	Intestinal parasites of dogs and cats in Australia: The veterinarian's perspective and pet owner awareness. Veterinary Journal, 2010, 183, 358-361.	1.7	32
64	Water, sanitation and hygiene related risk factors for soil-transmitted helminth and Giardia duodenalis infections in rural communities in Timor-Leste. International Journal for Parasitology, 2016, 46, 771-779.	3.1	32
65	A systematic review of taeniasis, cysticercosis and trichinellosis in Vietnam. Parasites and Vectors, 2017, 10, 150.	2.5	32
66	Humans, dogs and parasitic zoonoses ? unravelling the relationships in a remote endemic community in northeast India using molecular tools. Parasitology Research, 2003, 90, S156-S157.	1.6	31
67	Real-time PCR as a surveillance tool for the detection of Trichinella infection in muscle samples from wildlife. Veterinary Parasitology, 2012, 188, 285-293.	1.8	31
68	Canine vector-borne disease pathogens in dogs from south-east Queensland and north-east Northern Territory. Australian Veterinary Journal, 2012, 90, 130-135.	1.1	31
69	Genetic characterization of the partial mitochondrial cytochrome oxidase c subunit I (cox 1) gene of the zoonotic parasitic nematode, Ancylostoma ceylanicum from humans, dogs and cats. Acta Tropica, 2013, 128, 154-157.	2.0	31
70	The prevalence and distribution of gastrointestinal parasites of stray and refuge dogs in four locations in India. Veterinary Parasitology, 2014, 205, 233-238.	1.8	31
71	Evaluation of the bacterial microbiome of two flea species using different DNA-isolation techniques provides insights into flea host ecology. FEMS Microbiology Ecology, 2015, 91, fiv134.	2.7	31
72	Seroprevalence and risk factors for Rickettsia felis exposure in dogs from Southeast Queensland and the Northern Territory, Australia. Parasites and Vectors, 2013, 6, 159.	2.5	30

#	ARTICLE	IF	CITATIONS
73	Hippobosca longipennis - a potential intermediate host of a species of Acanthocheilonema in dogs in northern India. Parasites and Vectors, 2011, 4, 143.	2.5	29
74	Re-evaluation of the species of hookworms infecting dogs in Central Vietnam. Parasites and Vectors, 2015, 8, 401.	2.5	29
75	Assessment of a metabarcoding approach for the characterisation of vector-borne bacteria in canines from Bangkok, Thailand. Parasites and Vectors, 2019, 12, 394.	2.5	29
76	A novel metabarcoding diagnostic tool to explore protozoan haemoparasite diversity in mammals: a proof-of-concept study using canines from the tropics. Scientific Reports, 2019, 9, 12644.	3.3	29
77	Comparison of the egg recovery rates and limit of detection for soil-transmitted helminths using the Kato-Katz thick smear, faecal flotation and quantitative real-time PCR in human stool. PLoS Neglected Tropical Diseases, 2021, 15, e0009395.	3.0	28
78	WASH for WORMS: A Cluster-Randomized Controlled Trial of the Impact of a Community Integrated Water, Sanitation, and Hygiene and Deworming Intervention on Soil-Transmitted Helminth Infections. American Journal of Tropical Medicine and Hygiene, 2019, 100, 750-761.	1.4	28
79	Prevalence and molecular characterization of Cryptosporidium spp. and Giardia spp. in environmental samples in Hanam province, Vietnam. Food and Waterborne Parasitology, 2016, 3, 13-20.	2.7	26
80	Pyrantel in small animal medicine: 30 years on. Veterinary Journal, 2008, 178, 177-184.	1.7	25
81	Low risk for transmission of zoonotic Giardia duodenalis from dogs to humans in rural Cambodia. Parasites and Vectors, 2014, 7, 412.	2.5	25
82	TroCCAP recommendations for the diagnosis, prevention and treatment of parasitic infections in dogs and cats in the tropics. Veterinary Parasitology, 2020, 283, 109167.	1.8	25
83	Evaluation of ELISA coupled with Western blot as a surveillance tool for Trichinella infection in wild boar (Sus scrofa). Veterinary Parasitology, 2014, 199, 179-190.	1.8	24
84	Molecular Characterization of Coccidia Associated with an Epizootic in Green Sea Turtles (Chelonia) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.5	24
85	Quantitative detection of viable helminth ova from raw wastewater, human feces, and environmental soil samples using novel PMA-qPCR methods. Environmental Science and Pollution Research, 2016, 23, 18639-18648.	5.3	24
86	Zoonotic Ancylostomiasis: An Update of a Continually Neglected Zoonosis. American Journal of Tropical Medicine and Hygiene, 2020, 103, 64-68.	1.4	23
87	Zoonotic hookworms of dogs and cats â€“ lessons from the past to inform current knowledge and future directions of research. International Journal for Parasitology, 2021, 51, 1233-1241.	3.1	23
88	Loop-mediated isothermal amplification test for Trypanosoma vivax based on satellite repeat DNA. Veterinary Parasitology, 2011, 180, 358-362.	1.8	22
89	Molecular epidemiology and pathology of spirorchiid infection in green sea turtles (Chelonia mydas). International Journal for Parasitology: Parasites and Wildlife, 2017, 6, 39-47.	1.5	22
90	Serological evidence of exposure to Rickettsia felis and Rickettsia typhi in Australian veterinarians. Parasites and Vectors, 2017, 10, 129.	2.5	21

#	ARTICLE	IF	CITATIONS
91	The epidemiology of porcine <i>Taenia solium</i> cysticercosis in communities of the Central Highlands in Vietnam. <i>Parasites and Vectors</i> , 2018, 11, 360.	2.5	21
92	Risk factors for infection with soil-transmitted helminths during an integrated community level water, sanitation, and hygiene and deworming intervention in Timor-Leste. <i>International Journal for Parasitology</i> , 2019, 49, 389-396.	3.1	20
93	Spirorchiidiasis in marine turtles: the current state of knowledge. <i>Diseases of Aquatic Organisms</i> , 2019, 133, 217-245.	1.0	19
94	Location and Pathogenic Potential of <i>Blastocystis</i> in the Porcine Intestine. <i>PLoS ONE</i> , 2014, 9, e103962.	2.5	18
95	Bloody Diarrhea Associated with Hookworm Infection in Traveler Returning to France from Myanmar. <i>Emerging Infectious Diseases</i> , 2015, 21, 1878-1879.	4.3	18
96	Molecular analysis of the genera <i>Hapalotrema</i> Looss, 1899 and <i>Learedius</i> Price, 1934 (Digenea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5 Systematic Parasitology, 2015, 90, 67-79.	1.1	17
97	â€Cysticercosis stormâ€™ in feedlot cattle in north-west New South Wales. <i>Australian Veterinary Journal</i> , 2013, 91, 89-93.	1.1	16
98	The mitochondrial genome of <i>Angiostrongylus mackerrasae</i> as a basis for molecular, epidemiological and population genetic studies. <i>Parasites and Vectors</i> , 2015, 8, 473.	2.5	16
99	Toward the formation of a Companion Animal Parasite Council for the Tropics (CAPCT). <i>Parasites and Vectors</i> , 2015, 8, 271.	2.5	16
100	Development and validation of a multiplexed-tandem qPCR tool for diagnostics of human soil-transmitted helminth infections. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007363.	3.0	16
101	<i>Ancylostoma ceylanicum</i> . <i>Trends in Parasitology</i> , 2021, 37, 844-845.	3.3	16
102	First report of a <i>Trichinella papuae</i> infection in a wild pig (<i>Sus scrofa</i>) from an Australian island in the Torres Strait region. <i>Veterinary Parasitology</i> , 2012, 185, 343-345.	1.8	15
103	<i>Blastocystis</i> specific serum immunoglobulin in patients with irritable bowel syndrome (IBS) versus healthy controls. <i>Parasites and Vectors</i> , 2015, 8, 453.	2.5	15
104	Investigations into the association between soil-transmitted helminth infections, haemoglobin and child development indices in Manufahi District, Timor-Leste. <i>Parasites and Vectors</i> , 2017, 10, 192.	2.5	15
105	Use of quantitative PCR to assess the efficacy of albendazole against <i>Necator americanus</i> and <i>Ascaris</i> spp. in Manufahi District, Timor-Leste. <i>Parasites and Vectors</i> , 2018, 11, 373.	2.5	15
106	A cluster-randomised controlled trial comparing school and community-based deworming for soil transmitted helminth control in school-age children: the CoDe-STH trial protocol. <i>BMC Infectious Diseases</i> , 2019, 19, 822.	2.9	15
107	Opportunistic Mapping of <i>Strongyloides stercoralis</i> and Hookworm in Dogs in Remote Australian Communities. <i>Pathogens</i> , 2020, 9, 398.	2.8	15
108	A multipronged next-generation sequencing metabarcoding approach unearths hyperdiverse and abundant dog pathogen communities in Cambodia. <i>Transboundary and Emerging Diseases</i> , 2022, 69, 1933-1950.	3.0	15

#	ARTICLE	IF	CITATIONS
109	Clinical pilot study: efficacy of triple antibiotic therapy in Blastocystis positive irritable bowel syndrome patients. <i>Gut Pathogens</i> , 2014, 6, 34.	3.4	14
110	Evidence of exposure to <i>Rickettsia felis</i> in Australian patients. <i>One Health</i> , 2016, 2, 95-98.	3.4	14
111	A Host-Specific Blocking Primer Combined with Optimal DNA Extraction Improves the Detection Capability of a Metabarcoding Protocol for Canine Vector-Borne Bacteria. <i>Pathogens</i> , 2020, 9, 258.	2.8	14
112	Terminal Restriction Fragment Length Polymorphism for the Identification of Spirochitid Ova in Tissues from the Green Sea Turtle, <i>Chelonia mydas</i> . <i>PLoS ONE</i> , 2016, 11, e0162114.	2.5	13
113	<i>Giardia duodenalis</i> infection in the context of a community-based deworming and water, sanitation and hygiene trial in Timor-Leste. <i>Parasites and Vectors</i> , 2019, 12, 491.	2.5	13
114	Canine gastrointestinal parasites as a potential source of zoonotic infections in Nigeria: A nationwide survey. <i>Preventive Veterinary Medicine</i> , 2021, 192, 105385.	1.9	13
115	Efficacy of a combination product containing pyrantel, febantel and praziquantel (Drontal® Plus) Tj ETQq1 1 0.784314 rgBT /Overlock ceylanicum in dogs. <i>Parasitology Research</i> , 2010, 106, 533-537.	1.6	12
116	Experimental infection with <i>Ancylostoma ceylanicum</i> in dogs and efficacy of a spot on combination containing imidacloprid 10% and moxidectin 2.5% (Advocate Â® /Advantage Â® Multi, Bayer Animal) Tj ETQq0 0 0 rgBT /Overlock 10 Tt	1.6	12
117	Prevalence of <i>Cysticercus bovis</i> in Australian cattle. <i>Australian Veterinary Journal</i> , 2010, 88, 260-262.	1.1	12
118	Characterization of the <i>Blastocystis</i> specific faecal IgA immune response in pigs. <i>Parasite Immunology</i> , 2014, 36, 503-508.	1.5	12
119	Cats as potential mammalian reservoirs for <i>Rickettsia</i> sp. genotype RF2125 in Bangkok, Thailand. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2018, 13, 188-192.	0.5	12
120	Novel High-Throughput Multiplex qPCRs for the Detection of Canine Vector-Borne Pathogens in the Asia-Pacific. <i>Microorganisms</i> , 2021, 9, 1092.	3.6	12
121	Reducing zoonotic and internal parasite burdens in pigs using a pig confinement system. <i>Veterinary World</i> , 2017, 10, 1347-1352.	1.7	12
122	Emergence of Neural Angiostrongyliasis in Eastern Australia. <i>Vector-Borne and Zoonotic Diseases</i> , 2015, 15, 184-190.	1.5	11
123	Molecular identification of zoonotic hookworms in dogs from four counties of Kenya. <i>Journal of Helminthology</i> , 2020, 94, e43.	1.0	11
124	Risk profiling and efficacy of albendazole against the hookworms <i>Necator americanus</i> and <i>Ancylostoma ceylanicum</i> in Cambodia to support control programs in Southeast Asia and the Western Pacific. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 16, 100258.	2.9	11
125	Zoonotic and economically significant pathogens of peri-urban wild dogs across north-eastern New South Wales and south-eastern Queensland, Australia. <i>Wildlife Research</i> , 2019, 46, 212.	1.4	10
126	Quantitative Polymerase Chain Reaction for Diagnosis of Soil-Transmitted Helminth Infections: A Comparison with a Flotation-Based Technique and an Investigation of Variability in DNA Detection. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018, 99, 1033-1040.	1.4	10

#	ARTICLE	IF	CITATIONS
127	A survey of <i>Angiostrongylus</i> species in definitive hosts in Queensland. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2015, 4, 323-328.	1.5	9
128	The epidemiology of <i>Taenia</i> spp. infection and <i>Taenia solium</i> cysticerci exposure in humans in the Central Highlands of Vietnam. <i>BMC Infectious Diseases</i> , 2018, 18, 527.	2.9	9
129	Field evaluation of the gut microbiome composition of pre-school and school-aged children in Tha Song Yang, Thailand, following oral MDA for STH infections. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009597.	3.0	9
130	Efficacy of a spot on combination containing imidacloprid 10% and moxidectin 1% (Advocate®/Advantage® Multi, Bayer Animal Health) against <i>Ancylostoma ceylanicum</i> in cats. <i>Veterinary Parasitology</i> , 2012, 190, 289-293.	1.8	8
131	Comparative pathogenesis of eosinophilic meningitis caused by <i>Angiostrongylus mackerrasae</i> and <i>Angiostrongylus cantonensis</i> in murine and guinea pig models of human infection. <i>Parasitology</i> , 2016, 143, 1243-1251.	1.5	8
132	Comparison of the modified agglutination test and real-time PCR for detection of <i>Toxoplasma gondii</i> exposure in feral cats from Phillip Island, Australia, and risk factors associated with infection. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2020, 12, 126-133.	1.5	8
133	Zoonotic Soil-Transmitted Helminths in Free-Roaming Dogs, Kiribati. <i>Emerging Infectious Diseases</i> , 2021, 27, 2163-2165.	4.3	8
134	Using quantitative PCR to identify opportunities to strengthen soil-transmitted helminth control in Solomon Islands: A cross-sectional epidemiological survey. <i>PLoS Neglected Tropical Diseases</i> , 2022, 16, e0010350.	3.0	8
135	Molecular characterization of <i>Hepatozoon canis</i> from farm dogs in Pakistan. <i>Parasitology Research</i> , 2018, 117, 1131-1138.	1.6	7
136	Geographical distribution and risk factors for <i>Echinococcus granulosus</i> infection in peri-urban wild dog populations. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2019, 10, 149-155.	1.5	7
137	High-throughput microfluidic real-time PCR for the simultaneous detection of selected vector-borne pathogens in dogs in Bosnia and Herzegovina. <i>Transboundary and Emerging Diseases</i> , 2022, 69, .	3.0	7
138	Hookworm Infection in Oceania. <i>Neglected Tropical Diseases</i> , 2016, , 33-68.	0.4	6
139	Clinical pilot study: efficacy of triple antibiotic therapy in. <i>Gut Pathogens</i> , 2014, 6, 34.	3.4	6
140	Bovine cysticercosis—Development of a real-time PCR to enhance classification of suspect cysts identified at meat inspection. <i>Veterinary Parasitology</i> , 2013, 194, 65-69.	1.8	5
141	Comparative efficacy of a spot-on formulation containing emodepside and praziquantel (Profender®), Tj ETQq1 1 0.784314 rgBT /Oyer <i>Ancylostoma ceylanicum</i> infections in cats. <i>Veterinary Parasitology</i> , 2013, 191, 172-176.	1.8	5
142	Spatial distribution of <i>Taenia solium</i> exposure in humans and pigs in the Central Highlands of Vietnam. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006810.	3.0	5
143	The epidemiology of <i>Rickettsia felis</i> infecting fleas of companion animals in eastern Australia. <i>Parasites and Vectors</i> , 2018, 11, 138.	2.5	5
144	Effective low-cost preservation of human stools in field-based studies for helminth and microbiota analysis. <i>International Journal for Parasitology</i> , 2021, 51, 741-748.	3.1	5

#	ARTICLE	IF	CITATIONS
145	Features of Blastocystis spp. in xenic culture revealed by deconvolutional microscopy. Parasitology Research, 2015, 114, 3237-3245.	1.6	4
146	Field application of a novel multiplex qPCR assay reveals the occurrence of the zoonotic hookworm Ancylostoma braziliense in Nigerian dogs. Acta Tropica, 2021, 213, 105758.	2.0	4
147	Detection of six soil-transmitted helminths in human stool by qPCR- a systematic workflow. PLoS ONE, 2021, 16, e0258039.	2.5	4
148	Molecular Epidemiology of Food-Borne Parasitic Zoonoses. World Class Parasites, 2007, , 383-415.	0.3	3
149	Efficacy of single topical treatment of Selamectin (Revolution®) against Ancylostoma ceylanicum in experimentally infected cats. Veterinary Parasitology: Regional Studies and Reports, 2019, 18, 100346.	0.5	3
150	The association between diet of periurban wild dogs and zoonotic pathogen carriage. Australian Mammalogy, 2019, 41, 241.	1.1	3
151	Field trial investigating the efficacy of a long-acting imidacloprid 10%/flumethrin 4.5% polymer matrix collar (Seresto®, Elanco) compared to monthly topical fipronil for the chemoprevention of canine tick-borne pathogens in Cambodia. Current Research in Parasitology and Vector-borne Diseases, 2022, 2, 100095.	1.9	3
152	Parasitic diseases of cats and dogs in the tropics.. CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources, 2006, 1, .	1.0	2
153	Attempt to uncover reservoirs of human spotted fever rickettsiosis on the Fleurieu Peninsula, South Australia. Journal of Vector Borne Diseases, 2018, 55, 239.	0.4	1
154	Translational Research of Zoonotic Parasites: Toward Improved Tools for Diagnosis, Treatment and Control. Pathogens, 2021, 10, 1416.	2.8	1
155	Laboratory diagnostic methods. , 2015, , 403-428.		0