Rebecca J Traub

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5977200/publications.pdf

Version: 2024-02-01

155 papers 6,720 citations

43 h-index 76900 74 g-index

157 all docs

157 docs citations

times ranked

157

4921 citing authors

#	Article	IF	CITATIONS
1	A multipronged nextâ€generation sequencing metabarcoding approach unearths hyperdiverse and abundant dog pathogen communities in Cambodia. Transboundary and Emerging Diseases, 2022, 69, 1933-1950.	3.0	15
2	Using quantitative PCR to identify opportunities to strengthen soil-transmitted helminth control in Solomon Islands: A cross-sectional epidemiological survey. PLoS Neglected Tropical Diseases, 2022, 16, e0010350.	3.0	8
3	Field trial investigating the efficacy of a long-acting imidacloprid 10%/flumethrin 4.5% polymer matrix collar (Seresto®, Elanco) compared to monthly topical fipronil for the chemoprevention of canine tick-borne pathogens in Cambodia. Current Research in Parasitology and Vector-borne Diseases, 2022, 2. 100095.	1.9	3
4	Highâ€throughput microfluidic realâ€time PCR for the simultaneous detection of selected vectorâ€borne pathogens in dogs in Bosnia and Herzegovina. Transboundary and Emerging Diseases, 2022, 69, .	3.0	7
5	Field application of a novel multiplex qPCR assay reveals the occurrence of the zoonotic hookworm Ancylostoma braziliense in Nigerian dogs. Acta Tropica, 2021, 213, 105758.	2.0	4
6	Effective low-cost preservation of human stools in field-based studies for helminth and microbiota analysis. International Journal for Parasitology, 2021, 51, 741-748.	3.1	5
7	Novel High-Throughput Multiplex qPCRs for the Detection of Canine Vector-Borne Pathogens in the Asia-Pacific. Microorganisms, 2021, 9, 1092.	3.6	12
8	Comparison of the egg recovery rates and limit of detection for soil-transmitted helminths using the Kato-Katz thick smear, faecal flotation and quantitative real-time PCR in human stool. PLoS Neglected Tropical Diseases, 2021, 15, e0009395.	3.0	28
9	Field evaluation of the gut microbiome composition of pre-school and school-aged children in Tha Song Yang, Thailand, following oral MDA for STH infections. PLoS Neglected Tropical Diseases, 2021, 15, e0009597.	3.0	9
10	Canine gastrointestinal parasites as a potential source of zoonotic infections in Nigeria: A nationwide survey. Preventive Veterinary Medicine, 2021, 192, 105385.	1.9	13
11	Zoonotic Soil-Transmitted Helminths in Free-Roaming Dogs, Kiribati. Emerging Infectious Diseases, 2021, 27, 2163-2165.	4.3	8
12	Ancylostoma ceylanicum. Trends in Parasitology, 2021, 37, 844-845.	3.3	16
13	Detection of six soil-transmitted helminths in human stool by qPCR- a systematic workflow. PLoS ONE, 2021, 16, e0258039.	2.5	4
14	Risk profiling and efficacy of albendazole against the hookworms Necator americanus and Ancylostoma ceylanicum in Cambodia to support control programs in Southeast Asia and the Western Pacific. The Lancet Regional Health - Western Pacific, 2021, 16, 100258.	2.9	11
15	Translational Research of Zoonotic Parasites: Toward Improved Tools for Diagnosis, Treatment and Control. Pathogens, 2021, 10, 1416.	2.8	1
16	Zoonotic hookworms of dogs and cats – lessons from the past to inform current knowledge and future directions of research. International Journal for Parasitology, 2021, 51, 1233-1241.	3.1	23
17	Molecular identification of zoonotic hookworms in dogs from four counties of Kenya. Journal of Helminthology, 2020, 94, e43.	1.0	11
18	Parasites and vector-borne diseases disseminated by rehomed dogs. Parasites and Vectors, 2020, 13, 546.	2.5	34

#	Article	IF	CITATIONS
19	TroCCAP recommendations for the diagnosis, prevention and treatment of parasitic infections in dogs and cats in the tropics. Veterinary Parasitology, 2020, 283, 109167.	1.8	25
20	First international external quality assessment scheme of nucleic acid amplification tests for the detection of SchistosomaÂand soil-transmitted helminths, including Strongyloides: A pilot study. PLoS Neglected Tropical Diseases, 2020, 14, e0008231.	3.0	35
21	High-throughput multiplex qPCRs for the surveillance of zoonotic species of canine hookworms. PLoS Neglected Tropical Diseases, 2020, 14, e0008392.	3.0	35
22	Opportunistic Mapping of Strongyloides stercoralis and Hookworm in Dogs in Remote Australian Communities. Pathogens, 2020, 9, 398.	2.8	15
23	Domestic dogs are mammalian reservoirs for the emerging zoonosis flea-borne spotted fever, caused by Rickettsia felis. Scientific Reports, 2020, 10, 4151.	3.3	46
24	Comparison of the modified agglutination test and real-time PCR for detection of Toxoplasma gondii exposure in feral cats from Phillip Island, Australia, and risk factors associated with infection. International Journal for Parasitology: Parasites and Wildlife, 2020, 12, 126-133.	1.5	8
25	A Host-Specific Blocking Primer Combined with Optimal DNA Extraction Improves the Detection Capability of a Metabarcoding Protocol for Canine Vector-Borne Bacteria. Pathogens, 2020, 9, 258.	2.8	14
26	Zoonotic Ancylostomiasis: An Update of a Continually Neglected Zoonosis. American Journal of Tropical Medicine and Hygiene, 2020, 103, 64-68.	1.4	23
27	Assessment of a metabarcoding approach for the characterisation of vector-borne bacteria in canines from Bangkok, Thailand. Parasites and Vectors, 2019, 12, 394.	2.5	29
28	Geographical distribution and risk factors for Echinococcus granulosus infection in peri-urban wild dog populations. International Journal for Parasitology: Parasites and Wildlife, 2019, 10, 149-155.	1.5	7
29	A novel metabarcoding diagnostic tool to explore protozoan haemoparasite diversity in mammals: a proof-of-concept study using canines from the tropics. Scientific Reports, 2019, 9, 12644.	3.3	29
30	A cluster-randomised controlled trial comparing school and community-based deworming for soil transmitted helminth control in school-age children: the CoDe-STH trial protocol. BMC Infectious Diseases, 2019, 19, 822.	2.9	15
31	A global genotyping survey of Strongyloides stercoralis and Strongyloides fuelleborni using deep amplicon sequencing. PLoS Neglected Tropical Diseases, 2019, 13, e0007609.	3.0	47
32	Development and validation of a multiplexed-tandem qPCR tool for diagnostics of human soil-transmitted helminth infections. PLoS Neglected Tropical Diseases, 2019, 13, e0007363.	3.0	16
33	Zoonotic and economically significant pathogens of peri-urban wild dogs across north-eastern New South Wales and south-eastern Queensland, Australia. Wildlife Research, 2019, 46, 212.	1.4	10
34	Risk factors for infection with soil-transmitted helminths during an integrated community level water, sanitation, and hygiene and deworming intervention in Timor-Leste. International Journal for Parasitology, 2019, 49, 389-396.	3.1	20
35	Giardia duodenalis infection in the context of a community-based deworming and water, sanitation and hygiene trial in Timor-Leste. Parasites and Vectors, 2019, 12, 491.	2.5	13
36	Canine Leishmaniasis Control in the Context of One Health. Emerging Infectious Diseases, 2019, 25, 1-4.	4.3	60

#	Article	lF	CITATIONS
37	Efficacy of single topical treatment of Selamectin (Revolution $\hat{A}^{@}$) against Ancylostoma ceylanicum in experimentally infected cats. Veterinary Parasitology: Regional Studies and Reports, 2019, 18, 100346.	0.5	3
38	The association between diet of periurban wild dogs and zoonotic pathogen carriage. Australian Mammalogy, 2019, 41, 241.	1.1	3
39	Spirorchiidiasis in marine turtles: the current state of knowledge. Diseases of Aquatic Organisms, 2019, 133, 217-245.	1.0	19
40	WASH for WORMS: A Cluster-Randomized Controlled Trial of the Impact of a Community Integrated Water, Sanitation, and Hygiene and Deworming Intervention on Soil-Transmitted Helminth Infections. American Journal of Tropical Medicine and Hygiene, 2019, 100, 750-761.	1.4	28
41	Molecular characterization of Hepatozoon canis from farm dogs in Pakistan. Parasitology Research, 2018, 117, 1131-1138.	1.6	7
42	Spatial distribution of Taenia solium exposure in humans and pigs in the Central Highlands of Vietnam. PLoS Neglected Tropical Diseases, 2018, 12, e0006810.	3.0	5
43	The epidemiology of Taenia spp. infection and Taenia solium cysticerci exposure in humans in the Central Highlands of Vietnam. BMC Infectious Diseases, 2018, 18, 527.	2.9	9
44	Cats as potential mammalian reservoirs for Rickettsia sp. genotype RF2125 in Bangkok, Thailand. Veterinary Parasitology: Regional Studies and Reports, 2018, 13, 188-192.	0.5	12
45	The epidemiology of porcine Taenia solium cysticercosis in communities of the Central Highlands in Vietnam. Parasites and Vectors, 2018, 11, 360.	2.5	21
46	The epidemiology of Rickettsia felis infecting fleas of companion animals in eastern Australia. Parasites and Vectors, 2018 , 11 , 138 .	2.5	5
47	Use of quantitative PCR to assess the efficacy of albendazole against Necator americanus and Ascaris spp. in Manufahi District, Timor-Leste. Parasites and Vectors, 2018, 11, 373.	2.5	15
48	Development and Evaluation of a Multiplex Quantitative Real-Time Polymerase Chain Reaction for Hookworm Species in Human Stool. American Journal of Tropical Medicine and Hygiene, 2018, 99, 1186-1193.	1.4	34
49	Quantitative Polymerase Chain Reaction for Diagnosis of Soil-Transmitted Helminth Infections: A Comparison with a Flotation-Based Technique and an Investigation of Variability in DNA Detection. American Journal of Tropical Medicine and Hygiene, 2018, 99, 1033-1040.	1.4	10
50	Attempt to uncover reservoirs of human spotted fever rickettsiosis on the Fleurieu Peninsula, South Australia. Journal of Vector Borne Diseases, 2018, 55, 239.	0.4	1
51	Molecular epidemiology and pathology of spirorchiid infection in green sea turtles (Chelonia mydas). International Journal for Parasitology: Parasites and Wildlife, 2017, 6, 39-47.	1.5	22
52	Zoonotic Parasites of Sheltered and Stray Dogs in the Era of the Global Economic and Political Crisis. Trends in Parasitology, 2017, 33, 813-825.	3.3	127
53	Investigations into the association between soil-transmitted helminth infections, haemoglobin and child development indices in Manufahi District, Timor-Leste. Parasites and Vectors, 2017, 10, 192.	2.5	15
54	A systematic review of taeniasis, cysticercosis and trichinellosis in Vietnam. Parasites and Vectors, 2017, 10, 150.	2.5	32

#	Article	IF	Citations
55	Serological evidence of exposure to Rickettsia felis and Rickettsia typhi in Australian veterinarians. Parasites and Vectors, 2017, 10, 129.	2.5	21
56	<i>Ancylostoma ceylanicum</i> Hookworm in the Solomon Islands. Emerging Infectious Diseases, 2017, 23, 252-257.	4.3	46
57	Water, Sanitation and Hygiene (WASH) and environmental risk factors for soil-transmitted helminth intensity of infection in Timor-Leste, using real time PCR. PLoS Neglected Tropical Diseases, 2017, 11, e0005393.	3.0	38
58	A novel, species-specific, real-time PCR assay for the detection of the emerging zoonotic parasite Ancylostoma ceylanicum in human stool. PLoS Neglected Tropical Diseases, 2017, 11, e0005734.	3.0	51
59	Comparison of a new multiplex real-time PCR with the Kato Katz thick smear and copro-antigen ELISA for the detection and differentiation of Taenia spp. in human stools. PLoS Neglected Tropical Diseases, 2017, 11, e0005743.	3.0	42
60	Reducing zoonotic and internal parasite burdens in pigs using a pig confinement system. Veterinary World, 2017, 10, 1347-1352.	1.7	12
61	Molecular Characterization of Coccidia Associated with an Epizootic in Green Sea Turtles (Chelonia) Tj ETQq1 1	0.784314 2.5	rgBT/Overlo
62	Complexities and Perplexities: A Critical Appraisal of the Evidence for Soil-Transmitted Helminth Infection-Related Morbidity. PLoS Neglected Tropical Diseases, 2016, 10, e0004566.	3.0	49
63	Terminal Restriction Fragment Length Polymorphism for the Identification of Spirorchiid Ova in Tissues from the Green Sea Turtle, Chelonia mydas. PLoS ONE, 2016, 11, e0162114.	2.5	13
64	Comparative pathogenesis of eosinophilic meningitis caused by <i>Angiostrongylus mackerrasae</i> and <i>Angiostrongylus cantonensis</i> in murine and guinea pig models of human infection. Parasitology, 2016, 143, 1243-1251.	1.5	8
65	Comparison of faecal microbiota in Blastocystis-positive and Blastocystis-negative irritable bowel syndrome patients. Microbiome, 2016, 4, 47.	11.1	77
66	Prevalence and molecular characterization of Cryptosporidum spp. and Giardia spp. in environmental samples in Hanam province, Vietnam. Food and Waterborne Parasitology, 2016, 3, 13-20.	2.7	26
67	Canine vector-borne pathogens in semi-domesticated dogs residing in northern Cambodia. Parasites and Vectors, 2016, 9, 253.	2.5	52
68	Evidence of exposure to Rickettsia felis in Australian patients. One Health, 2016, 2, 95-98.	3.4	14
69	Water, sanitation and hygiene related risk factors for soil-transmitted helminth and Giardia duodenalis infections in rural communities in Timor-Leste. International Journal for Parasitology, 2016, 46, 771-779.	3.1	32
70	Quantitative detection of viable helminth ova from raw wastewater, human feces, and environmental soil samples using novel PMA-qPCR methods. Environmental Science and Pollution Research, 2016, 23, 18639-18648.	5.3	24
71	Hookworm Infection in Oceania. Neglected Tropical Diseases, 2016, , 33-68.	0.4	6
72	Application of a Multiplex Quantitative PCR to Assess Prevalence and Intensity Of Intestinal Parasite Infections in a Controlled Clinical Trial. PLoS Neglected Tropical Diseases, 2016, 10, e0004380.	3.0	145

#	Article	IF	Citations
73	Blastocystis specific serum immunoglobulin in patients with irritable bowel syndrome (IBS) versus healthy controls. Parasites and Vectors, 2015, 8, 453.	2.5	15
74	The mitochondrial genome of Angiostrongylus mackerrasae as a basis for molecular, epidemiological and population genetic studies. Parasites and Vectors, 2015, 8, 473.	2.5	16
7 5	Bloody Diarrhea Associated with Hookworm Infection in Traveler Returning to France from Myanmar. Emerging Infectious Diseases, 2015, 21, 1878-1879.	4.3	18
76	Molecular analysis of the genera Hapalotrema Looss, 1899 and Learedius Price, 1934 (Digenea:) Tj ETQq0 0 0 rgB1 Systematic Parasitology, 2015, 90, 67-79.	「/Overlock 1.1	2 10 Tf 50 6 17
77	Laboratory diagnostic methods. , 2015, , 403-428.		0
78	Toward the formation of a Companion Animal Parasite Council for the Tropics (CAPCT). Parasites and Vectors, 2015, 8, 271.	2.5	16
79	A cluster-randomised controlled trial integrating a community-based water, sanitation and hygiene programme, with mass distribution of albendazole to reduce intestinal parasites in Timor-Leste: the WASH for WORMS research protocol. BMJ Open, 2015, 5, e009293.	1.9	37
80	Canine tickâ€borne pathogens and associated risk factors in dogs presenting with and without clinical signs consistent with tickâ€borne diseases in northern <scp>A</scp> ustralia. Australian Veterinary Journal, 2015, 93, 58-66.	1.1	33
81	Integrated morphological and molecular identification of cat fleas (Ctenocephalides felis) and dog fleas (Ctenocephalides canis) vectoring Rickettsia felis in central Europe. Veterinary Parasitology, 2015, 210, 215-223.	1.8	55
82	Evidence for a specific host-endosymbiont relationship between  Rickettsia sp. genotype RF2125' and Ctenocephalides felis orientis infesting dogs in India. Parasites and Vectors, 2015, 8, 169.	2.5	40
83	Re-evaluation of the species of hookworms infecting dogs in Central Vietnam. Parasites and Vectors, 2015, 8, 401.	2.5	29
84	Features of Blastocystis spp. in xenic culture revealed by deconvolutional microscopy. Parasitology Research, 2015, 114, 3237-3245.	1.6	4
85	Emergence of Neural Angiostrongyliasis in Eastern Australia. Vector-Borne and Zoonotic Diseases, 2015, 15, 184-190.	1.5	11
86	A survey of Angiostrongylus species in definitive hosts in Queensland. International Journal for Parasitology: Parasites and Wildlife, 2015, 4, 323-328.	1.5	9
87	Evaluation of the bacterial microbiome of two flea species using different DNA-isolation techniques provides insights into flea host ecology. FEMS Microbiology Ecology, 2015, 91, fiv134.	2.7	31
88	Location and Pathogenic Potential of Blastocystis in the Porcine Intestine. PLoS ONE, 2014, 9, e103962.	2.5	18
89	High Prevalence of <i> Ancylostoma ceylanicum < /i > Hookworm Infections in Humans, Cambodia, 2012. Emerging Infectious Diseases, 2014, 20, 976-82.</i>	4.3	125
90	Water, Sanitation, and Hygiene (WASH): A Critical Component for Sustainable Soil-Transmitted Helminth and Schistosomiasis Control. PLoS Neglected Tropical Diseases, 2014, 8, e2651.	3.0	142

#	Article	IF	CITATIONS
91	Simple Fecal Flotation Is a Superior Alternative to Guadruple Kato Katz Smear Examination for the Detection of Hookworm Eggs in Human Stool. PLoS Neglected Tropical Diseases, 2014, 8, e3313.	3.0	33
92	Characterization of the <i>Blastocystisâ€</i> specific faecal IgA immune response in pigs. Parasite Immunology, 2014, 36, 503-508.	1.5	12
93	Low risk for transmission of zoonotic Giardia duodenalis from dogs to humans in rural Cambodia. Parasites and Vectors, 2014, 7, 412.	2.5	25
94	Molecular epidemiology of Blastocystis in pigs and their in-contact humans in Southeast Queensland, Australia, and Cambodia. Veterinary Parasitology, 2014, 203, 264-269.	1.8	130
95	Evaluation of ELISA coupled with Western blot as a surveillance tool for Trichinella infection in wild boar (Sus scrofa). Veterinary Parasitology, 2014, 199, 179-190.	1.8	24
96	The prevalence and distribution of gastrointestinal parasites of stray and refuge dogs in four locations in India. Veterinary Parasitology, 2014, 205, 233-238.	1.8	31
97	Clinical pilot study: efficacy of triple antibiotic therapy in Blastocystis positive irritable bowel syndrome patients. Gut Pathogens, 2014, 6, 34.	3.4	14
98	The prevalence and diversity of intestinal parasitic infections in humans and domestic animals in a rural Cambodian village. Parasitology International, 2014, 63, 597-603.	1.3	95
99	Clinical pilot study: efficacy of triple antibiotic therapy in. Gut Pathogens, 2014, 6, 34.	3.4	6
100	Seroprevalence and risk factors for Rickettsia felis exposure in dogs from Southeast Queensland and the Northern Territory, Australia. Parasites and Vectors, 2013, 6, 159.	2.5	30
101	Genetic characterization of the partial mitochondrial cytochrome oxidase c subunit I (cox 1) gene of the zoonotic parasitic nematode, Ancylostoma ceylanicum from humans, dogs and cats. Acta Tropica, 2013, 128, 154-157.	2.0	31
102	Bovine cysticercosisâ€"Development of a real-time PCR to enhance classification of suspect cysts identified at meat inspection. Veterinary Parasitology, 2013, 194, 65-69.	1.8	5
103	Diversity of Blastocystis subtypes in dogs in different geographical settings. Parasites and Vectors, 2013, 6, 215.	2.5	55
104	Comparative efficacy of a spot-on formulation containing emodepside and praziquantel (Profender \hat{A}^{\otimes} ,) Tj ETQq0 Ancylostoma ceylanicum infections in cats. Veterinary Parasitology, 2013, 191, 172-176.	0 0 rgBT 1.8	Overlock 10 5
105	Ancylostoma ceylanicum, a re-emerging but neglected parasitic zoonosis. International Journal for Parasitology, 2013, 43, 1009-1015.	3.1	129
106	â€~Cysticercosis storm' in feedlot cattle in north-west New South Wales. Australian Veterinary Journal, 2013, 91, 89-93.	1.1	16
107	Epidemiological and Genetic Data Supporting the Transmission of Ancylostoma ceylanicum among Human and Domestic Animals. PLoS Neglected Tropical Diseases, 2012, 6, e1522.	3.0	116
108	Efficacy of a spot on combination containing imidacloprid 10% and moxidectin 1% (Advocate®/Advantage® Multi, Bayer Animal Health) against Ancylostoma ceylanicum in cats. Veterinary Parasitology, 2012, 190, 289-293.	1.8	8

#	Article	IF	CITATIONS
109	Real-time PCR as a surveillance tool for the detection of Trichinella infection in muscle samples from wildlife. Veterinary Parasitology, 2012, 188, 285-293.	1.8	31
110	Vector-Borne Diseases - constant challenge for practicing veterinarians: recommendations from the CVBD World Forum. Parasites and Vectors, 2012, 5, 55.	2.5	56
111	<i>Blastocystis</i> subtypes in symptomatic and asymptomatic family members and pets and response to therapy. Internal Medicine Journal, 2012, 42, 1187-1195.	0.8	81
112	Canine vectorâ€borne disease pathogens in dogs from southâ€east Queensland and northâ€east Northern Territory. Australian Veterinary Journal, 2012, 90, 130-135.	1.1	31
113	First report of a Trichinella papuae infection in a wild pig (Sus scrofa) from an Australian island in the Torres Strait region. Veterinary Parasitology, 2012, 185, 343-345.	1.8	15
114	Hippobosca longipennis - a potential intermediate host of a species of Acanthocheilonema in dogs in northern India. Parasites and Vectors, 2011, 4, 143.	2.5	29
115	Molecular Evidence Supports the Role of Dogs as Potential Reservoirs for <i>Rickettsia felis</i> Vector-Borne and Zoonotic Diseases, 2011, 11, 1007-1012.	1.5	57
116	A survey of canine tick-borne diseases in India. Parasites and Vectors, 2011, 4, 141.	2.5	102
117	Molecular evidence of Rickettsia felis infection in dogs from northern territory, Australia. Parasites and Vectors, 2011, 4, 198.	2.5	34
118	Loop-mediated isothermal amplification test for Trypanosoma vivax based on satellite repeat DNA. Veterinary Parasitology, 2011, 180, 358-362.	1.8	22
119	Detection of Group 1 Trypanosoma brucei gambiense by Loop-Mediated Isothermal Amplification. Journal of Clinical Microbiology, 2011, 49, 1530-1536.	3.9	33
120	Incidence and Risk Factors of Hookworm Infection in a Rural Community of Central Thailand. American Journal of Tropical Medicine and Hygiene, 2011, 84, 594-598.	1.4	83
121	Eradication of Blastocystis Carriage With Antimicrobials: Reality or Delusion?. Journal of Clinical Gastroenterology, 2010, 44, 85-90.	2.2	74
122	Efficacy of a combination product containing pyrantel, febantel and praziquantel (Drontal® Plus) Tj ETQq0 0 0 rg ceylanicum in dogs. Parasitology Research, 2010, 106, 533-537.	gBT /Overlo 1.6	ock 10 Tf 50 12
123	Experimental infection with Ancylostoma ceylanicum in dogs and efficacy of a spot on combination containing imidacloprid 10% and moxidectin 2.5% (Advocate \hat{A}^{\otimes} /Advantage \hat{A}^{\otimes} Multi, Bayer Animal) Tj ETQq1 1 (). ₹.& 4314 ı	rgBT Overlo
124	Intestinal parasites of dogs and cats in Australia: The veterinarian's perspective and pet owner awareness. Veterinary Journal, 2010, 183, 358-361.	1.7	32
125	Molecular characterization of Blastocystis isolates from zoo animals and their animal-keepers. Veterinary Parasitology, 2010, 169, 8-17.	1.8	233
126	Morphological and molecular characterisation of Echinococcus granulosus in livestock and humans in Punjab, Pakistan. Veterinary Parasitology, 2010, 170, 44-49.	1.8	87

#	Article	IF	Citations
127	Prevalence of Cysticercus bovis in Australian cattle. Australian Veterinary Journal, 2010, 88, 260-262.	1.1	12
128	Canine vector-borne diseases in India: a review of the literature and identification of existing knowledge gaps. Parasites and Vectors, 2010, 3, 28.	2.5	41
129	A survey of canine filarial diseases of veterinary and public health significance in India. Parasites and Vectors, 2010, 3, 30.	2.5	45
130	Acetylcholine receptor subunit genes from Ancylostoma caninum: Altered transcription patterns associated with pyrantel resistance. International Journal for Parasitology, 2009, 39, 435-441.	3.1	56
131	Molecular and morphological characterisation of Echinococcus from food producing animals in India. Veterinary Parasitology, 2009, 165, 58-65.	1.8	97
132	Transmission cycles of Giardia duodenalis in dogs and humans in Temple communities in Bangkok—A critical evaluation of its prevalence using three diagnostic tests in the field in the absence of a gold standard. Acta Tropica, 2009, 111, 125-132.	2.0	74
133	A New PCR-Based Approach Indicates the Range of Clonorchis sinensis Now Extends to Central Thailand. PLoS Neglected Tropical Diseases, 2009, 3, e367.	3.0	121
134	National study of the gastrointestinal parasites of dogs and cats in Australia. Veterinary Parasitology, 2008, 151, 181-190.	1.8	164
135	Determining the zoonotic significance of Giardia and Cryptosporidium in Australian dogs and cats. Veterinary Parasitology, 2008, 154, 142-147.	1.8	93
136	PCR-based coprodiagnostic tools reveal dogs as reservoirs of zoonotic ancylostomiasis caused by Ancylostoma ceylanicum in temple communities in Bangkok. Veterinary Parasitology, 2008, 155, 67-73.	1.8	119
137	Pyrantel in small animal medicine: 30 years on. Veterinary Journal, 2008, 178, 177-184.	1.7	25
138	A case of mistaken identity – reappraisal of the species of canid and felid hookworms (Ancylostoma) present in Australia and India. Parasitology, 2007, 134, 113-119.	1.5	60
139	Molecular Epidemiology of Food-Borne Parasitic Zoonoses. World Class Parasites, 2007, , 383-415.	0.3	3
140	Direct characterization of Blastocystis from faeces by PCR and evidence of zoonotic potential. Parasitology, 2007, 134, 359.	1.5	151
141	The veterinary and public health significance of hookworm in dogs and cats in Australia and the status of A. ceylanicum. Veterinary Parasitology, 2007, 145, 304-313.	1.8	99
142	Blastocystis: Subtyping isolates using pyrosequencingâ, ¢ technology. Experimental Parasitology, 2007, 116, 111-119.	1.2	45
143	Terminology for Blastocystis subtypes – a consensus. Trends in Parasitology, 2007, 23, 93-96.	3.3	332
144	Canine parasitic zoonoses in Bangkok temples. Southeast Asian Journal of Tropical Medicine and Public Health, 2007, 38, 247-55.	1.0	67

#	Article	IF	CITATIONS
145	Parasitic diseases of cats and dogs in the tropics CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources, 2006, 1 , .	1.0	2
146	Molecular characterization of potentially zoonotic isolates of Giardia duodenalis in horses. Veterinary Parasitology, 2005, 130, 317-321.	1.8	42
147	Molecular epidemiology: A multidisciplinary approach to understanding parasitic zoonoses. International Journal for Parasitology, 2005, 35, 1295-1307.	3.1	43
148	Canine gastrointestinal parasitic zoonoses in India. Trends in Parasitology, 2005, 21, 42-48.	3.3	112
149	Sheep May Not Be an Important Zoonotic Reservoir for Cryptosporidium and Giardia Parasites. Applied and Environmental Microbiology, 2005, 71, 4992-4997.	3.1	183
150	Epidemiological and molecular evidence supports the zoonotic transmission of Giardiaamong humans and dogs living in the same community. Parasitology, 2004, 128, 253-262.	1.5	261
151	Colonization and risk factors for Brachyspira aalborgi and Brachyspira pilosicoli in humans and dogs on tea estates in Assam, India. Epidemiology and Infection, 2004, 132, 137-144.	2.1	55
152	The prevalence, intensities and risk factors associated with geohelminth infection in teaâ€growing communities of Assam, India. Tropical Medicine and International Health, 2004, 9, 688-701.	2.3	83
153	Application of a species-specific PCR-RFLP to identify Ancylostoma eggs directly from canine faeces. Veterinary Parasitology, 2004, 123, 245-255.	1.8	82
154	Humans, dogs and parasitic zoonoses? unravelling the relationships in a remote endemic community in northeast India using molecular tools. Parasitology Research, 2003, 90, S156-S157.	1.6	31
155	The role of dogs in transmission of gastrointestinal parasites in a remote tea-growing community in northeastern India American Journal of Tropical Medicine and Hygiene, 2002, 67, 539-545.	1.4	102