## Sangeeta R Kashyap

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5979461/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Bariatric Surgery versus Intensive Medical Therapy in Obese Patients with Diabetes. New England Journal of Medicine, 2012, 366, 1567-1576.	13.9	1,973
2	Bariatric Surgery versus Intensive Medical Therapy for Diabetes — 5-Year Outcomes. New England Journal of Medicine, 2017, 376, 641-651.	13.9	1,963
3	Coordinated reduction of genes of oxidative metabolism in humans with insulin resistance and diabetes: Potential role of PGC1 and NRF1. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 8466-8471.	3.3	1,800
4	Bariatric Surgery versus Intensive Medical Therapy for Diabetes — 3-Year Outcomes. New England Journal of Medicine, 2014, 370, 2002-2013.	13.9	1,369
5	Bariatric surgery versus non-surgical treatment for obesity: a systematic review and meta-analysis of randomised controlled trials. BMJ, The, 2013, 347, f5934-f5934.	3.0	1,019
6	Plasma Ceramides Are Elevated in Obese Subjects With Type 2 Diabetes and Correlate With the Severity of Insulin Resistance. Diabetes, 2009, 58, 337-343.	0.3	536
7	Can Diabetes Be Surgically Cured? Long-Term Metabolic Effects of Bariatric Surgery in Obese Patients with Type 2 Diabetes Mellitus. Annals of Surgery, 2013, 258, 628-637.	2.1	469
8	A Sustained Increase in Plasma Free Fatty Acids Impairs Insulin Secretion in Nondiabetic Subjects Genetically Predisposed to Develop Type 2 Diabetes. Diabetes, 2003, 52, 2461-2474.	0.3	447
9	Metabolic Syndrome and Kidney Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 2364-2373.	2.2	432
10	Vitamin D Supplementation and Prevention of Type 2 Diabetes. New England Journal of Medicine, 2019, 381, 520-530.	13.9	423
11	Dose-Response Effect of Elevated Plasma Free Fatty Acid on Insulin Signaling. Diabetes, 2005, 54, 1640-1648.	0.3	333
12	American Association of Clinical Endocrinology Clinical Practice Guideline for the Diagnosis and Management of Nonalcoholic Fatty Liver Disease in Primary Care and Endocrinology Clinical Settings. Endocrine Practice, 2022, 28, 528-562.	1.1	323
13	Adipocyte Apoptosis, a Link between Obesity, Insulin Resistance, and Hepatic Steatosis. Journal of Biological Chemistry, 2010, 285, 3428-3438.	1.6	286
14	Metabolic Effects of Bariatric Surgery in Patients With Moderate Obesity and Type 2 Diabetes. Diabetes Care, 2013, 36, 2175-2182.	4.3	250
15	Lipid Infusion Decreases the Expression of Nuclear Encoded Mitochondrial Genes and Increases the Expression of Extracellular Matrix Genes in Human Skeletal Muscle. Journal of Biological Chemistry, 2005, 280, 10290-10297.	1.6	217
16	Individualized Metabolic Surgery Score. Annals of Surgery, 2017, 266, 650-657.	2.1	201
17	Effects of metformin on weight loss. Current Opinion in Endocrinology, Diabetes and Obesity, 2014, 21, 323-329.	1.2	183
18	Exercise training increases glycogen synthase activity and GLUT4 expression but not insulin signaling in overweight nondiabetic and type 2 diabetic subjects. Metabolism: Clinical and Experimental, 2004, 53, 1233-1242.	1.5	168

2

#	Article	IF	CITATIONS
19	Cytokeratin 18 Fragment Levels as a Noninvasive Biomarker for Nonalcoholic Steatohepatitis in Bariatric Surgery Patients. Clinical Gastroenterology and Hepatology, 2008, 6, 1249-1254.	2.4	149
20	The insulin resistance syndrome: physiological considerations. Diabetes and Vascular Disease Research, 2007, 4, 13-19.	0.9	140
21	A low–glycemic index diet combined with exercise reduces insulin resistance, postprandial hyperinsulinemia, and glucose-dependent insulinotropic polypeptide responses in obese, prediabetic humans. American Journal of Clinical Nutrition, 2010, 92, 1359-1368.	2.2	132
22	Insulin Resistance Is Associated with Impaired Nitric Oxide Synthase Activity in Skeletal Muscle of Type 2 Diabetic Subjects. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 1100-1105.	1.8	124
23	Increased collagen content in insulin-resistant skeletal muscle. American Journal of Physiology - Endocrinology and Metabolism, 2006, 290, E560-E565.	1.8	121
24	Type 2 diabetes and osteoarthritis: a systematic review and meta-analysis. Journal of Diabetes and Its Complications, 2016, 30, 944-950.	1.2	106
25	Improved Pancreatic β-Cell Function in Type 2 Diabetic Patients After Lifestyle-Induced Weight Loss Is Related to Glucose-Dependent Insulinotropic Polypeptide. Diabetes Care, 2010, 33, 1561-1566.	4.3	103
26	Gastric Bypass Surgery Reduces Plasma Ceramide Subspecies and Improves Insulin Sensitivity in Severely Obese Patients. Obesity, 2011, 19, 2235-2240.	1.5	99
27	Insulin Reduces Plasma Arginase Activity in Type 2 Diabetic Patients. Diabetes Care, 2008, 31, 134-139.	4.3	97
28	Sustained Reduction in Plasma Free Fatty Acid Concentration Improves Insulin Action without Altering Plasma Adipocytokine Levels in Subjects with Strong Family History of Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 4649-4655.	1.8	96
29	Triglyceride Levels and Not Adipokine Concentrations Are Closely Related to Severity of Nonalcoholic Fatty Liver Disease in an Obesity Surgery Cohort. Obesity, 2009, 17, 1696-1701.	1.5	92
30	Discordant effects of a chronic physiological increase in plasma FFA on insulin signaling in healthy subjects with or without a family history of type 2 diabetes. American Journal of Physiology - Endocrinology and Metabolism, 2004, 287, E537-E546.	1.8	89
31	Effects on insulin secretion and insulin action of a 48-h reduction of plasma free fatty acids with acipimox in nondiabetic subjects genetically predisposed to type 2 diabetes. American Journal of Physiology - Endocrinology and Metabolism, 2007, 292, E1775-E1781.	1.8	89
32	Twoâ€year outcomes on bone density and fracture incidence in patients with T2DM randomized to bariatric surgery versus intensive medical therapy. Obesity, 2015, 23, 2344-2348.	1.5	86
33	Early effects of gastric bypass on endothelial function, inflammation, and cardiovascular risk in obese patients. Surgical Endoscopy and Other Interventional Techniques, 2011, 25, 2650-2659.	1.3	84
34	Bariatric surgery for type 2 diabetes: Weighing the impact for obese patients. Cleveland Clinic Journal of Medicine, 2010, 77, 468-476.	0.6	77
35	Effect of acute physiological hyperinsulinemia on gene expression in human skeletal muscle in vivo. American Journal of Physiology - Endocrinology and Metabolism, 2008, 294, E910-E917.	1.8	76
36	Urinary Albumin Excretion, HMW Adiponectin, and Insulin Sensitivity in Type 2 Diabetic Patients Undergoing Bariatric Surgery. Obesity Surgery, 2010, 20, 308-315.	1.1	71

Sangeeta R Kashyap

#	Article	IF	CITATIONS
37	Changes in Whole Blood Gene Expression in Obese Subjects with Type 2 Diabetes Following Bariatric Surgery: a Pilot Study. PLoS ONE, 2011, 6, e16729.	1.1	70
38	Risk prediction of complications of metabolic syndrome before and 6 years after gastric bypass. Surgery for Obesity and Related Diseases, 2014, 10, 576-582.	1.0	69
39	Insulin sensitivity and metabolic flexibility following exercise training among different obese insulin-resistant phenotypes. American Journal of Physiology - Endocrinology and Metabolism, 2013, 305, E1292-E1298.	1.8	68
40	Pancreatic β-cell Function Is a Stronger Predictor of Changes in Glycemic Control After an Aerobic Exercise Intervention Than Insulin Sensitivity. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 4176-4186.	1.8	66
41	Approach to the Patient with MODY-Monogenic Diabetes. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 237-250.	1.8	65
42	Bariatric Surgery versus Intensive Medical Therapy for Diabetes. New England Journal of Medicine, 2014, 371, 680-682.	13.9	63
43	Bariatric Surgery in Obese Patients With Type 1 Diabetes. Diabetes Care, 2016, 39, 941-948.	4.3	63
44	Randomized trial on the effects of a 7-d low-glycemic diet and exercise intervention on insulin resistance in older obese humans. American Journal of Clinical Nutrition, 2009, 90, 1222-1229.	2.2	62
45	Glycation Reduces the Stability of ApoAl and Increases HDL Dysfunction in Diet-Controlled Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 388-396.	1.8	58
46	Lipidâ€induced Insulin Resistance Is Associated With Increased Monocyte Expression of Scavenger Receptor CD36 and Internalization of Oxidized LDL. Obesity, 2009, 17, 2142-2148.	1.5	54
47	Bariatric surgery vs. advanced practice medical management in the treatment of type 2 diabetes mellitus: rationale and design of the Surgical Therapy And Medications Potentially Eradicate Diabetes Efficiently trial (STAMPEDE). Diabetes, Obesity and Metabolism, 2010, 12, 452-454.	2.2	51
48	The glucose-dependent insulinotropic polypeptide and glucose-stimulated insulin response to exercise training and diet in obesity. American Journal of Physiology - Endocrinology and Metabolism, 2009, 296, E1269-E1274.	1.8	48
49	Association of prior metabolic and bariatric surgery with severity of coronavirus disease 2019 (COVID-19) in patients with obesity. Surgery for Obesity and Related Diseases, 2021, 17, 208-214.	1.0	47
50	Increased Bone Turnover in Type 2 Diabetes Patients Randomized to Bariatric Surgery Versus Medical Therapy at 5 Years. Endocrine Practice, 2018, 24, 256-264.	1.1	46
51	Pathogenic Role of Scavenger Receptor CD36 in the Metabolic Syndrome and Diabetes. Metabolic Syndrome and Related Disorders, 2011, 9, 239-245.	0.5	45
52	Free Fatty Acids Reduce Splanchnic and Peripheral Glucose Uptake in Patients With Type 2 Diabetes. Diabetes, 2002, 51, 3043-3048.	0.3	44
53	Bariatric Surgery Improves the Metabolic Profile of Morbidly Obese Patients With Type 1 Diabetes. Diabetes Care, 2014, 37, e51-e52.	4.3	44
54	Circulating soluble RAGE isoforms are attenuated in obese, impaired-glucose-tolerant individuals and are associated with the development of type 2 diabetes. American Journal of Physiology - Endocrinology and Metabolism, 2017, 313, E631-E640.	1.8	43

#	Article	IF	CITATIONS
55	Exercise Training with Weight Loss and either a High- or Low-Glycemic Index Diet Reduces Metabolic Syndrome Severity in Older Adults. Annals of Nutrition and Metabolism, 2012, 61, 135-141.	1.0	41
56	Increased serotransferrin and ceruloplasmin turnover in diet-controlled patients with type 2 diabetes. Free Radical Biology and Medicine, 2017, 113, 461-469.	1.3	41
57	Global Relationship between the Proteome and Transcriptome of Human Skeletal Muscle. Journal of Proteome Research, 2008, 7, 3230-3241.	1.8	40
58	Incidence and Clinical Features of Diabetic Ketoacidosis After Bariatric and Metabolic Surgery. Diabetes Care, 2016, 39, e50-e53.	4.3	40
59	Retinolâ€binding Protein 4 (RBP4) Protein Expression Is Increased in Omental Adipose Tissue of Severely Obese Patients. Obesity, 2010, 18, 663-666.	1.5	39
60	DiaRem score: external validation. Lancet Diabetes and Endocrinology,the, 2014, 2, 12-13.	5.5	38
61	A nationwide safety analysis of bariatric surgery in nonseverely obese patients with type 2 diabetes. Surgery for Obesity and Related Diseases, 2016, 12, 1163-1170.	1.0	38
62	Insulin promotes macrophage foam cell formation: potential implications in diabetes-related atherosclerosis. Laboratory Investigation, 2012, 92, 1171-1180.	1.7	37
63	Cancer Risk in Type 2 Diabetes Mellitus: Metabolic Links and Therapeutic Considerations. Journal of Nutrition and Metabolism, 2011, 2011, 1-11.	0.7	36
64	Restoration of glycemic control in patients with type 2 diabetes mellitus after bariatric surgery is associated with reduction in microparticles. Surgery for Obesity and Related Diseases, 2013, 9, 207-212.	1.0	36
65	Diabetes Remission in the Alliance of Randomized Trials of Medicine Versus Metabolic Surgery in Type 2 Diabetes (ARMMS-T2D). Diabetes Care, 2022, 45, 1574-1583.	4.3	35
66	Reduced cardiovascular risk after bariatric surgery is linked to plasma ceramides, apolipoprotein-B100, and ApoB100/A1 ratio. Surgery for Obesity and Related Diseases, 2013, 9, 100-107.	1.0	32
67	Long-Term Weight Loss Strategies for Obesity. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 1854-1866.	1.8	32
68	Mice Lacking C1q Are Protected from High Fat Diet-induced Hepatic Insulin Resistance and Impaired Glucose Homeostasis. Journal of Biological Chemistry, 2013, 288, 22565-22575.	1.6	31
69	Reduced Cardiovascular Risk Following Bariatric Surgeries is Related to a Partial Recovery from "Adiposopathy― Obesity Surgery, 2011, 21, 1928-1936.	1.1	30
70	â€~Adiposopathy' and cardiovascular disease. Current Opinion in Cardiology, 2013, 28, 540-546.	0.8	30
71	Adjusting Glucose-Stimulated Insulin Secretion for Adipose Insulin Resistance: An Index of β-Cell Function in Obese Adults. Diabetes Care, 2014, 37, 2940-2946.	4.3	29
72	Bariatric Surgery, Kidney Function, Insulin Resistance, and Adipokines in Patients With Decreased GFR: A Cohort Study. American Journal of Kidney Diseases, 2015, 65, 345-347.	2.1	28

#	Article	IF	CITATIONS
73	Adults with longâ€duration type 2 diabetes have blunted glycemic and <i>β</i> â€Cell function improvements after bariatric surgery. Obesity, 2015, 23, 523-526.	1.5	28
74	Clinical Utility of Waist Circumference in Predicting All ause Mortality in a Preventive Cardiology Clinic Population: A PreCIS Database Study. Obesity, 2009, 17, 1615-1620.	1.5	27
75	Lower dipeptidyl peptidase-4 following exercise training plus weight loss is related to increased insulin sensitivity in adults with metabolic syndrome. Peptides, 2013, 47, 142-147.	1.2	27
76	Bariatric Surgery Improves HDL Function Examined by ApoA1 Exchange Rate and Cholesterol Efflux Capacity in Patients with Obesity and Type 2 Diabetes. Biomolecules, 2020, 10, 551.	1.8	27
77	Effect of Bariatric Surgery Versus Intensive Medical Management on Diabetic Ophthalmic Outcomes. Diabetes Care, 2015, 38, e32-e33.	4.3	26
78	Weight Considerations in Pharmacotherapy for Type 2 Diabetes. Journal of Obesity, 2011, 2011, 1-9.	1.1	25
79	Differences in Weight Loss and Gut Hormones: Rouen-Y Gastric Bypass and Sleeve Gastrectomy Surgery. Current Obesity Reports, 2015, 4, 279-286.	3.5	25
80	Effects of Vitamin D Supplementation on Insulin Sensitivity and Secretion in Prediabetes. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 230-240.	1.8	24
81	Free fatty acid-induced peripheral insulin resistance augments splanchnic glucose uptake in healthy humans. American Journal of Physiology - Endocrinology and Metabolism, 2002, 283, E346-E352.	1.8	22
82	Implications of the Hemoglobin Glycation Index on the Diagnosis of Prediabetes and Diabetes. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e130-e138.	1.8	22
83	Chronic Lowâ€Dose Lipid Infusion in Healthy Patients Induces Markers of Endothelial Activation Independent of Its Metabolic Effects. Journal of the Cardiometabolic Syndrome, 2008, 3, 141-146.	1.7	21
84	Pancreatic islet isolation after gastric bypass in a rat model: technique and initial results for a promising research tool. Surgery for Obesity and Related Diseases, 2010, 6, 532-537.	1.0	20
85	Outcomes of bariatric surgery in type 2 diabetic patients with diminished pancreatic secretory reserve. Acta Diabetologica, 2014, 51, 1077-1079.	1.2	20
86	Duration of Type 2 Diabetes and Very Low Density Lipoprotein Levels Are Associated with Cognitive Dysfunction in Metabolic Syndrome. Cardiovascular Psychiatry and Neurology, 2014, 2014, 1-6.	0.8	20
87	The effects of diabetes therapy on bone: A clinical perspective. Journal of Diabetes and Its Complications, 2018, 32, 713-719.	1.2	20
88	Vitamin D Supplementation for Prevention of Cancer: The D2d Cancer Outcomes (D2dCA) Ancillary Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 2767-2778.	1.8	20
89	Impact of Weight loss Trajectory Following Randomization to Bariatric Surgery on Long-Term Diabetes Glycemic and Cardiometabolic Parameters. Endocrine Practice, 2019, 25, 572-579.	1.1	19
90	Patient-reported Outcomes After Metabolic Surgery Versus Medical Therapy for Diabetes. Annals of Surgery, 2021, 274, 524-532.	2.1	18

#	Article	IF	CITATIONS
91	Prevalence of Anemia in Subjects Randomized into Roux-en-Y Gastric Bypass or Sleeve Gastrectomy. Obesity Surgery, 2017, 27, 1381-1386.	1.1	17
92	Bariatric Surgery. Endocrinology and Metabolism Clinics of North America, 2016, 45, 905-921.	1.2	16
93	Assessing the realâ€world effect of laparoscopic bariatric surgery on the management of obesityâ€related comorbidities: A retrospective matched cohort study using a <scp>US C</scp> laims Database. Diabetes, Obesity and Metabolism, 2017, 19, 181-188.	2.2	16
94	Baseline Characteristics of the Vitamin D and Type 2 Diabetes (D2d) Study: A Contemporary Prediabetes Cohort That Will Inform Diabetes Prevention Efforts. Diabetes Care, 2018, 41, 1590-1599.	4.3	16
95	The protein-sparing modified fast for obese patients with type 2 diabetes: What to expect. Cleveland Clinic Journal of Medicine, 2014, 81, 557-565.	0.6	16
96	Cardiovascular Biomarkers After Metabolic Surgery Versus Medical Therapy for Diabetes. Journal of the American College of Cardiology, 2019, 74, 261-263.	1.2	15
97	Variations in Sleep Characteristics and Glucose Regulation in Young Adults With Type 1 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e1085-e1095.	1.8	15
98	Equivalent Weight Loss with Marked Metabolic Benefit Observed in a Matched Cohort with and Without Type 2 Diabetes 12ÂMonths Following Gastric Bypass Surgery. Obesity Surgery, 2012, 22, 1723-1729.	1.1	14
99	Clinical features of symptomatic hypoglycemia observed afterÂbariatricÂsurgery. Surgery for Obesity and Related Diseases, 2018, 14, 1335-1339.	1.0	14
100	Diabetes management before, during, and after bariatric and metabolic surgery. Journal of Diabetes and Its Complications, 2018, 32, 870-875.	1.2	14
101	Presence of Liver Steatosis Is Associated With Greater Diabetes Remission After Gastric Bypass Surgery. Diabetes Care, 2021, 44, 321-325.	4.3	14
102	Effects of various gastrointestinal procedures on $\hat{l}^2$ -cell function in obesity and type 2 diabetes. Surgery for Obesity and Related Diseases, 2016, 12, 1213-1219.	1.0	13
103	Increased Free Testosterone Levels in Men with Uncontrolled Type 2 Diabetes Five Years After Randomization to Bariatric Surgery. Obesity Surgery, 2018, 28, 277-280.	1.1	13
104	Temporal Dynamics of High-Density Lipoprotein Proteome in Diet-Controlled Subjects with Type 2 Diabetes. Biomolecules, 2020, 10, 520.	1.8	13
105	Doubleâ€blinded, randomized, and controlled study on the effects of canagliflozin after bariatric surgery: A pilot study. Obesity Science and Practice, 2020, 6, 255-263.	1.0	12
106	Impact of Metabolic Syndrome on Severity of COVID-19 Illness. Metabolic Syndrome and Related Disorders, 2022, 20, 191-198.	0.5	12
107	Weight loss as a cure for Type 2 diabetes: fact or fantasy?. Expert Review of Endocrinology and Metabolism, 2011, 6, 557-561.	1.2	11
108	Elucidating Predictors of Obesity Hypoventilation Syndrome in a Large Bariatric Surgery Cohort. Annals of the American Thoracic Society, 2020, 17, 1279-1288.	1.5	10

#	Article	IF	CITATIONS
109	Baseline fasting plasma insulin levels predict risk for major adverse cardiovascular events among patients with diabetes and high-risk vascular disease: Insights from the ACCELERATE trial. Diabetes and Vascular Disease Research, 2019, 16, 171-177.	0.9	9
110	Effect of Vitamin D Supplementation on Kidney Function in Adults with Prediabetes. Clinical Journal of the American Society of Nephrology: CJASN, 2021, 16, 1201-1209.	2.2	9
111	Antiobesity drug therapy: An individualized and comprehensive approach. Cleveland Clinic Journal of Medicine, 2021, 88, 440-448.	0.6	9
112	Early Post-Renal Transplant Hyperglycemia. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 549-562.	1.8	9
113	Hypoadiponectinemia Is Closely Associated with Impaired Nitric Oxide Synthase Activity in Skeletal Muscle of Type 2 Diabetic Subjects. Metabolic Syndrome and Related Disorders, 2010, 8, 459-463.	0.5	8
114	Limited Carbohydrate Refeeding Instruction for Long-Term Weight Maintenance Following A Ketogenic, Very-Low-Calorie Meal Plan. Endocrine Practice, 2017, 23, 649-656.	1.1	8
115	Safety and tolerability of high-dose daily vitamin D3 supplementation in the vitamin D and type 2 diabetes (D2d) study—a randomized trial in persons with prediabetes. European Journal of Clinical Nutrition, 2022, 76, 1117-1124.	1.3	8
116	Type 2 Diabetes Treatment in the Patient with Obesity. Endocrinology and Metabolism Clinics of North America, 2016, 45, 553-564.	1.2	7
117	Canagliflozin versus placebo for postâ€bariatric surgery patients with persistent type <scp>II</scp> diabetes: <scp>A</scp> randomized controlled trial ( <scp>CARAT</scp> ). Diabetes, Obesity and Metabolism, 2017, 19, 609-610.	2.2	7
118	Cardiovascular and Renal Outcomes of Newer Anti-Diabetic Medications in High-Risk Patients. Current Cardiology Reports, 2018, 20, 65.	1.3	7
119	Bariatric Surgery in Patients With Obesity and Latent Autoimmune Diabetes in Adults (LADA). Diabetes Care, 2020, 43, e56-e57.	4.3	7
120	Response to Comments on Brethauer et al. Bariatric Surgery Improves the Metabolic Profile of Morbidly Obese Patients With Type 1 Diabetes. Diabetes Care 2014;37:e51–e52. Diabetes Care, 2014, 37, e251-e251.	4.3	5
121	Clinical Management of Type 2 Diabetes Mellitus after Bariatric Surgery. Current Atherosclerosis Reports, 2015, 17, 59.	2.0	5
122	The therapeutic efficacy of intensive medical therapy in ameliorating high-density lipoprotein dysfunction in subjects with type two diabetes. Lipids in Health and Disease, 2016, 15, 141.	1.2	5
123	The effect of vitamin D supplementation on cardiovascular risk in patients with prediabetes: A secondary analysis of the D2d study. Journal of Diabetes and Its Complications, 2022, 36, 108230.	1.2	5
124	The Need And Benefit of Implementing Telemedicine in Clinical Practice. Endocrine Practice, 2020, 26, 794-796.	1.1	4
125	Prevalence and Clinical Determinants of Obesity in Adults With Type 1 Diabetes Mellitus: A Single-Center Retrospective Observational Study. Endocrine Practice, 2022, 28, 378-383.	1.1	4
126	Bariatric surgery versus non-surgical treatment for obesity. British Journal of Sports Medicine, 2016, 50, 246-246.	3.1	3

#	Article	IF	CITATIONS
127	Long term outcomes of bariatric surgery on bone density in obese patients with type 2 diabetes. Journal of Diabetes and Its Complications, 2017, 31, 780-781.	1.2	3
128	A Review of the Current Evidence: Impact of Metabolic Surgery on Diabetes Outcomes and Obesity-Associated Macrovascular Complications. Current Diabetes Reports, 2020, 20, 57.	1.7	3
129	Foregut Exclusion Enhances Incretin and Insulin Secretion After Roux-en-Y Gastric Bypass in Adults With Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e4192-e4201.	1.8	3
130	Perioperative management of diabetes in patients undergoing bariatric and metabolic surgery: a narrative review and the Cleveland Clinic practical recommendations. Surgery for Obesity and Related Diseases, 2022, 18, 1087-1101.	1.0	3
131	Glycation and Deamidation Result in HDL Dysfunction in Patients with Type 2 Diabetes. Diabetes, 2018, 67, 330-OR.	0.3	2
132	Alliance of Randomized Trials of Medicine vs Metabolic Surgery in Type 2 Diabetes (ARMMSâ€₹2D): Study rationale, design, and methods. Diabetes, Obesity and Metabolism, 2022, 24, 1206-1215.	2.2	2
133	Diabetes therapy and cancer risk: Where do we stand when treating patients?. Cleveland Clinic Journal of Medicine, 2014, 81, 620-628.	0.6	1
134	Is Better Sleep Beneficial for Metabolic Outcomes in Obese Female Adolescents with Polycystic Ovarian Syndrome?. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e1910-e1912.	1.8	1
135	Bariatric Surgery: It's Not Just Incretins!. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e883-e885.	1.8	1
136	Diabetes mellitus and osteoarthritis. , 2020, , 285-315.		1
137	A Cure for Diabetes?. Obesity Management, 2009, 5, 127-127.	0.2	0
138	Bariatric Surgery as a Treatment for Type 2 Diabetes Mellitus in Obese Patients. Obesity Management, 2009, 5, 112-118.	0.2	0
139	Mice lacking C1q are protected from high fat diet-induced hepatic insulin resistance and impaired glucose homeostasis Journal of Biological Chemistry, 2013, 288, 28308.	1.6	0
140	Use of SGLT-2 Inhibitors in Patients With Type 1 Diabetes Mellitus. Journal of Primary Care and Community Health, 2019, 10, 215013271989518.	1.0	0
141	465 Evaluating the Impact of Sleep Disordered Breathing on Adverse Cardiovascular Outcomes After Bariatric Surgery. Sleep, 2021, 44, A183-A184.	0.6	0
142	476 Sleep-Disordered Breathing is More Predictive than Obesity of Increased Left Ventricular Mass Index in Bariatric Surgery Patients. Sleep, 2021, 44, A187-A188.	0.6	0
143	Diabetes in the Bariatric Surgery Patient. , 2007, , 449-459.		0
			0

9

#	Article	IF	CITATIONS
145	In Reply: Diabetes therapy and cancer risk (October 2014). Cleveland Clinic Journal of Medicine, 2014, 81, 714.2-715.	0.6	0
146	In Reply: Insulin therapy and cancer risk (October 2014). Cleveland Clinic Journal of Medicine, 2015, 82, 11.2-12.	0.6	0
147	1904-P: Metabolomic Fingerprints after Metabolic Surgery: The STAMPEDE Trial. Diabetes, 2020, 69, .	0.3	0
148	1623-P: Prevalence and Clinical Determinants of Obesity in Type 1 Diabetes Mellitus. Diabetes, 2020, 69, .	0.3	0
149	1093-P: Association between First-Line Monotherapy with Metformin and the Risk of Atrial Fibrillation in Patients with Type 2 Diabetes Mellitus. Diabetes, 2020, 69, .	0.3	0
150	In Reply: Physician resistance to obesity pharmacotherapy. Cleveland Clinic Journal of Medicine, 2021, 88, 658.2-659.	0.6	0
151	In Reply: Antiobesity drug therapy. Cleveland Clinic Journal of Medicine, 2021, 88, 657.2-658.	0.6	Ο