

# Sangeeta R Kashyap

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5979461/sangeeta-r-kashyap-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143  
papers

12,971  
citations

44  
h-index

113  
g-index

154  
ext. papers

14,972  
ext. citations

7.2  
avg, IF

6.17  
L-index

#	Paper	IF	Citations
143	Bariatric surgery versus intensive medical therapy in obese patients with diabetes. <i>New England Journal of Medicine</i> , <b>2012</b> , 366, 1567-76	59.2	1654
142	Coordinated reduction of genes of oxidative metabolism in humans with insulin resistance and diabetes: Potential role of PGC1 and NRF1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2003</b> , 100, 8466-71	11.5	1595
141	Bariatric Surgery versus Intensive Medical Therapy for Diabetes - 5-Year Outcomes. <i>New England Journal of Medicine</i> , <b>2017</b> , 376, 641-651	59.2	1370
140	Bariatric surgery versus intensive medical therapy for diabetes--3-year outcomes. <i>New England Journal of Medicine</i> , <b>2014</b> , 370, 2002-13	59.2	1147
139	Bariatric surgery versus non-surgical treatment for obesity: a systematic review and meta-analysis of randomised controlled trials. <i>BMJ, The</i> , <b>2013</b> , 347, f5934	5.9	746
138	Plasma ceramides are elevated in obese subjects with type 2 diabetes and correlate with the severity of insulin resistance. <i>Diabetes</i> , <b>2009</b> , 58, 337-43	0.9	427
137	A sustained increase in plasma free fatty acids impairs insulin secretion in nondiabetic subjects genetically predisposed to develop type 2 diabetes. <i>Diabetes</i> , <b>2003</b> , 52, 2461-74	0.9	388
136	Can diabetes be surgically cured? Long-term metabolic effects of bariatric surgery in obese patients with type 2 diabetes mellitus. <i>Annals of Surgery</i> , <b>2013</b> , 258, 628-36; discussion 636-7	7.8	384
135	Metabolic syndrome and kidney disease: a systematic review and meta-analysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2011</b> , 6, 2364-73	6.9	337
134	Dose-response effect of elevated plasma free fatty acid on insulin signaling. <i>Diabetes</i> , <b>2005</b> , 54, 1640-8	0.9	288
133	Vitamin D Supplementation and Prevention of Type 2 Diabetes. <i>New England Journal of Medicine</i> , <b>2019</b> , 381, 520-530	59.2	247
132	Adipocyte apoptosis, a link between obesity, insulin resistance, and hepatic steatosis. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 3428-38	5.4	234
131	Metabolic effects of bariatric surgery in patients with moderate obesity and type 2 diabetes: analysis of a randomized control trial comparing surgery with intensive medical treatment. <i>Diabetes Care</i> , <b>2013</b> , 36, 2175-82	14.6	216
130	Lipid infusion decreases the expression of nuclear encoded mitochondrial genes and increases the expression of extracellular matrix genes in human skeletal muscle. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 10290-7	5.4	191
129	Individualized Metabolic Surgery Score: Procedure Selection Based on Diabetes Severity. <i>Annals of Surgery</i> , <b>2017</b> , 266, 650-657	7.8	144
128	Exercise training increases glycogen synthase activity and GLUT4 expression but not insulin signaling in overweight nondiabetic and type 2 diabetic subjects. <i>Metabolism: Clinical and Experimental</i> , <b>2004</b> , 53, 1233-42	12.7	143
127	Effects of metformin on weight loss: potential mechanisms. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , <b>2014</b> , 21, 323-9	4	137

126	Cytokeratin 18 fragment levels as a noninvasive biomarker for nonalcoholic steatohepatitis in bariatric surgery patients. <i>Clinical Gastroenterology and Hepatology</i> , <b>2008</b> , 6, 1249-54	6.9	124
125	The insulin resistance syndrome: physiological considerations. <i>Diabetes and Vascular Disease Research</i> , <b>2007</b> , 4, 13-9	3.3	118
124	Insulin resistance is associated with impaired nitric oxide synthase activity in skeletal muscle of type 2 diabetic subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 1100-5	5.6	107
123	Increased collagen content in insulin-resistant skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2006</b> , 290, E560-5	6	103
122	A low-glycemic index diet combined with exercise reduces insulin resistance, postprandial hyperinsulinemia, and glucose-dependent insulinotropic polypeptide responses in obese, prediabetic humans. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 92, 1359-68	7	97
121	Sustained reduction in plasma free fatty acid concentration improves insulin action without altering plasma adipocytokine levels in subjects with strong family history of type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 4649-55	5.6	87
120	Insulin reduces plasma arginase activity in type 2 diabetic patients. <i>Diabetes Care</i> , <b>2008</b> , 31, 134-9	14.6	83
119	Improved pancreatic beta-cell function in type 2 diabetic patients after lifestyle-induced weight loss is related to glucose-dependent insulinotropic polypeptide. <i>Diabetes Care</i> , <b>2010</b> , 33, 1561-6	14.6	79
118	Mice lacking C1q are protected from high fat diet-induced hepatic insulin resistance and impaired glucose homeostasis.. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 28308	5.4	78
117	Gastric bypass surgery reduces plasma ceramide subspecies and improves insulin sensitivity in severely obese patients. <i>Obesity</i> , <b>2011</b> , 19, 2235-40	8	75
116	Discordant effects of a chronic physiological increase in plasma FFA on insulin signaling in healthy subjects with or without a family history of type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2004</b> , 287, E537-46	6	75
115	Effects on insulin secretion and insulin action of a 48-h reduction of plasma free fatty acids with acipimox in nondiabetic subjects genetically predisposed to type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2007</b> , 292, E1775-81	6	73
114	Early effects of gastric bypass on endothelial function, inflammation, and cardiovascular risk in obese patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2011</b> , 25, 2650-9	5.2	71
113	Type 2 diabetes and osteoarthritis: a systematic review and meta-analysis. <i>Journal of Diabetes and Its Complications</i> , <b>2016</b> , 30, 944-50	3.2	71
112	Triglyceride levels and not adipokine concentrations are closely related to severity of nonalcoholic fatty liver disease in an obesity surgery cohort. <i>Obesity</i> , <b>2009</b> , 17, 1696-701	8	70
111	Two-year outcomes on bone density and fracture incidence in patients with T2DM randomized to bariatric surgery versus intensive medical therapy. <i>Obesity</i> , <b>2015</b> , 23, 2344-8	8	69
110	Changes in whole blood gene expression in obese subjects with type 2 diabetes following bariatric surgery: a pilot study. <i>PLoS ONE</i> , <b>2011</b> , 6, e16729	3.7	65
109	Effect of acute physiological hyperinsulinemia on gene expression in human skeletal muscle in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2008</b> , 294, E910-7	6	63

108	Urinary albumin excretion, HMW adiponectin, and insulin sensitivity in type 2 diabetic patients undergoing bariatric surgery. <i>Obesity Surgery</i> , <b>2010</b> , 20, 308-15	3.7	62
107	Risk prediction of complications of metabolic syndrome before and 6 years after gastric bypass. <i>Surgery for Obesity and Related Diseases</i> , <b>2014</b> , 10, 576-82	3	61
106	Bariatric surgery for type 2 diabetes: weighing the impact for obese patients. <i>Cleveland Clinic Journal of Medicine</i> , <b>2010</b> , 77, 468-76	2.8	57
105	Insulin sensitivity and metabolic flexibility following exercise training among different obese insulin-resistant phenotypes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2013</b> , 305, E1292-8	6	54
104	Bariatric Surgery in Obese Patients With Type 1 Diabetes. <i>Diabetes Care</i> , <b>2016</b> , 39, 941-8	14.6	51
103	Pancreatic $\beta$ cell function is a stronger predictor of changes in glycemic control after an aerobic exercise intervention than insulin sensitivity. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, 4176-86	5.6	50
102	Randomized trial on the effects of a 7-d low-glycemic diet and exercise intervention on insulin resistance in older obese humans. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 90, 1222-9	7	50
101	Bariatric surgery versus intensive medical therapy for diabetes. <i>New England Journal of Medicine</i> , <b>2014</b> , 371, 682	59.2	47
100	Lipid-induced insulin resistance is associated with increased monocyte expression of scavenger receptor CD36 and internalization of oxidized LDL. <i>Obesity</i> , <b>2009</b> , 17, 2142-8	8	44
99	Bariatric surgery vs. advanced practice medical management in the treatment of type 2 diabetes mellitus: rationale and design of the Surgical Therapy And Medications Potentially Eradicate Diabetes Efficiently trial (STAMPEDE). <i>Diabetes, Obesity and Metabolism</i> , <b>2010</b> , 12, 452-4	6.7	41
98	The glucose-dependent insulinotropic polypeptide and glucose-stimulated insulin response to exercise training and diet in obesity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2009</b> , 296, E1269-74	6	41
97	Bariatric surgery improves the metabolic profile of morbidly obese patients with type 1 diabetes. <i>Diabetes Care</i> , <b>2014</b> , 37, e51-2	14.6	39
96	INCREASED BONE TURNOVER IN TYPE 2 DIABETES PATIENTS RANDOMIZED TO BARIATRIC SURGERY VERSUS MEDICAL THERAPY AT 5 YEARS. <i>Endocrine Practice</i> , <b>2018</b> , 24, 256-264	3.2	38
95	Pathogenic role of scavenger receptor CD36 in the metabolic syndrome and diabetes. <i>Metabolic Syndrome and Related Disorders</i> , <b>2011</b> , 9, 239-45	2.6	37
94	Global relationship between the proteome and transcriptome of human skeletal muscle. <i>Journal of Proteome Research</i> , <b>2008</b> , 7, 3230-41	5.6	37
93	Glycation Reduces the Stability of ApoAI and Increases HDL Dysfunction in Diet-Controlled Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 388-396	5.6	36
92	Free fatty acids reduce splanchnic and peripheral glucose uptake in patients with type 2 diabetes. <i>Diabetes</i> , <b>2002</b> , 51, 3043-8	0.9	36
91	DiaRem score: external validation. <i>Lancet Diabetes and Endocrinology</i> , <b>2014</b> , 2, 12-3	18.1	33

90	Retinol-binding protein 4 (RBP4) protein expression is increased in omental adipose tissue of severely obese patients. <i>Obesity</i> , <b>2010</b> , 18, 663-6	8	33
89	Exercise training with weight loss and either a high- or low-glycemic index diet reduces metabolic syndrome severity in older adults. <i>Annals of Nutrition and Metabolism</i> , <b>2012</b> , 61, 135-41	4.5	33
88	A nationwide safety analysis of bariatric surgery in nonseverely obese patients with type 2 diabetes. <i>Surgery for Obesity and Related Diseases</i> , <b>2016</b> , 12, 1163-70	3	33
87	Association of prior metabolic and bariatric surgery with severity of coronavirus disease 2019 (COVID-19) in patients with obesity. <i>Surgery for Obesity and Related Diseases</i> , <b>2021</b> , 17, 208-214	3	33
86	Restoration of glycemic control in patients with type 2 diabetes mellitus after bariatric surgery is associated with reduction in microparticles. <i>Surgery for Obesity and Related Diseases</i> , <b>2013</b> , 9, 207-12	3	31
85	Incidence and Clinical Features of Diabetic Ketoacidosis After Bariatric and Metabolic Surgery. <i>Diabetes Care</i> , <b>2016</b> , 39, e50-3	14.6	30
84	Adiposopathy and cardiovascular disease: the benefits of bariatric surgery. <i>Current Opinion in Cardiology</i> , <b>2013</b> , 28, 540-6	2.1	28
83	Increased serotransferrin and ceruloplasmin turnover in diet-controlled patients with type 2 diabetes. <i>Free Radical Biology and Medicine</i> , <b>2017</b> , 113, 461-469	7.8	27
82	Circulating soluble RAGE isoforms are attenuated in obese, impaired-glucose-tolerant individuals and are associated with the development of type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2017</b> , 313, E631-E640	6	27
81	Insulin promotes macrophage foam cell formation: potential implications in diabetes-related atherosclerosis. <i>Laboratory Investigation</i> , <b>2012</b> , 92, 1171-80	5.9	27
80	Effect of bariatric surgery versus intensive medical management on diabetic ophthalmic outcomes. <i>Diabetes Care</i> , <b>2015</b> , 38, e32-3	14.6	26
79	Reduced cardiovascular risk following bariatric surgeries is related to a partial recovery from "adiposopathy". <i>Obesity Surgery</i> , <b>2011</b> , 21, 1928-36	3.7	26
78	Adults with long-duration type 2 diabetes have blunted glycemic and $\beta$ cell function improvements after bariatric surgery. <i>Obesity</i> , <b>2015</b> , 23, 523-6	8	25
77	Reduced cardiovascular risk after bariatric surgery is linked to plasma ceramides, apolipoprotein-B100, and ApoB100/A1 ratio. <i>Surgery for Obesity and Related Diseases</i> , <b>2013</b> , 9, 100-7	3	25
76	Adjusting glucose-stimulated insulin secretion for adipose insulin resistance: an index of $\beta$ cell function in obese adults. <i>Diabetes Care</i> , <b>2014</b> , 37, 2940-6	14.6	25
75	Cancer risk in type 2 diabetes mellitus: metabolic links and therapeutic considerations. <i>Journal of Nutrition and Metabolism</i> , <b>2011</b> , 2011, 708183	2.7	25
74	Lower dipeptidyl peptidase-4 following exercise training plus weight loss is related to increased insulin sensitivity in adults with metabolic syndrome. <i>Peptides</i> , <b>2013</b> , 47, 142-7	3.8	24
73	Bariatric surgery, kidney function, insulin resistance, and adipokines in patients with decreased GFR: a cohort study. <i>American Journal of Kidney Diseases</i> , <b>2015</b> , 65, 345-7	7.4	24

72	Differences in Weight Loss and Gut Hormones: Rouen-Y Gastric Bypass and Sleeve Gastrectomy Surgery. <i>Current Obesity Reports</i> , <b>2015</b> , 4, 279-86	8.4	23
71	Mice lacking C1q are protected from high fat diet-induced hepatic insulin resistance and impaired glucose homeostasis. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 22565-75	5.4	23
70	Weight considerations in pharmacotherapy for type 2 diabetes. <i>Journal of Obesity</i> , <b>2011</b> , 2011,	3.7	21
69	Clinical utility of waist circumference in predicting all-cause mortality in a preventive cardiology clinic population: a PreCIS Database Study. <i>Obesity</i> , <b>2009</b> , 17, 1615-20	8	21
68	Outcomes of bariatric surgery in type 2 diabetic patients with diminished pancreatic secretory reserve. <i>Acta Diabetologica</i> , <b>2014</b> , 51, 1077-9	3.9	19
67	Pancreatic islet isolation after gastric bypass in a rat model: technique and initial results for a promising research tool. <i>Surgery for Obesity and Related Diseases</i> , <b>2010</b> , 6, 532-7	3	19
66	Chronic low-dose lipid infusion in healthy patients induces markers of endothelial activation independent of its metabolic effects. <i>Journal of the Cardiometabolic Syndrome</i> , <b>2008</b> , 3, 141-6		19
65	Free fatty acid-induced peripheral insulin resistance augments splanchnic glucose uptake in healthy humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2002</b> , 283, E346-52	6	18
64	American Association of Clinical Endocrinology Clinical Practice Guideline for the Diagnosis and Management of Nonalcoholic Fatty Liver Disease in Primary Care and Endocrinology Clinical Settings: Co-Sponsored by the American Association for the Study of Liver Diseases (AASLD).. <i>Endocrine Practice</i> , <b>2022</b> , 28, 528-562	3.2	16
63	Prevalence of Anemia in Subjects Randomized into Roux-en-Y Gastric Bypass or Sleeve Gastrectomy. <i>Obesity Surgery</i> , <b>2017</b> , 27, 1381-1386	3.7	15
62	Bariatric Surgery Improves HDL Function Examined by ApoA1 Exchange Rate and Cholesterol Efflux Capacity in Patients with Obesity and Type 2 Diabetes. <i>Biomolecules</i> , <b>2020</b> , 10,	5.9	15
61	Duration of type 2 diabetes and very low density lipoprotein levels are associated with cognitive dysfunction in metabolic syndrome. <i>Cardiovascular Psychiatry and Neurology</i> , <b>2014</b> , 2014, 656341		15
60	The effects of diabetes therapy on bone: A clinical perspective. <i>Journal of Diabetes and Its Complications</i> , <b>2018</b> , 32, 713-719	3.2	14
59	Equivalent weight loss with marked metabolic benefit observed in a matched cohort with and without type 2 diabetes 12 months following gastric bypass surgery. <i>Obesity Surgery</i> , <b>2012</b> , 22, 1723-9	3.7	14
58	The protein-sparing modified fast for obese patients with type 2 diabetes: what to expect. <i>Cleveland Clinic Journal of Medicine</i> , <b>2014</b> , 81, 557-65	2.8	14
57	IMPACT OF WEIGHT LOSS TRAJECTORY FOLLOWING RANDOMIZATION TO BARIATRIC SURGERY ON LONG-TERM DIABETES GLYCEMIC AND CARDIOMETABOLIC PARAMETERS. <i>Endocrine Practice</i> , <b>2019</b> , 25, 572-579	3.2	13
56	Effects of various gastrointestinal procedures on Ecell function in obesity and type 2 diabetes. <i>Surgery for Obesity and Related Diseases</i> , <b>2016</b> , 12, 1213-9	3	13
55	Approach to the Patient with MODY-Monogenic Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, 237-250	5.6	13

54	Assessing the real-world effect of laparoscopic bariatric surgery on the management of obesity-related comorbidities: A retrospective matched cohort study using a US Claims Database. <i>Diabetes, Obesity and Metabolism</i> , <b>2017</b> , 19, 181-188	6.7	12
53	Diabetes management before, during, and after bariatric and metabolic surgery. <i>Journal of Diabetes and Its Complications</i> , <b>2018</b> , 32, 870-875	3.2	11
52	Cardiovascular Biomarkers After Metabolic Surgery Versus Medical Therapy for Diabetes. <i>Journal of the American College of Cardiology</i> , <b>2019</b> , 74, 261-263	15.1	11
51	Increased Free Testosterone Levels in Men with Uncontrolled Type 2 Diabetes Five Years After Randomization to Bariatric Surgery. <i>Obesity Surgery</i> , <b>2018</b> , 28, 277-280	3.7	11
50	Baseline Characteristics of the Vitamin D and Type 2 Diabetes (D2d) Study: A Contemporary Prediabetes Cohort That Will Inform Diabetes Prevention Efforts. <i>Diabetes Care</i> , <b>2018</b> , 41, 1590-1599	14.6	11
49	Implications of the Hemoglobin Glycation Index on the Diagnosis of Prediabetes and Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	10
48	Weight Loss as a Cure for Type 2 Diabetes? Fact or Fantasy. <i>Expert Review of Endocrinology and Metabolism</i> , <b>2011</b> , 6, 557-561	4.1	9
47	Clinical features of symptomatic hypoglycemia observed after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , <b>2018</b> , 14, 1335-1339	3	9
46	LIMITED CARBOHYDRATE REFEEDING INSTRUCTION FOR LONG-TERM WEIGHT MAINTENANCE FOLLOWING A KETOGENIC, VERY-LOW-CALORIE MEAL PLAN. <i>Endocrine Practice</i> , <b>2017</b> , 23, 649-656	3.2	8
45	Bariatric Surgery: Pathophysiology and Outcomes. <i>Endocrinology and Metabolism Clinics of North America</i> , <b>2016</b> , 45, 905-921	5.5	8
44	Hypoadiponectinemia is closely associated with impaired nitric oxide synthase activity in skeletal muscle of type 2 diabetic subjects. <i>Metabolic Syndrome and Related Disorders</i> , <b>2010</b> , 8, 459-63	2.6	7
43	Double-blinded, randomized, and controlled study on the effects of canagliflozin after bariatric surgery: A pilot study. <i>Obesity Science and Practice</i> , <b>2020</b> , 6, 255-263	2.6	7
42	Temporal Dynamics of High-Density Lipoprotein Proteome in Diet-Controlled Subjects with Type 2 Diabetes. <i>Biomolecules</i> , <b>2020</b> , 10,	5.9	7
41	Canagliflozin versus placebo for post-bariatric surgery patients with persistent type II diabetes: A randomized controlled trial (CARAT). <i>Diabetes, Obesity and Metabolism</i> , <b>2017</b> , 19, 609-610	6.7	6
40	Cardiovascular and Renal Outcomes of Newer Anti-Diabetic Medications in High-Risk Patients. <i>Current Cardiology Reports</i> , <b>2018</b> , 20, 65	4.2	6
39	Presence of Liver Steatosis Is Associated With Greater Diabetes Remission After Gastric Bypass Surgery. <i>Diabetes Care</i> , <b>2021</b> , 44, 321-325	14.6	6
38	Bariatric Surgery in Patients With Obesity and Latent Autoimmune Diabetes in Adults (LADA). <i>Diabetes Care</i> , <b>2020</b> , 43, e56-e57	14.6	5
37	Response to comments on Brethauer et al. Bariatric surgery improves the metabolic profile of morbidly obese patients with type 1 diabetes. <i>Diabetes care</i> 2014;37:e51-e52. <i>Diabetes Care</i> , <b>2014</b> , 37, e251	14.6	5

36	Long-Term Weight Loss Strategies for Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, 1854-1866	5.6	5
35	Clinical Management of Type 2 Diabetes Mellitus after Bariatric Surgery. <i>Current Atherosclerosis Reports</i> , <b>2015</b> , 17, 59	6	4
34	Baseline fasting plasma insulin levels predict risk for major adverse cardiovascular events among patients with diabetes and high-risk vascular disease: Insights from the ACCELERATE trial. <i>Diabetes and Vascular Disease Research</i> , <b>2019</b> , 16, 171-177	3.3	3
33	The therapeutic efficacy of intensive medical therapy in ameliorating high-density lipoprotein dysfunction in subjects with type two diabetes. <i>Lipids in Health and Disease</i> , <b>2016</b> , 15, 141	4.4	3
32	Impact of Metabolic Syndrome on Severity of COVID-19 Illness.. <i>Metabolic Syndrome and Related Disorders</i> , <b>2022</b> ,	2.6	3
31	Long term outcomes of bariatric surgery on bone density in obese patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2017</b> , 31, 780-781	3.2	2
30	Bariatric surgery versus non-surgical treatment for obesity. <i>British Journal of Sports Medicine</i> , <b>2016</b> , 50, 246-246	10.3	2
29	Elucidating Predictors of Obesity Hypoventilation Syndrome in a Large Bariatric Surgery Cohort. <i>Annals of the American Thoracic Society</i> , <b>2020</b> , 17, 1279-1288	4.7	2
28	The Need And Benefit of Implementing Telemedicine in Clinical Practice. <i>Endocrine Practice</i> , <b>2020</b> , 26, 794-796	3.2	2
27	Variations in Sleep Characteristics and Glucose Regulation in Young Adults with Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> ,	5.6	2
26	Patient-reported Outcomes After Metabolic Surgery Versus Medical Therapy for Diabetes: Insights From the STAMPEDE Randomized Trial. <i>Annals of Surgery</i> , <b>2021</b> , 274, 524-532	7.8	2
25	Type 2 Diabetes Treatment in the Patient with Obesity. <i>Endocrinology and Metabolism Clinics of North America</i> , <b>2016</b> , 45, 553-64	5.5	2
24	Approach to the patient: Early post-renal transplant hyperglycemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> ,	5.6	2
23	Is Better Sleep Beneficial for Metabolic Outcomes in Obese Female Adolescents with Polycystic Ovarian Syndrome?. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	1
22	Diabetes therapy and cancer risk: where do we stand when treating patients?. <i>Cleveland Clinic Journal of Medicine</i> , <b>2014</b> , 81, 620-8	2.8	1
21	Glycation and Deamidation Result in HDL Dysfunction in Patients with Type 2 Diabetes. <i>Diabetes</i> , <b>2018</b> , 67, 330-OR	0.9	1
20	Vitamin D Supplementation for Prevention of Cancer: The D2d Cancer Outcomes (D2dCA) Ancillary Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, 2767-2778	5.6	1
19	Effect of Vitamin D Supplementation on Kidney Function in Adults with Prediabetes: A Secondary Analysis of a Randomized Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2021</b> , 16, 1201-1209	6.9	1



18	Antiobesity drug therapy: An individualized and comprehensive approach. <i>Cleveland Clinic Journal of Medicine</i> , <b>2021</b> , 88, 440-448	2.8	1
17	A Review of the Current Evidence: Impact of Metabolic Surgery on Diabetes Outcomes and Obesity-Associated Macrovascular Complications. <i>Current Diabetes Reports</i> , <b>2020</b> , 20, 57	5.6	0
16	Foregut Exclusion Enhances Incretin and Insulin Secretion After Roux-en-Y Gastric Bypass in Adults With Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e4192-e4201	5.6	0
15	A Cure for Diabetes?. <i>Obesity Management</i> , <b>2009</b> , 5, 127-127		
14	Bariatric Surgery as a Treatment for Type 2 Diabetes Mellitus in Obese Patients. <i>Obesity Management</i> , <b>2009</b> , 5, 112-118		
13	In Reply. <i>Cleveland Clinic Journal of Medicine</i> , <b>2021</b> , 88, 658-659	2.8	
12	Diabetes in the Bariatric Surgery Patient <b>2007</b> , 449-459		
11	Diabetes mellitus and osteoarthritis <b>2020</b> , 285-315		
10	1904-P: Metabolomic Fingerprints after Metabolic Surgery: The STAMPEDE Trial. <i>Diabetes</i> , <b>2020</b> , 69, 1904-P	0.9	
9	1623-P: Prevalence and Clinical Determinants of Obesity in Type 1 Diabetes Mellitus. <i>Diabetes</i> , <b>2020</b> , 69, 1623-P	0.9	
8	1093-P: Association between First-Line Monotherapy with Metformin and the Risk of Atrial Fibrillation in Patients with Type 2 Diabetes Mellitus. <i>Diabetes</i> , <b>2020</b> , 69, 1093-P	0.9	
7	In reply. <i>Cleveland Clinic Journal of Medicine</i> , <b>2014</b> , 81, 714-5	2.8	
6	In reply. <i>Cleveland Clinic Journal of Medicine</i> , <b>2015</b> , 82, 11-2	2.8	
5	Obesity: The Elephant in the Room <b>2012</b> , 187-198		
4	465 Evaluating the Impact of Sleep Disordered Breathing on Adverse Cardiovascular Outcomes After Bariatric Surgery. <i>Sleep</i> , <b>2021</b> , 44, A183-A184	1.1	
3	476 Sleep-Disordered Breathing is More Predictive than Obesity of Increased Left Ventricular Mass Index in Bariatric Surgery Patients. <i>Sleep</i> , <b>2021</b> , 44, A187-A188	1.1	
2	Use of SGLT-2 Inhibitors in Patients With Type 1 Diabetes Mellitus. <i>Journal of Primary Care and Community Health</i> , <b>2019</b> , 10, 2150132719895188	2.1	
1	Antiobesity drug therapy. <i>Cleveland Clinic Journal of Medicine</i> , <b>2021</b> , 88, 657-658	2.8	

