Nasreldin Elhadi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5979807/publications.pdf

Version: 2024-02-01

713013 686830 30 491 13 21 citations h-index g-index papers 30 30 30 552 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Prevalence of Potentially Pathogenic Vibrio Species in the Seafood Marketed in Malaysia. Journal of Food Protection, 2004, 67, 1469-1475.	0.8	73
2	Vibrio Parahaemolyticus: A review on distribution, pathogenesis, virulence determinants and epidemiology. Saudi Journal of Medicine and Medical Sciences, 2017, 5, 93.	0.3	62
3	Characterization of Vibrio vulnificusisolated from cockles (Anadara granosa): antimicrobial resistance, plasmid profiles and random amplification of polymorphic DNA analysis. FEMS Microbiology Letters, 1998, 165, 139-143.	0.7	45
4	Prevalence and antimicrobial resistance of Salmonella spp. in raw retail frozen imported freshwater fish to Eastern Province of Saudi Arabia. Asian Pacific Journal of Tropical Biomedicine, 2014, 4, 234-238.	0.5	41
5	Prevalence of nontyphoidal Salmonella serogroups and their antimicrobial resistance patterns in a university teaching hospital in Eastern Province of Saudi Arabia. Infection and Drug Resistance, 2013, 6, 199.	1.1	33
6	Phenotypic and Genotypic Characteristics and Epidemiological Significance of ctx + Strains of Vibrio cholerae Isolated from Seafood in Malaysia. Applied and Environmental Microbiology, 2004, 70, 1964-1972.	1.4	29
7	Rates of gastrointestinal tract colonization of carbapenem-resistant Enterobacteriaceae and Pseudomonas aeruginosa in hospitals in Saudi Arabia. New Microbes and New Infections, 2016, 10, 77-83.	0.8	23
8	Isolation and molecular characterization of vancomycin-resistant Enterococcus faecium in Malaysia. Letters in Applied Microbiology, 1999, 29, 118-122.	1.0	22
9	Isolation, molecular characterization, and antibiotic resistance patterns of Vibrio parahaemolyticus isolated from coastal water in the Eastern Province of Saudi Arabia. Journal of Water and Health, 2018, 16, 57-69.	1.1	21
10	ERIC-PCR genotyping of Acinetobacter baumannii isolated from different clinical specimens. Saudi Journal of Medicine and Medical Sciences, 2018, 6, 13.	0.3	21
11	Molecular characterization of Vibrio cholerae O1 and non-O1 from human and environmental sources in Malaysia. Epidemiology and Infection, 1999, 123, 225-232.	1.0	18
12	Chryseobacterium gleum pneumonia in an infant with nephrotic syndrome. IDCases, 2016, 5, 34-36.	0.4	16
13	Prevalence of Hepatitis B Virus (HBV) Among Blood Donors in Eastern Saudi Arabia: Results From a Five-Year Retrospective Study of HBV Seromarkers. Annals of Laboratory Medicine, 2019, 39, 81-85.	1.2	15
14	Prevalence study of plasmid-mediated AmpC \hat{l}^2 -lactamases in Enterobacteriaceae lacking inducible ampC from Saudi hospitals. Journal of Medical Microbiology, 2017, 66, 1286-1290.	0.7	15
15	Prevalence of extended-spectrum- \hat{l}^2 -lactamase-producing Escherichia Coli in imported frozen freshwater fish in Eastern Province of Saudi Arabia. Saudi Journal of Medicine and Medical Sciences, 2016, 4, 19.	0.3	8
16	Note: Characterization of Vibrio cholerae O139 Bengal isolated from water in Malaysia. Journal of Applied Microbiology, 1998, 85, 1073-1077.	1.4	6
17	Title is missing!. World Journal of Microbiology and Biotechnology, 1998, 14, 895-901.	1.7	5
18	First description of methyltransferases in extensively drug-resistant Klebsiella pneumoniae isolates from Saudi Arabia. Journal of Medical Microbiology, 2017, 66, 859-863.	0.7	5

#	Article	IF	CITATIONS
19	Occurrence of Potentially Human Pathogenic Vibrio Species in the Coastal Water of the Eastern Province of Saudi Arabia. Research Journal of Microbiology, 2013, 8, 1-12.	0.2	5
20	Antibiotic resistance and molecular characterization of enteroaggregative Escherichia coli isolated from patients with diarrhea in the Eastern Province of Saudi Arabia. Heliyon, 2020, 6, e03721.	1.4	4
21	Characterization of Vibrio vulnificus Isolated from the Coastal Areas in the Eastern Province of Saudi Arabia. Journal of Pure and Applied Microbiology, 2018, 12, 1355-1364.	0.3	4
22	Clonal relationship among the Vibrio parahaemolyticus isolates from coastal water in Saudi Arabia. Egyptian Journal of Aquatic Research, 2018, 44, 131-137.	1.0	3
23	Prevalence and Genotypes of Nosocomial Clostridium difficile Infections in the Eastern Province of the Kingdom of Saudi Arabia: A Multi-Centre Prospective Study. Journal of Clinical and Diagnostic Research JCDR, 0, , .	0.8	3
24	Molecular characterization of Vibrio cholerae non-O1/non-O139 isolated from coastal water of Arabian Gulf. African Journal of Microbiology Research, 2012, 6, .	0.4	3
25	Genetic Relationship of Multi-Resistant Acinetobacter baumannii Isolates in Kingdom of Saudi Arabia. Journal of Pure and Applied Microbiology, 2018, 12, 1951-1958.	0.3	3
26	Improved isolation and detection of toxigenic <i>Vibrio parahaemolyticus</i> from coastal water in Saudi Arabia using immunomagnetic enrichment. PeerJ, 2021, 9, e12402.	0.9	3
27	Characterization of Vibrio parahaemolyticus isolated from coastal water in Eastern Province of Saudi Arabia. Malaysian Journal of Microbiology, 2018, , .	0.1	2
28	First description of plasmid mediated quinolone resistance genes in salmonella isolates from Saudi hospitals. Journal of King Abdulaziz University, Islamic Economics, 2018, 39, 685-689.	0.5	1
29	Characterization of Vibrio vulnificus isolated from cockles (Anadara granosa): antimicrobial resistance, plasmid profiles and random amplification of polymorphic DNA analysis. , 0, .		1
30	Effect of Gamma-Rays on the Growth and Penicillin Production of Penicillium chrysogenum. Journal of Pure and Applied Microbiology, 2019, 13, 779-788.	0.3	1