

Minoru Tada

List of Publications by Citations

Source: <https://exaly.com/author-pdf/59802/minoru-tada-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

2,065
citations

18
h-index

44
g-index

83
ext. papers

2,675
ext. citations

3.6
avg, IF

4.4
L-index

#	Paper	IF	Citations
80	Revisions of international consensus Fukuoka guidelines for the management of IPMN of the pancreas. <i>Pancreatology</i> , 2017 , 17, 738-753	3.8	701
79	Pancreatic cancer in patients with pancreatic cystic lesions: a prospective study in 197 patients. <i>Clinical Gastroenterology and Hepatology</i> , 2006 , 4, 1265-70	6.9	173
78	Slow pull versus suction in endoscopic ultrasound-guided fine-needle aspiration of pancreatic solid masses. <i>Digestive Diseases and Sciences</i> , 2014 , 59, 1578-85	4	129
77	Quantitative analysis of K-ras gene mutation in pancreatic tissue obtained by endoscopic ultrasonography-guided fine needle aspiration: clinical utility for diagnosis of pancreatic tumor. <i>American Journal of Gastroenterology</i> , 2002 , 97, 2263-70	0.7	127
76	Long-term Risk of Malignancy in Branch-Duct Intraductal Papillary Mucinous Neoplasms. <i>Gastroenterology</i> , 2020 , 158, 226-237.e5	13.3	80
75	Endoscopic papillary balloon dilation for bile duct stone: immediate and long-term outcomes in 1000 patients. <i>Clinical Gastroenterology and Hepatology</i> , 2007 , 5, 130-7	6.9	73
74	Risk factors for post-ERCP pancreatitis in wire-guided cannulation for therapeutic biliary ERCP. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 119-26	5.2	61
73	Safety and effectiveness of a long, partially covered metal stent for endoscopic ultrasound-guided hepaticogastrostomy in patients with malignant biliary obstruction. <i>Endoscopy</i> , 2016 , 48, 1125-1128	3.4	58
72	Indications for endoscopic ultrasonography (EUS)-guided biliary intervention: Does EUS always come after failed endoscopic retrograde cholangiopancreatography?. <i>Digestive Endoscopy</i> , 2017 , 29, 218-225	3.7	42
71	Experiences of biliary interventions using short double-balloon enteroscopy in patients with Roux-en-Y anastomosis or hepaticojejunostomy. <i>Digestive Endoscopy</i> , 2010 , 22, 211-6	3.7	36
70	Role of polymorphonuclear leukocytes in galactosamine hepatitis: mechanism of adherence to hepatic endothelial cells. <i>Hepatology</i> , 1994 , 20, 1548-56	11.2	32
69	Prospective study of bezafibrate for the treatment of primary sclerosing cholangitis. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015 , 22, 766-70	2.8	31
68	A pilot study of EUS-guided through-the-needle forceps biopsy (with video). <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 158-62	5.2	27
67	Procalcitonin is a useful biomarker to predict severe acute cholangitis: a single-center prospective study. <i>Journal of Gastroenterology</i> , 2017 , 52, 734-745	6.9	21
66	Performance of a new short-type double-balloon endoscope with advanced force transmission and adaptive bending for pancreaticobiliary intervention in patients with surgically altered anatomy: A propensity-matched analysis. <i>Digestive Endoscopy</i> , 2019 , 31, 86-93	3.7	21
65	Intravenous and intraperitoneal paclitaxel with S-1 for treatment of refractory pancreatic cancer with malignant ascites. <i>Investigational New Drugs</i> , 2016 , 34, 636-42	4.3	20
64	Recent progress and limitations of chemotherapy for pancreatic and biliary tract cancers. <i>World Journal of Clinical Oncology</i> , 2011 , 2, 158-63	2.5	19

63	Endoscopic papillary large balloon dilation and endoscopic papillary balloon dilation both without sphincterotomy for removal of large bile duct stones: A propensity-matched analysis. <i>Digestive Endoscopy</i> , 2019 , 31, 59-68	3.7	18
62	Efficacy of gemcitabine for locally advanced pancreatic cancer: comparison with 5-fluorouracil-based chemoradiotherapy. <i>Chemotherapy</i> , 2008 , 54, 302-8	3.2	17
61	Feasibility of conversion of percutaneous cholecystostomy to internal transmural endoscopic ultrasound-guided gallbladder drainage. <i>Saudi Journal of Gastroenterology</i> , 2017 , 23, 318-322	3	15
60	Antireflux Metal Stent as a First-Line Metal Stent for Distal Malignant Biliary Obstruction: A Pilot Study. <i>Gut and Liver</i> , 2017 , 11, 142-148	4.8	15
59	Progression-free survival as a surrogate for overall survival in first-line chemotherapy for advanced pancreatic cancer. <i>European Journal of Cancer</i> , 2016 , 65, 11-20	7.5	13
58	Quantity of mutant K-ras gene in pancreatic secretions for diagnosis of pancreatic carcinoma with different assays: analysis of 100 patients. <i>Clinica Chimica Acta</i> , 2002 , 324, 105-11	6.2	13
57	Double-balloon endoscopy-assisted treatment of hepaticojejunostomy anastomotic strictures and predictive factors for treatment success. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020 , 34, 1612-1620	5.2	13
56	Natural history of asymptomatic bile duct stones and association of endoscopic treatment with clinical outcomes. <i>Journal of Gastroenterology</i> , 2020 , 55, 78-85	6.9	13
55	Disease-specific mortality among patients with intraductal papillary mucinous neoplasm of the pancreas. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 486-91	6.9	12
54	Comparison of early and delayed EUS-guided drainage of pancreatic fluid collection. <i>Endoscopy International Open</i> , 2018 , 6, E1398-E1405	3	12
53	Retrospective Comparative Study of Side-by-Side and Stent-in-Stent Metal Stent Placement for Hilar Malignant Biliary Obstruction. <i>Digestive Diseases and Sciences</i> , 2020 , 65, 3710-3718	4	11
52	A potent therapeutics for gallbladder cancer by combinatorial inhibition of the MAPK and mTOR signaling networks. <i>Journal of Gastroenterology</i> , 2016 , 51, 711-21	6.9	11
51	Results of the Tokyo trial of prevention of post-ERCP pancreatitis with risperidone-2: a multicenter, randomized, placebo-controlled, double-blind clinical trial. <i>Gastrointestinal Endoscopy</i> , 2013 , 78, 842-850	5.2	11
50	A novel "hitch-and-ride" deep biliary cannulation method during rendezvous endoscopic ultrasound-guided ERCP technique. <i>Endoscopy</i> , 2017 , 49, 983-988	3.4	11
49	Conversion to endoscopic ultrasound-guided biliary drainage by temporary nasobiliary drainage placement in patients with prior biliary stenting. <i>Endoscopic Ultrasound</i> , 2017 , 6, 323-328	3.6	11
48	Factors predictive of the efficacy of bezafibrate therapy in patients with primary sclerosing cholangitis. <i>Hepatology Research</i> , 2017 , 47, 1102-1107	5.1	9
47	Prediction of the Probability of Malignancy in Mucinous Cystic Neoplasm of the Pancreas With Ovarian-Type Stroma: A Nationwide Multicenter Study in Japan. <i>Pancreas</i> , 2020 , 49, 181-186	2.6	9
46	Cholecystectomy after endoscopic papillary balloon dilation for bile duct stones reduced late biliary complications: a propensity score-based cohort analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 3014-20	5.2	9

45	Short-term prognostic factors for primary sclerosing cholangitis. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015 , 22, 486-90	2.8	9
44	Multiple recurrences after endoscopic removal of common bile duct stones: A retrospective analysis of 976 cases. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1460-1466	4	9
43	Early pancreatic stent placement in wire-guided biliary cannulation: A multicenter retrospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1116-1122	4	9
42	Endoscopic management of pancreatic diseases in patients with surgically altered anatomy: clinical outcomes of combination of double-balloon endoscopy- and endoscopic ultrasound-guided interventions. <i>Digestive Endoscopy</i> , 2021 , 33, 441-450	3.7	9
41	Second-line chemotherapy in patients with advanced or recurrent biliary tract cancer: a single center, retrospective analysis of 294 cases. <i>Investigational New Drugs</i> , 2018 , 36, 1093-1102	4.3	9
40	No Association of Timing of Endoscopic Biliary Drainage with Clinical Outcomes in Patients with Non-severe Acute Cholangitis. <i>Digestive Diseases and Sciences</i> , 2018 , 63, 1937-1945	4	8
39	Enhancement of endothelial nitric oxide production by chenodeoxycholic acids in patients with hepatobiliary diseases. <i>International Heart Journal</i> , 2001 , 42, 339-53		8
38	Management of Difficult Bile Duct Stones by Large Balloon, Cholangioscopy, Enteroscopy and Endosonography. <i>Gut and Liver</i> , 2020 , 14, 297-305	4.8	8
37	A phase II trial of gemcitabine, S-1 and LV combination (GSL) neoadjuvant chemotherapy for patients with borderline resectable and locally advanced pancreatic cancer. <i>Medical Oncology</i> , 2018 , 35, 100	3.7	8
36	Gemcitabine and S-1 versus gemcitabine and cisplatin treatment in patients with advanced biliary tract cancer: a multicenter retrospective study. <i>Investigational New Drugs</i> , 2017 , 35, 269-276	4.3	7
35	Long-term outcomes of endoscopic treatment for duct-to-duct anastomotic strictures after living donor liver transplantation. <i>Liver International</i> , 2019 , 39, 1954-1963	7.9	7
34	Detection of painless pancreatitis by computed tomography in patients with post-endoscopic retrograde cholangiopancreatography hyperamylasemia. <i>Pancreatology</i> , 2014 , 14, 17-20	3.8	7
33	A Novel Partially Covered Self-Expandable Metallic Stent with Proximal Flare in Patients with Malignant Gastric Outlet Obstruction. <i>Gut and Liver</i> , 2017 , 11, 481-488	4.8	7
32	Endoscopic Ultrasound-Guided Tissue Acquisition by 22-Gauge Franseen and Standard Needles for Solid Pancreatic Lesions. <i>Gut and Liver</i> , 2020 , 14, 817-825	4.8	7
31	A novel basket catheter to facilitate endoscopic removal of pancreatic stones (with video). <i>Gastrointestinal Endoscopy</i> , 2013 , 78, 925-929	5.2	6
30	A prospective study of fully covered metal stents for different types of refractory benign biliary strictures. <i>Endoscopy</i> , 2020 , 52, 368-376	3.4	5
29	EUS-FNA of gastric cancer metastatic to the head of pancreas using a forward oblique viewing echoendoscope in a case with Roux-en-Y anatomy. <i>Endoscopic Ultrasound</i> , 2018 , 7, 420-421	3.6	5
28	A phase II trial of gemcitabine, S-1 and LV combination (GSL) therapy in patients with advanced pancreatic cancer. <i>Investigational New Drugs</i> , 2019 , 37, 338-344	4.3	5

27	Fluid sequestration is a useful parameter in the early identification of severe disease of acute pancreatitis. <i>Journal of Gastroenterology</i> , 2019 , 54, 359-366	6.9	5
26	Successful guidewire placement across hilar malignant biliary stricture after deceased donor liver transplantation using new digital cholangioscopy. <i>Endoscopy</i> , 2018 , 50, E54-E56	3.4	5
25	Diagnostic yield of the plasma free amino acid index for pancreatic cancer in patients with diabetes mellitus. <i>Pancreatology</i> , 2019 , 19, 695-698	3.8	4
24	Trimming a covered metal stent during hepaticogastrostomy by using argon plasma coagulation. <i>Gastrointestinal Endoscopy</i> , 2013 , 78, 817	5.2	4
23	Insulin secretion improvement during steroid therapy for autoimmune pancreatitis according to the onset of diabetes mellitus. <i>Journal of Gastroenterology</i> , 2020 , 55, 198-204	6.9	4
22	Cholangitis complicated by infection of a simple hepatic cyst. <i>Clinical Journal of Gastroenterology</i> , 2018 , 11, 493-496	1.1	3
21	Multiple metal stenting using a double-balloon endoscope for malignant biliary obstruction in a patient with hepaticojejunostomy. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E472-3	3.4	3
20	No Survival Benefit from the Inhibition of Renin-Angiotensin System in Biliary Tract Cancer. <i>Anticancer Research</i> , 2016 , 36, 4965-70	2.3	3
19	A randomized-controlled trial of early endotherapy versus wait-and-see policy for mild symptomatic pancreatic stones in chronic pancreatitis. <i>European Journal of Gastroenterology and Hepatology</i> , 2019 , 31, 979-984	2.2	3
18	Endoscopic papillary large balloon dilation without sphincterotomy for users of antithrombotic agents: A multicenter retrospective study. <i>Digestive Endoscopy</i> , 2019 , 31, 316-322	3.7	3
17	A feasibility study of gemcitabine, S-1 and leucovorin combination therapy (GSL) for advanced biliary tract cancer. <i>Journal of Chemotherapy</i> , 2019 , 31, 284-289	2.3	2
16	Lenvatinib-induced acute acalculous cholecystitis in a patient with hepatocellular carcinoma. <i>Clinical Journal of Gastroenterology</i> , 2020 , 13, 568-571	1.1	2
15	The impact of age and comorbidity in advanced or recurrent biliary tract cancer receiving palliative chemotherapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1828-1835	4	2
14	Visceral adiposity and high adiponectin levels are associated with the prevalence of pancreatic cystic lesions. <i>International Journal of Obesity</i> , 2019 , 43, 169-175	5.5	2
13	CA19-9 kinetics during systemic chemotherapy in patients with advanced or recurrent biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2017 , 80, 1105-1112	3.5	2
12	Intravenous and intraperitoneal paclitaxel with S-1 for refractory pancreatic cancer with malignant ascites: An interim analysis.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 267-267	2.2	2
11	Feasibility of balloon endoscope-assisted endoscopic retrograde cholangiopancreatography for the elderly. <i>Endoscopy International Open</i> , 2020 , 8, E1202-E1211	3	2
10	Transesophageal Endoscopic Ultrasound-guided Fine Needle Aspiration for the Diagnosis of a Lung Nodule that Was Non-abutting on CT. <i>Internal Medicine</i> , 2017 , 56, 2745-2746	1.1	1

9	A retrospective study of gemcitabine and cisplatin combination therapy as second-line treatment for advanced biliary tract cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 258-258	2.2	1
8	ABO Blood Group and Risk of Pancreatic Carcinogenesis in Intraductal Papillary Mucinous Neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1020-1028	4	1
7	In vitro sonographic evaluation of common bile duct stones and fragments with a high-frequency microprobe. <i>Journal of Clinical Ultrasound</i> , 1999 , 27, 249-57	1	
6	Removal of Bile Duct Stones with Endoscopic Papillary Balloon Dilatation (EPBD) ; A Case of Billroth II Gastrectomy with Cirrhosis and Hepatocellular Carcinoma. <i>Progress of Digestive Endoscopy</i> (1972), 1998 , 52, 172-173		
5	Which patients benefit from the inhibition of renin-angiotensin system in advanced pancreatic cancer? An exploratory analysis in 349 patients.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e15216-e15216	2.2	
4	Advanced training of pancreatobiliary endoscopy: A high volume center experience. <i>Progress of Digestive Endoscopy</i> , 2015 , 86, 99-103	0	
3	A retrospective analysis of early CA19-9 progression in salvage-chemotherapy for refractory pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e15146-e15146	2.2	
2	A phase 1 trial of GSL (gemcitabine, S-1, LV) combination therapy in advanced pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 290-290	2.2	
1	Associations between K-ras mutation, smoking, and prognosis of pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 298-298	2.2	