

Robert G Parton

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5981769/robert-g-parton-publications-by-year.pdf>

Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

409 papers	50,506 citations	127 h-index	215 g-index
541 ext. papers	56,126 ext. citations	9.8 avg, IF	7.65 L-index

#	Paper	IF	Citations
409	The structure of caveolin finally takes shape.. <i>Science Advances</i> , 2022 , 8, eabq6985	14.3	0
408	Epithelial Mechanosensing at Cell-Cell Contacts and Tight Junctions 2022 , 27-50		0
407	ContactJ: Lipid droplets-mitochondria contacts characterization through fluorescence microscopy and image analysis.. <i>F1000Research</i> , 2021 , 10, 263	3.6	1
406	De novo macrocyclic peptides for inhibiting, stabilizing, and probing the function of the retromer endosomal trafficking complex. <i>Science Advances</i> , 2021 , 7, eabg4007	14.3	1
405	An anaplerotic approach to correct the mitochondrial dysfunction in ataxia-telangiectasia (A-T). <i>Molecular Metabolism</i> , 2021 , 54, 101354	8.8	1
404	Cavin4 interacts with Bin1 to promote T-tubule formation and stability in developing skeletal muscle. <i>Journal of Cell Biology</i> , 2021 , 220,	7.3	3
403	Cargo-specific recruitment in clathrin- and dynamin-independent endocytosis. <i>Nature Cell Biology</i> , 2021 , 23, 1073-1084	23.4	10
402	Ryanodine receptor leak triggers fiber Ca redistribution to preserve force and elevate basal metabolism in skeletal muscle. <i>Science Advances</i> , 2021 , 7, eabi7166	14.3	2
401	An inverted CAV1 (caveolin 1) topology defines novel autophagy-dependent exosome secretion from prostate cancer cells. <i>Autophagy</i> , 2021 , 17, 2200-2216	10.2	7
400	Key principles and methods for studying the endocytosis of biological and nanoparticle therapeutics. <i>Nature Nanotechnology</i> , 2021 , 16, 266-276	28.7	103
399	Mechanotransduction activates RhoA in the neighbors of apoptotic epithelial cells to engage apical extrusion. <i>Current Biology</i> , 2021 , 31, 1326-1336.e5	6.3	16
398	High intraluminal pressure promotes vascular inflammation via caveolin-1. <i>Scientific Reports</i> , 2021 , 11, 5894	4.9	2
397	A robust method for particulate detection of a genetic tag for 3D electron microscopy. <i>ELife</i> , 2021 , 10,	8.9	8
396	Caveolin-1-driven membrane remodelling regulates hnRNPK-mediated exosomal microRNA sorting in cancer. <i>Clinical and Translational Medicine</i> , 2021 , 11, e381	5.7	6
395	Author response: A robust method for particulate detection of a genetic tag for 3D electron microscopy 2021 ,		2
394	Nicotinamide riboside attenuates age-associated metabolic and functional changes in hematopoietic stem cells. <i>Nature Communications</i> , 2021 , 12, 2665	17.4	7
393	Nanoscope, a data-driven 3D real-time interactive virtual cell environment. <i>ELife</i> , 2021 , 10,	8.9	4

392	Lipid droplets and the host-pathogen dynamic: FATal attraction?. <i>Journal of Cell Biology</i> , 2021 , 220,	7.3	4
391	Cavin3 released from caveolae interacts with BRCA1 to regulate the cellular stress response. <i>ELife</i> , 2021 , 10,	8.9	2
390	Growth Hormone Stops Excessive Inflammation After Partial Hepatectomy, Allowing Liver Regeneration and Survival Through Induction of H2-BL/HLA-G. <i>Hepatology</i> , 2021 , 73, 759-775	11.2	13
389	Caveolin-1 influences epithelial collective cell migration via FMNL2 formin. <i>Biology of the Cell</i> , 2021 , 113, 107-117	3.5	1
388	Formation of retromer transport carriers is disrupted by the Parkinson disease-linked Vps35 D620N variant. <i>Traffic</i> , 2021 , 22, 123-136	5.7	7
387	Phosphorylation of PKC β by FER tips the balance from EGFR degradation to recycling. <i>Journal of Cell Biology</i> , 2021 , 220,	7.3	5
386	Proximity Dependent Biotin Labelling in Zebrafish for Proteome and Interactome Profiling. <i>Bio-protocol</i> , 2021 , 11, e4178	0.9	0
385	Caveolin-1 and cavin1 act synergistically to generate a unique lipid environment in caveolae. <i>Journal of Cell Biology</i> , 2021 , 220,	7.3	8
384	Inner retinal injury in experimental glaucoma is prevented upon AAV mediated Shp2 silencing in a caveolin dependent manner. <i>Theranostics</i> , 2021 , 11, 6154-6172	12.1	1
383	Cavin1 intrinsically disordered domains are essential for fuzzy electrostatic interactions and caveola formation. <i>Nature Communications</i> , 2021 , 12, 931	17.4	6
382	In vivo proteomic mapping through GFP-directed proximity-dependent biotin labelling in zebrafish. <i>ELife</i> , 2021 , 10,	8.9	13
381	Key phases in the formation of caveolae. <i>Current Opinion in Cell Biology</i> , 2021 , 71, 7-14	9	11
380	Impaired endoplasmic reticulum-mitochondrial signaling in ataxia-telangiectasia. <i>IScience</i> , 2021 , 24, 101972	11.2	5
379	Frontline Science: LPS-inducible SLC30A1 drives human macrophage-mediated zinc toxicity against intracellular Escherichia coli. <i>Journal of Leukocyte Biology</i> , 2021 , 109, 287-297	6.5	5
378	Loss of YhcB results in dysregulation of coordinated peptidoglycan, LPS and phospholipid synthesis during Escherichia coli cell growth.. <i>PLoS Genetics</i> , 2021 , 17, e1009586	6	0
377	Caveolae Control Contractile Tension for Epithelia to Eliminate Tumor Cells. <i>Developmental Cell</i> , 2020 , 54, 75-91.e7	10.2	24
376	Non-caveolar caveolins - duties outside the caves. <i>Journal of Cell Science</i> , 2020 , 133,	5.3	17
375	Caveolin-1 Ablation Imparts Partial Protection Against Inner Retinal Injury in Experimental Glaucoma and Reduces Apoptotic Activation. <i>Molecular Neurobiology</i> , 2020 , 57, 3759-3784	6.2	7

374	Caveolae: Formation, dynamics, and function. <i>Current Opinion in Cell Biology</i> , 2020 , 65, 8-16	9	40
373	Lipid droplets, bioenergetic fluxes, and metabolic flexibility. <i>Seminars in Cell and Developmental Biology</i> , 2020 , 108, 33-46	7.5	14
372	Endocytosis Inhibition in Humans to Improve Responses to ADCC-Mediating Antibodies. <i>Cell</i> , 2020 , 180, 895-914.e27	56.2	45
371	A role for caveola-forming proteins caveolin-1 and CAVIN1 in the pro-invasive response of glioblastoma to osmotic and hydrostatic pressure. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 3724-3738	5.6	5
370	Mapping Interactions among Cell-Free Expressed Zika Virus Proteins. <i>Journal of Proteome Research</i> , 2020 , 19, 1522-1532	5.6	3
369	Caveolae and lipid sorting: Shaping the cellular response to stress. <i>Journal of Cell Biology</i> , 2020 , 219,	7.3	21
368	Ascidian caveolin induces membrane curvature and protects tissue integrity and morphology during embryogenesis. <i>FASEB Journal</i> , 2020 , 34, 1345-1361	0.9	15
367	Role for caveolin-mediated transcytosis in facilitating transport of large cargoes into the brain via ultrasound. <i>Journal of Controlled Release</i> , 2020 , 327, 667-675	11.7	13
366	Mammalian lipid droplets are innate immune hubs integrating cell metabolism and host defense. <i>Science</i> , 2020 , 370,	33.3	82
365	Modular transient nanoclustering of activated β -adrenergic receptors revealed by single-molecule tracking of conformation-specific nanobodies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 30476-30487	11.5	7
364	In vivo cell biological screening identifies an endocytic capture mechanism for T-tubule formation. <i>Nature Communications</i> , 2020 , 11, 3711	17.4	10
363	ORP5 localizes to ER-lipid droplet contacts and regulates the level of PI(4)P on lipid droplets. <i>Journal of Cell Biology</i> , 2020 , 219,	7.3	41
362	Src kinases relax adherens junctions between the neighbors of apoptotic cells to permit apical extrusion. <i>Molecular Biology of the Cell</i> , 2020 , 31, 2557-2569	3.5	12
361	Twenty years of traffic: A 2020 vision of cellular electron microscopy. <i>Traffic</i> , 2020 , 21, 156-161	5.7	2
360	Caveolae: The FAQs. <i>Traffic</i> , 2020 , 21, 181-185	5.7	34
359	Reactivation of Myc transcription in the mouse heart unlocks its proliferative capacity. <i>Nature Communications</i> , 2020 , 11, 1827	17.4	17
358	Live Confocal Imaging of Zebrafish Notochord Cells Under Mechanical Stress In Vivo. <i>Methods in Molecular Biology</i> , 2020 , 2169, 175-187	1.4	0
357	Faceted polymersomes: a sphere-to-polyhedron shape transformation. <i>Chemical Science</i> , 2019 , 10, 2725-2731	9.4	19

356	Drug-induced increase in lysobisphosphatidic acid reduces the cholesterol overload in Niemann-Pick type C cells and mice. <i>EMBO Reports</i> , 2019 , 20, e47055	6.5	18
355	Correlation of the invasive potential of glioblastoma and expression of caveola-forming proteins caveolin-1 and CAVIN1. <i>Journal of Neuro-Oncology</i> , 2019 , 143, 207-220	4.8	5
354	Myosin Vb is required for correct trafficking of N-cadherin and cardiac chamber ballooning. <i>Developmental Dynamics</i> , 2019 , 248, 284-295	2.9	1
353	Identification of intracellular cavin target proteins reveals cavin-PP1alpha interactions regulate apoptosis. <i>Nature Communications</i> , 2019 , 10, 3279	17.4	29
352	The membrane environment of cadherin adhesion receptors: a working hypothesis. <i>Biochemical Society Transactions</i> , 2019 , 47, 985-995	5.1	6
351	Colocation of Tpm3.1 and myosin IIa heads defines a discrete subdomain in stress fibres. <i>Journal of Cell Science</i> , 2019 , 132,	5.3	7
350	An Abl-FBP17 mechanosensing system couples local plasma membrane curvature and stress fiber remodeling during mechanoadaptation. <i>Nature Communications</i> , 2019 , 10, 5828	17.4	27
349	Retromer has a selective function in cargo sorting via endosome transport carriers. <i>Journal of Cell Biology</i> , 2019 , 218, 615-631	7.3	69
348	ORP2 Delivers Cholesterol to the Plasma Membrane in Exchange for Phosphatidylinositol 4, 5-Bisphosphate (PI(4,5)P). <i>Molecular Cell</i> , 2019 , 73, 458-473.e7	17.6	89
347	Membrane Curvature and Tension Control the Formation and Collapse of Caveolar Superstructures. <i>Developmental Cell</i> , 2019 , 48, 523-538.e4	10.2	35
346	Development of a human skeletal micro muscle platform with pacing capabilities. <i>Biomaterials</i> , 2019 , 198, 217-227	15.6	19
345	Caveolae. <i>Current Biology</i> , 2018 , 28, R402-R405	6.3	58
344	Rab18 promotes lipid droplet (LD) growth by tethering the ER to LDs through SNARE and NRZ interactions. <i>Journal of Cell Biology</i> , 2018 , 217, 975-995	7.3	102
343	Cell-free formation and interactome analysis of caveolae. <i>Journal of Cell Biology</i> , 2018 , 217, 2141-2165	7.3	33
342	A variable undecad repeat domain in cavin1 regulates caveola formation and stability. <i>EMBO Reports</i> , 2018 , 19,	6.5	12
341	Small GTPases and BAR domain proteins regulate branched actin polymerisation for clathrin and dynamin-independent endocytosis. <i>Nature Communications</i> , 2018 , 9, 1835	17.4	47
340	Journey to the centre of the cell: Virtual reality immersion into scientific data. <i>Traffic</i> , 2018 , 19, 105-110	5.7	42
339	Caveolae: Structure, Function, and Relationship to Disease. <i>Annual Review of Cell and Developmental Biology</i> , 2018 , 34, 111-136	12.6	105

338	Mechanochemical feedback control of dynamin independent endocytosis modulates membrane tension in adherent cells. <i>Nature Communications</i> , 2018 , 9, 4217	17.4	59
337	Minimum information reporting in bio-nano experimental literature. <i>Nature Nanotechnology</i> , 2018 , 13, 777-785	28.7	297
336	Ultrastructural localisation of protein interactions using conditionally stable nanobodies. <i>PLoS Biology</i> , 2018 , 16, e2005473	9.7	27
335	Rab5 and Alsin regulate stress-activated cytoprotective signaling on mitochondria. <i>ELife</i> , 2018 , 7,	8.9	37
334	Development of a human cardiac organoid injury model reveals innate regenerative potential. <i>Development (Cambridge)</i> , 2017 , 144, 1118-1127	6.6	84
333	A plasmid library of full-length zebrafish rab proteins for cell biology. <i>Cellular Logistics</i> , 2017 , 7, e1301151		3
332	Correlative light and electron microscopic detection of GFP-labeled proteins using modular APEX. <i>Methods in Cell Biology</i> , 2017 , 140, 105-121	1.8	11
331	Mammalian Diaphanous 1 Mediates a Pathway for E-cadherin to Stabilize Epithelial Barriers through Junctional Contractility. <i>Cell Reports</i> , 2017 , 18, 2854-2867	10.6	63
330	Cavin-1 deficiency modifies myocardial and coronary function, stretch responses and ischaemic tolerance: roles of NOS over-activity. <i>Basic Research in Cardiology</i> , 2017 , 112, 24	11.8	10
329	Laser-mediated rupture of chlamydial inclusions triggers pathogen egress and host cell necrosis. <i>Nature Communications</i> , 2017 , 8, 14729	17.4	12
328	ORP5 and ORP8 bind phosphatidylinositol-4, 5-biphosphate (PtdIns(4,5)P) and regulate its level at the plasma membrane. <i>Nature Communications</i> , 2017 , 8, 757	17.4	117
327	Tyrosine dephosphorylated cortactin downregulates contractility at the epithelial zonula adherens through SRGAP1. <i>Nature Communications</i> , 2017 , 8, 790	17.4	21
326	A kinetic view of GPCR allostery and biased agonism. <i>Nature Chemical Biology</i> , 2017 , 13, 929-937	11.7	89
325	A microtubule-organizing center directing intracellular transport in the early mouse embryo. <i>Science</i> , 2017 , 357, 925-928	33.3	71
324	Functional screening in human cardiac organoids reveals a metabolic mechanism for cardiomyocyte cell cycle arrest. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E8372-E8381	11.5	239
323	Phosphatidylserine dictates the assembly and dynamics of caveolae in the plasma membrane. <i>Journal of Biological Chemistry</i> , 2017 , 292, 14292-14307	5.4	45
322	Caveolin 1 restricts Group A Streptococcus invasion of nonphagocytic host cells. <i>Cellular Microbiology</i> , 2017 , 19, e12772	3.9	4
321	Caveolae Protect Notochord Cells against Catastrophic Mechanical Failure during Development. <i>Current Biology</i> , 2017 , 27, 1968-1981.e7	6.3	46

320	A novel sphingomyelin/cholesterol domain-specific probe reveals the dynamics of the membrane domains during virus release and in Niemann-Pick type C. <i>FASEB Journal</i> , 2017 , 31, 1301-1322	0.9	23
319	A distinct plasma lipid signature associated with poor prognosis in castration-resistant prostate cancer. <i>International Journal of Cancer</i> , 2017 , 141, 2112-2120	7.5	42
318	Functional role of T-cell receptor nanoclusters in signal initiation and antigen discrimination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E5454-63	11.5	131
317	An endosomal tether undergoes an entropic collapse to bring vesicles together. <i>Nature</i> , 2016 , 537, 107-114	11.4	84
316	Unraveling the architecture of caveolae. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 14170-14172	11.5	16
315	Subdiffractional tracking of internalized molecules reveals heterogeneous motion states of synaptic vesicles. <i>Journal of Cell Biology</i> , 2016 , 215, 277-292	7.3	38
314	Interplay between hepatic mitochondria-associated membranes, lipid metabolism and caveolin-1 in mice. <i>Scientific Reports</i> , 2016 , 6, 27351	4.9	102
313	SEIPIN Regulates Lipid Droplet Expansion and Adipocyte Development by Modulating the Activity of Glycerol-3-phosphate Acyltransferase. <i>Cell Reports</i> , 2016 , 17, 1546-1559	10.6	114
312	Resolution of Novel Pancreatic Ductal Adenocarcinoma Subtypes by Global Phosphotyrosine Profiling. <i>Molecular and Cellular Proteomics</i> , 2016 , 15, 2671-85	7.6	25
311	Mechanoprotection by skeletal muscle caveolae. <i>Bioarchitecture</i> , 2016 , 6, 22-7		17
310	New Transgenic Lines for Localization of GFP-Tagged Proteins by Electron Microscopy. <i>Zebrafish</i> , 2016 , 13, 232-3	2	1
309	Annexin A6 regulates interleukin-2-mediated T-cell proliferation. <i>Immunology and Cell Biology</i> , 2016 , 94, 543-53	5	18
308	AarF Domain Containing Kinase 3 (ADCK3) Mutant Cells Display Signs of Oxidative Stress, Defects in Mitochondrial Homeostasis and Lysosomal Accumulation. <i>PLoS ONE</i> , 2016 , 11, e0148213	3.7	10
307	Parkinson Disease-linked Vps35 R524W Mutation Impairs the Endosomal Association of Retromer and Induces β -Synuclein Aggregation. <i>Journal of Biological Chemistry</i> , 2016 , 291, 18283-98	5.4	50
306	Nanomolar oligomerization and selective co-aggregation of β -Synuclein pathogenic mutants revealed by single-molecule fluorescence. <i>Scientific Reports</i> , 2016 , 6, 37630	4.9	24
305	Human immune cell targeting of protein nanoparticles--caveospheres. <i>Nanoscale</i> , 2016 , 8, 8255-65	7.7	26
304	Coronin 1B Reorganizes the Architecture of F-Actin Networks for Contractility at Steady-State and Apoptotic Adherens Junctions. <i>Developmental Cell</i> , 2016 , 37, 58-71	10.2	67
303	Prolonged Intake of Dietary Lipids Alters Membrane Structure and T Cell Responses in LDLr ^{-/-} Mice. <i>Journal of Immunology</i> , 2016 , 196, 3993-4002	5.3	14

302	Munc18-1 is a molecular chaperone for Synuclein, controlling its self-replicating aggregation. <i>Journal of Cell Biology</i> , 2016 , 214, 705-18	7.3	38
301	High-density lipoprotein inhibits human M1 macrophage polarization through redistribution of caveolin-1. <i>British Journal of Pharmacology</i> , 2016 , 173, 741-51	8.6	34
300	Discreet and distinct clustering of five model membrane proteins revealed by single molecule localization microscopy. <i>Molecular Membrane Biology</i> , 2015 , 32, 11-8	3.4	7
299	The ether lipid precursor hexadecylglycerol stimulates the release and changes the composition of exosomes derived from PC-3 cells. <i>Journal of Biological Chemistry</i> , 2015 , 290, 4225-37	5.4	65
298	Critical role of CAV1/caveolin-1 in cell stress responses in human breast cancer cells via modulation of lysosomal function and autophagy. <i>Autophagy</i> , 2015 , 11, 769-84	10.2	77
297	Cavin family proteins and the assembly of caveolae. <i>Journal of Cell Science</i> , 2015 , 128, 1269-78	5.3	132
296	Building endocytic pits without clathrin. <i>Nature Reviews Molecular Cell Biology</i> , 2015 , 16, 311-21	48.7	135
295	A phosphoinositide-binding cluster in cavin1 acts as a molecular sensor for cavin1 degradation. <i>Molecular Biology of the Cell</i> , 2015 , 26, 3561-9	3.5	22
294	Caveolae control the anti-inflammatory phenotype of senescent endothelial cells. <i>Aging Cell</i> , 2015 , 14, 102-11	9.9	26
293	Kidney organoids from human iPS cells contain multiple lineages and model human nephrogenesis. <i>Nature</i> , 2015 , 526, 564-8	50.4	832
292	Adherens Junctions Revisualized: Organizing Cadherins as Nanoassemblies. <i>Developmental Cell</i> , 2015 , 35, 12-20	10.2	68
291	Molecular Characterization of Caveolin-induced Membrane Curvature. <i>Journal of Biological Chemistry</i> , 2015 , 290, 24875-90	5.4	60
290	APPL endosomes are not obligatory endocytic intermediates but act as stable cargo-sorting compartments. <i>Journal of Cell Biology</i> , 2015 , 211, 123-44	7.3	64
289	The caveolin-cavin system plays a conserved and critical role in mechanoprotection of skeletal muscle. <i>Journal of Cell Biology</i> , 2015 , 210, 833-49	7.3	94
288	Modular Detection of GFP-Labeled Proteins for Rapid Screening by Electron Microscopy in Cells and Organisms. <i>Developmental Cell</i> , 2015 , 35, 513-25	10.2	79
287	Visualization of the heterogeneous membrane distribution of sphingomyelin associated with cytokinesis, cell polarity, and sphingolipidosis. <i>FASEB Journal</i> , 2015 , 29, 477-93	0.9	61
286	MURC/cavin-4 Is Co-Expressed with Caveolin-3 in Rhabdomyosarcoma Tumors and Its Silencing Prevents Myogenic Differentiation in the Human Embryonal RD Cell Line. <i>PLoS ONE</i> , 2015 , 10, e0130287	3.7	2
285	Detection of GFP-labeled Proteins by Electron Microscopy. <i>Microscopy and Microanalysis</i> , 2015 , 21, 531-533	3.7	2

284	AMPK activation promotes lipid droplet dispersion on detyrosinated microtubules to increase mitochondrial fatty acid oxidation. <i>Nature Communications</i> , 2015 , 6, 7176	17.4	154
283	Oligomerization and endocytosis of Hedgehog is necessary for its efficient exovesicular secretion. <i>Molecular Biology of the Cell</i> , 2015 , 26, 4700-17	3.5	26
282	An RPTP/LSrc family kinase/Rap1 signaling module recruits myosin IIB to support contractile tension at apical E-cadherin junctions. <i>Molecular Biology of the Cell</i> , 2015 , 26, 1249-62	3.5	32
281	Are caveolae a cellular entry route for non-viral therapeutic delivery systems?. <i>Advanced Drug Delivery Reviews</i> , 2015 , 91, 92-108	18.5	45
280	Seeing and believing: recent advances in imaging cell-cell interactions. <i>F1000Research</i> , 2015 , 4, 273	3.6	3
279	Non-caveolar caveolin-1 expression in prostate cancer cells promotes lymphangiogenesis. <i>Oncoscience</i> , 2015 , 2, 635-45	0.8	15
278	Diet-induced hypercholesterolemia promotes androgen-independent prostate cancer metastasis via IQGAP1 and caveolin-1. <i>Oncotarget</i> , 2015 , 6, 7438-53	3.3	34
277	Signal integration by lipid-mediated spatial cross talk between Ras nanoclusters. <i>Molecular and Cellular Biology</i> , 2014 , 34, 862-76	4.8	85
276	Galectin-3 drives glycosphingolipid-dependent biogenesis of clathrin-independent carriers. <i>Nature Cell Biology</i> , 2014 , 16, 595-606	23.4	177
275	Cortical F-actin stabilization generates apical-lateral patterns of junctional contractility that integrate cells into epithelia. <i>Nature Cell Biology</i> , 2014 , 16, 167-78	23.4	159
274	Structural insights into the organization of the cavin membrane coat complex. <i>Developmental Cell</i> , 2014 , 31, 405-19	10.2	64
273	Cortactin scaffolds Arp2/3 and WAVE2 at the epithelial zonula adherens. <i>Journal of Biological Chemistry</i> , 2014 , 289, 7764-75	5.4	49
272	Clathrin-independent pathways of endocytosis. <i>Cold Spring Harbor Perspectives in Biology</i> , 2014 , 6,	10.2	301
271	Cavin-1/PTRF alters prostate cancer cell-derived extracellular vesicle content and internalization to attenuate extracellular vesicle-mediated osteoclastogenesis and osteoblast proliferation. <i>Journal of Extracellular Vesicles</i> , 2014 , 3,	16.4	65
270	Population distribution analyses reveal a hierarchy of molecular players underlying parallel endocytic pathways. <i>PLoS ONE</i> , 2014 , 9, e100554	3.7	13
269	Review: biogenesis of the multifunctional lipid droplet: lipids, proteins, and sites. <i>Journal of Cell Biology</i> , 2014 , 204, 635-46	7.3	305
268	PTRF/cavin-1 neutralizes non-caveolar caveolin-1 microdomains in prostate cancer. <i>Oncogene</i> , 2014 , 33, 3561-70	9.2	54
267	Caveolae regulate the nanoscale organization of the plasma membrane to remotely control Ras signaling. <i>Journal of Cell Biology</i> , 2014 , 204, 777-92	7.3	95

266	Endocytic crosstalk: cavins, caveolins, and caveolae regulate clathrin-independent endocytosis. <i>PLoS Biology</i> , 2014 , 12, e1001832	9.7	99
265	Pkd1 regulates lymphatic vascular morphogenesis during development. <i>Cell Reports</i> , 2014 , 7, 623-33	10.6	63
264	Caveolae regulate the nanoscale organization of the plasma membrane to remotely control Ras signaling. <i>Journal of General Physiology</i> , 2014 , 143, 1434OIA10	3.4	
263	SnapShot: caveolae, caveolins, and cavins. <i>Cell</i> , 2013 , 154, 704-704.e1	56.2	28
262	Cell-to-cell heterogeneity in lipid droplets suggests a mechanism to reduce lipotoxicity. <i>Current Biology</i> , 2013 , 23, 1489-96	6.3	114
261	RhoD participates in the regulation of cell-cycle progression and centrosome duplication. <i>Oncogene</i> , 2013 , 32, 1831-42	9.2	18
260	Caveola-forming proteins caveolin-1 and PTRF in prostate cancer. <i>Nature Reviews Urology</i> , 2013 , 10, 529-36	3.6	40
259	Characterisation of the adiponectin receptors: the non-conserved N-terminal region of AdipoR2 prevents its expression at the cell-surface. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 432, 28-33	3.4	7
258	Adaptor proteins MiD49 and MiD51 can act independently of Mff and Fis1 in Drp1 recruitment and are specific for mitochondrial fission. <i>Journal of Biological Chemistry</i> , 2013 , 288, 27584-27593	5.4	184
257	Glucose principally regulates insulin secretion in mouse islets by controlling the numbers of granule fusion events per cell. <i>Diabetologia</i> , 2013 , 56, 2629-37	10.3	35
256	Caveolae as plasma membrane sensors, protectors and organizers. <i>Nature Reviews Molecular Cell Biology</i> , 2013 , 14, 98-112	48.7	595
255	Caveolin-1 is necessary for hepatic oxidative lipid metabolism: evidence for crosstalk between caveolin-1 and bile acid signaling. <i>Cell Reports</i> , 2013 , 4, 238-47	10.6	43
254	Single-molecule analysis reveals self assembly and nanoscale segregation of two distinct cavin subcomplexes on caveolae. <i>ELife</i> , 2013 , 3, e01434	8.9	97
253	PNPLA3/adiponutrin functions in lipid droplet formation. <i>Biology of the Cell</i> , 2013 , 105, 219-233	3.5	65
252	Examination of the subsarcolemmal tubular system of mammalian skeletal muscle fibers. <i>Biophysical Journal</i> , 2013 , 104, L19-21	2.9	8
251	Rab18 binds to hepatitis C virus NS5A and promotes interaction between sites of viral replication and lipid droplets. <i>PLoS Pathogens</i> , 2013 , 9, e1003513	7.6	102
250	Fendiline inhibits K-Ras plasma membrane localization and blocks K-Ras signal transmission. <i>Molecular and Cellular Biology</i> , 2013 , 33, 237-51	4.8	78
249	Acyl-CoA synthetase 3 promotes lipid droplet biogenesis in ER microdomains. <i>Journal of Cell Biology</i> , 2013 , 203, 985-1001	7.3	196

248	Patched1 is required in neural crest cells for the prevention of orofacial clefts. <i>Human Molecular Genetics</i> , 2013 , 22, 5026-35	5.6	31
247	The HSP90 inhibitor geldanamycin perturbs endosomal structure and drives recycling ErbB2 and transferrin to modified MVBs/lysosomal compartments. <i>Molecular Biology of the Cell</i> , 2013 , 24, 129-44	3.5	33
246	The RhoD to centrosomal duplication. <i>Small GTPases</i> , 2013 , 4, 116-22	2.7	2
245	Building a better dynasore: the dyngo compounds potently inhibit dynamin and endocytosis. <i>Traffic</i> , 2013 , 14, 1272-89	5.7	153
244	PTRF/Cavin-1 decreases prostate cancer angiogenesis and lymphangiogenesis. <i>Oncotarget</i> , 2013 , 4, 1844-55	4.55	35
243	Phosphocaveolin-1 is a mechanotransducer that induces caveola biogenesis via Egr1 transcriptional regulation. <i>Journal of Cell Biology</i> , 2012 , 199, 425-35	7.3	79
242	Staurosporines disrupt phosphatidylserine trafficking and mislocalize Ras proteins. <i>Journal of Biological Chemistry</i> , 2012 , 287, 43573-84	5.4	72
241	Constitutive formation of caveolae in a bacterium. <i>Cell</i> , 2012 , 150, 752-63	56.2	94
240	Design and application of in vivo FRET biosensors to identify protein prenylation and nanoclustering inhibitors. <i>Chemistry and Biology</i> , 2012 , 19, 866-74		23
239	Caveolin-1 plays a critical role in the differentiation of monocytes into macrophages. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012 , 32, e117-25	9.4	45
238	Structure-based reassessment of the caveolin signaling model: do caveolae regulate signaling through caveolin-protein interactions?. <i>Developmental Cell</i> , 2012 , 23, 11-20	10.2	101
237	SNX12 role in endosome membrane transport. <i>PLoS ONE</i> , 2012 , 7, e38949	3.7	20
236	Co-regulation of cell polarization and migration by caveolar proteins PTRF/Cavin-1 and caveolin-1. <i>PLoS ONE</i> , 2012 , 7, e43041	3.7	45
235	Different characteristics and nucleotide binding properties of inosine monophosphate dehydrogenase (IMPDH) isoforms. <i>PLoS ONE</i> , 2012 , 7, e51096	3.7	50
234	Normalization of protein at different stages in SILAC subcellular proteomics affects functional analysis. <i>Journal of Integrated OMICS</i> , 2012 , 2,	0.5	3
233	Caveolin-1 orchestrates the balance between glucose and lipid-dependent energy metabolism: implications for liver regeneration. <i>Hepatology</i> , 2012 , 55, 1574-84	11.2	60
232	Expression of PTRF in PC-3 Cells modulates cholesterol dynamics and the actin cytoskeleton impacting secretion pathways. <i>Molecular and Cellular Proteomics</i> , 2012 , 11, M111.012245	7.6	50
231	EHD2 regulates caveolar dynamics via ATP-driven targeting and oligomerization. <i>Molecular Biology of the Cell</i> , 2012 , 23, 1316-29	3.5	133

230	Mutations in mouse Irf144 model the craniofacial, limb and rib defects in skeletal ciliopathies. <i>Human Molecular Genetics</i> , 2012 , 21, 1808-23	5.6	57
229	Postlipolytic insulin-dependent remodeling of micro lipid droplets in adipocytes. <i>Molecular Biology of the Cell</i> , 2012 , 23, 1826-37	3.5	54
228	Caveolin-1 deficiency leads to increased susceptibility to cell death and fibrosis in white adipose tissue: characterization of a lipodystrophic model. <i>PLoS ONE</i> , 2012 , 7, e46242	3.7	32
227	Not just fat: the structure and function of the lipid droplet. <i>Cold Spring Harbor Perspectives in Biology</i> , 2011 , 3,	10.2	301
226	Cells respond to mechanical stress by rapid disassembly of caveolae. <i>Cell</i> , 2011 , 144, 402-13	56.2	575
225	Role of SNX16 in the dynamics of tubulo-cisternal membrane domains of late endosomes. <i>PLoS ONE</i> , 2011 , 6, e21771	3.7	24
224	High-throughput screening of Australian marine organism extracts for bioactive molecules affecting the cellular storage of neutral lipids. <i>PLoS ONE</i> , 2011 , 6, e22868	3.7	5
223	Pore-forming toxins induce multiple cellular responses promoting survival. <i>Cellular Microbiology</i> , 2011 , 13, 1026-43	3.9	114
222	PTRF-cavin-1 expression decreases the migration of PC3 prostate cancer cells: role of matrix metalloprotease 9. <i>European Journal of Cell Biology</i> , 2011 , 90, 136-42	6.1	55
221	Redistribution of caveolae during mitosis. <i>Journal of Cell Science</i> , 2011 , 124, 1965-72	5.3	71
220	Quantitative proteomic analysis of the adipocyte plasma membrane. <i>Journal of Proteome Research</i> , 2011 , 10, 4970-82	5.6	25
219	Therapeutic levels of the hydroxymethylglutaryl-coenzyme A reductase inhibitor lovastatin activate Ras signaling via phospholipase D2. <i>Molecular and Cellular Biology</i> , 2011 , 31, 1110-20	4.8	29
218	A role for oxysterol-binding protein-related protein 5 in endosomal cholesterol trafficking. <i>Journal of Cell Biology</i> , 2011 , 192, 121-35	7.3	227
217	Role of AP1 and Gadkin in the traffic of secretory endo-lysosomes. <i>Molecular Biology of the Cell</i> , 2011 , 22, 2068-82	3.5	40
216	The endocytic protein GRAF1 is directed to cell-matrix adhesion sites and regulates cell spreading. <i>Molecular Biology of the Cell</i> , 2011 , 22, 4380-9	3.5	46
215	A role for phosphatidic acid in the formation of "supersized" lipid droplets. <i>PLoS Genetics</i> , 2011 , 7, e1002201	201	235
214	High-resolution mapping reveals topologically distinct cellular pools of phosphatidylserine. <i>Journal of Cell Biology</i> , 2011 , 194, 257-75	7.3	214
213	Fsp27 promotes lipid droplet growth by lipid exchange and transfer at lipid droplet contact sites. <i>Journal of Cell Biology</i> , 2011 , 195, 953-63	7.3	226

212	Caveolins/caveolae protect adipocytes from fatty acid-mediated lipotoxicity. <i>Journal of Lipid Research</i> , 2011 , 52, 1526-32	6.3	20
211	Centrobins regulate the assembly of functional mitotic spindles. <i>Oncogene</i> , 2010 , 29, 2649-58	9.2	30
210	Revisiting caveolin trafficking: the end of the caveosome. <i>Journal of Cell Biology</i> , 2010 , 191, 439-41	7.3	62
209	Clathrin-independent carriers form a high capacity endocytic sorting system at the leading edge of migrating cells. <i>Journal of Cell Biology</i> , 2010 , 190, 675-91	7.3	230
208	Reduced plasma membrane expression of dysferlin mutants is attributed to accelerated endocytosis via a syntaxin-4-associated pathway. <i>Journal of Biological Chemistry</i> , 2010 , 285, 28529-39	5.4	33
207	Epidermal growth factor receptor activation remodels the plasma membrane lipid environment to induce nanocluster formation. <i>Molecular and Cellular Biology</i> , 2010 , 30, 3795-804	4.8	75
206	Uptake and intracellular fate of disulfide-bonded polymer hydrogel capsules for Doxorubicin delivery to colorectal cancer cells. <i>ACS Nano</i> , 2010 , 4, 2928-36	16.7	147
205	Mathematical modeling of K-Ras nanocluster formation on the plasma membrane. <i>Biophysical Journal</i> , 2010 , 99, 534-43	2.9	38
204	Sequence-dependent sorting of recycling proteins by actin-stabilized endosomal microdomains. <i>Cell</i> , 2010 , 143, 761-73	56.2	240
203	Myosin II isoforms identify distinct functional modules that support integrity of the epithelial zonula adherens. <i>Nature Cell Biology</i> , 2010 , 12, 696-702	23.4	245
202	Heterofibrins: inhibitors of lipid droplet formation from a deep-water southern Australian marine sponge, <i>Spongia</i> (Heterofibria) sp. <i>Organic and Biomolecular Chemistry</i> , 2010 , 8, 3188-94	3.9	18
201	Modern approaches for ultrastructural analysis of the zebrafish embryo. <i>Methods in Cell Biology</i> , 2010 , 96, 425-42	1.8	21
200	Alpha-actinin-3 deficiency results in reduced glycogen phosphorylase activity and altered calcium handling in skeletal muscle. <i>Human Molecular Genetics</i> , 2010 , 19, 1335-46	5.6	58
199	Caveolae at a glance. <i>Journal of Cell Science</i> , 2010 , 123, 3831-6	5.3	151
198	Human Mitons associate with mitochondria and induce microtubule-dependent remodeling of mitochondrial networks. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2010 , 1803, 564-74	4.9	57
197	Molecules, mechanisms, and cellular roles of clathrin-independent endocytosis. <i>Current Opinion in Cell Biology</i> , 2010 , 22, 519-27	9	158
196	Quantitative analysis of lipid droplet fusion: inefficient steady state fusion but rapid stimulation by chemical fusogens. <i>PLoS ONE</i> , 2010 , 5, e15030	3.7	70
195	Spatiotemporal regulation of early lipolytic signaling in adipocytes. <i>Journal of Biological Chemistry</i> , 2009 , 284, 32097-107	5.4	26

194	Cytoskeletal tropomyosin Tm5NM1 is required for normal excitation-contraction coupling in skeletal muscle. <i>Molecular Biology of the Cell</i> , 2009 , 20, 400-9	3.5	41
193	Vascular defects in a mouse model of hypotrichosis-lymphedema-telangiectasia syndrome indicate a role for SOX18 in blood vessel maturation. <i>Human Molecular Genetics</i> , 2009 , 18, 2839-50	5.6	39
192	Nucleophosmin and nucleolin regulate K-Ras plasma membrane interactions and MAPK signal transduction. <i>Journal of Biological Chemistry</i> , 2009 , 284, 28410-28419	5.4	55
191	Colony-stimulating factor-1 (CSF-1) delivers a proatherogenic signal to human macrophages. <i>Journal of Leukocyte Biology</i> , 2009 , 85, 278-88	6.5	60
190	MURC/Cavin-4 and cavin family members form tissue-specific caveolar complexes. <i>Journal of Cell Biology</i> , 2009 , 185, 1259-73	7.3	207
189	A single method for cryofixation and correlative light, electron microscopy and tomography of zebrafish embryos. <i>Traffic</i> , 2009 , 10, 131-6	5.7	116
188	Hydrophobic and basic domains target proteins to lipid droplets. <i>Traffic</i> , 2009 , 10, 1785-801	5.7	59
187	Annexin A2-dependent polymerization of actin mediates endosome biogenesis. <i>Developmental Cell</i> , 2009 , 16, 445-57	10.2	120
186	Lipid droplet-organelle interactions; sharing the fats. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2009 , 1791, 441-7	5	203
185	Abnormal nuclear pore formation triggers apoptosis in the intestinal epithelium of elys-deficient zebrafish. <i>Gastroenterology</i> , 2009 , 136, 902-11	13.3	40
184	A novel switch region regulates H-ras membrane orientation and signal output. <i>EMBO Journal</i> , 2008 , 27, 727-35	13	155
183	The GTPase-activating protein GRAF1 regulates the CLIC/GEEC endocytic pathway. <i>Current Biology</i> , 2008 , 18, 1802-8	6.3	183
182	Hrs and SNX3 functions in sorting and membrane invagination within multivesicular bodies. <i>PLoS Biology</i> , 2008 , 6, e214	9.7	76
181	Characterization of Rab18, a lipid droplet-associated small GTPase. <i>Methods in Enzymology</i> , 2008 , 438, 109-29	1.7	38
180	PTRF-Cavin, a conserved cytoplasmic protein required for caveola formation and function. <i>Cell</i> , 2008 , 132, 113-24	56.2	537
179	Activation of the MAPK module from different spatial locations generates distinct system outputs. <i>Molecular Biology of the Cell</i> , 2008 , 19, 4776-84	3.5	72
178	Ca ²⁺ -regulated pool of phosphatidylinositol-3-phosphate produced by phosphatidylinositol 3-kinase C2alpha on neurosecretory vesicles. <i>Molecular Biology of the Cell</i> , 2008 , 19, 5593-603	3.5	49
177	Evolutionary analysis and molecular dissection of caveola biogenesis. <i>Journal of Cell Science</i> , 2008 , 121, 2075-86	5.3	91

176	Electrostatic interactions positively regulate K-Ras nanocluster formation and function. <i>Molecular and Cellular Biology</i> , 2008 , 28, 4377-85	4.8	89
175	Caveolin regulates endocytosis of the muscle repair protein, dysferlin. <i>Journal of Biological Chemistry</i> , 2008 , 283, 6476-88	5.4	71
174	Fld1p, a functional homologue of human seipin, regulates the size of lipid droplets in yeast. <i>Journal of Cell Biology</i> , 2008 , 180, 473-82	7.3	346
173	Lysobisphosphatidic acid controls endosomal cholesterol levels. <i>Journal of Biological Chemistry</i> , 2008 , 283, 27871-27880	5.4	143
172	High-resolution 3D quantitative analysis of caveolar ultrastructure and caveola-cytoskeleton interactions. <i>Traffic</i> , 2008 , 9, 893-909	5.7	132
171	Plasma membrane nanoswitches generate high-fidelity Ras signal transduction. <i>Nature Cell Biology</i> , 2007 , 9, 905-14	23.4	314
170	The multiple faces of caveolae. <i>Nature Reviews Molecular Cell Biology</i> , 2007 , 8, 185-94	48.7	1116
169	A novel form of ataxia oculomotor apraxia characterized by oxidative stress and apoptosis resistance. <i>Cell Death and Differentiation</i> , 2007 , 14, 1149-61	12.7	13
168	Cholesterol-sensitive Cdc42 activation regulates actin polymerization for endocytosis via the GEEC pathway. <i>Traffic</i> , 2007 , 8, 702-17	5.7	141
167	Reassessing the role of phosphocaveolin-1 in cell adhesion and migration. <i>Traffic</i> , 2007 , 8, 1695-1705	5.7	30
166	Caveolin-1 is required for lateral line neuromast and notochord development. <i>Journal of Cell Science</i> , 2007 , 120, 2151-61	5.3	49
165	Late endosomal cholesterol accumulation leads to impaired intra-endosomal trafficking. <i>PLoS ONE</i> , 2007 , 2, e851	3.7	105
164	Cholesterol manipulation by West Nile virus perturbs the cellular immune response. <i>Cell Host and Microbe</i> , 2007 , 2, 229-39	23.4	224
163	Diversity of raft-like domains in late endosomes. <i>PLoS ONE</i> , 2007 , 2, e391	3.7	59
162	Biogenesis of caveolae: a structural model for caveolin-induced domain formation. <i>Journal of Cell Science</i> , 2006 , 119, 787-96	5.3	224
161	Dynamic microtubules regulate the local concentration of E-cadherin at cell-cell contacts. <i>Journal of Cell Science</i> , 2006 , 119, 1801-11	5.3	146
160	Arf6-independent GPI-anchored protein-enriched early endosomal compartments fuse with sorting endosomes via a Rab5/phosphatidylinositol-3'-kinase-dependent machinery. <i>Molecular Biology of the Cell</i> , 2006 , 17, 3689-704	3.5	93
159	Identifying optimal lipid raft characteristics required to promote nanoscale protein-protein interactions on the plasma membrane. <i>Molecular and Cellular Biology</i> , 2006 , 26, 313-23	4.8	156

158	Regulation of albumin endocytosis by PSD95/Dlg/ZO-1 (PDZ) scaffolds. Interaction of Na ⁺ -H ⁺ exchange regulatory factor-2 with ClC-5. <i>Journal of Biological Chemistry</i> , 2006 , 281, 16068-77	5.4	48
157	Visualisation of macropinosome maturation by the recruitment of sorting nexins. <i>Journal of Cell Science</i> , 2006 , 119, 3967-80	5.3	114
156	Aberrant dysferlin trafficking in cells lacking caveolin or expressing dystrophy mutants of caveolin-3. <i>Human Molecular Genetics</i> , 2006 , 15, 129-42	5.6	60
155	Mutant huntingtin inhibits clathrin-independent endocytosis and causes accumulation of cholesterol in vitro and in vivo. <i>Human Molecular Genetics</i> , 2006 , 15, 3578-91	5.6	91
154	Caveolin-1 is essential for liver regeneration. <i>Science</i> , 2006 , 313, 1628-32	33.3	211
153	Hybrid organic-inorganic nanoparticles: controlled incorporation of gold nanoparticles into virus-like particles and application in surface-enhanced Raman spectroscopy 2006 , 6413, 123		
152	Cholesterol-induced caveolin targeting to lipid droplets in adipocytes: a role for caveolar endocytosis. <i>Traffic</i> , 2006 , 7, 549-61	5.7	140
151	Lipid droplets: a unified view of a dynamic organelle. <i>Nature Reviews Molecular Cell Biology</i> , 2006 , 7, 373-87	48.7	879
150	Caveolin, cholesterol, and lipid bodies. <i>Seminars in Cell and Developmental Biology</i> , 2005 , 16, 163-74	7.5	149
149	Endosome-to-cytosol transport of viral nucleocapsids. <i>Nature Cell Biology</i> , 2005 , 7, 653-64	23.4	253
148	A novel hook-related protein family and the characterization of hook-related protein 1. <i>Traffic</i> , 2005 , 6, 442-58	5.7	57
147	Flotillins and the PHB domain protein family: rafts, worms and anaesthetics. <i>Traffic</i> , 2005 , 6, 725-40	5.7	201
146	Clathrin-independent endocytosis: new insights into caveolae and non-caveolar lipid raft carriers. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2005 , 1745, 273-86	4.9	190
145	Erratum to "Clathrin-independent endocytosis: New insights into caveolae and non-caveolar lipid raft carriers" [Biochim. Biophys. Acta 1744 (2005) 273-286]. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2005 , 1746, 349	4.9	146
144	Clathrin-independent endocytosis: new insights into caveolae and non-caveolar lipid raft carriers. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2005 , 1746, 349-63	4.9	115
143	Characterization of Rab23, a negative regulator of sonic hedgehog signaling. <i>Methods in Enzymology</i> , 2005 , 403, 759-77	1.7	21
142	Ultrastructural identification of uncoated caveolin-independent early endocytic vehicles. <i>Journal of Cell Biology</i> , 2005 , 168, 465-76	7.3	347
141	Zebrafish as a model for caveolin-associated muscle disease; caveolin-3 is required for myofibril organization and muscle cell patterning. <i>Human Molecular Genetics</i> , 2005 , 14, 1727-43	5.6	79

140	Cholesterol and fatty acids regulate dynamic caveolin trafficking through the Golgi complex and between the cell surface and lipid bodies. <i>Molecular Biology of the Cell</i> , 2005 , 16, 2091-105	3.5	166
139	Regulated localization of Rab18 to lipid droplets: effects of lipolytic stimulation and inhibition of lipid droplet catabolism. <i>Journal of Biological Chemistry</i> , 2005 , 280, 42325-35	5.4	231
138	H-ras, K-ras, and inner plasma membrane raft proteins operate in nanoclusters with differential dependence on the actin cytoskeleton. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 15500-5	11.5	370
137	Individual palmitoyl residues serve distinct roles in H-ras trafficking, microlocalization, and signaling. <i>Molecular and Cellular Biology</i> , 2005 , 25, 6722-33	4.8	177
136	Ras plasma membrane signalling platforms. <i>Biochemical Journal</i> , 2005 , 389, 1-11	3.8	189
135	Membrane insertion of anthrax protective antigen and cytoplasmic delivery of lethal factor occur at different stages of the endocytic pathway. <i>Journal of Cell Biology</i> , 2004 , 166, 645-51	7.3	182
134	Clathrin isoform CHC22, a component of neuromuscular and myotendinous junctions, binds sorting nexin 5 and has increased expression during myogenesis and muscle regeneration. <i>Molecular Biology of the Cell</i> , 2004 , 15, 3181-95	3.5	38
133	Selective stimulation of caveolar endocytosis by glycosphingolipids and cholesterol. <i>Molecular Biology of the Cell</i> , 2004 , 15, 3114-22	3.5	228
132	Expression of caveolin-1 enhances cholesterol efflux in hepatic cells. <i>Journal of Biological Chemistry</i> , 2004 , 279, 14140-6	5.4	82
131	Dynamic and regulated association of caveolin with lipid bodies: modulation of lipid body motility and function by a dominant negative mutant. <i>Molecular Biology of the Cell</i> , 2004 , 15, 99-110	3.5	178
130	RORalpha regulates the expression of genes involved in lipid homeostasis in skeletal muscle cells: caveolin-3 and CPT-1 are direct targets of ROR. <i>Journal of Biological Chemistry</i> , 2004 , 279, 36828-40	5.4	138
129	Association of stomatin with lipid bodies. <i>Journal of Biological Chemistry</i> , 2004 , 279, 23699-709	5.4	198
128	Arachidonic acid release from mammalian cells transfected with human groups IIA and X secreted phospholipase A(2) occurs predominantly during the secretory process and with the involvement of cytosolic phospholipase A(2)-alpha. <i>Journal of Biological Chemistry</i> , 2004 , 279, 25024-38	5.4	127
127	Lipid rafts and plasma membrane microorganization: insights from Ras. <i>Trends in Cell Biology</i> , 2004 , 14, 141-7	18.3	164
126	Role of LBPA and Alix in multivesicular liposome formation and endosome organization. <i>Science</i> , 2004 , 303, 531-4	33.3	528
125	Three separable domains regulate GTP-dependent association of H-ras with the plasma membrane. <i>Molecular and Cellular Biology</i> , 2004 , 24, 6799-810	4.8	138
124	Caveolae meet endosomes: a stable relationship?. <i>Developmental Cell</i> , 2004 , 7, 458-60	10.2	27
123	APPL proteins link Rab5 to nuclear signal transduction via an endosomal compartment. <i>Cell</i> , 2004 , 116, 445-56	56.2	453

122	The Rab5 effector Rabankyrin-5 regulates and coordinates different endocytic mechanisms. <i>PLoS Biology</i> , 2004 , 2, E261	9.7	162
121	Characterization of E-cadherin endocytosis in isolated MCF-7 and chinese hamster ovary cells: the initial fate of unbound E-cadherin. <i>Journal of Biological Chemistry</i> , 2003 , 278, 21050-7	5.4	147
120	The trans-membrane protein p25 forms highly specialized domains that regulate membrane composition and dynamics. <i>Journal of Cell Science</i> , 2003 , 116, 4821-32	5.3	35
119	Lipid rafts and caveolae as portals for endocytosis: new insights and common mechanisms. <i>Traffic</i> , 2003 , 4, 724-38	5.7	460
118	Rab23, a negative regulator of hedgehog signaling, localizes to the plasma membrane and the endocytic pathway. <i>Traffic</i> , 2003 , 4, 869-84	5.7	95
117	Caveolae--from ultrastructure to molecular mechanisms. <i>Nature Reviews Molecular Cell Biology</i> , 2003 , 4, 162-7	48.7	138
116	Annexin II regulates multivesicular endosome biogenesis in the degradation pathway of animal cells. <i>EMBO Journal</i> , 2003 , 22, 3242-53	13	160
115	Involvement of caveolin-2 in caveolar biogenesis in MDCK cells. <i>FEBS Letters</i> , 2003 , 538, 85-8	3.8	57
114	Direct visualization of Ras proteins in spatially distinct cell surface microdomains. <i>Journal of Cell Biology</i> , 2003 , 160, 165-70	7.3	617
113	Caveolin interacts with the angiotensin II type 1 receptor during exocytic transport but not at the plasma membrane. <i>Journal of Biological Chemistry</i> , 2003 , 278, 23738-46	5.4	100
112	Observing cell surface signaling domains using electron microscopy. <i>Science Signaling</i> , 2003 , 2003, PL9	8.8	47
111	Differential sorting and fate of endocytosed GPI-anchored proteins. <i>EMBO Journal</i> , 2002 , 21, 3989-4000	13	177
110	Flotillin-1/reggie-2 traffics to surface raft domains via a novel golgi-independent pathway. Identification of a novel membrane targeting domain and a role for palmitoylation. <i>Journal of Biological Chemistry</i> , 2002 , 277, 48834-41	5.4	159
109	Inhibitors of COP-mediated transport and cholera toxin action inhibit simian virus 40 infection. <i>Molecular Biology of the Cell</i> , 2002 , 13, 1750-64	3.5	90
108	Inhibition of lipid raft-dependent signaling by a dystrophy-associated mutant of caveolin-3. <i>Journal of Biological Chemistry</i> , 2002 , 277, 17944-9	5.4	42
107	Characterization of a distinct plasma membrane macrodomain in differentiated adipocytes. <i>Journal of Biological Chemistry</i> , 2002 , 277, 46769-78	5.4	69
106	N4WBP5, a potential target for ubiquitination by the Nedd4 family of proteins, is a novel Golgi-associated protein. <i>Journal of Biological Chemistry</i> , 2002 , 277, 9307-17	5.4	96
105	GPI-anchored proteins are delivered to recycling endosomes via a distinct cdc42-regulated, clathrin-independent pinocytic pathway. <i>Developmental Cell</i> , 2002 , 2, 411-23	10.2	524

104	GTP-dependent segregation of H-ras from lipid rafts is required for biological activity. <i>Nature Cell Biology</i> , 2001 , 3, 368-75	23.4	457
103	Which Ras rides the raft? - Reply. <i>Nature Cell Biology</i> , 2001 , 3, E172-E172	23.4	2
102	Effect of the toxic milk mutation (tx) on the function and intracellular localization of Wnd, the murine homologue of the Wilson copper ATPase. <i>Human Molecular Genetics</i> , 2001 , 10, 361-70	5.6	81
101	Flotillin-1-enriched lipid raft domains accumulate on maturing phagosomes. <i>Journal of Biological Chemistry</i> , 2001 , 276, 18507-12	5.4	232
100	Cross-talk between caveolae and glycosylphosphatidylinositol-rich domains. <i>Journal of Biological Chemistry</i> , 2001 , 276, 30729-36	5.4	77
99	A caveolin dominant negative mutant associates with lipid bodies and induces intracellular cholesterol imbalance. <i>Journal of Cell Biology</i> , 2001 , 152, 1057-70	7.3	275
98	A novel 14-kilodalton protein interacts with the mitogen-activated protein kinase scaffold mp1 on a late endosomal/lysosomal compartment. <i>Journal of Cell Biology</i> , 2001 , 152, 765-76	7.3	172
97	Caveolin and Ras function. <i>Methods in Enzymology</i> , 2001 , 333, 172-83	1.7	19
96	Cell biology. Life without caveolae. <i>Science</i> , 2001 , 293, 2404-5	33.3	51
95	Protein targeting to the plasma membrane of adult skeletal muscle fiber: an organized mosaic of functional domains. <i>Experimental Cell Research</i> , 2001 , 267, 61-72	4.2	22
94	Caveolins and cellular cholesterol balance. <i>Traffic</i> , 2000 , 1, 212-7	5.7	109
93	Role of cholesterol in developing T-tubules: analogous mechanisms for T-tubule and caveolae biogenesis. <i>Traffic</i> , 2000 , 1, 326-41	5.7	80
92	Localization of phosphatidylinositol 3-phosphate in yeast and mammalian cells. <i>EMBO Journal</i> , 2000 , 19, 4577-88	13	829
91	Caves and labyrinths: caveolae and transverse tubules in skeletal muscle. <i>Protoplasma</i> , 2000 , 212, 15-23	3.4	3
90	The tetraspanin CD63/lamp3 cycles between endocytic and secretory compartments in human endothelial cells. <i>Molecular Biology of the Cell</i> , 2000 , 11, 1829-43	3.5	234
89	Syntaxin 7 is localized to late endosome compartments, associates with Vamp 8, and is required for late endosome-lysosome fusion. <i>Molecular Biology of the Cell</i> , 2000 , 11, 3137-53	3.5	132
88	Interaction of anti-phospholipid antibodies with late endosomes of human endothelial cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 563-74	9.4	59
87	EEA1, a tethering protein of the early sorting endosome, shows a polarized distribution in hippocampal neurons, epithelial cells, and fibroblasts. <i>Molecular Biology of the Cell</i> , 2000 , 11, 2657-71	3.5	149

86	The recycling endosome of Madin-Darby canine kidney cells is a mildly acidic compartment rich in raft components. <i>Molecular Biology of the Cell</i> , 2000 , 11, 2775-91	3.5	265
85	The growth suppressing gas1 product is a GPI-linked protein. <i>FEBS Letters</i> , 2000 , 481, 152-8	3.8	43
84	H-ras but not K-ras traffics to the plasma membrane through the exocytic pathway. <i>Molecular and Cellular Biology</i> , 2000 , 20, 2475-87	4.8	358
83	Molecular characterization of caveolin association with the Golgi complex: identification of a cis-Golgi targeting domain in the caveolin molecule. <i>Journal of Cell Biology</i> , 1999 , 145, 1443-59	7.3	107
82	Dominant-negative caveolin inhibits H-Ras function by disrupting cholesterol-rich plasma membrane domains. <i>Nature Cell Biology</i> , 1999 , 1, 98-105	23.4	386
81	Late endosomal membranes rich in lysobisphosphatidic acid regulate cholesterol transport. <i>Nature Cell Biology</i> , 1999 , 1, 113-8	23.4	520
80	Exploitation of major histocompatibility complex class I molecules and caveolae by simian virus 40. <i>Immunological Reviews</i> , 1999 , 168, 23-31	11.3	60
79	Membrane microdomains and caveolae. <i>Current Opinion in Cell Biology</i> , 1999 , 11, 424-31	9	514
78	Endocytosis in skeletal muscle fibers. <i>Experimental Cell Research</i> , 1999 , 253, 551-60	4.2	35
77	A lipid associated with the antiphospholipid syndrome regulates endosome structure and function. <i>Nature</i> , 1998 , 392, 193-7	50.4	652
76	Involvement of the transmembrane protein p23 in biosynthetic protein transport. <i>Biology of the Cell</i> , 1998 , 90, 122-122	3.5	
75	A novel synaptobrevin/VAMP homologous protein (VAMP5) is increased during in vitro myogenesis and present in the plasma membrane. <i>Molecular Biology of the Cell</i> , 1998 , 9, 2423-37	3.5	58
74	Rab17 regulates membrane trafficking through apical recycling endosomes in polarized epithelial cells. <i>Journal of Cell Biology</i> , 1998 , 140, 1039-53	7.3	121
73	Functional analysis and intracellular localization of the human menkes protein (MNK) stably expressed from a cDNA construct in Chinese hamster ovary cells (CHO-K1). <i>Human Molecular Genetics</i> , 1998 , 7, 1293-300	5.6	71
72	A pore-forming toxin interacts with a GPI-anchored protein and causes vacuolation of the endoplasmic reticulum. <i>Journal of Cell Biology</i> , 1998 , 140, 525-40	7.3	193
71	<i>Brucella abortus</i> transits through the autophagic pathway and replicates in the endoplasmic reticulum of nonprofessional phagocytes. <i>Infection and Immunity</i> , 1998 , 66, 5711-24	3.7	317
70	Regulation of caveolin and caveolae by cholesterol in MDCK cells. <i>Journal of Lipid Research</i> , 1998 , 39, 369-379	6.3	240
69	Regulation of caveolin and caveolae by cholesterol in MDCK cells. <i>Journal of Lipid Research</i> , 1998 , 39, 369-79	6.3	205

68	Specific release of membrane-bound annexin II and cortical cytoskeletal elements by sequestration of membrane cholesterol. <i>Molecular Biology of the Cell</i> , 1997 , 8, 533-45	3.5	189
67	Involvement of the transmembrane protein p23 in biosynthetic protein transport. <i>Journal of Cell Biology</i> , 1997 , 139, 1119-35	7.3	133
66	Major histocompatibility complex class I molecules mediate association of SV40 with caveolae. <i>Molecular Biology of the Cell</i> , 1997 , 8, 47-57	3.5	215
65	Caveolin-3 associates with developing T-tubules during muscle differentiation. <i>Journal of Cell Biology</i> , 1997 , 136, 137-54	7.3	292
64	Functional dissection of COP-I subunits in the biogenesis of multivesicular endosomes. <i>Journal of Cell Biology</i> , 1997 , 139, 1183-95	7.3	152
63	HSV infection of polarized epithelial cells on filter supports: implications for transport assays and protein localization. <i>European Journal of Cell Biology</i> , 1997 , 72, 278-81	6.1	3
62	The association of annexin I with early endosomes is regulated by Ca ²⁺ and requires an intact N-terminal domain. <i>Molecular Biology of the Cell</i> , 1996 , 7, 1359-74	3.5	68
61	And still they are moving.... dynamic properties of caveolae. <i>FEBS Letters</i> , 1996 , 389, 52-4	3.8	34
60	M-caveolin, a muscle-specific caveolin-related protein. <i>FEBS Letters</i> , 1996 , 378, 108-12	3.8	64
59	Caveolae and caveolins. <i>Current Opinion in Cell Biology</i> , 1996 , 8, 542-8	9	504
58	Endosome dynamics regulated by a Rho protein. <i>Nature</i> , 1996 , 384, 427-32	50.4	201
57	Rab11 regulates recycling through the pericentriolar recycling endosome. <i>Journal of Cell Biology</i> , 1996 , 135, 913-24	7.3	1073
56	An endosomal beta COP is involved in the pH-dependent formation of transport vesicles destined for late endosomes. <i>Journal of Cell Biology</i> , 1996 , 133, 29-41	7.3	317
55	Analysis of the role of p200-containing vesicles in post-Golgi traffic. <i>Molecular Biology of the Cell</i> , 1996 , 7, 961-74	3.5	33
54	Rapid processing of filter-grown cells for Epon embedding. <i>Journal of Histochemistry and Cytochemistry</i> , 1995 , 43, 731-3	3.4	11
53	Digging into caveolae. <i>Science</i> , 1995 , 269, 1398-9	33.3	303
52	The organization of the endoplasmic reticulum and the intermediate compartment in cultured rat hippocampal neurons. <i>Molecular Biology of the Cell</i> , 1995 , 6, 1315-32	3.5	127
51	Annexin XIIIb: a novel epithelial specific annexin is implicated in vesicular traffic to the apical plasma membrane. <i>Journal of Cell Biology</i> , 1995 , 128, 1043-53	7.3	140

50	VIP21-caveolin, a membrane protein constituent of the caveolar coat, oligomerizes in vivo and in vitro. <i>Molecular Biology of the Cell</i> , 1995 , 6, 911-27	3.5	407
49	Prohibitin, an antiproliferative protein, is localized to mitochondria. <i>FEBS Letters</i> , 1995 , 358, 273-7	3.8	147
48	M-caveolin, a muscle-specific caveolin-related protein. <i>FEBS Letters</i> , 1995 , 376, 108-12	3.8	177
47	EEA1, an early endosome-associated protein. EEA1 is a conserved alpha-helical peripheral membrane protein flanked by cysteine "fingers" and contains a calmodulin-binding IQ motif. <i>Journal of Biological Chemistry</i> , 1995 , 270, 13503-11	5.4	582
46	De novo formation of caveolae in lymphocytes by expression of VIP21-caveolin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 8655-9	11.5	521
45	Biogenesis of phagolysosomes proceeds through a sequential series of interactions with the endocytic apparatus. <i>Journal of Cell Biology</i> , 1994 , 124, 677-88	7.3	567
44	Regulated internalization of caveolae. <i>Journal of Cell Biology</i> , 1994 , 127, 1199-215	7.3	671
43	Ultrastructural localization of gangliosides; GM1 is concentrated in caveolae. <i>Journal of Histochemistry and Cytochemistry</i> , 1994 , 42, 155-66	3.4	469
42	The involvement of the small GTP-binding protein Rab5a in neuronal endocytosis. <i>Neuron</i> , 1994 , 13, 11-22	23.9	135
41	Cloning and subcellular localization of novel rab proteins reveals polarized and cell type-specific expression. <i>Journal of Cell Science</i> , 1994 , 107 (Pt 12), 3437-48	5.3	38
40	Detergent-insoluble glycolipid microdomains in lymphocytes in the absence of caveolae. <i>Journal of Biological Chemistry</i> , 1994 , 269, 30745-8	5.4	353
39	Inhibition of rab5 GTPase activity stimulates membrane fusion in endocytosis. <i>EMBO Journal</i> , 1994 , 13, 1287-96	13	415
38	VIP36, a novel component of glycolipid rafts and exocytic carrier vesicles in epithelial cells. <i>EMBO Journal</i> , 1994 , 13, 1729-40	13	48
37	Detergent-insoluble glycolipid microdomains in lymphocytes in the absence of caveolae.. <i>Journal of Biological Chemistry</i> , 1994 , 269, 30745-30748	5.4	351
36	Rab17, a novel small GTPase, is specific for epithelial cells and is induced during cell polarization. <i>Journal of Cell Biology</i> , 1993 , 121, 553-64	7.3	123
35	Rab8, a small GTPase involved in vesicular traffic between the TGN and the basolateral plasma membrane. <i>Journal of Cell Biology</i> , 1993 , 123, 35-45	7.3	391
34	Cell biology of neuronal endocytosis. <i>Journal of Neuroscience Research</i> , 1993 , 36, 1-9	4.4	63
33	Transcytosis of the polymeric immunoglobulin receptor in cultured hippocampal neurons. <i>Current Biology</i> , 1993 , 3, 635-44	6.3	29

32	The immunofluorescent era of membrane traffic. <i>Trends in Cell Biology</i> , 1993 , 3, 214-9	18.3	58
31	Rab11, a small GTPase associated with both constitutive and regulated secretory pathways in PC12 cells. <i>FEBS Letters</i> , 1993 , 334, 175-82	3.8	175
30	Caveolae and sorting in the trans-Golgi network of epithelial cells. <i>EMBO Journal</i> , 1993 , 12, 1597-605	13	142
29	Regulation of Endocytosis by the Small GTP-ASE RAB5 1993 , 377-385		
28	CLIP-170, a Cytoplasmic Linker Protein Mediating Interaction of Endosomes with Microtubules 1993 , 145-157		
27	Axonal and dendritic endocytic pathways in cultured neurons. <i>Journal of Cell Biology</i> , 1992 , 119, 123-37	7.3	240
26	VIP21, a 21-kD membrane protein is an integral component of trans-Golgi-network-derived transport vesicles. <i>Journal of Cell Biology</i> , 1992 , 118, 1003-14	7.3	498
25	Localization of Rab family members in animal cells. <i>Methods in Enzymology</i> , 1992 , 219, 398-407	1.7	35
24	The small GTPase rab5 functions as a regulatory factor in the early endocytic pathway. <i>Cell</i> , 1992 , 70, 715-28	56.2	1174
23	Sphingolipid transport from the trans-Golgi network to the apical surface in permeabilized MDCK cells. <i>FEBS Letters</i> , 1992 , 300, 227-31	3.8	42
22	Axonal and dendritic endocytic pathways in cultured neurons. <i>Micron and Microscopica Acta</i> , 1992 , 23, 113-114		
21	Plasticity of early endosomes. <i>Journal of Cell Science</i> , 1992 , 103 (Pt 2), 335-48	5.3	24
20	Endocytosis in MDCK Cells 1992 , 317-324		0
19	Polarized sorting of glypiated proteins in hippocampal neurons. <i>Nature</i> , 1991 , 349, 158-61	50.4	219
18	pH-induced microtubule-dependent redistribution of late endosomes in neuronal and epithelial cells. <i>Journal of Cell Biology</i> , 1991 , 113, 261-74	7.3	91
17	Endocytosis in polarized cells. <i>Seminars in Cell Biology</i> , 1991 , 2, 387-95		14
16	Endocytosis in the kidney: insights from the MDCK cell system. <i>Seminars in Nephrology</i> , 1991 , 11, 440-52	4.8	9
15	Transcytosis in MDCK cells: identification of glycoproteins transported bidirectionally between both plasma membrane domains. <i>Journal of Cell Biology</i> , 1990 , 111, 2909-21	7.3	91

14	Microtubule- and motor-dependent fusion in vitro between apical and basolateral endocytic vesicles from MDCK cells. <i>Cell</i> , 1990 , 62, 719-31	56.2	276
13	Localization of low molecular weight GTP binding proteins to exocytic and endocytic compartments. <i>Cell</i> , 1990 , 62, 317-29	56.2	1036
12	Endocytosis in filter-grown Madin-Darby canine kidney cells. <i>Journal of Cell Biology</i> , 1989 , 109, 3243-58	7.3	235
11	Meeting of the apical and basolateral endocytic pathways of the Madin-Darby canine kidney cell in late endosomes. <i>Journal of Cell Biology</i> , 1989 , 109, 3259-72	7.3	195
10	Comparison of the binding characteristics of two different preparations of tetanus toxin to rat brain membranes. <i>Toxicon</i> , 1989 , 27, 127-35	2.8	6
9	Tetanus toxin binding to mouse spinal cord cells: an evaluation of the role of gangliosides in toxin internalization. <i>Brain Research</i> , 1988 , 475, 118-27	3.7	39
8	A study of the mechanism of internalisation of tetanus toxin by primary mouse spinal cord cultures. <i>Journal of Neurochemistry</i> , 1987 , 49, 1057-68	6	53
7	Characterization of tetanus toxin binding to rat brain membranes. Evidence for a high-affinity proteinase-sensitive receptor. <i>Biochemical Journal</i> , 1986 , 236, 845-52	3.8	78
6	ContactJ: Characterization of lipid droplet-mitochondrial contacts using fluorescence microscopy and image analysis. <i>F1000Research</i> , 10, 263	3.6	0
5	Dissecting the nanoscale lipid profile of caveolae		1
4	Cargo-specific recruitment in clathrin and dynamin-independent endocytosis		3
3	Caveolae set levels of epithelial monolayer tension to eliminate tumor cells		1
2	Piezo1 Induces Local Curvature in a Mammalian Membrane and Forms Specific Protein-Lipid Interactions		3
1	Cavin1 intrinsically disordered domains are essential for fuzzy electrostatic interactions and caveola formation		1