Hendrik Bracht

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5982351/publications.pdf

Version: 2024-02-01

40 papers

1,716 citations

394390 19 h-index 315719 38 g-index

40 all docs 40 docs citations

times ranked

40

1594 citing authors

#	Article	IF	CITATIONS
1	Effect of therapeutic drug monitoring-based dose optimization of piperacillin/tazobactam on sepsis-related organ dysfunction in patients with sepsis: a randomized controlled trial. Intensive Care Medicine, 2022, 48, 311-321.	8.2	91
2	Veno-venous extracorporeal membrane oxygenation (vv-ECMO) for severe respiratory failure in adult cancer patients: a retrospective multicenter analysis. Intensive Care Medicine, 2022, 48, 332-342.	8.2	25
3	Extracorporeal life support in COVIDâ€19â€related acute respiratory distress syndrome: A EuroELSO international survey. Artificial Organs, 2021, 45, 495-505.	1.9	20
4	Inhaled isoflurane via the anaesthetic conserving device versus propofol for sedation of invasively ventilated patients in intensive care units in Germany and Slovenia: an open-label, phase 3, randomised controlled, non-inferiority trial. Lancet Respiratory Medicine, the, 2021, 9, 1231-1240.	10.7	50
5	Antimicrobial stewardship, therapeutic drug monitoring and infection management in the ICU: results from the international A-TEAMICU survey. Annals of Intensive Care, 2021, 11, 131.	4.6	22
6	Functional immune monitoring in severely injured patientsâ€"A pilot study. Scandinavian Journal of Immunology, 2020, 91, e12837.	2.7	7
7	Extracorporeal Membrane Oxygenation for Critically Ill Patients with COVID-19–related Acute Respiratory Distress Syndrome: Worth the Effort!. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 1477-1479.	5.6	2
8	Antimicrobial therapeutic drug monitoring in critically ill adult patients: a Position Paper#. Intensive Care Medicine, 2020, 46, 1127-1153.	8.2	504
9	Perioperative Fluid Accumulation Impairs Intestinal Contractility to a Similar Extent as Peritonitis and Endotoxemia. Shock, 2018, 50, 735-740.	2.1	3
10	Risk Factors Determining the Outcome of Critically III Allogeneic Hematopoietic Stem Cell Transplantation Patients: Time to Step Down?. Blood, 2018, 132, 2135-2135.	1.4	0
11	Effects of Pretreatment Hypothermia During Resuscitated Porcine Hemorrhagic Shock. Critical Care Medicine, 2013, 41, e105-e117.	0.9	21
12	Effects of intravenous sulfide during resuscitated porcine hemorrhagic shock*. Critical Care Medicine, 2012, 40, 2157-2167.	0.9	44
13	Heta, hexa, penta, tetra-starches. Critical Care Medicine, 2012, 40, 683-685.	0.9	0
14	Inotropes and vasopressors: more than haemodynamics!. British Journal of Pharmacology, 2012, 165, 2009-2011.	5.4	19
15	Comparison of porcine and human coagulation by thrombelastometry. Thrombosis Research, 2011, 128, 477-482.	1.7	48
16	Human serum albumin as a resuscitation fluid: Less SAFE than presumed?*. Critical Care Medicine, 2011, 39, 1584-1585.	0.9	3
17	Effects of Lung Recruitment Maneuvers on Splanchnic Organ Perfusion During Endotoxin-Induced Pulmonary Arterial Hypertension. Shock, 2010, 34, 488-494.	2.1	10
18	Splanchnic Vasoregulation After Major Abdominal Surgery in Pigs. World Journal of Surgery, 2010, 34, 2057-2063.	1.6	8

#	Article	IF	CITATIONS
19	Endotoxin elimination in sepsis: physiology and therapeutic application. Langenbeck's Archives of Surgery, 2010, 395, 597-605.	1.9	70
20	Efficacy of an Extracorporeal Endotoxin Adsorber System during Hyperdynamic Porcine Endotoxemia. European Surgical Research, 2009, 43, 53-60.	1.3	10
21	Effects of Endotoxin and Catecholamines on Hepatic Mitochondrial Respiration. Inflammation, 2009, 32, 315-321.	3.8	14
22	Central venous oxygen saturation and emergency intubation – another piece in the puzzle?. Critical Care, 2009, 13, 172.	5.8	3
23	Levosimendan in Early Sepsis: When Good Ideas Give Poor Results. Anesthesia and Analgesia, 2009, 109, 1367-1369.	2.2	2
24	Orthogonal polarization spectroscopy to detect mesenteric hypoperfusion. Intensive Care Medicine, 2008, 34, 1883-1890.	8.2	16
25	The Immediate and Sustained Effects of Volume Challenge on Regional Blood Flows in Pigs. Anesthesia and Analgesia, 2008, 106, 595-600.	2.2	8
26	EFFECTS OF INTRARENAL ADMINISTRATION OF THE CALCIUM ANTAGONIST NIMODIPINE DURING PORCINE AORTIC OCCLUSION-INDUCED ISCHEMIA/REPERFUSION INJURY. Shock, 2008, 29, 717-723.	2.1	5
27	Incidence of low central venous oxygen saturation during unplanned admissions in a multidisciplinary intensive care unit: an observational study. Critical Care, 2007, 11, R2.	5.8	50
28	Effects of aÂcantaloupe melon extract/wheat gliadin biopolymer during aortic cross-clamping. Intensive Care Medicine, 2007, 33, 694-702.	8.2	31
29	Membrane microdialysis: Evaluation of a new method to assess splanchnic tissue metabolism*. Critical Care Medicine, 2006, 34, 2638-2645.	0.9	20
30	Effects of 15-deoxy-î"12,14-prostaglandin-J2 during hyperdynamic porcine endotoxemia. Intensive Care Medicine, 2006, 32, 759-765.	8.2	10
31	Low-dose terlipressin during long-term hyperdynamic porcine endotoxemia: Effects on hepatosplanchnic perfusion, oxygen exchange, and metabolism*. Critical Care Medicine, 2005, 33, 373-380.	0.9	168
32	Nitric Oxide Synthase Inhibition in Sepsis? Lessons Learned from Large-Animal Studies. Anesthesia and Analgesia, 2005, 101, 488-498.	2.2	99
33	Ethyl pyruvate improves systemic and hepatosplanchnic hemodynamics and prevents lipid peroxidation in a porcine model of resuscitated hyperdynamic endotoxemia*. Critical Care Medicine, 2005, 33, 2034-2042.	0.9	63
34	Hepatosplanchnic blood flow control and oxygen extraction are modified by the underlying mechanism of impaired perfusion. Critical Care Medicine, 2005, 33, 645-653.	0.9	20
35	EFFECTS OF INTRARENAL ADMINISTRATION OF THE COX-2 INHIBITOR PARECOXIB DURING PORCINE SUPRARENAL AORTIC CROSS-CLAMPING. Shock, 2005, 24, 476-481.	2.1	15
36	HMR1402, a potassium ATP channel blocker during hyperdynamic porcine endotoxemia: effects on hepato-splanchnic oxygen exchange and metabolism. Intensive Care Medicine, 2004, 30, 957-964.	8.2	24

#	Article	IF	CITATION
37	Systemic, pulmonary, and hepatosplanchnic effects of N-acetylcysteine during long-term porcine endotoxemia*. Critical Care Medicine, 2004, 32, 525-532.	0.9	80
38	Changes in regional blood flow and pCO2 gradients during isolated abdominal aortic blood flow reduction. Intensive Care Medicine, 2003, 29, 2255-2265.	8.2	20
39	Hepato-splanchnic metabolic effects of the stable prostacyclin analogue iloprost in patients with septic shock. Intensive Care Medicine, 2001, 27, 1179-1186.	8.2	39
40	Effect of a Dopexamine-induced Increase in Cardiac Index on Splanchnic Hemodynamics in Septic Shock. American Journal of Respiratory and Critical Care Medicine, 2000, 161, 775-779.	5.6	72