
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5982669/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Interactions among dwarf bamboo, litter and consumption by small vertebrates place multiple constraints on the establishment of native tree seedlings in a Japanese agricultural landscape. Journal of Plant Ecology, 2019, 12, 292-305.	2.3	0
2	Analysis of environmental effect of hybrid solar-assisted desalination cycle in Sirdarya Thermal Power Plant, Uzbekistan. Applied Thermal Engineering, 2017, 111, 894-902.	6.0	15
3	Diverse Patterns of Vegetation Change after Upland Field Abandonment in Japan. , 2017, , 123-137.		1
4	Guiding Young Scholars in Order to Integrate Their Various Research into Landscape Ecology. , 2017, , 3-22.		1
5	Evaluation of the energy efficiency of combined cycle gas turbine. Case study of Tashkent thermal power plant, Uzbekistan. Applied Thermal Engineering, 2016, 103, 501-509.	6.0	35
6	A dwarf bamboo (Pleioblastus chino) and winter browsing by Japanese hare (Lepus brachyurus) combine to limit establishment of transplanted native tree seedlings in an abandoned agricultural field. Journal of Forestry Research, 2016, 27, 1287-1294.	3.6	6
7	Removal of competitive native species combined with tree planting can accelerate the initial afforestation process: an experiment in an old field in Japan invaded by dwarf bamboo and kudzu. Journal of Forestry Research, 2015, 26, 581-588.	3.6	7
8	Potential for rice straw ethanol production in the Mekong Delta, Vietnam. Renewable Energy, 2015, 74, 456-463.	8.9	31
9	Landscape Ecological Approaches to a Low Carbon Society. Structure and Function of Mountain Ecosystems in Japan, 2014, , 3-11.	0.5	0
10	Allelopathic interference of sweet potato with cogongrass and relevant species. Plant Ecology, 2012, 213, 1955-1961.	1.6	9
11	Simulating urban growth processes incorporating a potential model with spatial metrics. Ecological Indicators, 2012, 20, 82-91.	6.3	68
12	Response of soil microbial communities to changes in a forest ecosystem brought about by pine wilt disease. Landscape and Ecological Engineering, 2012, 8, 189-196.	1.5	14
13	Estimation of the potential of rice straw for ethanol production and the optimum facility size for different regions in Vietnam. Applied Energy, 2012, 93, 205-211.	10.1	27
14	Urbanization and green space dynamics in Greater Dhaka, Bangladesh. Landscape and Ecological Engineering, 2012, 8, 45-58.	1.5	187
15	Impact of Acacia nilotica (L.) Willd. ex Del invasion on plant species diversity in the Bekol Savanna, Baluran National Park, East Java, Indonesia. Tropics, 2011, 20, 45-53.	0.8	15
16	Ion-exclusion/cation-exchange Chromatography with Dual Detection of the Conductivity and Spectrophotometry for the Simultaneous Determination of Common Inorganic Anionic Species and Cations in River and Wastewater. Analytical Sciences, 2011, 27, 499-504.	1.6	22
17	Spatial–temporal distribution of ornithochorous seeds from an <i>Elaeagnus umbellata</i> community dominating a riparian habitat. Plant Species Biology, 2011, 26, 174-185.	1.0	8
18	Estimating the spatial distribution of green herbage biomass and quality by geostatistical analysis with field hyperspectral measurements. Grassland Science, 2011, 57, 142-149.	1.1	9

#	Article	IF	CITATIONS
19	Limitations on tree seedling establishment across ecotones between abandoned fields and adjacent broad-leaved forests in eastern Japan. Plant Ecology, 2011, 212, 923-944.	1.6	24
20	Impact of land use change on groundwater recharge in Guishui River Basin, China. Chinese Geographical Science, 2011, 21, 734-743.	3.0	60
21	Analysis of Factors Affecting the Landscape Dynamics of Islands in Western Japan. Structure and Function of Mountain Ecosystems in Japan, 2011, , 169-185.	0.5	5
22	Sustainable Management of Satoyama Bamboo Landscapes in Japan. Structure and Function of Mountain Ecosystems in Japan, 2011, , 211-220.	0.5	14
23	How to Conserve Japanese Cultural Landscapes: The Registration System for Cultural Landscapes. Structure and Function of Mountain Ecosystems in Japan, 2011, , 249-275.	0.5	3
24	Simultaneous Determinations of Cr(VI) and Cr(III) by Ion-Exclusion/Cation-Exchange Chromatography with an Unmodified Silica-Gel Column. Analytical Sciences, 2010, 26, 387-390.	1.6	4
25	Urban green space network development for biodiversity conservation: Identification based on graph theory and gravity modeling. Landscape and Urban Planning, 2010, 95, 16-27.	7.5	436
26	Shaping of genetic structure along Pleistocene and modern river systems in the hydrochorous riparian azalea, <i>Rhododendron ripense</i> (Ericaceae). American Journal of Botany, 2009, 96, 1532-1543.	1.7	39
27	Predictive modeling of the potential natural vegetation pattern in northeast China. Ecological Research, 2009, 24, 1313-1321.	1.5	24
28	State and management of wetlands in Bangladesh. Landscape and Ecological Engineering, 2009, 5, 81-90.	1.5	38
29	Simultaneous Spectrophotometric Determination of Orthophosphate and Silicate Ions in River Water Using Ion-Exclusion Chromatography with an Ascorbate Solution as Both Eluent and Reducing Agent, Followed by Postcolumn Derivatization with Molybdate. Analytical Sciences, 2009, 25, 379-383.	1.6	14
30	Simultaneous Determination of Orthophosphate and Silicate Ions in River Water by Ion-Exclusion Chromatography with Postcolumn Spectrophotometric Detection Using Molybdate and Malachite Green. Bunseki Kagaku, 2009, 58, 305-309.	0.2	9
31	Simultaneous Measurement of Monovalent Cation Concentrations and Hydrogen Ion Concentration or Alkalinity in Environmental Waters by Ion Chromatography with Conductimetric Detection Using an ODS-Silica Column Modified with Lithium Dodecylsulfate. Bunseki Kagaku, 2009, 58, 887-894.	0.2	1
32	Simultaneous spectrophotometric determination of phosphate and silicate ions in river water by using ion-exclusion chromatographic separation and post-column derivatization. Analytica Chimica Acta, 2008, 619, 110-114.	5.4	40
33	Extinction threats of a narrowly endemic shrub, Stachyurus macrocarpus (Stachyuraceae) in the Ogasawara Islands. Plant Ecology, 2008, 198, 169-183.	1.6	17
34	Expansion of bamboo forests caused by reduced bambooâ€shoot harvest under different natural and artificial conditions. Ecological Research, 2008, 23, 641-647.	1.5	56
35	Changes in agricultural landscape pattern and its spatial relationship with forestland in the State of Selangor, peninsular Malaysia. Landscape and Urban Planning, 2008, 87, 147-155.	7.5	30
36	Application of land suitability analysis and landscape ecology to urban greenspace planning in Hanoi, Vietnam. Urban Forestry and Urban Greening, 2008, 7, 25-40.	5.3	117

#	Article	IF	CITATIONS
37	Application of Ion-Exclusion/Cation-Exchange Chromatography to Water Quality Monitoring of Sub-Urban River. Bunseki Kagaku, 2008, 57, 651-658.	0.2	8
38	Forest fragmentation and its correlation to human land use change in the state of Selangor, peninsular Malaysia. Forest Ecology and Management, 2007, 241, 39-48.	3.2	119
39	Using GIS and landscape metrics in the hedonic price modeling of the amenity value of urban green space: A case study in Jinan City, China. Landscape and Urban Planning, 2007, 79, 240-252.	7.5	386
40	Development of microsatellite markers for Echinops setifer (Asteraceae), an endangered grassland plant species in Japan. Conservation Genetics, 2007, 8, 1231-1233.	1.5	3
41	Analyzing urban green space pattern and eco-network in Hanoi, Vietnam. Landscape and Ecological Engineering, 2007, 3, 143-157.	1.5	66
42	Changes in landscape spatial pattern in the highly developing state of Selangor, peninsular Malaysia. Landscape and Urban Planning, 2006, 77, 263-275.	7.5	132
43	Spatial-temporal gradient analysis of urban green spaces in Jinan, China. Landscape and Urban Planning, 2006, 78, 147-164.	7.5	251
44	Wildfire effects on microbial biomass and diversity in pine forests at three topographic positions. Ecological Research, 2006, 21, 54-63.	1.5	21
45	Geographic Assessment of Present Protected Areas in Japan for Representativeness of Forest Communities. Biodiversity and Conservation, 2006, 15, 4583-4600.	2.6	13
46	Species composition of Modellidae and Cerambycidae (Coleoptera) in a coppice woodland. Journal of Forest Research, 2006, 11, 61-64.	1.4	7
47	Soil microbial biomass, abundance, and diversity in a Japanese red pine forest: first year after fire. Journal of Forest Research, 2006, 11, 165-173.	1.4	40
48	Changes in patch mosaics and vegetation structure of rural forested landscapes under shifting human impacts in South Korea. Landscape and Ecological Engineering, 2006, 2, 177-195.	1.5	10
49	Recovery of greenery resources in Hiroshima City after World War II. Landscape and Ecological Engineering, 2006, 2, 111-118.	1.5	9
50	Microbial responses to organic and inorganic amendments in eroded soil. Land Degradation and Development, 2006, 17, 321-332.	3.9	26
51	Vertical and seasonal variation in the abundance and the species richness of Attelabidae and Cantharidae (Coleoptera) in a suburban mixed forest. Entomological Science, 2005, 8, 235-243.	0.6	17
52	Effects of Azolla species on weed emergence in a rice paddy ecosystem. Weed Biology and Management, 2005, 5, 176-183.	1.4	29
53	Vertical and seasonal distribution of flying beetles in a suburban temperate deciduous forest collected by water pan trap. Insect Science, 2005, 12, 199-206.	3.0	30
54	Responses of (Rottb.) Hassk. and Endl. to varying soil water availability. Environmental and Experimental Botany, 2005, 53, 259-269.	4.2	30

#	Article	IF	CITATIONS
55	Estimation of ecological service values of wetlands in Shanghai, China. Chinese Geographical Science, 2005, 15, 151-156.	3.0	23
56	Spatial gradient analysis of urban green spaces combined with landscape metrics in Jinan City of China. Chinese Geographical Science, 2005, 15, 254-261.	3.0	22
57	Ecological and social evaluation of landscape in a rural area with terraced paddies in southwestern Japan. Landscape and Urban Planning, 2005, 70, 301-313.	7.5	33
58	Ecological and social evaluation of landscape in a rural area with terraced paddies in southwestern Japan. Landscape and Urban Planning, 2005, 73, 60-71.	7.5	24
59	Measuring of some selected herbicides in paddy surface water in the Saijo Basin, Western Japan. Agronomy for Sustainable Development, 2005, 25, 55-61.	0.8	7
60	Riparian land-use and land cover change analysis using GIS in Pinang river watershed, Malaysia. Tropics, 2004, 13, 235-248.	0.8	6
61	Trends in the Use of Agricultural Pesticides and the Environmental Risk-Reduction Status in Japan. Outlook on Agriculture, 2004, 33, 177-189.	3.4	4
62	Effects of seasonality on streamflow and water quality of the Pinang River in Penang Island, Malaysia. Chinese Geographical Science, 2004, 14, 153-161.	3.0	23
63	Impact evaluation of haizuka dam on its up stream: A case study in hiroshima prefecture, Japan. Chinese Geographical Science, 2004, 14, 350-354.	3.0	3
64	Influence of erosion on soil microbial biomass, abundance and community diversity. Land Degradation and Development, 2004, 15, 183-195.	3.9	34
65	An ecosystem service value assessment of land-use change on Chongming Island, China. Land Use Policy, 2004, 21, 139-148.	5.6	306
66	Wise exploitation of newly growing land resources. Chinese Geographical Science, 2003, 13, 134-141.	3.0	8
67	Sefidrood river sub-watershed-dam-estuary and degradation model: A holistic approach in Iran. Chinese Geographical Science, 2003, 13, 328-333.	3.0	5
68	Microbial biomass and abundance after forest fire in pine forests in Japan. Ecological Research, 2003, 18, 431-441.	1.5	48
69	Plantation expansion possibility and its influence on land-use pattern in the Nelson region, New Zealand. Forest Ecology and Management, 2003, 184, 263-275.	3.2	2
70	Perceptions and Pesticides Use Practices of Rice Farmers in Hiroshima Prefecture, Japan. Agroecology and Sustainable Food Systems, 2003, 22, 5-30.	0.9	29
71	Application of GIS and remote sensing for measuring and evaluating land-use change and its impact on water quality in the Pinang River watershed. Ecology and Civil Engineering, 2003, 6, 97-110.	0.1	10
72	The impact of urban planning on land use and land cover in Pudong of Shanghai, China. Journal of Environmental Sciences, 2003, 15, 205-14.	6.1	11

#	Article	IF	CITATIONS
73	The effects of drainage basin geomorphometry on minimum low flow discharge: the study of small watershed in Kelang River Valley in Peninsular Malaysia. Journal of Environmental Sciences, 2003, 15, 249-62.	6.1	3
74	Regional landscape change as a consequence of plantation forestry expansion: an example in the Nelson region, New Zealand. Forest Ecology and Management, 2002, 163, 245-261.	3.2	42
75	Relatedness structure in Rhododendron metternichii var. hondoense revealed by microsatellite analysis. Molecular Ecology, 2002, 11, 519-527.	3.9	12
76	Expansion of Elaeagnus umbellata on a gravel bar in the Naka River, Shikoku, Japan. Plant Species Biology, 2002, 17, 25-36.	1.0	17
77	Forestry expansion and land-use patterns in the Nelson Region, New Zealand. Landscape Ecology, 2002, 16, 719-729.	4.2	11
78	Ecological land evaluation for nature redevelopment in river areas. Landscape Ecology, 2002, 17, 83-93.	4.2	8
79	Effect of forest structure and connectivity on bird distribution in a riparian landscape. Phytocoenologia, 2002, 32, 665-676.	0.5	10
80	The effects of human impact on spatial structure of the riparian vegetation along the Ashida river, Japan. Landscape and Urban Planning, 2001, 53, 111-121.	7.5	24
81	Ecological study of pseudoscorpion fauna in the soil organic layer in managed and abandoned secondary forests. Ecological Research, 2001, 16, 593-601.	1.5	7
82	Patterns and levels of gene flow in Rhododendron metternichii var. hondoense revealed by microsatellite analysis. Molecular Ecology, 2001, 10, 205-216.	3.9	39
83	The Effect of Boundary Ridge Structures and Grass-cutting on Plant Communities Around Terraced Paddy Field. Journal of the Japanese Institute of Landscape Architecture, 2001, 65, 579-584.	0.1	13
84	Microsatellite analysis of pollen flow in Rhododendron metternichii var. hondoense. Ecological Research, 2000, 15, 263-269.	1.5	23
85	Distribution pattern of Elaegnus umbellata communities on the gravel bars in relation to hydrogeomorphic factors in the Yoshino River, Shikoku, Japan Environmental Systems Research, 2000, 28, 353-358.	0.1	4
86	An Investigation of Vegetation Changes by Pollen Analysis of Forest Soils The Quaternary Research, 2000, 39, 139-150.	0.1	1
87	Population Structures in Rhododendron metternichii var. hondoense Assessed with Microsatellites and their Implication for Conservation. Journal of Plant Research, 1999, 112, 405-412.	2.4	18
88	Grid map analysis and its application for detecting vegetation changes in Japan. Applied Vegetation Science, 1998, 1, 219-224.	1.9	15
89	Comparison of the initial demographies of pine and oak populations in rural pine forests in Korea and Japan. Journal of Plant Biology, 1998, 41, 208-218.	2.1	2
90	Myrmecofaunal Change with Bamboo Invasion into Broadleaf Forests. Journal of Forest Research, 1998, 3, 155-159.	1.4	19

#	Article	IF	CITATIONS
91	A Large Gap Formation in a Beech Forest on Mt. Garyu in Southwestern Japan by Typhoon 9119. Journal of Sustainable Forestry, 1997, 6, 237-250.	1.4	5
92	Riparian landscape changes over a period of 46 years, on the Azusa River in Central Japan. Landscape and Urban Planning, 1997, 37, 37-43.	7.5	76
93	Influence of cultural factors on landscapes of mountainous farm villages in western Japan. Landscape and Urban Planning, 1997, 37, 85-90.	7.5	64
94	Myrmecofauna of lucidophyllous forests in different developmental stages in south-western Japan. Ecological Research, 1997, 12, 131-138.	1.5	8
95	Landscape structure and the disturbance regime at three rural regions in Hiroshima Prefecture, Japan. Landscape Ecology, 1996, 11, 15-25.	4.2	52
96	Gnawing damage by rodents to the seedlings of Fagus crenata and Quercus mongolica var. grosseserrata in a temperate Sasa grassland-deciduous forest series in southwestern Japan. Ecological Research, 1996, 11, 97-103.	1.5	46
97	Human impacts on pine-dominated vegetation in rural landscapes in Korea and western Japan. Plant Ecology, 1995, 116, 161-172.	1.2	54
98	Recent changes in mire vegetation in Yawata, southwestern Japan. Wetlands Ecology and Management, 1995, 3, 97.	1.5	3
99	The conservation ecology ofIris rossii Baker (Iridaceae), a threatened plant in rural Japan. Journal of Plant Research, 1995, 108, 477-482.	2.4	19
100	Distribution of Vesicular-Arbuscular Mycorrhizae in Plants Growing in a River Floodplain Bulletin of Japanese Society of Microbial Ecology, 1994, 9, 109-117.	0.1	13
101	A Study on Structure of Urban Greenery Spaces and Inhabitant Ants Journal of the Japanese Society of Revegetation Technology, 1994, 20, 13-20.	0.1	15
102	Pine forest structure in a human-dominated landscape system in Korea. Ecological Research, 1993, 8, 35-46.	1.5	13
103	Factors affecting the dynamics of vegetation in the landscapes of shimokamagari Island, southwestern Japan. Landscape Ecology, 1992, 7, 111-119.	4.2	20
104	A Markov approach for describing post-fire succession of vegetation. Ecological Research, 1990, 5, 163-171.	1.5	10
105	Population structure and succession in temperate forests of southwestern Japan. Plant Ecology, 1990, 87, 73-84.	1.2	9
106	Dispersal and Settlement Properties of Kandelia candel (Rhizophoraceae) Propagules. Plant Species Biology, 1986, 1, 19-26.	1.0	6