Tanvir Turin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5984142/publications.pdf

Version: 2024-02-01

234 papers 7,797 citations

43 h-index 75989 78 g-index

235 all docs

235 docs citations

times ranked

235

12666 citing authors

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 1 | Understanding misinformation infodemic during public health emergencies due to large-scale disease outbreaks: a rapid review. Zeitschrift Fur Gesundheitswissenschaften, 2023, 31, 553-573. | 0.8 | 32 |
| 2 | Factors Associated With Willingness to Share Health Information: Rapid Review. JMIR Human Factors, 2022, 9, e20702. | 1.0 | 6 |
| 3 | Cultural competency among healthcare providers is vital to ensure equitable and optimal maternity care for im/migrant and visible minority women. Evidence-based Nursing, 2022, , ebnurs-2021-103481. | 0.1 | O |
| 4 | Promoting Health Literacy About Cancer Screening Among Muslim Immigrants in Canada: Perspectives of Imams on the Role They Can Play in Community. Journal of Primary Care and Community Health, 2022, 13, 215013192110630. | 1.0 | 3 |
| 5 | Lost in Transition: The Need for a Strategic Approach to Facilitate Job Market Integration of Internationally Educated Physicians through Alternative Careers. International Journal of Environmental Research and Public Health, 2022, 19, 3503. | 1.2 | 3 |
| 6 | Prediction of hypertension using traditional regression and machine learning models: A systematic review and meta-analysis. PLoS ONE, 2022, 17, e0266334. | 1.1 | 18 |
| 7 | Mental Health and Well-Being Needs among Non-Health Essential Workers during Recent Epidemics and Pandemics. International Journal of Environmental Research and Public Health, 2022, 19, 5961. | 1.2 | 7 |
| 8 | Online Information for Colorectal Cancer Screening: A Content Analysis of YouTube Videos. Journal of Cancer Education, 2021, 36, 826-831. | 0.6 | 15 |
| 9 | Complex interactions between provider, organisation and patient level characteristics influence the effect of pressure ulcer preventive care interventions. Evidence-based Nursing, 2021, 24, 42-42. | 0.1 | 2 |
| 10 | Ethical dilemmas and legal ambivalence affects the midwives' perception for providing sexual and reproductive health consultation to women with intellectual disability. Evidence-based Nursing, 2021, 24, 49-49. | 0.1 | 0 |
| 11 | Unmet Healthcare Needs Among Migrant Populations in Canada: Exploring the Research Landscape Through a Systematic Integrative Review. Journal of Immigrant and Minority Health, 2021, 23, 353-372. | 0.8 | 27 |
| 12 | Effect of CPAP Therapy on Kidney Function in Patients With Chronic Kidney Disease. Chest, 2021, 159, 2008-2019. | 0.4 | 16 |
| 13 | Short therapy programmes may reduce the risk of suicide reattempts. Evidence-based Nursing, 2021, 24, 67-67. | 0.1 | 2 |
| 14 | Knowledge translation in health and wellness research focusing on immigrants in Canada. Journal of Primary Health Care, 2021, 13, 139-156. | 0.2 | 4 |
| 15 | Overcoming the Challenges Faced by Immigrant Populations While Accessing Primary Care: Potential Solution-oriented Actions Advocated by the Bangladeshi-Canadian Community. Journal of Primary Care and Community Health, 2021, 12, 215013272110101. | 1.0 | 12 |
| 16 | Alternative career pathways for international medical graduates towards job market integration: a literature review. International Journal of Medical Education, 2021, 12, 45-63. | 0.6 | 14 |
| 17 | Professional integration of immigrant medical professionals through alternative career pathways: an Internet scan to synthesize the current landscape. Human Resources for Health, 2021, 19, 51. | 1.1 | 8 |
| 18 | Undergraduate students' perceptions of community engagement: A snapshot of a public research university in Canada. Gateways: International Journal of Community Research and Engagement, 2021, 14, . | 0.0 | 0 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Association between neighborhood built environment and health-related fitness: a systematic review protocol. JBI Evidence Synthesis, 2021, 19, 2350-2358. | 0.6 | 5 |
| 20 | Recruitment of patients with chronic kidney disease and obstructive sleep apnoea for a clinical trial. Journal of Sleep Research, 2021, 30, e13384. | 1.7 | 0 |
| 21 | Community-Driven Prioritization of Primary Health Care Access Issues by Bangladeshi-Canadians to Guide Program of Research and Practice. Family and Community Health, 2021, 44, 292-298. | 0.5 | 9 |
| 22 | Relationship of Ambient Temperature Parameters to Stroke Incidence in a Japanese Population ― Takashima Stroke Registry, Japan, 1988–2010 ―. Circulation Journal, 2021, 85, 2215-2221. | 0.7 | 2 |
| 23 | Breast cancer screening literacy information on online platforms: A content analysis of YouTube videos. Breast Disease, 2021, 41, 81-87. | 0.4 | 4 |
| 24 | Validating Prediction Models for use in Clinical Practice: Concept, Steps, and Procedures Focusing on Hypertension Risk Prediction. Hypertension Journal, 2021, 7, 54-62. | 0.1 | 3 |
| 25 | Conducting comprehensive scoping reviews to systematically capture the landscape of a subject matter. Population Medicine, 2021, 3, 1-9. | 0.3 | 10 |
| 26 | Barriers to Breast Cancer Screening Among Immigrant Populations in Canada. Journal of Immigrant and Minority Health, 2020, 22, 410-420. | 0.8 | 19 |
| 27 | A populationâ€based analysis of antidiabetic medications in four Canadian provinces: Secular trends and prescribing patterns. Pharmacoepidemiology and Drug Safety, 2020, 29, 86-92. | 0.9 | 10 |
| 28 | Perceived Challenges and Unmet Primary Care Access Needs among Bangladeshi Immigrant Women in Canada. Journal of Primary Care and Community Health, 2020, 11, 215013272095261. | 1.0 | 18 |
| 29 | Summarising and synthesising regression coefficients through systematic review and meta-analysis for improving hypertension prediction using metamodelling: protocol. BMJ Open, 2020, 10, e036388. | 0.8 | 4 |
| 30 | YouTube as a source of educational information about CPAP use for sleep apnea. Journal of Communication in Healthcare, 2020, 13, 284-288. | 0.8 | 1 |
| 31 | Identifying the facilitators, constraints and barriers of community indoor walking programmes: protocol for a realist synthesis. BMJ Open, 2020, 10, e034342. | 0.8 | 0 |
| 32 | Community engagement with immigrant communities involving health and wellness research: a systematic review protocol towards developing a taxonomy of community engagement definitions, frameworks, and methods. BMJ Open, 2020, 10, e035649. | 0.8 | 4 |
| 33 | Perceived barriers and primary care access experiences among immigrant Bangladeshi men in Canada. Family Medicine and Community Health, 2020, 8, e000453. | 0.6 | 19 |
| 34 | Hypertension prevalence and its trend in Bangladesh: evidence from a systematic review and meta-analysis. Clinical Hypertension, 2020, 26, 10. | 0.7 | 59 |
| 35 | Advancing bibliometric assessment of research productivity: an analysis of US Departments of Family Medicine. Journal of Primary Health Care, 2020, 12, 149. | 0.2 | 3 |
| 36 | Complications of appendectomy and cholecystectomy in acute care surgery: A systematic review and meta-analysis. Journal of Trauma and Acute Care Surgery, 2020, 89, 576-584. | 1.1 | 5 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Precision health through prediction modelling: factors to consider before implementing a prediction model in clinical practice. Journal of Primary Health Care, 2020, 12, 3. | 0.2 | 9 |
| 38 | Intensive decontamination of emergency department surfaces is required to prevent spread of methicillin-resistant <i>Staphylococcus aureus</i> from actively colonised patients. Evidence-based Nursing, 2020, 23, 60-60. | 0.1 | 0 |
| 39 | Active and Fit Communities. Associations between Neighborhood Walkability and Health-Related Fitness in Adults. International Journal of Environmental Research and Public Health, 2020, 17, 1131. | 1.2 | 15 |
| 40 | Knowledge mobilisation in bridging community-practice–academia-policy through meaningful engagement: systematic integrative review protocol focusing on studies conducted on health and wellness among immigrant communities. BMJ Open, 2020, 10, e036081. | 0.8 | 5 |
| 41 | Variable selection strategies and its importance in clinical prediction modelling. Family Medicine and Community Health, 2020, 8, e000262. | 0.6 | 356 |
| 42 | Health and well-being literacy initiatives focusing on immigrant communities: an environmental scan protocol to identify "what works and what does not". Systematic Reviews, 2020, 9, 84. | 2.5 | 1 |
| 43 | Provider-level characteristics are significantly associated with the increased likelihood of mastectomy over conservative surgery among elderly women with breast cancer. Evidence-based Nursing, 2020, 23, 79-79. | 0.1 | 0 |
| 44 | Prevalence of Stroke in a Rural Population of Bangladesh. Global Heart, 2020, 10, 333. | 0.9 | 9 |
| 45 | Fragmented health and well-being services as contributing barriers in overcoming the unmet needs of a population with special needs. Evidence-based Nursing, 2020, 23, 64-64. | 0.1 | 1 |
| 46 | Primary care access barriers faced by immigrant populations in their host countries: a systematic review protocol aiming to construct a conceptual framework using root cause analysis to capture 'what leads to what'. Journal of Primary Health Care, 2020, 12, 139. | 0.2 | 2 |
| 47 | Physical Fitness And Neighborhood Design - Walkability, Cardiorespiratory Fitness, Muscular Strength, And Flexibility In Adults. Medicine and Science in Sports and Exercise, 2020, 52, 988-988. | 0.2 | 0 |
| 48 | Mobilising knowledge on newcomers: Engaging key stakeholders to establish a research hub for Alberta. Gateways: International Journal of Community Research and Engagement, 2020, 13, . | 0.0 | 3 |
| 49 | Evaluating practice variance among family physicians to identify targets for laboratory utilization management. Clinica Chimica Acta, 2019, 497, 1-5. | 0.5 | 6 |
| 50 | Cervical cancer screening among immigrant women: Framing the barriers through solution oriented lens. European Journal of Oncology Nursing, 2019, 42, 164-166. | 0.9 | 0 |
| 51 | Predicting the risk of stroke among patients with type 2 diabetes: a systematic review and meta-analysis of C-statistics. BMJ Open, 2019, 9, e025579. | 0.8 | 20 |
| 52 | Dataset of clinical laboratory tests according to ordering variance among family physicians in Calgary, Alberta, Canada. Data in Brief, 2019, 25, 104387. | 0.5 | 0 |
| 53 | Injury among the immigrant population in Canada: exploring the research landscape through a systematic scoping review. International Health, 2019, 11, 203-214. | 0.8 | 17 |
| 54 | Genome-wide association meta-analysis and Mendelian randomization analysis confirm the influence of ALDH2 on sleep durationin the Japanese population. Sleep, $2019,42,.$ | 0.6 | 16 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Effect of CPAP therapy on kidney function in patients with obstructive sleep apnoea and chronic kidney disease: a protocol for a randomised controlled clinical trial. BMJ Open, 2019, 9, e024632. | 0.8 | 10 |
| 56 | Association of genetic risk score and chronic kidney disease in a Japanese population. Nephrology, 2019, 24, 670-673. | 0.7 | 12 |
| 57 | Prognostic tools for cardiovascular disease in patients with type 2 diabetes: A systematic review and meta-analysis of C-statistics. Journal of Diabetes and Its Complications, 2019, 33, 98-111. | 1.2 | 37 |
| 58 | Asset Mapping as a Tool for Identifying Resources in Community Health: A Methodological Overview. Journal of Biomedical Analytics, 2019, 2, 13-25. | 2.3 | 7 |
| 59 | Prevalence of metabolic syndrome in Bangladesh: a systematic review and meta-analysis of the studies. BMC Public Health, 2018, 18, 308. | 1.2 | 62 |
| 60 | The Serum High LDL Cholesterol Levels and Lifetime Risk of Coronary Heart Disease in a Japanese General Population: Suita Study. Atherosclerosis Supplements, 2018, 32, 77. | 1.2 | 1 |
| 61 | Barriers to cervical cancer screening faced by immigrant women in Canada: a systematic scoping review. BMC Women's Health, 2018, 18, 165. | 0.8 | 62 |
| 62 | Prevalence of cardiovascular disease among Bangladeshi adult population: a systematic review and meta-analysis of the studies. Vascular Health and Risk Management, 2018, Volume 14, 165-181. | 1.0 | 38 |
| 63 | Genome-Wide Association Study of Renal Function Traits: Results from the Japan Multi-Institutional Collaborative Cohort Study. American Journal of Nephrology, 2018, 47, 304-316. | 1.4 | 18 |
| 64 | Enhancing Understanding of Postpartum Pain Among Migrant and Non-migrant Women ThroughÂa Qualitative Lens. Journal of Immigrant and Minority Health, 2018, 20, 1042-1043. | 0.8 | 1 |
| 65 | Conducting Comprehensive Environmental Scans in Health Research: A Process for Assessing the Subject Matter Landscape. Journal of Biomedical Analytics, 2018, 1, 71-80. | 2.3 | 13 |
| 66 | Mass gathering health: Considering triggering factors associated with acute cardiovascular events using linked registry data. Journal of King Abdulaziz University, Islamic Economics, 2018, 23, 168-169. | 0.5 | 0 |
| 67 | Userâ€driven conversations about dialysis through Facebook: A qualitative thematic analysis. Nephrology, 2017, 22, 301-307. | 0.7 | 30 |
| 68 | Social Media as a Platform for Information About Diabetes Foot Care: A Study of Facebook Groups. Canadian Journal of Diabetes, 2017, 41, 97-101. | 0.4 | 66 |
| 69 | Diabetes and lifetime risk of stroke and subtypes in an urban middle-aged population. Journal of Diabetes and Its Complications, 2017, 31, 831-835. | 1.2 | 5 |
| 70 | Content analysis of Canadian newspapers articles and readers' comments related to schizophrenia. International Journal of Culture and Mental Health, 2017, 10, 75-81. | 0.6 | 5 |
| 71 | Risk of stroke and heart failure attributable to atrial fibrillation in middle-aged and elderly people: Results from a five-year prospective cohort study of Japanese community dwellers. Journal of Epidemiology, 2017, 27, 360-367. | 1.1 | 11 |
| 72 | Implementation of an intervention to reduce population-based screening for vitamin D deficiency: a cross-sectional study. CMAJ Open, 2017, 5, E36-E39. | 1.1 | 32 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | Sociodemographic Correlates of Clinical Laboratory Test Expenditures in a Major Canadian City. American Journal of Clinical Pathology, 2017, 148, 91-96. | 0.4 | 11 |
| 74 | Diabetes and lifetime risk of coronary heart disease. Primary Care Diabetes, 2017, 11, 461-466. | 0.9 | 11 |
| 75 | Social Networking Sites for Peer-Driven Health Communication: Diabetes-Related Communities in Google+. Diabetology International, 2017, 8, 323-327. | 0.7 | 6 |
| 76 | A Clinical Risk Prediction Tool for 6-Month Mortality After Dialysis Initiation Among Older Adults. American Journal of Kidney Diseases, 2017, 69, 568-575. | 2.1 | 51 |
| 77 | Hospital treatment costs and length of stay associated with hypertension and multimorbidity after hemorrhagic stroke. BMC Neurology, 2017, 17, 158. | 0.8 | 31 |
| 78 | Knowledge Translation for Cardiovascular Disease Research and Management in Japan. Journal of Atherosclerosis and Thrombosis, 2017, 24, 877-883. | 0.9 | 1 |
| 79 | Breast cancer information communicated on a public online platform: an analysis of †Yahoo! Answer Japan'. Journal of Primary Health Care, 2017, 9, 167. | 0.2 | 4 |
| 80 | Experiences of communication barriers between physicians and immigrant patients: A systematic review and thematic synthesis. Patient Experience Journal, 2017, 4, 122-140. | 0.3 | 48 |
| 81 | The VITAH Trial—Vitamin D Supplementation and Cardiac Autonomic Tone in Patients with End-Stage Kidney Disease on Hemodialysis: A Blinded, Randomized Controlled Trial. Nutrients, 2016, 8, 608. | 1.7 | 7 |
| 82 | Emerging Burden of Cardiovascular Diseases in Bangladesh. Journal of Atherosclerosis and Thrombosis, 2016, 23, 365-375. | 0.9 | 13 |
| 83 | Interventions to Educate Family Physicians to Change Test Ordering. Academic Pathology, 2016, 3, 2374289516633476. | 0.7 | 13 |
| 84 | Hypertension and lifetime risk of stroke. Journal of Hypertension, 2016, 34, 116-122. | 0.3 | 73 |
| 85 | Canadian family physician knowledge and attitudes toward laboratory utilization management. Clinical Biochemistry, 2016, 49, 4-7. | 0.8 | 11 |
| 86 | Safety of street foods., 2016,, 15-29. | | 6 |
| 87 | Ventricular tachyarrhythmia and sudden cardiac death with domperidone use in Parkinson's disease. British Journal of Clinical Pharmacology, 2016, 82, 461-472. | 1.1 | 35 |
| 88 | Association Between Incretin-Based Drugs and the Risk of Acute Pancreatitis. JAMA Internal Medicine, 2016, 176, 1464. | 2.6 | 87 |
| 89 | Standardized Prevalence Ratios for Atrial Fibrillation in Adult Dialysis Patients in Japan. Journal of Epidemiology, 2016, 26, 272-276. | 1.1 | 9 |
| 90 | Lifetime risk of diabetes among First Nations and non–First Nations people. Cmaj, 2016, 188, 1147-1153. | 0.9 | 44 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 91 | What is the scope of improving immigrant and ethnic minority healthcare using community navigators: A systematic scoping review. International Journal for Equity in Health, 2016, 15, 6. | 1.5 | 70 |
| 92 | Cardiovascular diseases among patients with schizophrenia. Asian Journal of Psychiatry, 2016, 19, 28-36. | 0.9 | 46 |
| 93 | Magnitude of rate of change in kidney function and future risk of cardiovascular events. International Journal of Cardiology, 2016, 202, 657-665. | 0.8 | 28 |
| 94 | A Multicenter Observational Study of Incretin-based Drugs and Heart Failure. New England Journal of Medicine, 2016, 374, 1145-1154. | 13.9 | 191 |
| 95 | Incretin based drugs and the risk of pancreatic cancer: international multicentre cohort study. BMJ, The, 2016, 352, i581. | 3.0 | 78 |
| 96 | Impact of hypertension on the lifetime risk of coronary heart disease. Hypertension Research, 2016, 39, 548-551. | 1.5 | 23 |
| 97 | Renal function trajectory over time and adverse clinical outcomes. Clinical and Experimental Nephrology, 2016, 20, 379-393. | 0.7 | 16 |
| 98 | Critical care transition programs and the risk of readmission or death after discharge from ICU. Intensive Care Medicine, 2016, 42, 401-410. | 3.9 | 42 |
| 99 | Barriers to Access of Primary Healthcare by Immigrant Populations in Canada: A Literature Review. Journal of Immigrant and Minority Health, 2016, 18, 1522-1540. | 0.8 | 145 |
| 100 | Web-Based Interventions for Chronic Back Pain: A Systematic Review. Journal of Medical Internet Research, 2016, 18, e139. | 2.1 | 100 |
| 101 | Ramadan fasting is not usually associated with the risk of cardiovascular events: A systematic review and meta-analysis. Journal of Family and Community Medicine, 2016, 23, 73. | 0.5 | 24 |
| 102 | Social Media in Communicating Health Information: An Analysis of Facebook Groups Related to Hypertension. Preventing Chronic Disease, 2015, 12, E11. | 1.7 | 49 |
| 103 | Sleep Disturbances among Medical Students: A Global Perspective. Journal of Clinical Sleep Medicine, 2015, 11, 69-74. | 1.4 | 205 |
| 104 | SP307VITAMIN D SUPPLEMENTATION IS ASSOCIATED WITH IMPROVED MODULATION OF CARDIAC AUTONOMIC TONE IN IGA NEPHROPATHY. Nephrology Dialysis Transplantation, 2015, 30, iii480-iii481. | 0.4 | 0 |
| 105 | Relative and absolute risks of all-cause and cause-specific deaths attributable to atrial fibrillation in middle-aged and elderly community dwellers. International Journal of Cardiology, 2015, 184, 692-698. | 0.8 | 13 |
| 106 | Assessing the Validity of Surrogate Outcomes for ESRD: A Meta-Analysis. Journal of the American Society of Nephrology: JASN, 2015, 26, 2289-2302. | 3.0 | 39 |
| 107 | Interventions at the laboratory level to reduce laboratory test ordering by family physicians: Systematic review. Clinical Biochemistry, 2015, 48, 1358-1365. | 0.8 | 30 |
| 108 | IgA nephropathy with early kidney disease is associated with increased arterial stiffness and renin–angiotensin system activity. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2015, 16, 521-528. | 1.0 | 8 |

| # | Article | IF | Citations |
|-----|---|-----------------|------------|
| 109 | Acute-onset atrial fibrillation and ambient air temperature: A linear or a non-linear association?. Journal of Epidemiology and Global Health, 2015, 5, 99. | 1.1 | O |
| 110 | Vitamin D Supplementation Is Associated With Stabilization of Cardiac Autonomic Tone in IgA Nephropathy. Hypertension, 2015, 66, e4-6. | 1.3 | 8 |
| 111 | Nocturnal Hypoxemia Severity and Renin–Angiotensin System Activity in Obstructive Sleep Apnea. American Journal of Respiratory and Critical Care Medicine, 2015, 192, 873-880. | 2.5 | 59 |
| 112 | Testosterone is associated with the cardiovascular autonomic response to a stressor in healthy men. Clinical and Experimental Hypertension, 2015, 37, 184-191. | 0.5 | 10 |
| 113 | Yearly Clinical Laboratory Test Expenditures for Different Medical Specialties in a Major Canadian City. American Journal of Clinical Pathology, 2015, 144, 97-102. | 0.4 | 15 |
| 114 | Predictors of successful completion of diagnostic home sleep testing in patients with chronic kidney disease. Sleep and Breathing, 2015, 19, 669-675. | 0.9 | 4 |
| 115 | A Meta-analysis of the Association of Estimated GFR, Albuminuria, Diabetes Mellitus, and Hypertension With Acute Kidney Injury. American Journal of Kidney Diseases, 2015, 66, 602-612. | 2.1 | 210 |
| 116 | A Meta-analysis of the Association of Estimated GFR, Albuminuria, Age, Race, and Sex With Acute Kidney Injury. American Journal of Kidney Diseases, 2015, 66, 591-601. | 2.1 | 138 |
| 117 | YouTube as a source of useful information on diabetes foot care. Diabetes Research and Clinical Practice, 2015, 110, e1-e4. | 1.1 | 39 |
| 118 | Factors Associated with Early Deterioration after Spontaneous Intracerebral Hemorrhage: A Systematic Review and Meta-Analysis. PLoS ONE, 2014, 9, e96743. | 1.1 | 65 |
| 119 | Phantom limb pain: a nursing perspective. Nursing Standard (Royal College of Nursing (Great Britain):) Tj ETQq1 1 | 0,784314 0.1 | rgBT /Over |
| 120 | Polymorphisms of genes involved in lipid metabolism and risk of chronic kidney disease in Japanese - cross-sectional data from the J-MICC study. Lipids in Health and Disease, 2014, 13, 162. | 1.2 | 7 |
| 121 | Kidney Function, Albuminuria and Life Expectancy. Canadian Journal of Kidney Health and Disease, 2014, 1, 33. | 0.6 | 13 |
| 122 | The relationship of brachial-ankle pulse wave velocity to future cardiovascular disease events in the general Japanese population: the Takashima Study. Journal of Human Hypertension, 2014, 28, 323-327. | 1.0 | 96 |
| 123 | Serum uric acid level, blood pressure, and vascular angiotensin II responsiveness in healthy men and women. Physiological Reports, 2014, 2, e12235. | 0.7 | 14 |
| 124 | Shortâ€Term Change in eGFR and Risk of Cardiovascular Events. Journal of the American Heart Association, 2014, 3, e000997. | 1.6 | 14 |
| 125 | Cost of Spontaneous Intracerebral Hemorrhage in Canada During 1 Decade. Stroke, 2014, 45, 284-286. | 1.0 | 23 |
| 126 | Sex influences the effect of body mass index on the vascular response to angiotensin II in humans. Obesity, 2014, 22, 739-746. | 1.5 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | A meta-analysis to derive literature-based benchmarks for readmission and hospital mortality after patient discharge from intensive care. Critical Care, 2014, 18, 715. | 2.5 | 41 |
| 128 | Limitations of split-night polysomnography for the diagnosis of nocturnal hypoventilation and titration of non-invasive positive pressure ventilation in amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2014, 15, 494-498. | 1.1 | 11 |
| 129 | Decline in Estimated Glomerular Filtration Rate and Subsequent Risk of End-Stage Renal Disease and Mortality. JAMA - Journal of the American Medical Association, 2014, 311, 2518. | 3.8 | 760 |
| 130 | Combining the effects of conventional risk factors and environmental triggering factors while studying seasonality in acute myocardial infarction. Environmental Pollution, 2014, 189, 252-253. | 3.7 | 4 |
| 131 | Corrigendum to "High risks of all-cause and cardiovascular deaths in apparently healthy middle-aged people with preserved glomerular filtration rate and albuminuria: A prospective cohort study―[Int J Cardiol 170 (2013) 167–172]. International Journal of Cardiology, 2014, 175, 595. | 0.8 | 0 |
| 132 | Vitamin D supplementation is associated with improved modulation of cardiac autonomic tone in healthy humans. International Journal of Cardiology, 2014, 172, 506-508. | 0.8 | 30 |
| 133 | GCK, GCKR polymorphisms and risk of chronic kidney disease in Japanese individuals: data from the J-MICC Study. Journal of Nephrology, 2014, 27, 143-149. | 0.9 | 11 |
| 134 | The VITAH Trial Vitamin D supplementation and cardiac autonomic tone in hemodialysis: a blinded, randomized controlled trial. BMC Nephrology, 2014, 15, 129. | 0.8 | 11 |
| 135 | Studying Effects of Weather Parameters on Acute Stroke: Considering the Contribution of "Risk Factors―and "Triggering Factors―Together. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 194-195. | 0.7 | 3 |
| 136 | Acute Case-Fatality Rates of Stroke and Acute Myocardial Infarction in a Japanese Population: Takashima Stroke and AMI Registry, 1989–2005. International Journal of Stroke, 2014, 9, 69-75. | 2.9 | 10 |
| 137 | MTHFR, MTR and MTRR polymorphisms and risk of chronic kidney disease in Japanese: cross-sectional data from the J-MICC Study. International Urology and Nephrology, 2013, 45, 1613-1620. | 0.6 | 9 |
| 138 | Serum leptin and total dietary energy intake: the INTERLIPID Study. European Journal of Nutrition, 2013, 52, 1641-1648. | 1.8 | 10 |
| 139 | Microbiological quality of selected street food items vended by school-based street food vendors in Dhaka, Bangladesh. International Journal of Food Microbiology, 2013, 166, 413-418. | 2.1 | 60 |
| 140 | Wake-Up Stroke: Incidence, Risk Factors and Outcome of Acute Stroke during Sleep in a Japanese Population. Takashima Stroke Registry 1988-2003. European Neurology, 2013, 69, 354-359. | 0.6 | 17 |
| 141 | High risks of all-cause and cardiovascular deaths in apparently healthy middle-aged people with preserved glomerular filtration rate and albuminuria: A prospective cohort study. International Journal of Cardiology, 2013, 170, 167-172. | 0.8 | 16 |
| 142 | Concordance of CKD stages in estimation by the CKD-EPI equation and estimation by the MDRD equation in the Japanese general population: The Iwate KENCO Study. International Journal of Cardiology, 2013, 165, 377-379. | 0.8 | 6 |
| 143 | Proteinuria and Life Expectancy. American Journal of Kidney Diseases, 2013, 61, 646-648. | 2.1 | 21 |
| 144 | Geotopographic and Environmental Characteristics of Communities and the Seasonality of Stroke Occurrences. Journal of Stroke and Cerebrovascular Diseases, 2013, 22, 279-280. | 0.7 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | In Reply to â€~Overestimation of Life Expectancy in CKD'. American Journal of Kidney Diseases, 2013, 62, 396. | 2.1 | 16 |
| 146 | Change in the estimated glomerular filtration rate over time and risk of all-cause mortality. Kidney International, 2013, 83, 684-691. | 2.6 | 115 |
| 147 | Polymorphisms in <i>PPAR</i> Genes (<i>PPARD</i> , <i>PPARG</i> , and <i>PPARGC1A</i>) and the Risk of Chronic Kidney Disease in Japanese: Cross-Sectional Data from the J-MICC Study. PPAR Research, 2013, 2013, 1-8. | 1.1 | 10 |
| 148 | Proteinuria and Rate of Change in Kidney Function in a Community-Based Population. Journal of the American Society of Nephrology: JASN, 2013, 24, 1661-1667. | 3.0 | 97 |
| 149 | Vitamin D Levels Are Associated with Cardiac Autonomic Activity in Healthy Humans. Nutrients, 2013, 5, 2114-2127. | 1.7 | 46 |
| 150 | Associations of marital status with mortality from all causes and mortality from cardiovascular disease in Japanese haemodialysis patients. Nephrology Dialysis Transplantation, 2013, 28, 1013-1020. | 0.4 | 15 |
| 151 | Knowledge and Awareness of Children's Food Safety Among School-Based Street Food Vendors in Dhaka, Bangladesh. Foodborne Pathogens and Disease, 2013, 10, 323-330. | 0.8 | 25 |
| 152 | The Authors Reply:. Kidney International, 2013, 84, 849. | 2.6 | 0 |
| 153 | Comparison of Predictability of Future Cardiovascular Events Between Chronic Kidney Disease (CKD) Stage Based on CKD Epidemiology Collaboration Equation and That Based on Modification of Diet in Renal Disease Equation in the Japanese General Population. Circulation Journal, 2013, 77, 1315-1325. | 0.7 | 25 |
| 154 | Significant interaction between <i>RETN</i> -420 <i>G/G</i> genotype and lower BMI on decreased risk of type 2 diabetes mellitus (T2DM) in Japanese $\hat{a} \in \mathbb{C}$ the J-MICC Study [Rapid Communication]. Endocrine Journal, 2013, 60, 237-243. | 0.7 | 9 |
| 155 | Polymorphisms in genes encoding antioxidant enzymes (SOD2, CAT, GPx, TXNRD, SEPP1, SEP15 and SELS) and risk of chronic kidney disease in Japanese - cross-sectional data from the J-MICC study. Journal of Clinical Biochemistry and Nutrition, 2013, 53, 15-20. | 0.6 | 11 |
| 156 | The Reliability and Sensitivity of the National Institutes of Health Stroke Scale for Spontaneous Intracerebral Hemorrhage in an Uncontrolled Setting. PLoS ONE, 2013, 8, e84702. | 1.1 | 12 |
| 157 | Diagnostic Value of Screening Instruments for Identifying Obstructive Sleep Apnea in Kidney Failure. Journal of Clinical Sleep Medicine, 2013, 09, 31-38. | 1.4 | 48 |
| 158 | The Prevalence of Restless Legs Syndrome across the Full Spectrum of Kidney Disease. Journal of Clinical Sleep Medicine, 2013, 09, 455-459. | 1.4 | 37 |
| 159 | Burden of Cardio- and Cerebro-vascular Diseases and the Conventional Risk Factors in South Asian Population. Global Heart, 2013, 8, 121. | 0.9 | 22 |
| 160 | Gene-Gene Combination Effect and Interactions among ABCA1, APOA1, SR-B1, and CETP Polymorphisms for Serum High-Density Lipoprotein-Cholesterol in the Japanese Population. PLoS ONE, 2013, 8, e82046. | 1.1 | 15 |
| 161 | Increased urinary protein excretion in the "normal―range is associated with increased renin-angiotensin system activity. American Journal of Physiology - Renal Physiology, 2012, 302, F526-F532. | 1.3 | 12 |
| 162 | Improvement in Kidney Function: A Real Occurrence. Journal of the American Society of Nephrology: JASN, 2012, 23, 575-577. | 3.0 | 4 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 163 | Short-term change in kidney function and risk of end-stage renal disease. Nephrology Dialysis Transplantation, 2012, 27, 3835-3843. | 0.4 | 86 |
| 164 | Hypertension and life expectancy among Japanese: NIPPON DATA80. Hypertension Research, 2012, 35, 954-958. | 1.5 | 17 |
| 165 | Short-Term Exposure to Air Pollution and Incidence of Stroke and Acute Myocardial Infarction in a Japanese Population. Neuroepidemiology, 2012, 38, 84-92. | 1.1 | 26 |
| 166 | Chronic kidney disease and life expectancy. Nephrology Dialysis Transplantation, 2012, 27, 3182-3186. | 0.4 | 103 |
| 167 | Ambient Air Pollutants and Acute Case-Fatality of Cerebro-Cardiovascular Events: Takashima Stroke and AMI Registry, Japan (1988–2004). Cerebrovascular Diseases, 2012, 34, 130-139. | 0.8 | 15 |
| 168 | Lifetime Risk of ESRD. Journal of the American Society of Nephrology: JASN, 2012, 23, 1569-1578. | 3.0 | 72 |
| 169 | One-Year Change in Kidney Function Is Associated with an Increased Mortality Risk. American Journal of Nephrology, 2012, 36, 41-49. | 1.4 | 54 |
| 170 | Decreased Renal Function and the Prevalence of Obstructive Sleep Apnea: Response. Chest, 2012, 142, 1076-1077. | 0.4 | 0 |
| 171 | A Randomized Controlled Trial of Short and Standard-Length Consent Forms for a Genetic Cohort Study: Is Longer Better?. Journal of Epidemiology, 2012, 22, 308-316. | 1.1 | 31 |
| 172 | Rates of Treated and Untreated Kidney Failure in Older vs Younger Adults. JAMA - Journal of the American Medical Association, 2012, 307, 2507-15. | 3.8 | 128 |
| 173 | Matrix Metalloproteinase-9 Gene Polymorphisms and Chronic Kidney Disease. American Journal of Nephrology, 2012, 36, 444-450. | 1.4 | 12 |
| 174 | Relation of dietary and lifestyle traits to difference in serum leptin of Japanese in Japan and Hawaii: The INTERLIPID study. Nutrition, Metabolism and Cardiovascular Diseases, 2012, 22, 14-22. | 1.1 | 3 |
| 175 | Diabetes and life expectancy among Japanese – NIPPON DATA80. Diabetes Research and Clinical Practice, 2012, 96, e18-e22. | 1.1 | 17 |
| 176 | Impact of gender on the cardiac autonomic response to angiotensin II in healthy humans. Journal of Applied Physiology, 2012, 112, 1001-1007. | 1.2 | 18 |
| 177 | Declining Kidney Function Increases the Prevalence of Sleep Apnea and Nocturnal Hypoxia. Chest, 2012, 141, 1422-1430. | 0.4 | 165 |
| 178 | Clinical Presentation of Obstructive Sleep Apnea in Patients with Chronic Kidney Disease. Journal of Clinical Sleep Medicine, 2012, 08, 381-387. | 1.4 | 42 |
| 179 | Is there any circadian variation consequence on acute case fatality of stroke? Takashima Stroke Registry, Japan (1990-2003). Acta Neurologica Scandinavica, 2012, 125, 206-212. | 1.0 | 19 |
| 180 | Long-term risk projection and its application to nephrology research. Journal of Nephrology, 2012, 25, 441-449. | 0.9 | 10 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|----------------|
| 181 | Knowledge translation for nephrologists: strategies for improving the identification of patients with proteinuria. Journal of Nephrology, 2012, 25, 933-943. | 0.9 | 15 |
| 182 | Increased risk of acute myocardial infarction during colder periods is independent of the conventional cardiovascular risk factors: Takashima AMI Registry, Japan. CVD Prevention and Control, 2011, 6, 109-111. | 0.7 | 5 |
| 183 | Diurnal incidence of acute myocardial infarction in a Japanese population (From the Takashima AMI) Tj ETQq1 | 1 0.784314 0.7 | rgBT /Overlo |
| 184 | P1-530 Blood pressure categories and long-term mortality risk of total and components of cardiovascular diseases among Japanese: a 24 year follow-up of representative Japanese (NIPPON) Tj ETQq0 0 | 0 rgB⁄I.¢Ove | rlook 10 Tf 50 |
| 185 | Profile of Participants and Genotype Distributions of 108 Polymorphisms in a Cross-Sectional Study of Associations of Genotypes With Lifestyle and Clinical Factors: A Project in the Japan Multi-Institutional Collaborative Cohort (J-MICC) Study. Journal of Epidemiology, 2011, 21, 223-235. | 1.1 | 92 |
| 186 | Seropositivity for Anti-HCV Core Antigen is Independently Associated With Increased All-Cause, Cardiovascular, and Liver Disease-Related Mortality in Hemodialysis Patients. Journal of Epidemiology, 2011, 21, 491-499. | 1.1 | 24 |
| 187 | Prognostic Value of ST-T Abnormalities and Left High R Waves With Cardiovascular Mortality in Japanese (24-Year Follow-Up of NIPPON DATA80). American Journal of Cardiology, 2011, 107, 1718-1724. | 0.7 | 18 |
| 188 | Serum selenium levels are inversely associated with death risk among hemodialysis patients. Nephrology Dialysis Transplantation, 2011, 26, 3331-3338. | 0.4 | 56 |
| 189 | Improving Care After Myocardial Infarction Using a 2-Year Internet-Delivered Intervention. Archives of Internal Medicine, 2011, 171, 1910. | 4.3 | 23 |
| 190 | Time lag to hospitalisation and the associated determinants in patients with acute myocardial infarction: the Takashima AMI Registry, Japan. Emergency Medicine Journal, 2011, 28, 239-241. | 0.4 | 6 |
| 191 | Serum Selenium Levels in Hemodialysis Patients Are Significantly Lower than Those in Healthy Controls. Blood Purification, 2011, 32, 43-47. | 0.9 | 24 |
| 192 | Change in Kidney Function over Time and Risk for Adverse Outcomes. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 1805-1806. | 2.2 | 7 |
| 193 | Ischemic Stroke Subtypes and Risk Factors: The Probable Bias Arisen From the Classification Style Across Studies. Stroke, 2011, 42, e11-2. | 1.0 | O |
| 194 | Recognizing the risk of cardiovascular diseases: quantifying the short-term and lifetime risk projections. Hypertension Research, 2011, 34, 549-550. | 1.5 | 0 |
| 195 | Residual Lifetime Risk of Cardiovascular Diseases in Japan. Journal of Atherosclerosis and Thrombosis, 2011, 18, 443-447. | 0.9 | 6 |
| 196 | Lifetime Risk of Stroke in Japan. Stroke, 2010, 41, 1552-1554. | 1.0 | 39 |
| 197 | Iron Intake and Associated Factors in General Japanese Population: NIPPON DATA80, NIPPON DATA90 and National Nutrition Monitoring. Journal of Epidemiology, 2010, 20, S557-S566. | 1.1 | 6 |
| 198 | Comparison of the National Nutritional Survey in Japan Estimated Individual-Based Nutritional Data and NIPPON DATA80 Food Frequency Questionnaires. Journal of Epidemiology, 2010, 20, S582-S586. | 1.1 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Integration of Data from NIPPON DATA80/90 and National Nutrition Survey in Japan: For Cohort Studies of Representative Japanese on Nutrition. Journal of Epidemiology, 2010, 20, S506-S514. | 1.1 | 40 |
| 200 | J Epidemiol 2010;20(Suppl 3):S506–S514 Integration of Data from NIPPON DATA80/90 and National Nutrition Survey in Japan: For Cohort Studies of Representative Japanese on Nutrition. Journal of Epidemiology, 2010, 20, 346-346. | 1.1 | 4 |
| 201 | Dietary Salt Intake and Blood Pressure in a Representative Japanese Population: Baseline Analyses of NIPPON DATA80. Journal of Epidemiology, 2010, 20, S524-S530. | 1.1 | 45 |
| 202 | Fatty Acids Intakes and Serum Lipid Profiles: NIPPON DATA90 and the National Nutrition Monitoring. Journal of Epidemiology, 2010, 20, S544-S548. | 1.1 | 20 |
| 203 | Calcium Intake and Associated Factors in a General Japanese Population: Baseline Data of NIPPON DATA80/90 and the National Nutrition Survey. Journal of Epidemiology, 2010, 20, S549-S556. | 1.1 | 11 |
| 204 | Dietary Intake of Potassium and Associated Dietary Factors among Representative Samples of Japanese General Population: NIPPON DATA 80/90. Journal of Epidemiology, 2010, 20, S567-S575. | 1.1 | 9 |
| 205 | Ambient weather conditions and the onset of acute myocardial infarction: The consociation between triggering factors and conventional risk factors. Journal of Cardiology, 2010, 55, 283-284. | 0.8 | 3 |
| 206 | Circannual Periodicity of Stroke: the Interrelation between the Stroke Risk Factors and Stroke Triggering Factors. International Journal of Stroke, 2010, 5, 133-134. | 2.9 | 3 |
| 207 | Untreated or uncontrolled cardiovascular risk factors are associated with an increased risk of cerebral hemorrhage during colder periods. Acta Neurologica Scandinavica, 2010, 121, 67-69. | 1.0 | 3 |
| 208 | Relationship of the Polyunsaturated to Saturated Fatty Acid Ratio to Cardiovascular Risk Factors and Metabolic Syndrome in Japanese: the INTERLIPID Study. Journal of Atherosclerosis and Thrombosis, 2010, 17, 777-784. | 0.9 | 17 |
| 209 | Lifetime Risk of Acute Myocardial Infarction in Japan. Circulation: Cardiovascular Quality and Outcomes, 2010, 3, 701-703. | 0.9 | 29 |
| 210 | Diurnal Variation in Onset of Hemorrhagic Stroke Is Independent of Risk Factor Status: Takashima Stroke Registry. Neuroepidemiology, 2010, 34, 25-33. | 1.1 | 17 |
| 211 | Ischemic Stroke Subtypes in a Japanese Population. Stroke, 2010, 41, 1871-1876. | 1.0 | 67 |
| 212 | Risk factors for heart failure and coronary heart disease mortality over 24-year follow-up period in Japan: NIPPON DATA80. CVD Prevention and Control, 2010, 5, 97. | 0.7 | 4 |
| 213 | Brachial–ankle pulse wave velocity predicts all-cause mortality in the general population: findings from the Takashima study, Japan. Hypertension Research, 2010, 33, 922-925. | 1.5 | 125 |
| 214 | Circaseptan variation in case-fatality rate for patients with acute subarachnoid hemorrhage (Takashima Stroke Registry 1988–2003). Journal of Clinical Neuroscience, 2010, 17, 869-873. | 0.8 | 4 |
| 215 | Relation of Serum Leptin to Blood Pressure of Japanese in Japan and Japanese-Americans in Hawaii. Hypertension, 2009, 54, 1416-1422. | 1.3 | 5 |
| 216 | Stroke Case Fatality Shows Seasonal Variation Regardless of Risk Factor Status in a Japanese Population: 15-Year Results from the Takashima Stroke Registry. Neuroepidemiology, 2009, 32, 53-60. | 1.1 | 40 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Dietary Habits in Middle Age and Future Changes in Activities of Daily Living – NIPPON DATA80. Gerontology, 2009, 55, 707-713. | 1.4 | 6 |
| 218 | The Time Interval Window between Stroke Onset and Hospitalization and Its Related Factors. Neuroepidemiology, 2009, 33, 240-246. | 1.1 | 9 |
| 219 | Incidence, admission and case-fatality of acute myocardial infarction: weekend versus weekday in a Japanese population: 16-year results from Takashima AMI Registry (1988–2003). European Journal of Epidemiology, 2009, 24, 93-100. | 2.5 | 25 |
| 220 | Trend of Stroke Incidence in a Japanese Population: Takashima Stroke Registry, 1990-2001. International Journal of Stroke, 2009, 4, 241-249. | 2.9 | 45 |
| 221 | Morning surge in circadian periodicity of ischaemic stroke is independent of conventional risk factor status: findings from the Takashima Stroke Registry 1990-2003. European Journal of Neurology, 2009, 16, 843-851. | 1.7 | 30 |
| 222 | Association between polymorphism of the AGTR1 and cardiovascular events in a Japanese general sample (The Shigaraki Study). International Journal of Cardiology, 2009, 136, 354-355. | 0.8 | 1 |
| 223 | Both acute and chronic cardiovascular conditions show seasonality: the need of looking beyond conventional risk factors. Australian and New Zealand Journal of Public Health, 2008, 32, 581-582. | 0.8 | 0 |
| 224 | Seasonal Pattern of Incidence and Case Fatality of Acute Myocardial Infarction in a Japanese Population (from the Takashima AMI Registry, 1988 to 2003). American Journal of Cardiology, 2008, 102, 1307-1311. | 0.7 | 72 |
| 225 | Case Fatality of Stroke and Day of the Week: Is the Weekend Effect an Artifact?. Cerebrovascular Diseases, 2008, 26, 606-611. | 0.8 | 33 |
| 226 | Higher Stroke Incidence in the Spring Season Regardless of Conventional Risk Factors. Stroke, 2008, 39, 745-752. | 1.0 | 103 |
| 227 | Cardiovascular Disease and Risk Factors in Asia. Circulation, 2008, 118, 2702-2709. | 1.6 | 604 |
| 228 | Trend of Increase in the Incidence of Acute Myocardial Infarction in a Japanese Population: Takashima AMI Registry, 1990-2001. American Journal of Epidemiology, 2008, 167, 1358-1364. | 1.6 | 108 |
| 229 | Increase of Stroke Incidence after Weekend Regardless of Traditional Risk Factors: Takashima Stroke Registry, Japan; 1988–2003. Cerebrovascular Diseases, 2007, 24, 328-337. | 0.8 | 33 |
| 230 | Registration and Surveillance of Acute Myocardial Infarction in Japan: Monitoring an Entire Community by the Takashima AMI Registry System and Design. Circulation Journal, 2007, 71, 1617-1621. | 0.7 | 22 |
| 231 | Associations of Obesity Measures With Metabolic Risk Factors in a Community-Based Population in Japan. Circulation Journal, 2007, 71, 776-781. | 0.7 | 39 |
| 232 | Surveillance and Measuring Trends of Stroke in Japan: The Takashima Stroke Registry (1988 – Present). International Journal of Stroke, 2007, 2, 129-132. | 2.9 | 18 |
| 233 | Smoking scenes in popular Japanese serial television dramas: descriptive analysis during the same 3-month period in two consecutive years. Health Promotion International, 2006, 21, 98-103. | 0.9 | 11 |
| 234 | Enhancing Newcomer Research and Knowledge Mobilization Through a Community-Based Knowledge Engagement Hub. International Perspectives in Psychology: Research, Practice, Consultation, 0, , . | 0.4 | 2 |